NOT TO BE ISSUED
OUT OF THE LIBRARY.

00055213

BOMBAY BRANCH
OF THE
ROYAL ASIATIC SOCIETY.
TOWN HALL, BOMBAY.

Digitized with financial assistance from the
Government of Maharashtra
on 25 June, 2016

ALMAGESTI BOTANICI
MANTISSA
Plantarum novissimè detectarum ultrà Millenarium numerum
COMPLECTENS.
Cui, tanquam pedi jam stantis Columnæ,
PLUS ULTRA
Inscribere fas est.

Cum Indice Totius Operis ad calcem adjecto.

——Aspice quantum
Congruet ardori mox Anagramma meo.

55213

Multùm adhuc restat operis, multumque restabit, nec ulli nato post mille Sæcula, præcludetur occasio aliquid adjiciendi.
Seneca.

LONDINI. MDCC.
Sumptibus Autoris.

Y
581.03
Plu/Alm
55213

Dedit nobis hæc Otia DEUS.

00055213

LEONARDUS PLUCNETIUS

Candido Lectori.

S*APIENTER olim summus Vates* Homerus, *homines epitheto perquàm accommodato ἀλφηστὰς, hoc est* Indagatores, *Repertoresque appellarit; Est enim* Hominis *hoc maximè proprium* Invenire *sempèr aliquid, & quæ abdita diù latuerant, in* lucem proferre. *Hinc Artes inventæ omnes initio rudes, deindè verò aliis excogitantibus sensim excultæ, atque ad insignem, non summam tamèn perfectionem deductæ; Locus ubique sempèr est novarum rerum Inventioni. Id cùm in omni* Facultate *conspicuum est, tùm præcipuè in* Botanicâ *intèr præcipuas* Artes *nobilissima compertissimum; Quæ cum eò perducta hodiè sit, ut nihil magnificentius, nihil ornatius, aut dici aut excogitari posse videatur, haud tamen adhùc obstructa est novis rebus Inveniendis via, nec multa etiamnùm desunt, in quibus præstantissimi Viri Ingenii nervos intendant in ultimâ manu operibus imponendâ.*

Post evulgatum sanè meum Almagestum Botanicum *s.* Phytographiæ *totius* Onomasticon, *quædam necessaria circà nonnullas Plantas* ibid. *recensitas adhuc Observabam, aliquot alias insupèr ex abundanti non minùs elegantes quàm valdè raras ad meam notitiam pervenire contingebat; quarum neminem hactenùs mentionem fecisse arbitror, Luxuriosa namquè est plantarum seges ut optimè scribit* Turnefortius (Epist. ad Sherard.) *& demetendæ forsàn jamjàm collectis longè sunt copiosiores; Adeò enim immensum est hoc rei* Herbariæ *studium, ut quam multæ à diligentibus* Indagatoribus *quotidiè reperiantur Novæ Plantæ quas in rerum* Naturâ *minimè extare putabamus, Plantæ novæ sunt dictæ, non quod Natura novas in illis ediderit formas, sed quod à* Novi Orbis *Exploratoribus nobis fuerint novitèr detectæ.*

Eam ob rem tum illa quæ Observabam ad illustranda plurima, tum inter infinitas, propemodùm quas antèa possidebam plantas, nonnullarum Icones affabrè delineatas & ære incisas (harum equidem perpaucas ob sumptus immodices) in hanc Mantissam *congerere operæ pretium esse ducebam, cæterasque nudis nominibus adjiciendas censui, indicatis folio & lineâ quibus inseri deberent, ut iis qui* Almagestum & Phytographiam *nostram sibi compararunt, hæ nostræ* Post-Curæ *etiam usui esse possint.*

Candido Lectori.

Nec pudet me profiteri per quos profecissim; Has enim Plantas perquàm rarissimas; quæ maximâ, & præcipuâ mole auxêre Mantissam *nostram, acceptas referimus munificentiæ Amplissimi Viri, & Mercatoris* Londinensis *celeberrimi, nec non Directoris Veteranæ Societatis* Indiæ Orientalis *apud* Anglos *dignissimi,* **D. Caroli du Bois,** *Stirpium exoticarum Æstimatoris eximii, & in arte* Botanicâ *tàm docti, quàm qui maximè, non minùs quàm Communicationi Ornatissimi Viri* **D.** Alexandri Brown, *eruditi* Scoti, Medicinæ & Chirurgiæ, *perindè ac* Matheseôs *Facultatibus cum primis periti, qui Plantas rariores quamplurimas, quas ipse propriâ manû collegit, atquè in reditu ex* Ind. Or. & Prom. Bon. Spei *secùm adferebat, nobis candidè impertivit: Huic igitur* Duûmviro *nunquam satis deprædicando, cujus desiderium & amor* Botanices *augendæ & exornandæ tantus fuit, meritò apud omnes Candidos ac recti judicii animos, gratiæ debeantur, quoniam (ex parte saltem) suum hoc Opus jure quodam dici mereatur.*

His itaque præmissis Benevole mi Lector hoc nostrum de Te *benemerendi studium boni consulas, & nobis meditare quàm ampla, quàm mirabilia sunt* Creatoris *nostri opera, & quàm nos ignari simus innumerabilium rerum quæ alibi terrarum reperiuntur: Ipse deniquè* Tecum *recolis, cum Summus rerum* Archetypus *ad immensitatem Potentiæ, Sapientiæ, Bonitatis suæ hac in parte explicandam tot Plantarum varietates condiderit, cùmque in* Mundo *hoc sublunari præter hominem, non aliud animal sit intelligentiæ & rationis particeps quod eas Contemplari valeat;* Huic, *quàm sedulò incumbere expedit singulas species exquirere? Ne qua pars* Naturæ *Operum negligatur, aut* Creatoris *laude vacet.*

Vive felix atquè licèt nos omni Mecænate *destitutos esse, nec ullo* Euergeta *in partem oneris ferendi hucusquè adjutos, hic palàm & ingenuè profitemur, (quod non possit sanè non maximum esse dehortamentum, & summum tædium nobis ingerere, sumptus tantos faciendi alienis deliciis;) alia tamèn, (favente Numine) nec minùs* Plucnetii *nomine digna expectaturus: Quæ si non ingrata fore animadverterimus, necdùm desinemus forti animo & labore indefesso Spartam quam semèl sumus nacti, pro virili parte adornare, & in rem* Herbariam *amplificandam ulterius prosecuturos nos pollicemur; Interìm his fruere & Vale,*

Ex Ædibus nostr. ad Palatium antiquum apud *Westmonast.* Anno à nato Mundi *Salvatore* M DCC.

Tu quoque perpetuos sempèr gere Frondis honores.

Ubi cùm *Almagesto* nostro,
Hic quoque *liber* est parabilis.

Monitio.

Tab. CCLXXXI. CCLXXXII. CCLXXXVIII. CCXCII. CCXCIII. CCXCIV. CCXCV. CCXCVI. *Phytogr.* nondùm sunt ære incisæ; quocircà Plantæ hujus numeri, ad *Delineationes* his *Tabulis* adscriptas, tanquàm nondùm editis, ab *Almagesto* referuntur.

Ad

Ad Excellentissimum

Leonardum Pluc'netium, M. D.

ANGLORUM APOLLINEM.

In Opus suum Botanicum.

INVISIBILIA ipsius *Dei*, ut inquit *Paulus Apostolus* (amicissime *Pluc'neti*) à Creatione *Mundi* per ea quæ facta sunt Opera intelliguntur. Inest enim Spiritui nostro quoddam *Naturæ* lumen, quo ex Creaturis ascendit in eorum *Conditorem* ; quem videt esse rerum omnium Principium, Omnipotentem, Infinitum, Æternum, Summum Bonum, & Finem Ultimum. Plura quidèm de *Scientiâ Naturali* sine suo usu discere plusquàm ignorare est, & inane, & futile, & ut mihi placet insulsum ; Quis autem melior usus quàm cognoscere *Deum*, mirari, laudare, continuis sacrificare Hymnis, & in hoc mundano *Templo* adorare ; Sanè quæ *Natura* ipsa prodit admiranda, & ipsa *Dei* opera sunt, quin & ipsa Natura *Dei* miraculum est : Qui vero, per amœna φύσεως πολυποίκιλα Viridaria expatiatur, & expendit stirpium naturas cum Interpretatione suâ, tot hymnos consecravit *Deo*, quot formas demiratur, tot laudum Sacrificiis honorificabit Autorem.

Parva hæc uidebuntur & minutula quibusdam qui magnum spirant (mi *Pluc'nete*) sed scias oportet Mortalia omnia exigua esse, minimisque constare, & qui minima negligunt, magnum quidèm Imperium fortunâ habere possent, sed non virtute diuturnum. *Natura* enim nuspiam magis tota est quam in minimis ; In minimis maxima sunt quæ miremur, summissus etenim ad Plantarum genus obtutus, tanquàm *Jovialis Aquila* mentem ad Cælum transvehit, ad Auctorem cogimur extollere, qui in tam humilibus, tam parvis, simulachrum aliquod suæ magnitudinis, suæ immensitatis, nescio dicere an circumscripserit, an dilataverit, cum nihil vel in ipsâ *Vegetabili* rerum conspiciatur *Natura*, quod suum non exprimat Artificem, aut aliquod *Divinitatis* non videatur præ se ferre vestigium ; adeò verum est.

Emicat ex ipsis Divina Potentia *Campis*.

Nec aliud Poeta voluit inquiens,

Præsentemque refert quælibet herba Deum.

Hæc autem excellentissima *Vegetantium* notitia olim *Divûm* munus, Regumque delectamentum prout nunc sunt res humanæ in *Angliâ* nostrâ parùm dignitatis habere videtur, sordeat quoque iis, & fastidiatur, quibus in amore & deliciis ea potissimùm habentur studiorum genera, quæ ad quæstum & magnificentiam comparata, quæ in vulgus probantur, quæ amplissima proposita habere præmia putantur, quæ ad opes & dignitates viam videntur, aditumque patefacere ; Attamen si rerum æsti-

matores esse voluerimus paulò æquiores, & dignitatem habere *Botanicam* disciplinam, & habere quidem summam summâ cum utilitate conjunctam, nec (meo quidem arbitratu) ulla est ingenuo homine vel dignior, vel delectabilior Occupatio quàm pulcherrima *Naturæ* opera Contemplari, adeòque infinitam *Divini Opificis* Sapientiam simùl & Bonitatem celebrare.

Speculationem *Plantarum* quarum viribus vix quicquam reperiri potest in *Natura* rerum admirabilius, præ omnibus divitiis *Te* delectasse fateri non erubescis, potiorem vitæ tuæ partem *Herbarum* studiis insumpsisti, nàm ab ineunte ætate incepit *Tibi* hic ardor *Botanicus*, Pluris equidèm (ego præ cæteris scio) *Tu* fecisti hanc *Botanices* notitiam quam Aulam quam Divitias, quam Autoritatem Popularem, omnes spes quas tanti facimus pro istâ Voluptate libentèr commutâsti, Fortunatos illos sempèr existimans qui posuêre felicitatem suam in *Paradiso*, ad quem si redire nobis non sit permissum, liceat tamen contemplari; qui admirandis *Dei* in Virctis sua inscripsêre nomina, & Cedro, Auroquè sanè digni sunt, qui tantis adminiculis fulti, per * Scalam *Salamonis* Cælum conscendêrunt.

* *Scala* Salamonis *(i. e.) Polygonatum, aliis Sigillum* Salamonis, *aliquandò Scala* Cæli, *nuncupatur*, Nostratibus Jacob's-ladder, *(i. e.) Scala* Jacobi, *& Scala* Angelorum, *hoc loco pro* Scientia *ponitur.*

Quod si forsàn quis famam respiciat, Quamplurimi sunt Inclyti Viri, nec non summi Principes utriusque Sexûs qui ob indita certis herbis sua Nomina, immortale sibi Nomen comparârunt, non alitèr certè ac *Clymenes*, *Telephus*, *Lysimachus*, *Helena* quoque, & *Althæa Oenei Caledoniæ* regis uxor, *Artemisiaque* illa Heroina *Halicarnassi* regina, quæ *Mausoli Cariæ* regis uxor fuit, alioquin, præclari Nominis mulier, quibus omnibus cognomines *Herbæ* æternùm duraturam, & cùm ipsis Stirpibus; quotannis revirescentem sui memoriam conservârunt; Tametsi enim veræ ac genuinæ Arboris Vitæ quæ senectutem nostram retardaret notitia infeliciùs perierit, ut satis facundè *Cl. Bidloo* loquutus est, Herbæ nihilominùs etiamnùm extant quæ quotannis repullulant, reflorescunt, parem si non ætati nostræ, famæ quidèm gratiam indulgebunt, & *perenni gratitudine* sempèr spirabunt suavem nostri Nominis auram; quamdiù terra Centaurium producet *Chironis* Centaurorum justissimi, qui *Æsculapii* præceptor fuit, nomen interire non valeat, at pari nobilitate, vivaci sempèr famâ, nec senescente unquàm gloriâ propagabitur: An non Gentiana *Illyriorum* regem *Gentium* celebriorem reddidit quàm omnes ejus Opes?

Orat. funebr. in Obit. Cl. Herm.

Hæc cum *Tecum* revolveres (Amicorum præstantissime,) & quanta nobilitas esset in rebus, quanta admiratio in Inventione, quanta Utilitas in Scribendo, quanta commoditas atque Voluptas legentibus futura esset intelligeres, hoc grande & impendiosum Opus aggressus es, nec aliâ viâ melius quam fæcundæ *Vestæ* perlustrandâ superficie *Te* ad Immortalitatem pervenire posse, rectè autumabas, ideoque Industriæ *Tuæ* præclaram quandam Imaginem in re *Botanicâ*, seris Nepotibus relinquere statuisti.

Dilabuntur enim Opes, corruunt Ædes, & numerosissima deficit aliquando Familia; At inserta præclaris Inventis Nomina nunquàm intereunt, & *Plucnetii* làudem loquetur *Almagestum* suum, quo forsàn tempore de iis quæ in *Republicâ* gessêre amplissimi rerum nostrarum Administri nulla erit memoria; Civitates maximæ, & Regna florentissima subverti possunt, at *Natura* priùs *Universa* deleatur oportet.

tet quam pereat *Vegetabile* genus, aut ignoretur *Ille*, cujus honesto otio, indefatigabili *Scientiæ naturalis* juvandæ studio, non modò *Botanicis* peritioribus in *Facultatis* suæ augmentationem *Facem* prætulerit, sed & novum *Illis* Plantarum *Orbem* aperuit.

Veruntamen ego non sum nescius quod pauci non desunt qui sive odio infensi, seu aliena carpendi prurigine malè sibi temperantes, sive quod vero propius videtur nomen indè quærerent, quod tanto *Botanico* repugnare sunt ausi, vafris insinuationibus *Almagestum* convellere nituntur; Irrito tamen conatu, cum satis validum ad se tutandum Insigne illud Opus per se extat, & velint nolint *Botanica* jure merito *Te* admiratur, ad tuendam Sanitatem ex confesso utilissima, suum Illa *Te* agnoscit Patronum, qui ut vel Nomen indicat, ingenti & ἀσβέστῳ Artis amplificandæ Zelo flagrans, in Stirpibus per totum terrarum Orbem nascentibus conquirendis, nullis laboribus, nullis sumptibus pepercisti; undè propriè dici potest,

> Botanicum *lætatur Opus, gaudetque Patrono*
> *Fœlici, cujus manibus labor ardet in ipsis.*

Sæculi nostri *Alcinous* es, O *Te* virum multiplici calamo celebrandum, fulgentissimum & coruscans *Anglorum* jubar, qui radiis *Tuæ* Scientiæ totam ferè *Europam*, & plurimas *Indiarum* regiones illustras, Egregium hujus ævi Medicorum decus, Qui Stirpium exoticarum cognitione cæteris adeò præcellis, ut nunc apud *Nostrates* ceu Oraculum consultus es, & notitiâ Plantarum omnis generis ab Omnibus Coryphæum ritè æstimatus; Qui ut Bono publico *Botanicorum* præcipuè studiis promovendis inservires, privato defuisti; Qui Scriptis *Tuis* per ora hominum passim volitantibus longè latèque inclaruisti, ac ingentem *Tibi* apud bonos omnes famam jam comparâsti, adeò ut meo Elogio nullatenùs indigeas, & quod ingenùe fateor

> *Non ego sum satis ad tanta præconia laudis.*

Suum igitùr sibi pariat *Tuus* liber Encomium, quem nemo in *Arte* peritus, sine singulari Autoris laude unquam perlecturus est.

> *Parva quidem Multi, multo sub margine pandunt;*
> *Parvaque* Pluc'netii *pagina, multa docet.*

Deus Te *Vir Excellentissime* salvum & incolumem, quam diutissime in publicum rei *Herbariæ* commodum, ac incrementum conservet, ut athleticè semper & ubiquè valere possis, sic Vovet

Clarissimo Nomini Tuo

Addictissimus & Observantissimus

Ludovicus Peuzæus D.

ΦΙΛΟΒΟΤΑΝΟΣ.

Dabam Cantabrigiæ
Idibus Augusti Anno
Dom. MDCXCIX.

Naturæ

Naturæ Querela ad Jovem.

A*LMA diù jacuit totum* Natura *per Orbem*
Neglecta, & finè honore fuit, fine Numine Numen,
Præsertim quà se omnigenis mirè exhibet herbis ;
Usque adeò Humano caruit Dea *Maxima cultu.*
Hæc mala per multos lustris labentibus annos
Heu ! nimium perpessa & dudùm evicta dolore,
Ad Solium Jovis *ibat, & has de corde querelas*
Expromsit laceros, ut erat, diffusa capillos,
Ingemuitque malis, tristemquè ita suggerit iram.
Ergon' ego primo Mundi nascentis ab ævo
Spontè tot arboreos fœtus, fruticùmque Virentûm
Produxi Soboles, postquàm Tu *maxime Cœli*
Rexque, Paterque meus, qui nutu dirigis omnes
Terrasque tractusque Profundi, atque Æthera magnum,
Jussisti ex utero omnigenas prorumpere Stirpes ?
Ergo salutiferis prægnans & fertilis herbis
Innumeris totum ditavi Stirpibus Orbem,
Quà Sol Eoüs *primo de carcere cursus*
Incipit, & quà jam Spatium permensus Olympi
Fessus in Hesperiis se tandèm recreat Undis ?
Heu ! quianàm finxisti hominem rerùmque capacem
Donasti mentem, flammâque ex Æthere ductâ
Inspirasti animam ? Non ut torperet inerti
Desidiâ, & tristi langueret pigra Veterno,
Tanquàm lethæâ penitùs submersa palude ;
Verum ut mentibus elatis sublimia spirans
Perscrutaretur vigili miracula vultu,
Naturæque Deique *Sacra, & Mysteria rerum,*
Divinamque *manum Contemplaretur in illis.*
Quonam abiit vis illa animi, vis insita Cœlo,
Ætheriæ scintilla plagæ, quibus obruta Curis ?
Scilicet alter ad extremos it sedulus Indos,
Et vitam credit pelago, incertisque procellis,
Eoas *laturus opes, gemmasque pyroposque*
Et quicquid luxu, non utilitate probatur.

Alter

Naturæ Querela ad Jovem.

Alter ad Ægyptum tendit, Miracula Mundi
Pyramidas visurus, in His stupet inscius hospes
Plurimus, Obtutuque hæret defixus in illo,
Dumque adeò Monumenta Vident, Monumenta Videntur.
At mirum est, undè hæc animo Sapientia Crevit,
Structuræ tantos quòd nobilis intèr honores
Atque educta Polo, stellisque minantia tecta,
Nil nisi Cæpe Deum agnoscat Memphitica Tellus.
At meritò, nimirùm haud atria maxima Numen
Mortali fabricata manu Cœleste capessunt,
At capit herba minuta, & nosci gaudet in Herbis.
Eheu! Mortales, quam lubrica vota sequuntur
Ignari, quam sollicito ludibria Sortis
Venantur cursu, stolidæquè insomnia Mentis!
Jampridèm gens nata Erebo; & malè sedula Turba,
In damnum ingeniosa suum, generisque; sub imam
Fecit iter Tellurem, atque incunabula flava,
Auri inspexit Ovans, Lyncëis acris Ocellis,
Auri, quod melius cæcis Deus abdidit antris.
Ah! pereat quisquis fatalem hanc protulit Artem,
Atque Orco monstràvit iter per Viscera Terræ.
Aurum admirantur cuncti splendore coruscum,
Vastumque obtinuit divina Pecunia Regnum,
Nemo meas agnoscit opes, nec scilicèt herbis
Numen inesse putat, quamvis latet abdita in imis
Visceribus vis magna, & Cælo ducta potestas,
Quæ Cymbam possit revocare Charontis, & acrem
Fallere Persephonen, Ditique avertere prædam.
Cur Hominum tàm segne genus, pravumque moraris?
Redde Chaos, fiantque iterùm Nihil omnia, saltèm
Terra nihil gignat, dùm tactâ Cupidine sacrâ
Naturæ, magnoque Dei Immortalis amore
Gens nova cuncta mei pandens Mysteria, Numen
Agnoscat, Plantisque novos indicat honores.
Hactenùs, at Solio tum Jupiter infit ab alto,
Vultu, quo nimbos tempestatesque serenat,
Arridens blandùm alloquitur Sermone Ministram.
At noli nimiùm sævo indulgere dolori,
Pelle metus, mea Nata, & disjice nubila frontis.
Nam ni fallor, erit; Neque enim procùl absore credo
Tempus, quo nova Gens priscos renovabit honores,
Et tibi Templa struet, Numenque vocabere cunctis.
Tum Pater inspiciens arcana volumina Fati,
Æternasque sui leges, quas scripserat Olim
Ipse Adamantæis Tabulis, atque Ære perenni,

Naturæ Querela ad Jovem.

Venturas videt Ætates, Populosque futuros,
Et longam Annorum seriem, per Sæcula cuncta,
His inscribuntur libris ingentia rerum
Pondera, Regnorumque vices, & Fata Regentûm,
Et quodcunque Utero Secreti conditur Ævi.
Eresius *primò se Ostendit margine Chartæ*
Proximus huic longo, sed proximus Intervallo
Pedacius *se Offert, atquè unà* Plinius *extat,*
Plurima tunc atro fuit obfuscata colore
Pagina, Botanicæ longùmque inviderat Arti.
Donèc jam tandem revolutis ordine lustris,
Matthiolus *resplendenti sese exerit ære,*
Matthiolus, *priscos instauraturus honores*
Communi impensâ fretus, Regumque favore.
Hunc sequitur Serie felici, atque Ordine longo,
Illinc Cæsalpinus, *& hinc par nobile Fratrum*
Bauhini, *atquè hâc parte* Columna, *&* Clusius *illâ,*
Pluraque perpetuâ quæ Vivent Nomina famâ.
Excipit hinc Sacros argèntea pagina Visus,
Pagina Phœbææ Vates non falsa juventæ;
Breynius, Hermannus, Rheed, *&* Morisonus *in unâ*
Apparent instructi acie; sed non tamèn omnes
Felices Operum, infelix Morisonus, *& ausis*
Ipse suis impar: Namque huic dùm condere magnum
Urget Opus, teneris herbis breve prorogat ævum,
Heu nimiùm brevis ipse ævi! Mors improba cœptis
Invidet, & Vitam medio in Conamine rumpit.
Autor Opusque simùl pereunt. Tamen excipit Illum
Rajus, *utquè locum, sic quod sine fine reliquit*
Alter, hic implet Opus summâque coronide figit;
Rajus *ingenio simul, & felicior annis.*
Sed dùm Versat adhùc folia, & Scrutarier ardet
Quid vellent Fata, *& rerum quid posceret Ordo,*
Proxima ad intentos, surrexit pagina Visus,
Arridens meliore notâ, flavoque colore,
Aureaque explicuit Pluc'neti *littera Nomen.*
Solus in hoc sacro Pluc'netus *margine fulget,*
Totum implens, gaudetque Inscribi Nomine tanto
Pagina——————
Jupiter *&* Natura *hoc viso Nomine gaudent,*
Angelicique Chori, *atquè exultat Conscia* Tellus.
Tùm Natæ Pater inquit, Hic est, Quem Fata *reservant*
Æternum decus esse Tibi, *decus esse* Tuorum,
Spemque Hominum. Namquè Hunc, *simùl ac in luminis auras*
Attulerit Lucina, *& sacro pondere fœtum*

Exonerat

Exonerat ventrem, dilectum Phœbus *alumnum*
Excipiet gremio, propriisque Hunc *Artibus aptum*
Instruet, & miranda Tui *Secreta recludet.*
Verùm ubi longâ dies & maturaverit ætas
Ingenium, seris & creverit Usus ab annis,
Sub Phœbi *auspiciis Valido Medicamine sistet*
Præproperos Manes, *Vitamque in membra reducet,*
Herbarum Succique potens. Mors *atra recedet*
Pulsa retrò, capietque locum roburque salusque,
Visque animi Vivax, & Corporis integra Virtus.
Tum Libitina *suas passim decrescere prædas*
Sentiet, atque Charon *deserto in littore naulum*
Frustrà inhians quæret : Nempe Hic mirâ arte vel ipsis
Regnabit Fatis, *spoliisque superbiet* Orci.
Et faciet, Tua *nè Mortalibus irrita cedant*
Munera, vim mirè retegens cujuslibet herbæ.
Tunc honor immensus per terras protinùs omnes
Arboribusque, Satisque, & erit tunc Stirpibus ingens
Gloria, Naturæque *operi* ; Tibi *Templa,* Tibi *Aras*
Mortales statuent, & eris Dea *maxima* Divûm.
Annuit, & totum nutu tremefecit Olympum.
Arridet Natura, *& lætâ gaudia fronte*
Testatur, pronoque inclinans vertice cristam
Ter venerata Deum *est, ter Sanctum* Numen *adorat.*
Indè abiit, non passa comas, velut ante, nec ullas
Relliquias, priscive tenens vestigia luctûs,
Lætitiam vultu ostendit : Comitantur euntem
Tota cohors Cæli, dùm præterlabitur Orbes
Empyreos, Lunæque, *& regna capacia* Solis,
Donèc ad Ætheriæ tandèm pomœria lucis
Perventum est, cum jam tacito per inania lapsu
Attingit Terram, Omnifero seque abdit in antro,
Expectans, donèc revoluto Temporis Orbe
Alma dies partum produceret admirandum.
Alma dies produxit. Iô bis Insula *felix,*
Bis felix Tellus, *quæ tantum jactat Alumnum,*
Felix ille Uterus, qui sacro pondere plenus
Intumuit, præsens Lucina, *& conscia partûs*
Juno *aderat, Matremque beatâ prole levavit.*
Arrisit puer in Cunis, & Tempora circùm
Lux nova lætitiæ dedit Omina prima futuræ,
Hunc fore, Naturæ *quem* Fata, & Jupiter *olim*
Promisit generi Humano decus & Tutamen.
Nec falsum Omen erat ; sic cum Mortalibus ægris,
Alma tulit Natura *in dias luminis auras,*

Quem

Naturæ Querela ad Jovem.

Quem Dii præsidium designâvere decusque,
Stella micat, signumvè aliud prænunciat ortum.
Te nascente, vel ipsa novo Natura *revidit*
Vultu, atque invisam Tellus *rediviva Senectam*
Exuit, & Viridem assumpsit lasciva juventam,
Floraque *solenni sese decoravit amictu.*
Ipse videbatur Cœlo lucere Sereno
Fulgidiore comâ Phœbus, *Terramque benigno*
Lumine, & irriguas nutrire libentius herbas.
Luna *salutiferos tùnc primùm præbuit ignes.*
At Tu Magne Dei, Naturæ *magne Sacerdos,*
Pollicitis absolve Jovem, *decretaque* Fati,
Atque Imple totum meritis ingentibus Orbem.
Sed quid ego? Implesti. Quis enim locus, aut plaga Mundi
Pluc'neti *Nomen non audiit, O Venerandum*
Pluc'neti *Nomen, cunctis memorabile Sec'lis.*
Hoc Nomen didicêre loqui Fluviique Lacusque,
Montesque, ac Valles, Sylvæque, & quælibet Herba,
Atque iterat gaudens repetitis Vocibus Eccho.
Inscriptum hoc pennis Zephyrusque Eurusque per auras
Certatim portant, gaudentque in Nomine tanto,
Et centum-geminò Rumor communicat Ore.
Siste gradum Mea Musa, nec ultrà tendere fas est,
Area vasta patet laudis, nec tangere Metam
Posse datur, Chartis *meliùs Celebrabitur Ipsis.*

Obsequii ergo festinabat *Robertus Pluc'netus* filius *Scholæ Ætonensis* Alumnus.

ALMAGESTI

ALMAGESTI BOTANICI
MANTISSA.

A.

Fol. 2. *poſt lin.* 12.

ABROTANOIDES arboreum *Monomotapenſe* floribus in ramulorum cymis. An Elichryſum foliis Abrotani glabris *Cap. Bon. Spei. Breyn. Prodr.* 2.

Fol. 2. *ad lin.* 30.

Abrotanum tenuifolium incanum minimum *Bocconi Muſeo Plantar rarior. pag.* 83. *Tab.* 74.

Fol. 2. *ad lin.* 34. *poſt fig.* 14.

Abſinthium Santonicum *Alexandrinum*, ſ. Sementina & Semen ſanctum *Park. Theatr.* 102.

Fol. 2. *lin. antepenult. poſt fig.* 3.

Fortè Yztacchyatl ſive Sal amarum *Hernandez apud Recc. fol.* 208. Artemiſia humilior flore majore albo, Wild Wormwood *Jamaicenſibus* dicta *Cat. Jam.* 127.

Fol. 3. *ad lin.* 4.

Abſinthium pumilum palmeum minus, argenteo ſericeoq; folio *Hiſpanic.* & *Italic. Bocc. Muſ. Plant. pag.* 81. *Tab.* 71.

Fol. 3. *lin.* 12. *poſt p.* 429.

Itèm Acacia ſecunda veteribus ejuſd. *I. B. Tom.* 1. *lib.* 12. *fol.* 432.

Fol. 3. *poſt. lineam* 26.

ACACIA *Americana* Abruæ foliis triacanthos, ſive ad axillas foliorum ſpinâ triplici donata, ex *Surinam*. Hanc Arborem curâ & induſtriâ D. *Joan. Adams* Hortulani peritiſſimi cultam, in *Hort. Comptoniano Fulhamiæ* conſpeximus.

Fol. 4. *poſt lineam* 17.

Acacia ſpinoſa *Indiæ Orientalis* foliis ſubtus cæſiis, floribus globoſis luteis. *Eachedde Malabarorum.*

Eadem non ſpinoſa, *Cheereau Malabarorum.*

Acacia ſpinoſa *Ind. Or.* floribus aureis ſtamineis, Tamariſci *Narbonenſium* more in ſpicam diſpoſitis, *Mullaowlamaram Malabaror.* An Acacia: genus *Indianum* floſculos ferens luteos racematim cohærentes; Wamulæthya *Cingalenſibus* dictum *D. Seyn.* in *Not. ad Part.* 1. *Hort. Mal. Fol.* 70.

Eadem non ſpinoſa floſculis ſtamineis aureis Tamariſci in modum ſpicatis *Owlamaram Malabororam.*

Acacia *Chalepensis* pinnulis parvis spinosa, floribus papilionaceis luteis, ex alis in spicam prælongam dispositis spinâ rectâ singulari. An Acacia *Americana* floribus spicatis luteis *PBP.* 304. Huic congener est Zezeepatlis *Acatlanensis* Glycyrrhizæ æmula *Hernandez.* apud *Rec.* 241. Si non Glaux *Americana* Acaciæ forma, rectiùs nominari mereatur.

Fol. 4. *ad lin.* 24. *post. fig.* 3.

An Acaciæ cognata alia *JB. Hist. Pl. Tom.* 1. *lib.* 12. *fol.* 433. fortè etiam Moullava *Hort. Malab. Part.* 6. *Tab.* 6. aut hujus congener.

Fol. 4. *ad lin.* 37. *post.* 399. *add.*

Pro hujus Synonymo in *Catalogo Jamaicens.* malè ponitur Rhamnus Myrtifolius ex *Insula Sancti Christophori, Cornuti pag.* 83. ubi sub hujus titulo diversarum Plantarum nomina miscentur.

Ibid. post CBP. & ante vocem Rubi. add.

Hanc etiam *D. Sloan* in *Cat. Jamaic.* Gossipium arboreum maxim. spinosum folio digitato perperàm facit. *pag.* 159.

Fol. 4. *ad lin. ultim.*

The Pickar-Tree, nostratibus & aliquando. The Bezoar-Nut, (i.e.) Nux Bezoartica ; *Malabareis* Gatchgachitta ; *Gentilibus* autem Cachakaillille nuncupatur.

Fol. 5. *lin.* 3. *post c.* 29. *add.*

Pisum Ochræ colore *ejusd. Exot. lib.* 3. *cap.* 15. *fol.* 71. *Bonduch Indiano di color citrino Pon. Ital.* 34. *Bonduch pianta Indiana* di color citrino *Zanon. fol.* 44. Fructus omninò rotundus luteus non splendens *JB, Tom.* 1. *fol.* 311. Fructus rotundus & orbicularis quintus s. flavus, maculâ subfuscâ notatus *CBP.* 405. *Jonst. Dendrolog. fol.* 100. The Yellow Pickar-Tree.

Fol. 5. *ad lin.* 19.

Cũ mõ (forte) *Sinensium* quæ arbor *Lusitanicè* Sapaoc *Cleyeri* de *Medicam. Simplic. Sinensium* pag. 45.

Ibid. ad lin. 25.

Adr. Jun. Arriani lignum Acanthinum esse autumat, ut à *Skinnero* nostro in *Etymolog. Botanic.* observatum.

Ibid. ad lin. 32.

Poinciana flore pulcherrimo *Turneforti Elem. des Botan. Tom.* 1. 492. Mailconei *Malabror. Indorum Idolis sacra.*

Ibid. ad lin. 41.

Sena spuria arborea spinosa fol. alatis ramosis s. decompositis, flore ex luteo & rubro specioso *Sloan. Cat. Jam.* 149. St. Jago Flower of *Ligon. fol.* 15. & interdùm Fence-flower.

Ibid. ad lin. ult.

An Tlacoxiloxochitl flore barbato *Hernandez apud Recc. fol.* 104. *Cui subjung. de novo.*

Acacia non spinosa *Ind. Or.* villoso caule, lobo corticoso prægrandi fusco, Chatamaram *Malabarorum.*

Fol. 6. *post lin.* 7.

Acacia non spinosa *Ind. Or.* Coluteæ foliis, floribus stamineis amplis, siliqua crustaceâ gemellâ Placentæ in modum colorata. Cautwallee *Malabaror.*

Ibid.

Ibid. ad lin. 11.

An Mimosa arboresc. *Americana* non spinosa pinnis Acaciæ latioribus infernè glaucis, flore albo *Breyn. Prodr.* 2. 73. Mimosa arborea non spinosa; foliis s. pinnis latiss. *Cat. Jam?*

Ibid. ad lin. 14.

Hæc forsan Myrobalani sit species, sed ab Emblica foliis Securidacæ *Breyn. Prodr.* 2. *pag.* 74. plurimùm diversa.

Fol. 7. *ad lin.* 20.

Arbor (fortè) Thurifera *Theveti* quoàd Iconem apud *Histor. Lugdunens. fol.* 1754.

Ibid. post lin. 29.

ACERIS cognata Tiliæ folio *Bengalensis* fructu amplissimis membranulis circumcincto. Draco arbor *Indica* siliquosa Populi folio Angsana vel Angsava *Javanica Hort. Amstelodam. fol.* 213. Draconis arboris fructus ex *Carthagine Perüana Monardes apud Clus. fol.* 331.

Ibid. ad lin. penult.

An Guaiaco *Occidico* similis arbor *Park. Theatr.* 1587. *Indiæ Occiduæ* Palmæ Sanctæ similis arbor *Lob. Adv. & Icon.* 187. Loti *Africanæ* similis *Indica CBP.* 448.

Ibid. post lineam ultimam.

ACETOSA montana maxima *CBP.* 114. Oxalis major *Brockenbergensis Thalii Harcyn.*

Fol. 8. *post lin.* 5.

Acetosa maj. subrotundis foliis ex *Promontorio Bon. Spec.* an Acetosa montana lato Ari rotundo folio *Boccon. Mus. Pl. pag.* 165. *Tab.* 125.

Fol. 8. *ad lin.* 15. *add.*

An (fortè) Acetosa Calthæ folio peregrino *CBP.* (i.e.) Oxalis *Zacynthi Prosp. Alpin de Plant. Ægypt. pag.* 136.

Ibid. post lin. 26.

Acetosa arvensis lanceolata *CBP.* 114. Acetosa minor erecta lobis multifidis *Bocc. Mus.* Pl. *pag.* 164. *Tab.* 126.

Acetosa lanceolata angustifolia repens *CBP.* quæ quarta in *Prodr.* Acetosa minor supina lobis laciniatis *Bocc. Mus.* ut suprà, à præcedenti species non diversa; Hujus enim foliorum varietate mirè se oblectat ludibunda Natura; ratione loci pinguioris (inquit *Bauhinus*) aridiorisvè, major minorvè, latioribus angustioribusvè foliis reperitur; nunc etiam non lanceolatis, nunc lobis multifidis; addi poterat.

Ibid. ad lin. 32.

An Oxalis mexima montana *Clus. Hist.* 2 *fol.* 69. Acetosa montana geniculis nodosis *CBP.* 114. Oxalis folio amplissimo geniculis tuberosis *JB. Tom.* 2. 991. Ribes *Arabum* foliis Petasitidis *CBP.* 455. Ribes *Serapionis* foliis Oxylapathi *Bellon.* de Coniferis *Dod.* Ribes legitima *Arabum Clus. Hist.* 120.

Ibid. post lin. 32.

Acetosæ arboreæ foliis minoribus & magis acuminatis. Chittramullum *Malabarorum*, & Coadevalle *Gentilium Indorum*, an Katapa *Hort. Malab. Part* 5. *Tab.* 47. Baccifera *Indica* ad foliorum alas florida, fructu umbilicato, & caliculato tricocco *Raii. Hist.* 1495.

Fol. 8. *post lin.* 34.

ACINODENDRON *Americanum* ampliore folio trinervi, inferius alba lanugine incano, Muiva *Brasiliensibus* Marcgr. 117. Arbor racemosa *Brasiliana* foliis *Malabathri Breyn. Cent.* Grossulariæ fructu arbor max. non spinosa *Malabathri* folio integro minore subtùs albido, fructu majore *Cat. Jam.* 164. Pomifera *Brasiliensis*, fructu rotund. cum pulpa molli polypyreno *Raii Hist. Pl.* 1501. & 1648.

Acinodendron *American.* Malabathri subrotundis foliis, subtùs lanugine ferrugineâ villosis. Arbor *Americ.* Malabathri subrotund. foliis subtùs lanugine ferruginea uillosis *Plukenet Tab.* 249. *Cat. Jam.* 164. Item Grossulariæ fructu arbor max. non spinos. *Malabathri* folio integro minore subtùs ferrugineo. *ejusd. pag.* 165.

Acinodendron *American.* quinquenervium comantibus flosculis, folijs amplissimis glabris prona parte albicantibus. Grossulariæ fructu arbor maxima non spinosa Malabathri folio maximo inodoro, flore racemoso albo *Cat. Jam.* 164.

Acinodendron *Americ.* Canellæ fol. maximo utrinque glabro. Grossulariæ fructu arbor non spinosa Malabathri folio maximo glabro & splendente. *Cat. Jam.* 165.

Acinodendron *American.* pentaneuron foliis crassis hirsutis, ad ambitum rarioribus serris, ex *Insula Jamaicæ.* An Grossulariæ fructu non spinosa Malabathri foliis longa & rufâ lanugine hirsutis fructu majore cæruleo *Cat. Jam. Ibid.* Fortè Coaghyuyo *Brasiliensium Pison. fol.* 217. Frutex baccifer *Brasiliensis* fructu racematim congesto Myrtylli *Raii Hist. Pl.* 1636. Hæ sunt Arbores quæ sub generico Arborum titulo cum suis epithetis, proposui in *Almagesto. fol.* 40. at in *Catalogo Jamaicano* recensetur alia quidem Grossulariæ fructu majore, Arbor spinosa fructu folioso è viridi albicante, quæ nobis nondum innotuit. An fortè Uva crispa *Americana Pisonis fol.* 242. Aninga peri *Brasiliensium* sub titulo Sambuci in *Almagesto nostro* exhibita *fol.* 330. An sit hujus loci quærendum. Huc quidem fortè spectat Cisti facie Arbuscula *Jamaicensis* foliis trinerviis hujus *Almag. fol.* 105. & dici mereatur.

Acinodendron *American.* trinervium foliis perexiguis. An fortè Guvavirap *Brasiliensium* Arbor procera & vasta frondibus perexiguis, floribus rubicundis, fructu Uvam crispam referente *Laetii Ind. Occid. lib.* 16. *cap.* 11.

Ibid. post lin. 37.

ACROCHORDODENDROS s. Arbor *Indica* prægrandis, foliis integris, Platani fructu verrucoso minore, sive Fragi formi duro, cujus singuli bati seu tuberculi sunt capsulæ Seminales. Melius forsan, Arbor *Indica* prægrandis, foliis integris fructu rotundo parvo Fragiformi è tuberculis capsularibus composito. Nellacarumbac *Malabarorum.*

Ibid. ad lin. ult.

An fortè Erica spinosa Tetralix *Atheniensium.* s. Tetralix Ericæa *Pliny lib.* 2. *cap.* 16. Tetralix quam & folio & caule spinosas habere lanugines, Idem *Plinius* affirmat. *Hist. Nat. lib.* 21. *cap.* 16. an Tetralix *Theophrasti Hist. Pl. lib.* 6. *cap.* 3. à quibusdam Ixine vocata.

Fol. 9. *ad lin.* 5.

Huic quodammodo affinis est Carim-curini *Hort. Malab. Part* 2. *fig.* 20.

Ibid. ad lin. 15.

An Filix ramosa min. hirsuta ramulis raris brevibus pinnulis subrotund. folii apice radices agente *Cat. Jam. pag.* 24.

Ibid. ad lin. 20.

Adianto nigro accedens segmentis rotundioribus Filix elegans *Raii Synops. Stirp. Brit.* novissimè edit. *pag.* 51. ubi *D. Raii* hujus Specimen optimè asservatum sibi ostendere *Sherardum*, & pro natali solo *Jerseiam* haberi fatetur; Ast idem *Cl. Sherardus* hanc perelegantem filiculam *Jerseiæ Angliæ* nostræ adjacentis *Insulæ* alumnam esse, exinde nobis vivâ voce inficiatus est, quamobrem hanc notam licet inserta fuit in *Phytographiâ* de industriâ omisimus *in Almagesto.*

Ibid. ad lin. 30.

Trichomanes majus foliis longis auriculatis *D. Banister. apud Rai. Hist. Pl.* 1928. Trichomanes foliolis longioribus eleganter supernâ præsertim parte laciniatis *Cat. Jam.* 17.

Ibid. ad lin. 32.

Trichomanes majus pinnis sinnatis subtus niveis *Cat. Jam. Ibid.*

Ibid. ad lin. ult.

An Ruta muraria major foliis variis, scilicet oblongis integris, & subrotundis serratis *Cat. Jam.* 21. Adiantum minimum folio vario *Turnefortii Elem. Bot. Tom.* 1. 433.

Fol. 10. *ad lin.* 32.

An Adiantum ramosum scandens, pinnulis sive foliis oblongis profundè laciniatis pellucidis *Cat. Jam.* 22. Muscus (fortè) montanus Adianthi foliis *Bocc. Mus. Pl. Tab.* 2.

Ibid. post lin. 41.

ADIANTUM Æthiopicum frutescens diffuso vertice, pinnulis tenerrimis subrotundis transparentibus pediculo nigro.

Fol. 11. *ad lin.* 11.

Adiantum nigrum majus non ramosum, surculis è pediculi communis summitate tanquàm centro prodeuntibus, & stellæ in modum radiatis *Cat. Jam.* 22. sed quomodo hoc Adianti genus radiatum dici meretur & surculosum, attamen non ramosum, ego planè non intelligo.

Ibid. ad lin. 13.

Adiantum nigrum minus non ramosum pinnulis majoribus crassis Trapezii in modum figuratis *Cat. Jam.* sed malè dicitur non ramosum. Itèm Adiantum nigrum majus non ramosum pinnulis & surculis rarioribus crassis & Trapezii in modum figuratis *ejusd.* Fortè etiam Trichomanes majus totum album pinnis aculeatis Trapezii figurâ *ejusd. ibid.*

Ibid. ad lin. 15.

An Filix major in pinnas tantùm divisa oblongas latasque non crenatas à basi rotundiore ad apicem se sensim angustantes *Cat. Jam.* nostræ tamen pinnulæ sunt argutè denticulatæ.

Ibid. ad lin. 18.

An Filix major in pinnas tantùm divisa raras latiores oblongas striatas, ex adverso sitas & non crenatas *Cat. Jam.* 18. At nostra sunt pinnulæ non sempèr

ex

ex adverso sitæ, nec non crenatæ. An rectius sit Filix non ramosa major caule nigro surculis (alis) raris, pinnulis angustis raris longis dentatis *Cat. Jam.* 20. An Adiantum nigrum ramosum pulverulentum & falcatum *Carol. Plumier. Fig.* 47.

Ibid. ad lin. 36.

Filix non ramosa minor caule (pediculo) nigro, surculis raris, pinnulis angustis dentatis raris brevibus acutis, subtùs niveis. *Cat. Jam.* 20. aut. saltem. Filix non ramosa minima caule nigro surculis raris, pinnulis angustis raris brevibus, acutis, subtùs niveis *ejusd. ibid.*

Fol. 13. *ad lin.* 17.

An Chameleæ genus spinosum ex *Prom. Bon. Spei. ejusd. Hermanni.* Phillyrea fortè Hispanica Lauri folio serrato & aculeato *Turnefortii. Elem. Bot. Tom.* 1. 469.

Fol. 14. *ad lin.* 7.

An Malva minor supina Betonicæ folio, flore coccineo, seminibus asperis *Cat. Jam.* 96. seminibus tamen asperis plantula nostra caret. An rectius ergo Abutilon herbaceum procumbens Betonicæ folio, flore purpureo *ejusd.* 97.

ALCEA parva fruticosa Trissaginis folio erecta ex Oris *Coromandel.*

Ibid. post lin. 23.

Alcea arborea Populi nigræ foliis pronâ parte albicantibus, flore amplissimo rubicundo ex *Insula St. Helena* ubi **Redwood**, (i. e.) Lignum rubrum Nostratibus nuncupatur.

Alcea arbor Populneâ fronde, tota argentea quinquecapsularis. f. Ebenus viridis ex *Insula St. Helena* ubi ab *Anglis* illic degentibus **Blackwood** & **Ebony**, (i.e.) Lignum nigrum & Ebenus cognominatur; Et re verâ est Ebenus genuina *Indorum*, ut ex aliorum fide digniorum relatu nobis seriò affirmabat insignis ille Botanicus & Veritatis studiosus *D. Carolus du Bois*, Calomelanos arbor f. Melanoxylon populneâ fronde argentatum dici mereatur. **The Silver-leaf'd Blackwood**, or **True Green Ebony of the Indies**, *L'ebene Verte Rochefort.* 73.

Ibid. ad lin. 40.

Atlatzopillin (fortè) seu aquosa herba appensa flore rubro *Hernandez apud Recc. fol.* 177.

Ibid. ad lin. 42.

An Arbor rosea flore flavo *Cap. Bon. Spei. D. ten Rhine Breyn. Cent.* 178.

Fol. 15. *ad lin.* 6.

Cum præcedente confundi non debet.

Ibid. ad lin. 29.

Alcea acetosa *Indica* spinosa, foliis profundè laciniatis, flore subluteo amplo. *Breyn. Prod.* 2. *pag.* 9.

Ibid. ad lin. 34.

An Acetosa *Brasiliensis* flore dilutè purpureo *Marcgr. fol.* 23. An fortè Acetosa, **The Juice whereof is carried in a Gourd by the Indians of** *Cumana*, **to moisten their Maiz-Flour, carried in another Gourd**, Sir *John Hawkins. Hakluit Part* 3. *fol.* 508. **French Sorrel**, (i.e.) Acetosa *Franca* vulgò nuncupatur; dubium movetur in *Cat. Jam.* 99.

Fol.

Fol. 15. *ad lin.* 37. *post accepimus.*

An Sair *Indorum* Oxalis Cannabina fruticosa, fructu coccineo coronato *Triumfetti Hort. Medic. Romanæ Sapientiæ apud Cupan. Hort. Catholic.* 194.

Fol. 16. *ad lin* 14.

Althea *Indica* parvo flore petalis angustis & acutis *Morif. Hist. Pl.* 2. *fol.* 532.

Ibid. ad lin. 23.

Alcea maxima Malvæ roseæ folio, fructu decagono recto crassiore breviore esculento *Cat. Jam.* 98.

Ibid. ad lin. 25.

Alcea maxima Malvæ roseæ folio fructu pentagono recurvo graciliore & longiore **Long Okhoa**, vulgo *Cat. Jam. ibid.* ubi Autor multa consarcinat nomina sed huic plantæ nimis erroneè attributa; Hæc enim reverâ omnibus rei Herbariæ studiosis hactenùs fuit incognita, & à nullo *Botanicorum* descripta; Eam igitur si Autor prorsùm siluisset, nec Synonymis malè appropriatis tam fædè confudisset, melius suo honori, Lectorique consuluisset.

Ibid. ad lin. 39.

Fortè etiam Alcea minor *Africana* Altheæ facie, flore purpureo parvo *Breyn. Fasc. rarior.* 19.

Fol. 17. *post lin.* 9.

Alcea minor Abutili facie ex *Coromandel* à priore diversa.

Ibid. ad lin. 28.

Parum distat ab Althæa arborea *Indica* flore luteo, folio tripartito *PBP.* hujus *Almagesti fol.* 25. *Pl.* 1. cujus pictura exhibetur *Phytogr. Tab.* 259. *Fig.* 4.

Ibid. ad lin. ult.

Hacoyochitl *Nov. Hispan. Hernandez apud Recc.* 376. ad hoc genus Plantarum spectare videtur.

Fol. 18. *ad lin.* 1. *Post* striata, *add.* rugosa.

Fol. 18. *post lin.* 14.

ALCHIMILLA alpina pentaphyllos *Raii. Synopf. Stirp. Brit.* 66. quam pro Alchimilla alpina quinquefolia *CBP.* per errorem ut ipse fatetur olim habuerat. Pentaphyllum f. potius Heptaphyllum argenteum fiore muscoso *JB. Hist. Plantar.* Tormentilla alpina folio sericeo *CBP.* Alchimilla perennis incana argentea sive sericea Satinum provocans *Morif. Hist.* 2. 195. Huic (fortè) accedit Cihoapatli Axitzalpatli *Nov. Hispan. Terentii apud Recc. fol.* 370.

Ibid. ad lin. 17.

Narcissus *Amboinensis* folio latissimo rotundo floribus niveis inodoris. *Hort. Med. Amstelod. Iconibus fig.* 39.

Ibid. ad lin. 19.

An Frutex *Virginianus* floribus albis instàr Spirææ compactis *Hort. Oxon.* Alni folio arbor folio subrotundo serrato *Cat. Jam.* 128.

Ibid. ad lin. 27.

Button-wood *Barbadensibus Anglis*, cujus fructus *Anglicè* **Buttons**, à similitudine globulorum Vestiariorum dicti sunt, à subseqnenti Myrtifoliâ plurimùm diversa.

Ibid.

Ibid. ad lin. 30.

An Alni fructu Laurifolia arbor maritima *Cat. Jam.* 135.

Fol. 19. *post lin.* 12.

ALOES Serpentariæ foliis floribus hexapetalis ſpicatis. Maurelchedde *Malabarorum.*

Ibid. ad lin. 30.

An Caraguata prima. *Piſon. Hiſt. Braſil.* 192.

Ibid. ad lin. 31.

Hæc forſitan eſt illa Planta cujus meminit *Gulielmus Dampier* in *Orbis ſuâ Circumnavigatione pag.* 275. quæ folia habet Penguin perſimilia, & radicem Sempervivi, ſed multò majorem, hæc furno cocta, cibo fit idonea, quâ & *Indi* in *California* veſcuntur.

Ibid. ad lin. 33.

An Tacori *Cluſii Exot. fol.* 48. Tacori folia Draconis arbori ſimilia *JB. Tom.* 1. 405.

Ibid. ad lin. 40.

An Nequametl, ſ. Metl quinta anguſtifolia *Hernandez apud Recc.* 273. quòad figuram huic accenſeri meretur, an potius ſit Yolopatli Irina *Hernand. apud eund. Recc.* 310.

Fol. 20. *ad lin.* 3.

Hùc fortè ſpectat Tzichichic vel Texichic de Ocoinico *Nov. Hiſp. Terentii apud Anton. Recc. fol.* 434.

Ibid. poſt lin. 3.

ALSINE minor multicaulis *CBP.* Alſine minima *JB. Hiſt.* Huic forte pertinet Trompili-Auizpatli *Nov. Hiſpaniæ apud Recc.* 437.

Fol. 20. *ad lin.* 15.

Glaux altera ſubrotundo folio, *Bocc. Muſ. Pl. Tab.* 84. Glaux altera paluſtris repens ſubrot. folio *ejuſd. pag.* 107.

Ibid. ad lin. 17.

Huic etiam accedit Glaux major paluſtris flore herbaceo *Bocc. Muſ. Pl. pag.* 105. *Tab.* 84.

Fol. 20. *poſt lin.* 21.

Alſine major, *Mariana* anguſto longiore folio Samoli *Valerandi* capſulis, ſummo caule floribunda.

Ibid. ad lin. 24.

Hujus autem ſententia cenſetur à *Cupani* ut videre eſt in *Hort. Catholic. pag.* 6.

Fol. 20. *poſt lin.* 26.

Alſine Anthylloides *Ind. Or.* Commenterai *Malabarorum.* Quid ſi cum Juncaria *Cluſ.* affinitatem aliquam habere deprehendatur?

Ibid. ad lin. 31.

Herniaria Alſines folio *Turnefortî. Elem. Bot.* 408.

Ibid. poſt lin. 36.

Alſines affinis *Inſulæ Johannæ* juxta foliola barbulis donata, floſculis ſummo caule glomeratis.

Fol. 21.

Fol. 21. *ad lin.* 38.

Nealapoondoo *Malabarorum.*

Ibid. ad lin. 40.

Terai *Malabarorum.*

Ibid. post lin. 40.

Alsine sive Spergula marina nostrati similis ex *Promontorio Bon. Spei.*

Alsine sive Spergula marina major *Gaditana* nodis caulim creberrimis.

Alsine Spergulæ foliis, capitulis brevioribus duris. Arraveenampoondo *Malabar.*

Alsine Spergula *Indiæ Or.* spicatis floribus ex alis emergentibus. Maunalekai *Malabarorum.*

Alsine Spergula *Mariana* latiori folio, floribus ad nodos, pediculis curtis circà caulem insidentibus, calyculis elegantèr punctatis, Alsine (fortè) Spergula latifolia reptans, *Banisteri Cat. Stirp. Virgin.*

Fol. 22. *post lin.* 2.

Alsine holostea angustissimo *folio glabro ex Virginia.*

Fol. 22. *post lin.* 4.

Alsines Holostii foliis antagonistis glabris, Ranunculi phragmitis flore ampliori, Planta *Mariana.*

Alsine Myosotis longifolia *Virginiana.*

Ibid. ad lin. 7.

Huic fortè spectat Saxiphraga altera *Pr. Alp. de exot.* 292.

Ibid. post lin. 10.

Alsine Chamædrios foliis biiugis Spergulæ floribus *Æthiopica.*

Ibid. post lin. 14.

Alsine Portulacæ aquaticæ folio oblongo, flore longo pedunculo insidente ex *Prom. Comorin* fortè Brami, *Hort. Malab. Part.* 10. *Tab.* 14. Glaux *Indica* Portulacæ folio, flore majore dilutò cæruleo albicante colore, *Commelin. Not. in loc.* Eadem fortè cum præcedenti, aut ejus saltèm varietas.

Fol. 22. *lin.* 31.

Caryophyllus alpinus Linifolius radice amplissimâ, *HRP. Raii. Cat. exterar.* 398.

Fol. 23. *post lin.* 21.

Alsine Saxifraga *Ind. Or.* foliolis circa caulem radiatis; flore herbido & muscoso; sive Alsine Spergula muscosa *Ind. Or.* surrecta, canliculis albicantibus. Perpauticum *Malabarorum.* Alsine *Maderaspatana* Gallii foliis, flosculis communi pediculo ternis. *Almag. Bot.* excepto cauliculorum colore, & quod non procumbit huic nostræ plurimùm convenit.

Fol. 24. *ad lin.* 29.

Post accepimus adde *Phytogr. Tab.* 259. *Fig.* 2.

Ibid. ad lin. 35.

Huc fortè Spectat Macpalxochitl, *Nov. Hispaniæ Terent. apud Recc.* 382.

Ibid. lin. ult.

Althæa *Americana* pumila flore luteo spicato, *Breyn. Cent.* 124. Althæa flore luteo, *Cat. Jam.* 96. Item Malva *American.* Abutili folio, flore luteo spicato, foliis hirsutioribus & crassioribus, *D. B. P. ejusd. Cat. Jam.* 97.

Fol.

Fol. 25. ad lin. 13.

An Malva arborea folio oblongo acuminato veluto dentato & leviter sinuato, flore ex rubro flavescente, *Cat. Jam.* 95.

Ibid. ad lin. 19.

Althæa *Americana* Betonicæ folio, flore luteo, *Commel. Not. in locum.*

Ibid. ad lin. 26.

An Malva vel Alcea fruticosa Ribesij foliis, seminibus asperis, *Cat. Jam.* 96. Uren *Malabarica* hujus est species minor.

Fol. 25. ad lin. 27.

An Malva aspera major aquatic. ex Hortensium s. rosearum genere, flore minore luteo, semine aculeato, *Cat. Jam.* 96.

Ibid. ad lin. 32.

Abutilon (fortè) fruticosum, foliis subrotundis serratis, floribus albis pentapetalis ad alas foliorum conglomeratis, *Cat. Jam.* 97.

Ibid. post lin. 32.

ALTHÆA Betonicæ folio villoso, floribus ex luteo-purpurascentibus deorsum reflexis ad oras *Coromandel.* an Alcea arborea Althææ folio, florum petalis luteis deorsum reflexis, *Cat. Jam.* 97.

Althæa *Coromandeliana* angustis prælongis foliis, semine bicorni. Huic proximè accedit Tsjeruparna, *Hort. Malab. Part.* 10. *Tab.* 53. Quanquàm *Commelinus* hanc plantam pro Cabritta posuit, *Not. supr. loc. Inseratur hæc ultima post lin.* 34.

Ibid. ad lin. 38.

Malva erecta minor Carpini folio, flore luteo, seminibus singulis simplici aculeo longiori donatis, *Cat. Jam.* 96.

Fol. 25. ad lin. 39.

Huic spectat Tsjeru Uren, *Hort. Malab. Part.* 9. *Tab.* 73. Utut pro Anomala ponitur à *Commelino in loc.* & ab ipso nominatur Planta Sideritis folio insipida, flore pentapetalo rosacei coloris, fructu rotundo in quinque partes diviso, semine triangulato.

Ibid. ad lin. ult.

An hæc sit Malva *Curassavica* Carpini foliis latioribus, Nehu Indigenis, *Hort. Beaum.* 29.

Fol. 26. ad lin. 2.

Malva minor erecta Betonicæ folio, flore luteo semine duplici rostro seu aculeo prædito, *Cat. Jam.* 96. Huic (fortè) potiori jure referenda Katu-Uren, *Hort. Malab. Part.* 10. *Tab.* 54. Althæa *Americ.* Betonicæ folio, flore luteo, *Commel. Not. in locum.* Cùi à seminibus ex *Curacao* sibi transmissis non tantùm progerminavit, sed & semina ad maturitatem perduxit.

Ibid. post lin. 2.

Althæa *Americana*, Sideritidis sive Marrubii aquatici foliorum æmulis, flore luteo minore.

Ibid ad lin 8.

Alcea (fortè) fruticosa aquatica folio cordato, scabro, flore pallidè luteo, *Cat. Jam.* 97.

Fol. 26. post lin. 13.

Althæa *Brasiliana* minor Chamædryos foliis lanugine pubescentibus à *Reverend. Viro D. Stonestreet* accepimus.

Althæa pusilla fruticescens Chamædryfolia flore rubro cernuo ex *Oris Coromandel.*

Althæa minima procumbens Chamædryos foliis densa hirsutie obductis, Codeechittamutte *Malabarorum.*

Ibid. ad lin. 23.

Rettepemarette *Malabarorum.*

Ibid. post lin. 23.

AMARANTHOIDES spicatum *Indicum* ramosissimum Spergulæ foliis, spica Alopecuroide candidâ.

Ibid. post lin. 28.

Amaranthus *Ind. Or.* Bliti folio transparenti, paniculis inter folia sparsis, Caunumpalãe *Malabarorum.*

Ibid. post lin. 33.

Amaranthus spicatus *Coromandelienf.* Bliti majoris crispato folio, radice perenni. Cadelari *Hort. Malab. Part.* 10. *Tab.* 78. Verbena *Indica Bontii* 150. ex sententia *Commelin. Not. supr. loc.* Najureevee *Malabarorum,* à præcedentibus admodùm diversa.

Ibid. ad lin. 39.

Wadapu *Hort. Malab. Part.* 10. *Tab.* 37.

Ibid. ad lin: ult.

Tlalchamallin (fortè) *Mexicana Hernandez apud Recc.* 420.

Fol. 27. *ad lin.* 9.

Huc fortè spectat Ana-Coluppa, *Hort. Malab. Part.* 10. *Tab.* 47. & nuncupari possit, Amaranthoïdes scandens Ciceris triphylli foliis, capitulis oblongis *Malabar.*

Ibid. ad lin. 11.

Persicariæ foliis repens *Malabarica* flore globoso albescente *Commelini Not. in locum,* an Amaranrhoides fruticos. foliis longis angustis subtùs niveis, *Cat. Jam.* 48.

Ibid. ad lin. 13.

Punnagunnee *Malabarorum.*

Fol. 27. *post lin.* 13.

Amaranthoides *Americanum* latioribus bijugis foliis, summo caule spicatum: an Tlaloquiloni *Huaxacensis Hernandez apud Recc.* 178. Huic etiam congener ut nobis dijudicare licet, est Tlayoyomochtli, *Nov. Hispan. Terentii apud eundem Rec.* 426.

Ibid. post lin. 20.

Amaranthus verticillatus minimus exiguis Bliti foliis pallidè viridibus ex *Ind. Or.* Huic (fortè) spectat Muriguti, *Hort. Malab. Part.* 10. *Tab.* 32. Alsinæ affinis planta *Indica* flore candido, *Commelin. Not. in loc.* The Indian hurt-heal: Muriguti enim tantundèm dicit ac *Læde-Sana.*

Ibid. post lin. 22.

Amaranthus *Africanus* tomentosus subrotundis majoribus foliis, capitulis parvis inter folia sparsis ad *Dom. Stonestreet* à fratre allatus est.

Idem foliis fermè glabris.

Fol. 27. *ad lin* 36.

Poſt app. 1928. add. Huic folia ſunt Urticæ noſtrati perſimilia; ideoque verba quæ ſequuntur ad proximè ſubſequentem, pro *Synonymo* tranſponuntur: & emendabitur error.

Ibid. ad lin. ult.

An Ambroſia elatior foliis Artemiſiæ atrovirentibus aſperis odoratis non lanuginoſis, *Cat. Jam.* 38.

Fol. 28. *ad lin.* 7.

Ammi *Matthioli Hiſt. Lugd. lib.* 6. *fol.* 695.

Ibid. poſt lin. 7.

AMMIOIDES *CBP.* 159. Ammi puſillum *Cæſalpini*, an Ammi parvis foliis Fœniculi *ejuſd. CBP.* Ammi perpuſillum *Lobel.* Hujus exemplar optimè exſiccatum acceptum habui à Clariſſ. viro & in hujuſmodi rarioribus indagandis Sagaciſſimo Exploratore *D.D. Carolo Preſton M. D. eruditiſſimo Scoto.*

Fol. 28. *ad lin.* 10.

Huc fortè ſpectat Amomum ſive Tugus, ſeu Birao, aliis Caropi, ex *Inſulis Philippinis* à *Reverendo Patre Georgio Camelli* nuper in *Angliam* tranſmiſſum cujus pictura exhibetur in *Tranſact. Philoſ. Londin. edit.* No. 248. planta, Tsjanæ-Kuæ, *Hort. Malab. Part.* 11. *Tab.* 8. haud multum impar.

Ibid. ad lin. 27.

Hommottere *Hottenttorum*, hujus eſt Proſapiæ Adamaram; *Hort. Malab. Part.* 4. *Tab.* 3. & 4. Katappers ſeu Amygdalæ *Indicæ Joan. Niehenof. in Itinerar.*

Ibid. ad lin. 29.

Amygdala *Peruviana*, cortice triangulari rugoſo, *JB. Tom.* 1. *lib.* 3. *fol.* 293.

Fol. 28. *ad lin.* 31.

Add. nomine Katappers, ſeu Amygdalæ *Indicæ*.

Ibid. poſt lin. 31.

AMYGDALÆ veneuatæ triquetræ Ahovaij *Americanis* dictæ. Arbor *America* foliis Pomifructu triangulo *CBP.* 434. Aouai lignum teterrimi odoris cujus nucleus preſentaneum venenum, ex quo crepitacula *Breſiliani* faciunt, *Lerio Part.* 3. *Ind. Occid. cap.* 12.

Amygdalus amara *Indorum* putamine fungoſo amicta, flore umbellato, nucibus ad unum florem plurimis, Samandra *Bengalenſibus*, & Coemburn *Zeylanenſibus* dicta. Nagam *Hort. Malab. Part.* 6. *Tab.* 21. ubi inter ſiliquoſas Arbores reſcenſetur. ſed perperàm. Siliquoſa flore umbellato pentapetalo ſiliquis digitalibus ſpadiceis monoſpermis ad unum florem pluribus, *Raii. Hiſt. Pl.* 1753. De hâc autem arbore ſis vide *Almageſti fol.* 269. Sub cognomine *Nagam*.

Fol. 29. *poſt lin.* 11.

ANAGALLIDIS *Monelli* ſimilis Herba *Mariana* Rubiæ *Taurinenſium* foliis & floribus luteis ex uno exortu quaternis. Fortè Rubiæ ſpecies *Mariana*.

Ibid. poſt lin. 14.

Anagallis lutea foliis & floribus ab eodem exortu quatuor ex æqualibus ſurculorem intervallis, cruciatim poſitis è *Terrâ Marianâ*. Rubia argentea *Cretica Pr. Alpin.* excepto quod folia non ſunt argentea, huic noſtræ plurimum convenit.

Anagallis

Anagallis lutea *Mariana* foliis longioribus angustis, ad genicula plurimis, caulem ambientibus.

Fol. 29. *ad lin.* 19.

Cytisus alpinus latifolius flore racemoso pendulo, *Turnefort. Elem. Bot.* 508.

Ibid. ad lin. 27.

Mala *Guianensia ejusd. CBP.* 433. Aizoi majoris ortu persimilis exotica planta *Lobelii ejusd. JB. Tom.* 3. 96. *vid. Lob. Icon.* 375. Yayama & Jajama quibusdam, Cynara *Indica* sive Ananas *Indis* dicta *Bontii.* 145. Aberas fructus exoticus *Brasilianus*; Cardui forsan species, *Ambrosin. Phytolog. Part.* 1. *Tom.* 1. *fol.* 2.

Ibid. post lin. 27.

ANANAS sylvestris folio Aloes fructu cupressino, *JB. Tom.* 3. *lib.* 25. *fol.* 96. *Flor. Malabaric. fol.* 5. Ananas *Brasiliana* silvestr. *Acostæ Hist. Lugd.* 1871. Carduus *Brasilianus* sylvestr. *CBP.* 384. Nana brava Maregr. 33. Frutex *Indicus* fructu aggregato conoide Kaida dictus, *Raii. Hist. Pl.* 1442. Kaida *Hort. Malab. Part.* 2. *fol.* 1. de hac autem videsis sub Palmæ affinis titulo minus propriè in *Almagesto nostro fol.* 277.

Fol. 29. *ad lin.* 34.

An Mexocotl. s. Maguey Prunorum *Antonii Recc. fol.* 272. Aloe *Americana* fructu dulci & acido multiplici, Prunis simili *Morif. Hist. Pl.* 418.

Ibid. post lin. 34.

ANA-PARNA *Hort. Malab. Part.* 1. *fol.* 88. Peonnacai *Malabarorum*: Insigne ad Venerem Incentivum.

Fol. 30. *post lin.* 13.

ANCHUSA Buglossoides Lithospermi semine ex *Insula Johanna*.

Anchusa peregrina flore albo umbellato. Omphalôdes *Lusitanicum Turnefortî* monente *D. Preston.*

Anchusa Echioides lutea, Cerinthes, aut Symphyti flore, folio ampliore. Echium Alpinum luteum, cui amplissima florum spica. *Almag. Bot. fol.* 133. *pl.* 8. Symphytum radice rubrâ Echii folio ampliore *Turnefortî* qui dubium movet àn Echium flore luteo radice rubrâ *CBP.* habet enim Consolidæ majoris florem. Onosma *Matthioli Hist. Lugd.* 1107. similitudine in foliis, & modo crescendi, ut in pictura exhibetur huic nostræ maximè convenit.

Ibid. ad lin. 17.

Anchusa (forsan) lutea minima *Lob. Observat.*

Ibid. post lin. 17.

Anchusa angustifolia *CBP.* 255. Lithospermum minus repens ejusd. *CB.* in *Phytopin.* 498. Lithospermum fruticosum angustifol. *ejusd. in suo Matthiolo fol.* 658. Libanotidis species *Rondeletii JB. Tom.* 2. 25. Buglossum Rorismarini folio *Turnefortî.* Anchusa lignosior angustifolia, *Lob. Adv.* 248. Tragoriganum nothum *Dalechampii Hist. Lugd.* 889. *CB. Phytopin* 422. At non possum ego (inquit *Joannes*) cum fratre Tragoriganum *Dalech.* & Anchusam *Lob.* eandem facere plantam, quamvis adhuc in *Pinace* ejusdem sit opinionis. Una enim frutex est, altera non item, *&c.* quæ verba in *Almagesto nostro fol.* 368. cùm duabus præcedentibus lineis inibi deleantur, & hoc loco inserantur, emendabitur error.

Fol. 31. *ad lin.* 6.

A *Novanglicanis* nostratibus Dropwort nuncupatur.

Ibid. ad lin. 33. *post cap.* 17.

Fructus *Brasilianus* inæqualis semine fusco fervido *CBP.* 406.

Ibid. ad lin. ult.

Anona *Hort. Medic. Amst. cap.* 69. ubi pictura habetur.

Fol. 32. *ad lin.* 3. *post T.* 1.

Fortè etiam Pineæ nucis specie Fructus Melenken *ejusd. JB. Tom.* 1. *lib.* 9. *fol.* 264. ex *Theveto.* Arbor fructu Nucis pineæ specie *CBP.* 507.

Ibid. ad lin. 8.

An Mespila *Nicaraguæ* suavissimi saporis, *Laetii lib.* 8. *cap.* 20. *fol.* 343. Chetapaulum *Malabarorum.*

Ibid. ad lin. 14.

Atapaulum *Malabarorum.*

Ibid. ad lin. 17.

Momin ou *Corasol Rochfort Histoire des Antilles, pag.* 67. Anona *Indica* pomo viridi, *PBP.* 312.

Ibid. ad lin. 24.

Anona aquatica foliis Laurinis atrovirentibus fructu minore conoide luteo, cortice glabro in areolas distincto, *Cat. Jam.* 205. fortè etiam Palmis affinis Malus *Persica* maxima caudice non ramoso foliis longiss. flore tetrapetalo pallidè luteo, fructu ex Arboris trunco prodeunte *ejusd. Cat. Jam.* 179. An fortè Palma Myrobalanifera à *Plinio* memorata, *Hist. Nat. fol.* 232.

Fol. 32 *post lin. ult.*

ANONIS *Hispanica* frutescens folio longo tridentato. Anonis *Hispanic.* frutes. folio Crithmi Chrysanthemi *Schol. Bot.* 148.

Fol. 33. *post lin.* 2.

Anonis minima hirsuta *Cherleri* Trifoliis affinis, *JB. Tom.* 2. 394. Anonis siliquâ hirsuta pendulâ, flore purpureo, *HRB.*

Fol. 33. *post lin.* 3.

Anonis mitis annua purpurea *HRB.* 17. Anonis purpurea oblongo rotundo prægrandi integro serrato folio lucido, spica Alopecuroide, *Cupani Cat. Hort. Catholic. pag.* 18. Ononis non spinosa rotundifolia spicata purpurea, *Hispanica Bocc. Mus. Pl. pag.* 60. *Tab.* 48.

Anonis peregrina monophyllos cum auriculis flore purpureo.

Cæteræ Anonidum species hoc loco in Ordinem seq. digerantur, viz.

Anonis non spinosa *Cretica* flore purpureo, *Hort. Patavini Phytogr. Tab.* 135. *fig.* 4. Anonis fortè non spinosa purpur. supin. minima *Raii. Hist. Pl.* 957. Forte etiam Anonis æstiva minor floribus rubris *Boelii Park. Theatr. Pl.* 995.

Anonis lutea mitis, Oxytriphylla ad florum petiolos capreolata, foliis levissimè crenatis *Phytogr. Tab.* 135. *fig.* 5.

Anonis lutea mitis, obtusis longioribus & crenatis foliis capreolis donata, Ononis *Senensis Spigelii Isagog. in rem Herbariam.* 39. Anonis non spinosa capreolis donata, *CBP.* 389. An forte Anonis lutea annua recta hirsuta viscosa siliquis hirsutis

brevioribus;

brevioribus, *Moris. Hist.* 2. 171. Anonis fortè viscosa spinis carens lutea latifolia annua *Botan. Monsp. pag.* 21.

Anonis viscosa lutea mitis capreolata erecta foliis splendentibus glabris. Anonis (fortè) annua lutea, siliquâ glabrâ breviori, *Moris. Hist.* 2. 171. ex *Insulis Fortunatis* ad nos allata est.

Anonis viscosa spinis carens lutea major, *CBP.* 389. Anonis lutea non spinosa *Dalechampio* Natrix *JB. Tom.* 2. 393. Anonis lutea perennis major Natrix dicta, *Morison. Hist.* 2. 170. Cui flores Genistæ vulgaris lutei, pediculis oblongis insidentes, qui ultrà florem nonnihil procurrunt, nam petiolus ille è quo flos immediatè dependet ex hoc (modo dicto) pediculo longo erectoque exoritur ut ritè observavit, *Cl. Rajus Hist. Pl.* 958.

Anonis non spinosa Natrix dicta floribus luteis striatis. Anonis non spinosa flore luteo variegato, *CBP.* 389. Anonis non spinosa lutea variegata, *Park. Theatr.* 994.

Anonis viscosa spinis carens lutea major nonnihil procumbens, medio tantùm folio per extremum serrato, pediculis florum indivisis. Hujus caules plurimi teretes, lenti pilosi, nonnihil rubentes ex unâ radice enascuntur longi partim humi procumbentes partim surrecti ad tactum glutinosi, è quibus prodeunt ramuli, quos petioli breves complectuntur atque quilibet folia tripartitò divisa, quidam etiam unum integrum continentes, sic enim inferiora duo foliola caulem amplectuntur ut in Lotis fit, ac proindè hæc planta eodem modo & trifolia & quinquefolia quo Lotus quinquefolia dici meretur: Fortè Anonis non spinosa floribus luteis *Brasiliana Marcgr. fol.* 3. Ononidis species *Pisonis fol.* 234. Loto pentaphyllo siliquoso villoso similis, Anonis non spinosa, foliis Cisti instar glutinosis & odoratis, *Cat. Jam.* 74.

Anonis pusilla glabra fruticans *Cherleri* Trifoliis affinis *JB. Tom.* 2. 394. An Anonis sylvestris lutea minima *Fab. Column.* quam spinosam dicit, *CB. in Pinace.* quia ut habet *Columna* calyces florum rigentibus foliolis oblongis aculeatis constructi sunt, quod in hac nostrâ videre licet, ut optimè notavit, *Cl. Magnol. Bot. Monsp. pag.* 22.

Anonis *Æthiopica* Thymbræ strictioribus foliis tricuspidatis, summis apicibus spinosis, flore pallescente luteo.

Fol. 33. *ad lin.* 16.

Enonymus *Virginiana* Ribesii folio capsulis elegantèr bullatis, *Hort. Med. Amst. cap.* 87. *cum Icone.* Spiræa Opuli folio, *Turnefortii Elem. Bot.* 490. Singulis capsulis plura semina, Milij albi æmula continentibus.

Ibid. post lin. 26.

ANONYMOS *Æthiopica* Hyssopi subrotundis foliis ex nodulo confertis, summo ramulo lignosâ capsulâ magnâ & bivalvi donata.

Fol. 34. *ad lin.* 2.

Hùc fortè spectat Huapahuitzpatli altera, *Nov. Hisp. Terentij apud Recc.* 379.

Ibid. post lin. 2.

ANTIRRHINUM luteum Pedicularis rubræ foliis *Marianum.*

Ibid. post lin. 11.

Antirrhinum foliis inflexis multò erassioribus, calyculis florum margine asperatis ex *Provinciâ Marianâ.*

Ibid. ad lin. 14.

An Linaria Saxatilis Serpylli folio *Turnefortii* apùd Collectaneas *D. Preston.* Antirrhino similis *Mariana* floribus purpureis parvis, staminibus prælongis refertis.

Fol. 34. *post lin.* 16.

APARINES minoris folio glabra Herba procumbens *Africana.* An Aparines folio Anomala, vasculo seminali rotundo, multa semina minutissima continente, *Cat. Jamaic.* 50. In *Horto Med. Chelseiano* seminibus nata procrevit, *Anno* 1696.

APHYLLON aquaticum *Virginiense* perfæum D. *Banister.* hujus pictura exhibetur *Phytograph. Tab.* 138. *fig.* 1. nescio tamèn quo casu Ea in *Almagesta* fuit omissa.

Fol. 34. *ad lin.* 21.

An Aracynappil Aurantiis parvis similis fructus, *JB. Hist. Pl. Tom.* 1. *fol.* 106. Anona (fortè) trifolia flore stamineo, fructu Sphærico ferrugineo scabro minore, Allii odore, *Cat. Jam.* 205. Malus *Americana* trifoliata fructu Pomi Aurantii instàr colorato, *Hort. Medic. Amst. cap.* 67. Ubi sub hoc titulo pro hac arbore alterius *Icon* figuratur, scilicet Therebinthi *Americanæ* trifoliæ lucidæ Palamalettæ vulgo, quæ in *Phytographia nostra Tab.* 229. *fig.* 1. depicta est, & à priore plurimùm diversa; Fructus etiam qui illic adpingitur non est hujus Arboris, sed Cucurbitiferæ spinosæ similiter in *Phytographia Tab.* 170. *fig.* 3. ad vivum exsculptæ cum suo fructu adposito.

Ibid. ad lin. 28.

An fortè Libanotis *Septentrionalium* Herbariorum *Lob. Adversar.* Libanotis minor, umbellâ candidâ, *CBP.* 158. Libanotis minima, *Hist. Lugd. lib.* 6. *fol.* 766.

Ibid. post lin. 29.

APOCYNUM arboreum *Ind. Or.* Laurinis foliis, rostrato Borraginis flore, prægrandi siliquâ, seminibus longis gracilibus sericeis pappis involutis. Addeweepaula *Gentilibus Indis*, Bupaulemaram *Malabareis* vocitatur, an Nelampala *Hort. Malab. Part.* 9. *fol.* 5. Apocynum *Malabaricum* arboresc. Limonii folio; flore ex flavo rubescente, siliquis maximis, *Commel. Not. in loc.* cui semina oblonga in vertice sericeis filamentis pencillata.

Ibid. ad lin. 37.

Huic fortè est congener Wisanck s. Vincetoxicum *Virginianum Gerard. emac. fol.* 899. Asclepias *Indica JB. Tom.* 2. 140. Asclepias quarta ex *Virgina CBP.*

Ibid. post lin. 37.

Apocynum rectum *Marianum*, foliis amplioribus binis ex adverso sitis, floribus umbellatis albis fortè præcedentis tantùm varietas.

Ibid. post lin. 37.

Apocynum umbellatum album, latiore folio, tetraphyllon, ex *Terrâ Marianâ.* Apocynum rectum *Marianum* longioribus subrotundis foliis intervallatis, floribus purpureis.

Fol. 35. *ad lin.* 5.

Ercachedde *Malabarorum.*

Ibid. ad lin. 12.

An Tepezentlis seu spica Maizii montani, *Hernandez apud Recc. fol.* 223.

Ibid.

Fol. 35. *post lin.* 15.

Apocynum rectum *Marianum* foliis longis mucronatis, floribus in umbellam, obsoleti coloris.

Ibid. ad lin. 21.

An Izontecpatli seu Volucrum Medicina, *Hernandez apud Reccum.* 125.

Ibid. ad lin. 39.

Fortè etiam Cenanam *Tezcoquensis, Nov. Hispaniæ Terentii apud Recc.* 362.

Fol. 36. *post. lin.* 21.

Apocynum rectum umbellatum, longissimo Salicis folio glabro, ex *Terrâ Marianâ*, inter Exsiccatas *D. Doody* observatum.

Ibid. post lin. 21.

Apocynum *Marianum* erectum, lanuginoso Salicis folio, flosculis ex albo virescentibus in umbellam sitis; Huic fortè potiori jure pertinet Cenanam *Tezcoquensis Mexicensium* sub Matris spicæ Maizii titulo *apud Recc. fol.* 185.

Ibid. post lin. antepenult.

Apocynum *Marianum* erectum Linariæ angustissimis foliis umbellatum, apud *eund. D. Doody*. Apocyno recto non ramoso Rorismarini foliis umbellis florum candidis *Almagest. Bot.* plurimùm convenit.

Fol. 37. *ad lin.* 2.

An Apocynum *Hispanicum* frutescens Linariæ folio, *Tourneforti. Elem. Bot.* 78. Apocynum (fortè) caule tenui altè scandens capsulis echinatis, *Banisteri Cat. Stirp. Virgin.* Fortè etiam Apocynum fruticosum scandens Genistæ *Hispanic.* facie, floribus luteis odoratis, *Cat. Jam.* 89.

Apocynum fruticescens strictissimis rigidis & prælongis foliis, bullatis floribus *Africanum*, an fortè Asclepias lactescens & scandens foliis Linariæ Arbuti flore, *Cap. Bon. Spei. Breyn. Prodr.* 2. *pag.* 20.? An Apocyno similis angustissimo folio *Curassavica*, tuberosâ radice caule geniculato nodoso, *PBP.* 314. Apocyn. scandens *African.* Asphodeli radice angustissimo folio, *Oldenlandii Paradis. Batav.* 59.?

Ibid. post lin. 7.

Apocynum angustifolium scandens, *Ind. Or.* breviori folio, cauliculis punicantibus; Segunda-pala *Malabarorum*.

Ibid. ad lin. 10.

An fortè Cenanam de *Quahuna-Hoac. Nov. Hispaniæ apud Recc. fol.* 361. Huic quoque propiùs accedit Katu-pal-valli, *H M. P.* 9. *Tab.* 11. Apocyn. *Indic.* scandens latifol. flore viridi diluto, siliquis oblong. cuspidatis *Commelin. in loc.*

Ibid. post lin. 23.

Apocyni genus scandens ex *Ind. Or.* Paulecooddee *Malabaror.* an fortè Vensjerapatsja, *Hort. Malab. Part.* 9. *Tab.* 13.

Ibid. ad lin. 42.

Hujus flores sunt odore fragrantissimi.

Ibid. post lin. 42.

Apocynum scandens Pervincæ majoris folio ex *Provinciâ Carolinâ*.

Ibid. ad lin. 44.

Fortè Vincetoxicorum speciebus adnumerari meretur.

Fol. 37. ad lin. ult.

An Cereo affinis scandens, planta aphylla, caule rotundo articulato glabro succulento saturatè viridi Green-Withe, Cat. Jam. 198.

Fol. 38. lin. 16. post foliis add.

Minus corrugatum.

Ibid. ad lin. 30.

Sewiiri ab *Indigenis* nuncupatur.

Ibid. ad lin. 35.

An Coaguacuiba *Brasiliens. Marcgr. lib. 3. fol.* 97. Prunus (fortè) racemosa foliis oblongis hirsutis maximis, fructu rubro, *Cat. Jam.* 184.

Ibid. ad lin. ult.

An Verbasci folio majore odorato arbor floribus pentapetalis albis, *Cat. Jam.* 139.

Fol. 39. lin. 5. post Scaligeri add.

Exercitat. 175. fol. 226.

Ibid. ad lin. 9.

Nominatur à *Sloano* in *Cat.* suo *Jamaicano* Prunifera arbor fructû maximo Pyriformi viridi, pericarpio esculento butyraceo nucleum unum maxim. nullo ossiculo tectum cingente; plurima etiam illic adnectuntur Synonyma scilicet Pyrus *Hispanica Hughesij*. Paltifera arbor *Laetij*, &c. quæ omninò discrepant ab istis notis characteristicis sub hujus titulo comprehensis: Ista enim *Hughesij* habet in medio fructûs ossiculum magnitudine Mali *Armeniaci* rotundum durum lævè; quùm *Sloaniana* (ut ipse describit) nucleum habet nullo ossiculo tectum. Item *Dampier* in *Orbis circumnavigatione, pag.* 203. affirmat intrà substantiam hujusce fructûs latere Ossiculum magnitudine Pruni *Asinarij*. Et si Pyrus *Avocata* idem sit cum *Paltifera*, ut est verisimile (& sicut ipse existimat) huic tamèn non potest esse non diversam, quoniam ista quoque in medio pulpæ habet Ossiculum largiusculum quoàd formam, fructui haud absimile. Ahuacaquauhitl s. Arbor querciformis butyraceo fructu, *Hernand. fol.* 89. si Author plures nudos nucleos intrà fructus substantiam illi non attribueret, putarem equidem eandem esse Arborem; & ab hujus foliorum odore aromatico facile adducimur conjectare eandem quoque esse cum *Persea* arbore *Clusij*, quæ interdum ab *Hispanis* Mamay quoque nuncupatur, ut ex *Clusio* ipso & *Jonstono Dendrolog.* 96. didicimus; sed necesse est ut tum ab ipsa *Paltifera* tum ab *Aguacata* ob rationes suprà allatas sit aliena; Quarum postrema quoque fructum gerit crustaceo, & corticali tegumento obductum ideoque ad edendum maximè inidoneum. Adeo profectò ut non tam in hoc quam in eo decipitur *Sloanus* quod utique intelligens hanc, is interim suis Synonymijs nobis obtrudat aliam ab ipsâ maximè diversam, errore nimis crasso, & ipsi quidem in hoc Opere nimis frequenti.

Ibid. ad lin. 16.

Noster autem est cuticulâ densâ coriaceâ tectus, an peregrinus fructus crassus in quo magnus nucleus, *JB. Tom.* 1. 398. An Malus *Persica* maxim. foliis rotundioribus splendentibus glabris, fructu maximo scabro rugoso subrotund. pulpa durâ sublutea unum vel plura ossicula filamentosa cingente, *Cat. Jam.* 179. Nostra tamen ossicula nec filamentosa, nec in filamentosis tegumentis sunt conclusa. Subsequentis sanè Arboris fructus Ossicula ita se habent.

Fol. 39. ad lin. 18.

Vid. *Gulielm. Dampier Orb. Circumnavigat. pag.* 204.

Ibid. ad lin. 26. post 488.

Nux s. Officulum Cypote simile Nuci Balsami, *Perviani JB. Tom.* 1. 294. Coxcocypote *Clus. exot. lib.* 2. *cap.* 18. *fol.* 44. Malus *Persica* maxima foliis magnis integris longis, fructu max. oblongo scabro, officulo partim rugoso partim glabro, *Cat. Jam.* 181. An Fructus reticulato corio, *Basil. Besler. Fascicul.* An hic vero ad Odallam potius sit referendus.

Ibid. ad lin. 40.

Huic etiam ut mihi videtur plurimùm convenit Cochitzapotl s. Tzapotl somnifera, *Hernandez apud Recc.* 89. ab *Hispanis* Albatzapotl. nuncupata.

Ibid. ad lin. 43. post 294. *adde.*

An hujus Officulum sit Fructus Amygdaloides nitidus peregrinus *ejusd. JB. ibid. fol.* 292. An fortè Castaneæ specie fructus peregrinus *ejusd. Tom.* 1. *lib.* 7. 129.

Fol. 40. ad lin. 2.

Fortè etiam Fructus oblongus fuscus splendens, *CBP.* 406. Fructus 1. *Simonis Tovar.* Coxco Cypote (i. e.) Nux sive Officulum Cypote, *Clus. exot. lib.* 2. *cap.* 18.

Ibid ad lin 8.

An fortè Sambaucaie *Brasiliensium, JB. Tom.* 1. 385. Cacao *Gerard. emac. Sloan. Cat. Jam.* 134. ubi more suo quærendum proponit an sit Nux *Portoricensis* amplissimis foliis venosis & lætè virentibus *Pluken. Tab.* 208. *fig.* 2. cui vel in foliis nè minima quidem intercedit similitudo.

Ibid. ad lin. 32.

An Mespilus *Curassavica vulgò, PBP.* 312.

Ibid. ad lin. ult.

Arbor fortè Canellifera sylvestris ex *Syrinama* folio prægrandi, *Breyn. Prodr.* 2. 18. Cujus folia cum aliis quamplurimis resiccatis plantis *Surinamensibus* adhùc incognitis (si benè meminit) *Autor* accepit à *Nobiliss. D. Philippo de Flines* rerum Botanicarum *Æstimatore insigni.*

Fol. 41. post lin. 3.

ARBOR *Maderaspatana* Lapathi sanguinei ferè foliis corymbosa, Pautanchedde *Malabarorum.*

Arbor baccifera *Indica* Lauri subrotundo folio flosculis numerosis ad Lichenis petræi stellata capitula propè accedentibus Chraumchidde *Malabaror.* Huic persimile est Vanamairam *Malabareis* dictum & fortè Idem. Arbor *Indica* baccifera Lauri foliis corymbosa, Perin-panel (fortè *Hort. Malab. Part.* 5. *Tab.* 15. Arboris enim hujus flosculi, cum formâ tum colore & magnitudine haùd absimiles sunt floribus nostris, propterea tamen eandem esse Arborem affirmare nequeo.

Arbor *Indica* baccifera Lauri pallidioribus foliis tetraphylla, floribus spicatis. Toulcutte *Malabarorum.*

Arbor baccifera Abutili foliis lanugine ferruginea villosis, Punnanganarre *Malabar.* An fortè Peragu, *Hort. Malab. Part.* 2. *fig.* 25. Hujus enim baccæ calyce amplo membranaceo excipiuntur.

Arbor *Indica* procera Cucurbitæ foliis fructu oblongo quadrangulari. Mallearresh *Malabaror.* Herbaceam autem hanc plantam nobis esse videtur.

Fol. 41. ad. lin. 10.

Punnemaram *Malabareis*, hujus fructus Pruna *Damasceno* par, ex quo exprimunt Oleum ad Rheumaticos dolores valdè proficuum.

Ibid. ad lin. 12.

Carcapuli fortè *Linschotani* fructu dulci rotundo, Cerasi magnitudine. Kanna Ghoraka (i. e.) Ghoraka dulcis *Cingalensibus* dicta; quod *Casparus Bauhinus* in *Pinac.* cum Carcapuli *Acostæ* fructu Mali aureæ æmulo, perperàm confundit; ut videre est in *Hort. Malab. Part. 1. fol. 42. Not. in Coddampulli.*

Arbor *Indica* Lauri amplioribus foliis obtusis è regione binis, floribus Jasmini, summo ramulo umbellatim positis, ex *Insula Johanna.* Tsjovanni Amelpodi, *H. Malab. Part. 6. Tab. 47.* Huic arbori propius accedere videtur.

Ibid. ad lin. 16.

Cujus Umbones postquàm decidunt petala, baccis plurimis Ovali forma sunt elegantèr circumcincti, Jabotapitæ *Brasiliensis* in modum ut videsis *apud Pisonem.* 166. Tirnamapollee *Malabarorum*, & interdùm Paulemaram *eorund.*

Ibid. ad lin. 39.

Ramos enim proceris incrementis extendit, ij fila quædam tenuia demittunt, quæ terræ contactu radices itèm generant in aliarum arborum perpetuam seriem sobole non minùs quàm multiplici. Ensenda Ficus *Indicæ* modo nascens, *JB. Tom. 1. 147.*

Ibid. ad lin. 41.

Hujus arboris ni fallor meminit etiam *Antonius Pigafetta* in *suo Itinerar.* ubi refert *Insulæ Tidore* fæminas pudenda tegere panno è libro arboris hac ratione confecto; Delibratur cortex & aquâ maceratus donec mollescat, ligno tunditur, atque qualibet longitudine ac latitudine diducitur adeò tenuitèr, ut sericei veli instar, venis transversim discurrentibus contextus videatur. Laurifolia arbor folio latiore longo mucronato lævi splendente, cortice interiore in telas plurimas linearum æmulas extensili, *Cat. Jam.* 137.

Fol. 42. ad lin. 2.

An Laurocerasi folio arbor, *JB. Tom. 1. lib. 4. 421.*

Ibid. post lin. 2.

Arbor *Indica* cujus folia sunt Lauri *Aldino* similia, apicibus rotundioribus retusis ac magis venosa fructu Amygdali, ex hujus nucleis Oleum exprimitur ad varios usus. Elippemaram *Malabaror.* ad Copaibam *Brasiliensium Pisonis* accedere videtur. Est tamen Nuci-prunifera.

Ibid. post lin. 2.

Arbor *Indica* Cerasi laurinæ foliis, flore albo fructu Piniformi, à *D. Jacobo Coningham in India Orientali* observata. Lici (fortè) arbor *Sinensis Mich. Boym. Flor. Sinens.* cujus folia Cerasi laurinæ sunt persimilia fructus cordiformis glandis magnitudine, squamoso cortice. Piniferæ arboris fructum refert qui sapit fraga & uvas, sis vide Iconem apud *Jonstonum Dendrol. Tab. 136.* Est arbor nucifera ut suspicari licet ex Descriptione apud *Ogilv. Chin. Tom. 1. 263.* nec non *Tom. 2.* 680.

Fol.

Fol. 42. ad lin. 6.

Anona foliis subtùs ferrugineis, fructu rotundo majore, lævi purpureo, semine nigro partim rugoso partim glabro, *Cat. Jam.* 206. Mespili (fortè) quarum fructus nostrates mole superant, *Laetii lib.* 17. *cap.* 13. 644. An Mespilus folio laurino ex *Sirinamâ Commelin. Cat. Amst.* 232.

Ibid. post lin. 6.

Arbor *Indica* baccifera Laurinis lucentibus foliis ex *Oris Coromandel.* Malecungee *Malabarorum.*

Ibid. ad lin. 14.

Sub nomine Balangas habuit idem *Casparus.*

Ibid. ad lin. 15.

Arbor *Indica* pallidioribus foliis, fructu conoide ex magno calyce emergente. Cautmogullamaram *Malabarorum.* Hujus flores sunt odore fragrantissimi. Elengi fortè *Hort. Malab. Part.* 1. *Tab.* 20. quam tamen à Kauki *Indorum Breynii* planè diversam esse agnoscimus.

Ibid. post lin. 17.

Arbor Laurifolia *Indica*, fructu ad caulem racemoso, Oleæ magnitudine & formâ villoso, seminibus Anonæ nucleorum æmulis referto.

Ibid. ad lin. 20.

Terrane *Malabarorum.*

Ibid. ad lin. 23.

An Quauhtlepatli seu Arbor ignea, *Hernandez apud Recc. fol.* 67.

Ibid. ad lin. 32.

Balsami novi fructu racemoso folium, apud *J. Bauhin. Tom.* 1. 297. ad vivum expressum à nostrà haud multùm abhorret, ut & Balsami folium, *Hist. Lugd. lib.* 18. *fol.* 1775.

Ibid. ad lin. 34.

An fortè Tilia arbor racemosa folio longiori subtùs albicante nervis purpureis insignito, flore pentapetalo purpureo, *Cat. Jam.* 135. Yerva Mora ab *Hispanis* quoque dicitur Solanum baccis rubris & aureis; Ipsum tamen Solani ethymon ob quandam in quibusd. partibus similitudinem longè pluribus iisque diversissimis stirpium generibus ab *eodem Populo* imponi consuevit: Affinitas ergo formæ & coloris baccarum eò forsàn *Hispanos Canarienses* induxit, ut hujus Arbusculam Yerva Mora (i. e.) Solani titulo insigniverint.

Ibid. ad lin. ult.

Veanaungoo *Malabarorum.*

Fol. 43. ad lin. 2.

An potiùs Scherunam-Cottam *ejusd. Hort. Malab. Part.* 2. *fig.* 16. Corni f. Sorbi species *Javanica Bontij lib.* 6. *cap.* 12.

Ibid. post lin. 7.

Arbor *Indica* longis mucronatis integris foliis, fructu albicante Nucis *Palmæ Indel* dictæ æmulo; Asshogamaram *Malabarorum*, an fortè Asjogam, *Hort. Malabar. Part.* 5. *Tab.* 59. cui bina sunt ex adverso folia perindè ac in nostrâ.

Fol. 43. *post lin.* 9.

Arbor *Indica* Ovali folio flosculis plurimis in spicis summo ramulo dispositis acinifera, Pulicheemaram *Malabarorum*. Fortè Tsjeriam-Cottam, *Hort. Malabar. Part.* 5. *Tab.* 11. Quæ ad cæteras Cottam species, *Part.* 1. *Tab.* 56. & *Part.* 2. *Tab.* 16. ut dicit *Commelinus* meritò refertur, estque tertia Illarum ut Notæ genericæ indicant; Omnes namque humiles sunt Arbusculæ bacciferæ flore pentapetalo.

Arbusculâ corymbosa *Ind. Or.* folio fermè Ovali figura. Sirrunarvelle *Malabaror.* hujus folia Sida-pou, *Hort. Malab. Part.* 6. *Tab.* 59. foliis haud dissimilia videntur.

Arbuscula *Americana* baccifera flosculis comosis & foliorum Tremäe *Brasiliensium* æmulis, an Vitis Idæa ex *Terra Mariana*, an Sorbi vel Mespili species *Americana?* Eadem fortè cum Tremäe *Pisonis* vel Tremare *Brasiliensibus Marcgr.* 81. *quoad figuram.*

Arbuscula baccifera Asclepiadis folio fructu Tiliæ tetragono. Chermurre *Malabarorum* hujus fructui Pee-Tsjerou-ponnagam, *Hort. Malab. Part.* 5. *Tab.* 23. fructus haud multùm absimilis.

Arbor rosca Styracis folio *Africana ten Rhine Breyn. Fasc.* 19. Arbor rosea folio infernè incano *ejusd. Cent.* 179. Hæc autem planta ut ex ramulo cum flore minùs tamèn curiosè asservato mihi viso, conjectarem inter Cistorum genera, militari meretur.

Ibid. ad lin. 13.

Hanc quandam affinitatem cum Acere habere velit *Dr. Sloan in Cat. suo Jam.* 138. ubi sub nomine Aceri vel Paliuro affinis angusto oblongo Ligustrifolio, flore tetrapetalo herbaceo dubium mover. An sit? Arbuscula viscosa nostra, cum jure merito ad Acer minus fructu orbiculari, &c. *Breynij in Almagest.* cum Synonymiis memoratum, *fol.* 7. ista sit referenda, cui tam propè accedit ut eandem esse nobis videtur, sicut & ipse facit; sed ab Arbuscula nostra viscosa de qua quæstio nunc agitur maximè diversam; si tamen quod res est fateri liceat suspicamur non bene notam *Sloano* hanc nostram Arbusculam: pluribus etiam argumentis hoc loco si res exigat ostenderem *D. Sloan* alteram ab altera nescivisse distinguere.

Fol. 44. *post lin.* 2.

Arbor baccifera *Barbadensis* Morifolia simplici ossiculo magno conoide striato, polycarpos, sivè multiplici nucleo parvo. Mulberry-leaf-Tree, ab *Insulanis* nostratibus nuncupatur, an Cumana arbor dicta *Laetii Ind. Occid. lib.* 18. *cap.* 4. Gacirma *Nierembergij lib.* 14. *cap.* 5?

Ibid. post lin. 7.

Arbor *Indica* Fagi amplioribus foliis densis, fructu Anonæ dulcis. Sumtrapoonne *Malabarorum*. Hujus arboris folia mirabilitèr flatus discutiunt, & optimum hisce regionibus exstat Carminativum.

Ibid. post lin. 11.

Arbor baccifera *Ind. Or.* Ilicis suberiferæ foliis fructu calyculato, calycibus intùs azureo tinctis.

Arbor baccifera Althææ foliis parvis subrotundis *Ind. Orient.* Chaddache *Malabar.* An Tindæ parvæ species minor *Malabarica.*

Arbuscula

Arbuscula *Indica* Alni lanato folio minoris æmula, orbiculari, baccâ calyculatâ. Vacaunnee *Malabarorum*.

Fol. 44. ad lin. 16. post cap. 1. adde.

Aguapam (fortè) Arbor *novi Regni Granatensis ejusd. Laetij. Ind. Occ. lib.9. cap.4.* Fortè etiam Fruticera *Insul. Sancti Johannis de Porto Rico ejusd. Ind. Occ. lib.1. cap.1.* An Arbor Laurifoliis qualitate causticâ ut si quis manum quo frondes contrectarit ad oculos ferat, ingentes dolores patiatur, & ad aliquot horas videndi facultate privatur ex *eodem fol.* 601. quæ tamen in *Cat. Jam.* ad Capsicorum genus refertur.

Ibid. ad lin. 20. post JB. add.

Arbor venenata alia *ejusd. JB Tom. 1.* 505. Mespilo similis Fructus *Americanus ejusd. Tom. 1. 72. Ler. Hist. Navigat. in Brasil. lib. 1. cap. 12.* Arbor. in *Insulis Canibalum Jonst. Dendrolog.* 467. Arbor pomis venenatis in *Darien Nieremb. lib. 14. cap. 3.* Item Guchon (fortè) planta pestilentissima *ejusd. lib. 14. cap. 105. fol.* 331. vel Arbor venenata secunda Guchon *Jonston Dendrolog.* 466. Fructus *Brasiliensis* Mespilo similis *de Laet.* 562. Mespilo similis Fructus venenatus, *CBP.* 454.

Ibid. ad lin. 24.

Massimilia arbor *Americana* pomifera venenato Pyrifolio, fructu orbiculari compresso odorato, *Hort. Beaumontian.* 29. Juglandi affinis arbor julifera lactescens venenata Pyrifolia, Mancanillo *Hispanis* dicta *Cat. Jam.* 129. Ubi Baxanæ arbori similis si non eadem *JB.* ponitur pro hujus Synonymo; At non potest esse Baxana hæc Arbor quæ licet radicibus adeo venenata sit, ut iis statim perimat tangentes, fructus autem illius cui nomen Nirabix adeo salubris est, ut huic veneno ac reliquis omnibus presentaneum sit remedium *Odoar. Barbosa.* sed Autor *Catalogi* hoc in loco plurima confundit.

Ibid. post lin. 24.

Arbor *Indica* Pyrifolia fructu Nucis moschatæ simili tricapsularis. Cattakai *Malabarorum*.

Arbor *Indica* Pyri densioribus & subrotundis foliis, fructu Nucis Moschatæ magnitudine summo vertice coronato. Cammaulmaram *Malabarorum*. Tsjambou sylvestris (fortè) species: An Jambu sylvestris minor *Nieuhof. Itiner.* Cùm Catu-Tsjambu, *Hort. Malab. Part. 4. Tab. 8.* Quæ (ut dicit *Commelinus*) magnam habet similitudinem cùm Malacca-Schambu & Nati Schambu *ejusd. Hort. Malab. Part. 4. Tab. 17.* & 18. in fructu suo maximè convenit. Tussientibus & raucedine laborantibus opitulatur.

Arbuscula *Indica* Pyrolæ minoris folio, Cucurbitino flore, fructu Myrobalani. Cambeechedde *Malabarorum*. Hujus fructus benè coctos comedunt Indigenæ; est de Pruniferor. censu.

Ibid. ad lin. 27.

Thymelææ facie frutex maritimus tetraspermos, flore tetrapetalo, *Cat. Jam.* 138. Si non fallitur ipse.

Arbor *Africana* rigidiusculis & splendentibus Salicis foliis ex *Promont. Bon. Spei.* An Planta sarmentosa ex cujus foliis & stolonibus incisis, Assa fœtida exprimitur, *Bontij Hist. Nat. lib. 4.*

Fol.

Fol. 44. post lin. 37.

Arbuscula *Africana* tricapsularis Anonidis Vernæ folio singulari flosculis oblongis pentapetalis luteis calyce magno bullato villis obsito exceptis, summo ramulo confertim nascentibus. Hujus capsulæ seminales Sisynrichij parvi sunt æmulæ, in quibus semina parva nigro-splendentia Anonidùm more deliquium patientia, plurima intrà parietes continentur. In Horto exoticar. Stirpium instructissimo, *D. D. Uvedale apud Enfeldiam* lætè virentem conspeximus. Hanc Arbusculam (sui generis) & maximè sibi peculiarem, Chamæcistum, *cap. B. S.* folio crispo Chamædryos, *Novitius* quidam è *nostratibus* satis iniquè denominat; Undè patet quam non æquam viribus suis materiam suscepit, licet *Virtuosorum* albo inscriptus erat, cum de Plantis exoticis conscribere aggressus est. Hermannia ut dicitur à *Turnefortio* denominatur.

Fol. 45. post lin. 2.

Arbuscula *Mariana* Aceris *Virginianæ* folio baccifera, ossiculo singulari striato compresso, apud Collectaneas amici nostri *D. Jacobi Ayrè.*

Ibid. ad lin. 6.

Cummala *Malabarorum.*

Ibid. ad lin. 12.

Avicenna enim in *secundo Canonis* ait Seitaragi ille qui est *Indus* habet ligna parva subtilia, & cortices sicut Garyophylli; Seitaragi vero secundum *Joannem Jacobum de Manliis in Explanat. Herbar. apud Othonem Brunfelsium fol.* 168. est Species Nasturtij, & quoad *Simonem Januensem* ex autoritate *Pauli* Iberis, qnam Lepidium, alii Agricardamon appellant est legitima Seitaragi: Hinc patet duas fuisse apud *Arabes* hujus nominis Plantarum species.

Ibid. ad lin. 19. quæ sequuntur verba.

Fortè etiam Avellana purgatrix, & Ben *Monardis cap.* 7. omninò deleantur.

Ibid. post lin. 19.

Arbuscula *Mariana* Pruni sylvestris longioribus alternis foliis lætè virentibus flosculis plurimis ad foliorum alas oriundis, an Frutex anonymos quintus, *Marcgr. lib. 2. cap.* 15.

Ibid. ad lin. 29.

Anona foliis laurinis glabris viridi-fuscis fructu minore rotundo viridi flavo scabro, seminibus fuscis splendentibus, fissurâ albâ notatis, *Cat. Jam.* 206. additur laurinis (fortè) à similitudine aliquâ in foliis; quam vix assequor.

Ibid. ad lin. 33. post alatis add.

Terebinthinis foliis.

Ibid. ad lin. 36.

Nostra enim est arbor baccifera cujus fructus sunt Hederæ trifoliæ *Canadensis Cornuti* baccis hàud absimiles. Arbor (fortè) peregrina *Romæ*, in quodam *Horto Columnensi* similes Rhoi, foliis lacte manantibus *Andr. Cæsalpin. in Append. ad libros de Plantis.* Huc (fortè) accenseri meretur Quauxiotl, *Nov. Hispaniæ Hernandez apud Recc.* 406.

Ibid. post lin. 39.

Arbor *Africana* foliis Arbuti Spiræx floribus in spicam densiorem adactis. Eadem fortè præcedenti. Huic maximè conveniret Pongolam, *Hort. Malab. Part.* 7. si folia essent ex adversosita.

Fol.

Fol. 45. *ad lin.* 40. *post* 1636. *add.*
Phytograph. Tab. 141. *fig.* 4.

Ibid. post lin. ult.

Arbor *Sirinamensis* Lauri densioribus foliis, media costâ per longitudinem tuberculis veluti perforatis conspicuâ. Amelpodi (fortè) *Hort. Malab. Part.* 5. *Tab.* 51.

Arbor *Indica* ἄκαρπος floribus umbellatis tetrapetalis *Raij Hist. Pl.* 1787.

Fol. 46. *ad lin.* 3.

Qui dubium movet, an sit? Kanelli itti Canni, *Hort. Malab. Part.* 10. *in Mus.* *pag.* 8. At hæc Kanelli est herba parasitica super ramos Arboris Kasjan repens in *India Orientali*. Ista vero non item; Caushachedde à *Malabareis* nuncupatur & aliquando Caciancheddde cujus folia ad colorem rubrum inficiendum tinctoribus inserviunt, cui flos viride-cæruleus, bacca parva rotunda, vivaci viridi colore, elegantèr coronata, & si benè memini monopyrena, cum spinulâ longâ ad apicem donata.

Ibid. post lin. 3.

Arbor *Indica* baccifera. Ligustri foliis densioribus & firmioribus, fructu ovali. Pungalu *Malabarorum*, an hæc sit rectius Kanneli-Itti Canni, *Hort. Malab. Part.* 10. *Tab.* 5.

Ibid. ad lin. 9.

Deleantur *fortè & quæ sequuntur verba.*

Ibid. ad lin. 25. *post levantes adde.*

Coca *Perviana Hernandez apud Recc.* 302. Arbusta pro Numinibus habita, Mamacocæ vocata (hoc est) Matres Cocæ s. Deæ Cocæ *Nieremberg. fol.* 304.

Fol. 46. *post lin.* 27.

Arbor *Indica* Euonymi brevioribus foliis, floribus ad stipitem racemosis. Cungee *Malabarorum*, an fortè Tsjerou Kanneli, *Hort. Mal. Part.* 5. *Tab.* 50.

Arbuscula *Mariana* brevioribus Euonymi foliis pallidè virentibus, floribus Arbuteis ex eodem nodo plurimis, spicatim uno versu prorumpentibus. An sit Myrtilli s. Vitis Idææ species *Americana*, flore majori.

Ibid. ad lin. 36.

Fortè etiam Amazquilitl *Novæ Hispaniæ Terentij apud Recc.* 350. An Myrtifolio arbor cortice argenteo foliis oblongis ad basin latioribus acuminatis inodoris ex adverso sitis, flore pentapetaloide pallidè albicante, *Cat. Jam.* 162. an Arbor *Brasiliana* Myrti laureæ foliis inodoris, *Hort. Med. Amst. cap.* 89. *cum Icone.*

Ibid. ad lin. 38.

An Myrtifolio arbor foliis longissimis inodoris, *Cat. Jam.* 162.

Arbor *Americana* Myrti *Boeticæ* latifoliæ facie aromatica. An Lauro affinis Terebinthi folio alato, ligno odorato candido, flore albo, *Cat. Jam.* 137. An Myrto affinis arbor foliis laurinis flore albo tetrapetalo odorato *ejusd.* 162. Hujus exemplar à *D. Samuele Doodeio* nos accepimus.

Arbor *Americana* Myrtiformis foliis graveolens. An Arbor ex *Sirinama* s. *Americana* Myrti laureæ foliis, Elemi resinam fundens, *Breyn. Prodr.* 2. 18.

Arbuscula baccifera Myrtifolia in ramulorum cymis fructu racemoso cæruleo. Cariwaopulle *Malabarorum*. Tota planta aromatica est, & Uva sapore acri Piperis.

E Fortè

Fortè Frutex Myrtuosus sive Amomum Mali *punicæ* foliis apud *Plinium. lib.* 12. *cap.* 13. & Piperella dici mereatur. Fortè etiam Oxymyrsine *Serapionis*, qui affirmaverit Oxymyrsinem esse Arborem ferentem fructum qui apud *Arabes* Cubebe vocatur; ab Oxymyrsine *Græcorum* quæ latinè Ruscus, vulgo autem etiam à Medicis, Bruscus appellatur, ex quo *Plinij* temporibus, sicut hodiequoque fiebant ruri Scopæ, plurimùm diversa est.

Arbor *Indica* Pruni sylvestris folio, Corni maris fructu longiore, cujus lignum Santalum nigrum ab *Indigenis* habetur. Davadarre *Malabar. vid. Santalum nigrum.*

Arbuscula *Indica* Buxifolio baccifera, ex alis foliorum sigillatim fructum edens. Erembillee *Malabarorum.* Hujus baccæ sunt & calyculatæ, & coronatæ, rotundæ fuscæ.

Arbor baccifera Biti *Malabaricæ* foliis majoribus, aversâ parte molli hirsutie pubescentibus, Taxi fructu duro glandiformi, vel fructu parvo, calyce membranaceo integro propemodùm immerso. Perewoondel *Malabarorum.* Ex foliis arboris placentulas conficere norunt *Indigenæ* quas in eduliis habent, fructus quoque Istis cibo sunt, quæ causa est ob quam diligentèr excoluntur, cujus exemplar nos adhuc servamus in *Herbario nostro vivo*, inter hùc allatas Raritates *Indicas.*

Fol. 46. *post lin.* 40.

Arbor quinquefolia & heptaphylla frondosa, ex *Terrâ Marianâ.* An de Mespilorum genere necnè. Fortè Mamanga *Brasiliensium Marcgr. fol.* 183.

Fol. 47. *post lin.* 31.

Arbuscula *Mariana* Ligustri foliis ternis circa caulem ambientibus, floribus plurimis ad Ortus foliorum amoenè purpureis.

Ibid. ad lin. 33.

Punanchidde *Malabareis* dicta & interdùm Purnaval.

Ibid. ad lin. 36.

An Iperoba *Brasiliensibus Marcgr. lib.* 3. 97. Baccifera trifolia racemosa, flosculis albis tetrapetalis, fructu nigro monopyreno fœtido, *Cat. Jam.* 170?

Ibid. ad lin. 38.

An fortè Pavate *Acostæ*, *Hist. Lugd. lib.* 18. 1863.

Fol. 48. *ad lin.* 5.

Baccifera *Indic.* trifolia, fructu rotundo monopyreno, *Raij. Cat. Jam.* 170.

Ibid. ad lin. 7.

Black-with, à Colonis nostratibus illic degentibus nominatur; hujus Fructus tetrapyrene lignosus, suis cum calyculis à *Promontorio Bon. Spei* sub titulo Piensjale ad nos aliquando allatus est, & à fructu Nirnotsjil, *Hort. Malab. Part* 5. *Tab.* 49. quoad formam externam haud multùm abludere videtur. An forte Tsjeru-Tekka, *Hort. Mal. Part.* 4. *Tab.* 29.

Ibid. post lin. 15.

Arbuscula claviculata Periplocæ foliis heptaphyllos, ex *Insula Johanna.* An Acer scandens minus Apocyni facie, folio subrotundo, *Cat. Jam.* 138.

Ibid. ad lin. 17.

Fortè Cacapolton *Novæ Hispan. Hernandez. apud Recc. fol.* 69. An Pruno (fortè) affinis arbor, folio alato, flore herbaceo pentapetalo racemoso, *Cat. Jam.* 182.

Fol. 4

Fol. 48. *post lin.* 17.

Arbuſcula Convolvulacea Salicis odoratæ latioribus foliis, *Provinciæ Marianæ.*

Ibid. ad lin. 19.

An Arbor maxima (fortè) Prunifera, cortice cannabino, folio longiſſimo latiſſimoque. The Broad-leaf Tree, *Cat. Jam.* 184. Huic noſtræ haud multùm diſſimilis eſt Nalugu, *Hort. Malab. Part.* 2. *fig.* 26. & fortè ſit eadem.

Ibid. poſt lin. 20.

Arbuſcula baccifera circumplicatilis vitigineo folio ſubtùs lanato, fructu racemoſo fervidiore odoro. Perreaurulla *Malabarorum.* Amomum (fortè) legitimum Vitis albæ folio *Dioſcoridis lib.* 10. *cap.* 14. Amomum arborem foliis *Bryoniæ* floribus Violæ pingit *Caſtor Durantes* ſed quid ſit cum *C. Bauhino,* & nos ignoramus.

Arbuſcula baccifera ſcandens ſpinoſa foliis Buxi pallidioribus. Coodemoocatarre *Malabarorum.*

Arbuſcula amplexicaulis Liguſtri foliis ſiliquifera, longè latèque ſe ſpargens. Ponelleechedde *Malabarorum.*

Fol. 49. *ad lin.* 28.

Hùc fortè ſpectat Iztacpatli Quizaſepin, *Novæ Hiſpan. Terentii apud Recc.* 381.

ARISTOLOCHIA *Indiana* minor. Ardanapalle *Malabarorum,* fortè Clematitidis ſpecies, ſed à priore diverſa.

Ariſtolochia Clematitis *Mexicana,* radice longa craſſa, fructu triangulari ſulcato. Phehuame *Michuacanenſium Hernandez apud Recc.* 162.

Ibid. ad lin. 34.

Hanc autèm & proximè ſubſequentem eſſe revera de Ariſtolochiarum cenſu nunc ſanè dubitamus; Hujus valdè ſimilem ſub titulo Paatchurchæ *Malabarorum* ex *Ind. Or.* aliquando accepimus.

Ibid. ad lin. ult.

Virginiam noſtram, pro natali ſolo ſibi vendicat.

Fol. 50. *ad lin.* 8.

Hujus etiam varietas eſt major latifolia, ex *Aleppo.*

Ibid. ad lin. 21.

Maſiapattree *Malabarorum.*

Ibid. ad lin. ult.

Proſp. Alpinus cum in *Ægypto* viderit in uſum alimentorum frequentiſſimè cedere hujus radicem, nimìs erroneè *Colacaſiam* eſſe pronunciat.

Fol. 51. *poſt lin.* 15.

ARUM *Americanum* foliorum auriculis magnis ſubrotundis ex *Inſulis Caribeis.* Huic fortè ſpectat Nir-tsjembu, *Hort. Malab. Part.* 11. *Tab.* 16. Ariſarum aquaticum cum piſtillo rubro, pediculo, globulo adhærente, *Commelin. Not. ſupr. loc.*

Fol. 51. *ad lin.* 21.

Arum minus eſculentum Sagittariæ foliis viridinigricantibus, *Cat. Jam.* 63.

Arum minus Acetoſæ folio ex *Inſulâ Johannâ.*

Arum *Americanum* latiori folio radice esculenta. Arum *Byzantinum Clus. Hist.* 2.74. Huic nostro optimè convenit, an Kaischucpenauk radix alba Ovi gallinacei magnitudine & formâ, quâ elixâ vescuntur, *Hariot. CBP.* 94.

Fol. 51. *post lin.* 27.

Arum majùs palustre *Ægyptiaci* facie, radice arundinaceâ *Insulæ Johannæ*. Idem fortè præcedenti.

Arum *American.* scandens, pampineis foliis amplissimis, caule maculato. Clematitis *Malabaror.* foliis Vitis, colore Dracunculi, *CBP.* 301. Lignum colubrinum alterum *Acostæ CBP. ibid. Hist. Lugd.* 1911. *Park. Theatr.* 1665. Colocasia hederacea sterilis & laciniata *Plumier. fol.* 38. *fig.* 51. & 53. Xalquauhitl stipite punctato, *Hernandez apud Recc. fol.* 130. Huic congener est, si non idem. Arum max. altissimas scandens arbores foliis Nymphææ laciniatis, *Cat. Jam.* 63.

Ibid. post lin. 35.

Arum aquaticum minus, f. Arisarum fluitans pene nudo *Virginianum D. Banisteri.*

Ibid. ad lin. 39.

Piper longum humilius, fructu è summitate caulis prodeunte, *Cat. Jam.* 45. Sed nihil præter spicam, cum Pipere commune habet.

Fol. 52. *ad lin.* 6.

An Serpentaria triphylla, *Zeylanica Breyn. Prodr.* 2. 90.

Ibid. post lin. 11.

Arum sive Arisarum *Marianum* triphyllon, flore striis purpureis elegantèr virgato. Idem fortè cùm præcedenti. *Variat etiam flore ex atropurpureo; & interdùm flore ex viridi albicante.*

Ibid. ad lin. 36.

JB. Tom. 2. *lib.* 17. 404. Ut & Maniel foliis Poeoniæ, *Part.* 3. *Amer. Epist.* 2. *de Brasil.* quæ ad Manihot *Indorum* à *Casp. Bauhino* refertur in *Pinac. pag.* 91.

Ibid. post lin. 36.

ARUNDO vallatoria *Ind. Or.* nostrati similis. Peacaramboopu *Malabarorum.*
Arundo vallatoria crassior & elatior *Ind. Orient.* Corkipillu *Malabarorum.*

Fol. 53. *ad lin.* 4. *post arborur.*

Tabaxir folio Oleæ, *JB. Tom.* 1. *lib.* 8. 222.

Ibid. post lin. 7.

Arundo arbor *Indica* procera, fructu Sesami in verticillas densius stipato, Mungelli *Malabaror.* Arundo Indica Ily (*Hort. Malab. Part.* 1.) foliis & formâ, sed fructu diversa, Mambu vel Bambu altera species *Orientalis.* An Noly-Ila, *Hort. Malab. Part.* 5. *fol.* 119.

Fol. 54. *ad lin.* 7.

Tannemutancatunga *Malabarorum.*

Ibid ad lin 9.

Asparagus aculeatus Sarmentosus maximus tricoccos.

Ibid. post lin. 9.

ASPARAGUS aculeatus *Africanus* spinis aduncis ex *Promont. Bon. Spei:* à præcedenti parùm recedens.

Fol. I.

Fol. 54. post lin. 24.

ASPERULA Americana radice bulbosâ ex Provinciâ *Carolinâ.* An Neycotlapatli, *Nov. Hisp. Hernandez. apud Recc.* 391.

Ibid. post lin. 33.

ASPHODELUS albus minor *Æthiopicus, ex Prom. Bon. Spei.*

Asphodelus minor albus *ex Provinciâ Marianâ.*

Fol. 55. post lin. 7.

Asphodeli *Indicæ* affinis floribus hexapetalis spicatis *Commelin.* Katu-Kapel, *Hort. Malabar. Part.* 11. *Tab.* 42.

Ibid. ad lin. 21.

An Aster folio oblongo integro incano, flore pallidè cæruleo, *Cat. Jam.* 124.

Ibid. post lin. 29.

ASTER cæruleus ex *Provinciâ Marianâ* quasi perfoliatus, floribus parvis spicatis. Idem foliis minûs acuminatis, summo caule, flore unico majori.

Ibid. ad lin. 32.

Huic fortè accenseri meretur Aster purpur. *Americanus* urens, s. Tzitziqui *Mexicensibus Hernandez apud Recc.* 435.

Aster purpureus *Americanus* foliis tridentatis ex *Carolina.* Fortè Tlanpanxihuitl, *Nov. Hispan. Terentii apud Recc.* 426.

Fol. 56. post lin. 3.

Aster cæruleus polyanthos Alypi foliis incanis ex *Terrâ Marianâ.*

Aster cæruleus Pilosellæ foliis *Marianus* floribus umbellatis.

Aster *Marianus* flore albo majore simplici, foliis magis mucronatis hirsutie pubescentibus.

Ibid. post lin. 12.

Aster Tripolii facie, crassis amplioribus foliis subtùs incanis, ex *Insula St. Helenâ.*

Ibid. ad lin. 19. *adde.*

Vid. Phytograph. Tab. 326. *fig.* 1.

Ibid. post lin. 29.

Aster *Virginianus* frutescens minor ericoides Linariæ folio, flore albo parvo, *Breyn. Prodr.* 2. 21. ex *Terr. Marianâ.*

Aster *Cormandeliensis* Virgæ aureæ foliis.

Ibid. post lin. 36.

Aster *Marilandicus* Ptarmicæ capitulis, flore albo, Baccharidis *Monspeliensium* folio, & effigie.

Ibid. post lin. 39.

Aster *Marianus* Ptarmicæ capitulis, Mezerei *Arabum* folio latiori, flore cæruleo. Variat etiam flore purp.

Aster *Marianus* flore albo Ptarmicæ capitulis, latiori folio rigescente, margine leni.

Aster *Marianus* Ptarmicæ capitulis, Conyzæ albæ acris folio angusto splendente glabro.

Aster *Marianus* Ptarmicæ capitulis, flore albo, foliis & facie Bellidis Umbelliferæ.

Aster maritimus fruticosus Hyssopi foliis confertis, flore albo ex *Prom. Bon. Spei.*

Aster *Capitis Bon. Spei.* Elichrysi folio lanuginoso, flore albo. An Aster-Gnaphaloides flore albo, *Capit. Bon. Spei. Breyn. Cent.* 179. à *D. Stonestreet* habuimus.

Fol.

Fol. 56. post lin. extrem.

Aster perexiguus ex *Insula Johanna.*

Fol. 57. post lin. 1.

Aster *Virgineus* Conyzæ mediæ foliis, Bellidis ramosæ *Cornuti* floribus ferè umbellatis.

Ibid. post lin. 31.

Aster *Marianus* Majoranæ foliis, flore luteo magno singulari.

Aster luteus Polygalæ foliis *Africanus, ex Prom. Bon. Spei.* An Virga aurea *Afric.* foliis Ericæ bacciferæ, *Breyn. Fasc.* 25. Fortè etiam Virga aurea *Africana* foliis Linariæ minoribus *ejusd. ibid.*

Ibid. post lin. 33.

Aster luteus *Marianus* Saligneis brevioribus foliis hirsutie pubescentibus, summo caule ramosus.

Fol. 58. ad lin. 25. post Sapore add.

Vid. *Phytograph. Tab.* 326. *fig.* 2. Aster luteus Absinthites ex *Prom. Bon. Spei.*

Ibid. ad lin. 42.

Fortè Tezonpatli, *Hernandez apud Recc.* 193.

Ibid. post lin. 42.

ASTRAGALUS (*fortè*) *Marianus*, Apios *Americanæ* floribus convolvulaceus, ternis tantùm foliis perpetuò donatus.

Fol. 59. post lin. 39.

Astragalus *Marianus* angustioribus foliis, petiolis albis tumidiusculis, spicâ florum densius stipatâ, â proximè præcedenti haud multùm discedens.

Fol. 60. ad lin. 9.

An Astragalus *Dioscoridis* vulgò *Christianæ* radix *Rauwolf. Hist. Lugd. app.* 26.

Ibid. ad lin. 19.

Pelecinus vulgaris, *Turnefortij Elem. Bot.* 331.

Ibid. ad lin. 23.

Anonis maritima lenis rigidiusculo folio integro altè crenato, *Cupani H. Cath.*

Fol. 62. post lin. 4.

AVENA major *Belgarum*, granis amplioribus albis.

Ibid. ad lin 8.

Ad hoc genus Plantarum spectare videtur Coacivizpatli *Mexicensis*, s. Medicina doloris, *Hernandez apud Recc. fol.* 301.

Ibid. ad lin. 23.

The Bead-Tree, sic dicta quia ejus fructus Sphærularum precatoriarum usum præbet.

Ibid. ad lin. 27.

Mallewamboo *Malabarorum* & interdùm Trucaweampavee. *Lusitanis* Margosa de mato.

Ibid. ad lin. 31.

Neerallaree *Malabarorum.*

B.

Fol. 63. ad lin. 33.

AN Yztac-Quauxiotl, seu Quauxiotl alba Galiopifera, *Hernandez apud Reccnm.* 57.

Fol. 65. post lin. 10.

BELLIS *Æthiopica* Erucæ foliis incana *Capit. Bon. Spei. Breyn. Fasc. rarior.* 19.

Ibid. post lin. 33.

Bellis *Americana* minor, Umbelliferæ affinis hirsutior, summo caule cærulescente flore singulari.

Bellis *Africana* major surrecta, rigidioribus Agerati foliis, floribus fere umbellatis parvis.

Fol. 66. ad lin. 4.

Matricaria Tanaceti folio, flore majore, semine umbilicato, *Turnefortij Elem. Botan.* 394.

Ibid. ad lin. 8.

Matricaria Tanaceti folio, flore minore, *Turnefortij Elem. Botan. ibidem.*

Fol. 67. post lin. 1.

BERBERIDIS affinis Mail-Ombi *Malabarorum*, *Hort. Malab. Part.5. Tab.* 26

Ibid. ad lin. 18.

Betonica montana lutea latifolia, *Boccon. Museo Plantar. pag.* 82. *Tab.* 72.

Ibid. ad lin. 23.

Sideritis *Canadensis* altissima, Scrophulariæ folio, *Turnefortij, monente D. Preston.*

Ibid. ad lin. 24. post venosis add.

Floribus luteis, summo caule in breviorem spicam glomeratis.

Ibid. ad lin. 25.

An Althæa spicata Betonicæ folio villosissimo, *Cat. Jam.* 97.

Ibid. ad lin. 27.

Fortè etiam Althæa spicata, Betonicæ folio villoso, spicâ breviori & laxiori *ejusd. Cat.* Itèm Althæa spicata Betonicæ folio glabro, flore luteo, habitiori spicâ *ejusd. ibid.* quæ nil nisi præcedentis varietas à nobis habetur, & non species diversa.

Ibid. post lin. 27.

BETONICA arboresc. villosis foliis profundè venosis, floribus ex alis foliorum glomeratis. Cheddecootan *Malabarorum.*

Ibid. ad lin. 34.

Fortè *Pie po, Sinensium Andr. Cleyeri Medic. Simpl. Chinensib. usitat. pag.* 39.

Ibid. ad lin. 37.

Terebinthus major Betulæ cortice, fructu triangulari, *Cat. Jam.* 167. Ubi varia miscuit Autor de quo hoc dicam. *Si eam diligentiam operamque in vestigandis Plantarum notionibus differentiisque impendisset, quam in cumulandis Synonymiis ad-*

hibuit

hibuit, utilius profectò aliquid vitæ excogitasset, nec se, nec libellum suum tot & tam foedis erroribus inquinasset.

Fol. 68. *post. lin.* 14.

BLATTARIA *Ceylanica* flore amplo coccineo *H. Med. Amst. cum Icone. fol.* 12. *cap.* 6. At potiori jure, Alceis esse accensendam putant *Observationum Autores*, qua proptèr à *Cl. Breynio* Alcea *Indica* lucido hastato folio, flore Blattariæ phæniceo ritè nuncupatur.

BLITUM s. Atriplex Pes anserinus dicta, latifolium majus spicatum, laceris laciniis. Atriplex sylvestris latifolia, *CBP.* 119. Atriplex dicta Pes anserinus, *JB. Tom.* 2. 975. Chenopodium pes-anserinus primus, *Tabern. Icon.* 427.

Blitum s. Atriplex Pes anserinus dicta, laceris laciniis, latifolium minus spicatum. Blito Pes anserinus dicto similis, Atriplex vulgaris sinuata spicata, *D. Plot. Hist. Oxon. Raij. Synops. Stirp. Brit.* 64. Hanc quoque sæpius ab *Ind. Or.* habuimus, & Saccaravettum *Malabarorum* nuncupatur, ubi benè coctâ pro cibo utuntur *Indigenæ.*

Blitum s. Atriplex Pes anserinus dicta proeumbens, folio virente lucido crasso. Atriplex procumbens folio sinuato lucido crasso, *Moris. Hist.* 2. & *HRB.* 26.

Blitum s. Atriplex Pes anserinus dicta, laceris laciniis latifolium majus, semine racemoso: Atriplex dicta Pes anserinus alter s. ramosior, *JB. Tom.* 2. 976. Chenopodium Pes anserinus secundus, *Tabern. Icon.* 428.

Blitum s. Atriplex Pes anserinus dicta, Stramonij acutiore folio racemosum. Atriplex sylvestris latifolia, acutiore folio, *CBP.* 119.

Ibid. post lin. 19.

Blitum Giganteum humisternum ex *Prom. Bon. Spei.* in *Hort. Med. Chelseiano* enutritum conspeximus.

Ibid. ad lin. 26.

An Blitum minus album polyspermon folio subrotundo, *Cat. Jam.* 49. Fortè Nexhoautli, *Mexicana Hernandez apud Recc.* 269.

Ibid. ad lin. 37. *adde.*

Lob. Adv. 453. Planta Petasitidis folio, *Cap. Bon. Spei. ten Rhine Breyn. Cent.* 179.

Blitum unctuosum perenne, foliis Ari modo alatis, *Bonus Henricus* vulgò, *Tota Bona* Spinachiæ facie *Lobelij*, &c.

Fol. 69. *ad lin.* 8.

An Kali fruticosum *Hispanicum* Tamarisci folio, *Turnefortij Elem. Bot.* 213. Et fortè præcedentes potiori jure ad genera Kali revocandæ sunt.

Ibid. post lin. 36.

BRASSICA sylvestris s. Turritis *Mariana* Irionis *Apulæ* foliis, siliquis uno versu, longâ serie dependentibus.

Fol. 70. *ad lin.* 4.

An Turritis pulchra nova, *D. Frederici Meyeri JB. Tom.* 2. 837.

Ibid. ad lin. 7.

Hesperidum inter species quoad *Turnefortium* adnumerari oportet, quia ad illarum protapiam foliis, floribus, siliquis appropinquat, cum propriè loquendo, flore duntaxat Nasturtium referat.

Brassica

Fol. 70. post lin. 7.

Brassica alpina spuria minor Bursæ pastoris folio ex *Virginia.*

Ibid. post lin. 16.

Brassica spuria exilis ex *Terr. Marian* Bellidis minoris folio parvo non laciniato.

Ibid. post lin. 27.

BRUNELLA major *Mariana* flore amplo cæruleo. Prunella glabra flore cæruleo major *Banister Cat. Virg.* Eadem fortè cùm præcedenti.

Ibid. ad lin. penult.

Prunella Lithospermi minoris atrovirenti folio, amethystino flore pulcherrimo, *Cupani Hort. Catholic.* 32. ubi Synonymia sunt malè adhibita.

Fol. 71. ad lin. 2.

An Bryonia racemosa foliis ficulneis, *Cat. Jam.* 106.

Ibid. ad lin. 9.

Et à *Clarissimo Breynio.* Ubi suprà.

Ibid. ad lin. 17.

(i. e.) Radix *Caroli Sancti* foliis Lupuli, *JB. Tom.* 2. *fol.* 153, Carlo Santo *Monardes.* An Bryonia alba geniculata Violæ foliis, baccis è viridi purpurescentibus, *Cat. Jam.* 106.

Ibid. ad lin. 20.

Wild-Potato-Slip, (i.e.) Batata sylvestris aliquando vocatur. An *Hatle* radix in *Floridâ* ex cujus farina in annonæ penuria, panis fit, *Part.* 2. *Amer. CBP.* 91.

Ibid. ad lin. 33.

An Bryonia alba triphylla maxima, *Cat. Jam.* 106.

Ibid. ad lin. 37.

Bryonia alba triphylla geniculata foliis crassis acidis, *Cat. Jam. ibid.* Ubi nimis ineptè quærendum proponitur, an sit Chamædrifolia scandens claviculata & Corymbifera (corymbosa) *Jamaicens. Plukenet. Phytogr. Tab.* 81. *Satis enim superque ex eo apparet Autorem nescivisse de quâ plantâ scriberet, ac quidem, per totum istum Catalogum peccatum est toties, & tàm enormitèr, in apponendis Plantar. Synonymiis, ut quod ibi primum inter legendum occurrerit, summam sapere videatur Tyronis alicujus Oscitantiam.*

BRYONIÆ nigræ nervosis foliis, subtùs cœsiis *Virginiana.*

Bryonia *Africana* Hederæ folio parvo hispido.

Bryoniæ ferè foliis antagonistis, radice fibrosâ Caryophylli odore, Planta convolvulacea *Caroliniensis* in *Hort. Gulielm. Darby* apud *Hocksdon* hanc peculiarem plantam excultam invenimus.

Ibid. ad lin. 39. *post* 192. *add.*

Chichiltic-Tepetlauchxochitl, *Hernandez apud Recc.* 368. Huic nostro quibusdam convenit, cæteris non.

Fol. 72. ad lin. 15.

Omphalôdes pumila verna Symphyti folio, *Turnefortij Elem. Bot.* 117.

BUGLOSSUM *Africanum* Echij folio, flore purpureo. An Bugloss. *Afric.* Echij folio, *Breyn. Fasc.* Echium Lycopsis facie *Africanum* erectum perenne, *PBP.* 332.

Buglossum Echioides argenteum, floribus purpureis, *ex Promont. Bon. Spei.*

Buglossum Borraginis flore & facie *Æthiopicum.*

Fol. 73. ad lin. 5.

Et fortè Bugula *Hungarica* glabra, *Bocc. Mus. Pl. pag.* 146. *Tab.* 112. & *Tab.* 129.

Ibid. post lin. 7.

BUGULA *Lusitanica* odorata *Cornut. de Pl. Canad. cap.* 20.

Ibid. ad lin. 10.

Matricaria *Pyrenaica* Buphthalmi folio, *Turnefortij Elem. Bot.* 394.

Ibid. ad lin. 20. *add.*

Si hujus color aureus floris non repugnaret.

Ibid. post lin. 30.

BUPLEURUM *Hispanicum* frutesc. angustifol. *Sch. Bot.* 24.

Ibid. post lin. ult.

Bupleuri angustioribus & gramineis foliis, Planta umbellata flore rubro monopetaloide, calyci trigonali ex involucro tomentoso prorumpente innato, cauliculis ad nodos villosis, *Prom. Bon. Spei.* Hæc est illa Perfoliato angustifolio montano *Columnæ* similis Planta umbellifera nova, fructu triplici membranaceo, *Cap. Bon. Spei. Breyn. Fascic.* 25. & sub Graminis tomentosi pumili falso titulo exhibetur, *in Phytograph. nostrâ Tab.* 339. *fig.* 5.

Fol. 74. *ad lin.* 10.

An Buxi folio majore acuminato Arbor baccifera, fructu minore croceo dipyreno, *Cat. Jam.* 171.

BUXIFOLIIS Frutex *Africanus D. ten Rhine Breyn. Fasc.* 22.

Ibid. ad lin. ult.

Quæ repetitur sub titulo Dauci Siculi Pastinacæ sativæ foliis, *fol.* 129. Hujus *Almagesti.*

C.

Fol. 75. *ad lin.* 2.

ET multò accuratius, *Phytograph. Tab.* 326. *fig.* 4. Mespilus *Americana* Alni vel Coryli foliis, fructu mucaginoso albo, *Hort. Med. Amst.* cum *Icone. cap.* 80.

Ibid. ad lin. 3. *post* 319. *add.*

Vid. *Phytograph. Tab.* 326. *fig.* 5. An *le Cormier D. Rochfort Histoire des Antilles* 59. Sorbi species? Mespilus *Americana* Laurifolia glabra fructu rubro mucilaginoso, *Hort. Med. Amst.* cum *Icone. cap.* 79. Maximo in errore de hâc plantâ versatus fui, vel nominum similitudine deceptus; Quapropter deleantur cætera hujus Paragraphiæ hoc loco, & quæ sequuntur verba. An fortè Samaca, *JB.* & transferantur ad *Almag. Bot. append. fol.* 399. *ad finem lin.* 7.

Ibid. ad lin. 17.

Clinopodium perenne Pulegii odore, *Boccon. Mus. Pl. pag.* 60. *Tab.* 45.

Fol.

Fol. 75. ad lin. 20.

Mentha Cataria *Hispanica* olim mihi Sideritis altissima flore subcæruleo & albo, *JB. Tom.* 3. 226. Cataria Hispanica Betonicæ folio angustiori, *Turnefortii. Elem. Bot.* 17. An Nepetha montana purpurea major sparsâ spicâ, *Boccon. Mus. Pl. Tab.* 36.

Ibid. post lin: 20.

CALAMINTHA *Mariana* mucronatis rigidioribus & crenatis foliis, flosculorum calyculis villis argenteis summo margine fimbriatis **Dittany**, (i. e.) Dictamnus vulgò vocatur. Chamædrys verna odoratissima, *Banist. Cat. Mss.* ab hâc haud multùm discedit.

Ibid. ad lin. 27.

Hujus datur & altera species, aut saltem varietas grandiuscula procumbens & omninò prostrata.

CALENDULA *Africana* surrecta Roris marini foliis *ex Prom. Bon Spei.*
Calendula humilis Africana Coronopi foliis hirsutis.
Calendula *Africana* procumbens, Hyoseridis angustissimò folio glabro, seminibus Tordylii amplissimis. An Calendula *Afric.* fructu compresso rotundo max. *Breyn. Prodr.* 2. 24.
Calendulæ affinis folio Cotulæ *Africana.*

Fol. 76. ad lin. 2.

An Atlinam circinata, *Hernandez apud Recc.* 286.

Ibid. ad lin. 31.

Huic forsan accenseri meretur Tlallaala, *Nov. Hispan. Terentij apud Recc.* 419.

Ibid. post lin. 35.

CANPANULA s. Rapunculus nemorosus cæruleus Lamij folio, floribus spicatis minimis ex *Provinciâ Marianâ.*

Fol. 77. ad lin. 9.

Convolvulus saxatilis erectus villosus perennis, flore ex albo purpureo, *Hispan. Bocc. Mus. Pl. rarior. pag.* 79. *Tab.* 70. Convolvulus rectus villosus argenteus angustissimo folio *ejusd. pag.* 138. *Tab.* 96.

Fol. 77. post lin. 33.

Campanula lævis, sive Rapunculus Pyramidalis minor, folio magis acuminato ex *Virginiâ,*

Fol. 78. ad lin. 14.

Hùc fortè spectat Mimiyca Huatzin, *Novæ Hispan. Terentij apud Recc.* 387.

Ibid. ad lin. 20.

Ad hoc genus referri potest Mihuiyctilmoyoye-Cuitlatonpit-Zochitl, *Novæ Hispan. Hernandez apud Recc.* 388.

Ibid. post lin. 30.

Campanula spicata minima flosculis elegantissimè rubris, longo tubulo donatis, *Prom. Bon. Spei. à D. Stonestreet* habuimus.

Fol. 79. ad lin. 15. *post* 25. *add.*

Euphrasia frutescens Coridis folio, flore albo spicato, *Capit. Bon. Spei. Breyn. Prodr.* 2. 46? Coridi similis planta, *Capit. Bon. Spei.* flore odorato *ejusdem Prodr.* 1.

Fol. 79. ad lin. 20.

Daphnoides (fortè) sive Isocinnamon, *Plinij Hist. Nat. lib. 12. cap. 20 Pim pién Sinensium Cleyeri. de Simplic. Medicam. Chinens. pag. 45.*

Ibid. ad lin. 25.

Le Balisier de Rochfort, Hist. des Antilles 114.

Ibid. ad lin. 29.

Petits Balisiers de fleures rouges du Tertre 126.

Ibid. ad lin. 39.

Hanc autem Arum esse velit *D. Sloan*, & fortè ita sit; à quo nominatur Arum caule geniculato Cannæ *Indicæ* foliis, summis labris degustantes mutos reddens, *Cat. Jam.* 63. Cannæ ad ripas *fluminis Caurwo* Sacchari Cannis similes Venenosæ, & linguam suprà modum inflantes, & loquendi facultatem impedientes, *Laët. fol.* 646. At ab Aro caulescente Cannæ *Indicæ* foliis *Plumier* diversam esse putamus.

Fol. 80. ad lin. 2. post 14. add.

Item Clematitis *Indica* septima sive Radix quædam in *Malaca* quæ adversus Vulnera sagittis toxico illitis facta, præsentaneum remedium est *Garcias, ejusd. CBP.* 301. Cur autèm (inquit frater) non ostendit ob quam causam Radicem hanc ad Clematitidem referat: Indicare debebat si Clematitis sit appellanda, qua in parte aliquam cum eâ habet cognationem. Radix *Malaca* quædam toxicis sagittis resistens, *JB. Tom.* 2. 173. Canna *Indica* radice alba alexipharmaca, *Cat. Jam.* 122.

Ibid. ad lin. 11.

An fortè Zinziberis genus, sive Cardamomi. Herba *Wiapassa Part.* 8. *Ind. Occid. fol.* 108. *CBP.* 326. Idem est cum Cardamomo primo paginâ proximè subsequente in *Almagesto*, ut mecum existimo.

Ibid. ad lin. 23.

Hujus Icon habetur in *Phytograph. Tab.* 273. *fig.* 3.

Ibid. post lin. 30.

CAPPARIS *Orientalis* amplissimis subrotundis foliis. Adundee *Malabarorum*.
Capparis *Indica* spinosa angustiori Salicis folio. Paulpronee *Malabarorum*.
Capparis *Indica* spinosa folio minore subrotundo brevi. *Gentilibus. Indis* Nalauppæ, à *Malabareis* autem Mucotarre nominata.

Ibid. ad lin. 35.

Muladundee *Malabarorum*. Huc fortè spectat Badukka, *Hort. Malab. Part.* 6. *Tab.* 57. Capparis arborescens *Indica* Badukka dicta flore tetrapetalo, *Raij Hist. Pl.* 1630.

Ibid. post lin. 37.

CARAMBOLA *Malabarorum* Tamaratonga, *Hort. Malab. Part.* 3. *Tab.* 43, 44. Errat *Casparus Bauhinus in Pinac.* Ut rectè monet *Commelinus* quum Carambolos vocat Mala *Goensia* fructu octangulari, Pomi vulgaris magnitudine; seductus nimirum illis, quæ de Octangulari horum fructuum figura, malè refert *Linschotus.*

Carambola parva *Ind. Orientalis.* Billingbing *Bontij lib.* 4. *cap.* 42. Bilimbi *Hort. Malab. Part.* 3. *Tab.* 45, 46.

Fol.

Fol. 81. *ad lin.* 3.

Hæc Arbor ex quorundam ſententia *Gummi Gottæ* copioſè fundit.

Ibid. ad lin. 4. *poſt minore add.*

Cardamomum minus *Indianum* fructu in pediculo ad radicem racematim prodeunte. Cardamom. *Braſilian.* latifol. ſylveſtre Pacozeraco *Braſilienſibus* dicta *Piſonis*, & *Marcgr.* 48. *Breyn. Prodr.* 2. 107.

Ibid. ad lin. 9. *poſt longiore add.*

Cardamomum *Indianum* majus fructu è ſummo caule ſpicatim prodeunte.

Ibid. ad lin. 12.

Mala-inſchi-kua ejuſd. *Hort. Malab. Part.* 11. *Tab.* 14. haud malè refert.

Ibid. poſt lin. 12.

CARDAMOMUM maximum *Ger. emac.* 1542. Melligette ſ. Cardamomum maximum & Grana *Paradiſi Park. Theatr.* Grana *Paradiſi Officinar.* cujus folia ſub Melegueta in *Prodr.* deſcripſimus, *CBP.* 413.

Ibid. poſt lin. 27.

CARDIACA ſ. Leonuros *Inſulæ Johannæ* Stachydis folio craſſo & incano, floribus albicantibus villoſis.

Ibid. poſt lin. 30.

Cardiaca *Coromandeliana* Lithoſpermi anguſtioribus foliis, ex verticillis florum ſobolifera.

Fol. 82. *ad lin.* 3. *vel* 4.

Pro voce *annuus*, lege *Africanus*.

Fol. 83. *ad lin.* 2.

An Carduus mollis alpinus foliis elegantèr laciniatis, *Sch. Bot.* 214.

Ibid. poſt lin. 34.

CARDUO-cirſium *Æthiopicum* Pulmonariæ *Gallicæ* rigidioribus foliis, capitulo ſingulari.

Ibid. poſt lin. 36.

Carduus *Virginianus* Cirſij foliis incanis, capitulo ſingulari.

Fol. 84. *poſt lin.* 6.

Carduus *Pyrenaicus* elegantiſſimus caule criſpo, *Sch. Bot.* 214. *in Horto D.D. Uvedale apud Enfeldiam*, Anno 1697. ſub finem Æſtatis, floribus ornatum conſpeximus.

Ibid. poſt lin. 11.

Carduus Pycnopolycephalus paluſtris alato caule, foliis ex una parte atrovirentibus ex oppoſitâ albidis, *Triumfetti*, *ibid. in Horto Chelſeiano* ex ſeminibus a *D. Sherard* communicatis auſpitiis *D. Doodey*, enutritum Obſervavimus.

Ibid. poſt lin. 21.

Carduus alatus lanceato anguſtiori folio ferocior ex *Inſula Coo*. An Carduus paluſtris altiſſimus lanceato folio ramoſus, caule folioſo ſpinoſiſſimo, capitibus compactis, *Franciſc. Cupan. Hort. Catholic.* 36.

Carduus lanceolatus *Provinciæ Marianæ* folio ſubtùs villoſo, capite magno ſingulari.

Fol.

Fol. 84. *ad lin.* 31.

Carduus albis maculis notatus capitulis Cirſij vulgo: An potius Carduo-cirſium foliis inſtar Silybi obſcurè maculatis capitulo ſingulari.

Fol. 86. *poſt lin.* 10.

Carduus *Luſitanicus* capite araneoſa lanugine obſito *Turnefortij*, ex dono laudati Viri *D. Preſton* accepimus. Hæc eſt fortè Carduus Solſtitialis major ſeminibus Crupinæ *Belgarum D. Bobart*, quam habuit à *Doctore Richardſono* ut nobis reſcripſit.

Carduus *Luſitanicus* Erucæ folio *Turnefortî in HRH.* Cultum obſervavimus, & à Jacca *Sicula* Cichorei folio, flore luteo, capite ſpinoſo *Boccon.* haùd multùm abhorret.

Ibid. ad lin. 29.

Hujus radice (ut creditur) ſibi per ſomnum oſtenſa *Carolus Magnus* Imperator Exercitum peſtiferà lue infectum ſanavit, & indè nomen accepit.

Ibid. poſt lin. 32.

CARLINA anguſto longo, & incano folio Alpina *Boccon. Muſeo Plantar. pag.* 32. *Tab.* 14.

Ibid. ad lin. 35. *poſt Comptoniano add.*

Phytograph. Tab. 154. *fig.* 6.

Ibid. ad lin. 37.

Fortè Attractylis Pyramidalis multicaulis, capitulis cornucopoides, *Bocc. Muſc. Plant.* 112. *Tab.* 97.

Ibid. poſt lin. 37.

Carlina Chryſanthemos *Gaditana* floribus ad caulium nodos ſpicatim emergentibus.

Ibid. poſt lin. 39.

Carlina ſylveſtris *Æthiopica*, vulgaris foliorum æmula, flore aureo, capite ſpinoſiore.

Fol. 87. *ad lin.* 8.

Hujus Icon accuratiſſimè exſculpta *in Parad. Batav. ad pag.* 111. exhibetur.

Ibid. ad lin. 10.

Caryophyllata foliis alatis, *Cat. Jam.* 99.

Ibid. ad lin. 24.

Caryophyllata alpina tenui folia incana longiùs radicata, *Bocc. Muſ. Pl. pag.* 160. *Tab.* 128.

Ibid. ad lin. 30. *poſt fig.* 1. *add.*

Hæc autem reverà eſt Gladiolus aut Gladiolo affinis Caryophylloides *Æthiopica* foliis cavis, flore cæruleo, cauliculis ſecundum longitudinem alatis. An Gladiolus radice eduli flore cæruleo, *Breyn. Cent.* 180. An fortè Gladiolus minor gramineus flore parvo cæruleo *ejuſd. Faſc. rar.* 24.

Fol. 88. *ad lin.* 14.

Caryophyllus fructu oblongo abortivo magis ſquammoſo ex *Inſula Machian Breyn. Prodr.* 2. 26. Item Caryophyllus fructu oblongo abortivo minùs ſquammoſo ex *Inſula Amboyna ejuſd. ibid.* Garyophyllus denticulatus, & Garyophyllus

lus regius *Wormij in Museo.* Caryophyllus spicatus Tshinka-Papova *Moluccanis Pison. in Mantissa.* Caryophyllus regius in *Machian* regno olim natus, jam verò nullibi existens, *Cl. Rumphij. Miscell. Curios. decur.* 2. *Ann.* 82. Item Caryophyl-regius *Amboinicus, Rumphij.*

Fol. 88. *ad lin.* 16.

Apud *Persas* ubi etiam invenitur *Jamberzado* nuncupatur. Hujus fructus odore & sapore Aquæ rosaceæ proximus verùm longè jucundior, ut aliorum relatu monuit nos *D. Petiver.* An Caryophylli odore fructus exoticus, *CBP.* 411. Fructus Caryophyllum olens Avellanæ magnitudine *Garc. Fragoso.* Fructus Avellanæ nucis magnitudine cujus folia Garyophyllos odore referunt in *Baya. Part.* 3: *Ind. Or.* 15. Folia saporem Garyophyllorum referentia in *Insula Sancta Maria.* ad littus *Madagascar CBP.* 410. ex *Part.* 3. *Ind. Orient. cap.* 12. Idem (fortè) cum Perin-Niara s. Inalel *Malabarensium, Hort. Mal. Part.* 5. *Tab.* 29. Baccifera *Malabarica* fructu umbilicato pruniformi, unico intùs nucleo, *Raij. Hist. Pl.* 1499.

Ibid. post lin. 16.

CARYOPHYLLUS aromaticus *Ind. Orient.* acuminato folio minore, fructu rotundo monopyrene. Nauvelmaram *Malabarorum.* Hujus Caryophylli Arbor eadem est cum Belluta-Kanneli, *Hort. Malab. Part.* 5. *Tab.* 20. Baccifera *Indica* fructu umbilicato racemoso candido monopyrene rotundo, *Raij Hist. Plant.* 1498.

Nostri autem fructus instàr Caryophyllorum vulgarium colore sunt nigri. An fortè Garyophyllon legitimum, *Plinij lib.* 12. *cap.* 7. Ubi dicit, est etiamnum in *Indiâ* Piperis grani simile quod vocatur Gariophyllon grandius fragiliusque tradunt in *Indico* luco id gigni, advehitur odoris gratia.

Ibid. ad lin. 35.

Præcedentes has duas Caryophyllorum aromaticorum species, licèt à me tàm graphicè adnotatas & depictas in *Phytographiâ nostrâ* Myrto ejus arboreæ unicè assignavit, *D. Sloan in Cat. suo Jamaic.* Sed quàm rectè harum sit reductio cujusvis æqui rerum existimatoris Judicio relinquimus, & quàm iniquè hâc perversâ methodo clarissimarum Plantarum notitiam confundere molitus est plurimis in locis hujus Catalogi, in quo non falsa modo, sed insciti æ & temeritatis plena cuncta congessit. *Cujusvis hominis est errare* (inquit Cicero) *nullius nisi insipientis in errore perseverare.*

Ibid. ad lin. 40.

Hujus cortex Quei pi *Sinensibus* nuncupatur, *Cleyeri de Medic. Simplic. Chinens. usitat.* 43. Hùc fortè spectat Arbor *Sinens.* pinguedinem Sebi instar ferens, *Mart. Atl. Sinic.* 119. *Jonst. Dendrol. fol.* 42 & 477.

Ibid. ad lin. ult.

Cadegi *Indi* (i. e.) Folium *Indum Arabibus Casp. Bauh. Pin.* 410.

Fol. 89. *ad lin.* 2.

An Arbor Canellifera *Indica* cortice acerrimo viscido s. mucilaginoso, qui Cassia lignea *Officinar. Breyn. Prodr.* 2. *pag.* 18. Cassia lignea fusca aromatica *CBP.*

Fol.

Fol. 89. *ad lin.* 5.

An Arbor Canellifera sylv. *Ceylonica* odore & sapore Lauri, vel Myrrhæ *Hermanno Breyn. Prod.* 2. *pag.* 18. Cujus etiam (ut ipse dicit) in *Officinis* folium pro *Malabathro* divenditur.

Ibid. ad lin. 32.

Arbor baccifera Laurifolia aromatica, fructu viridi, calyculato, racemoso, *Cat. Jam.* 165. Ubi variæ inter se plurimùm diversæ plantæ, per Illarum ignorationem planè confunduntur.

Fol. 90. *ad lin.* 4.

An Cassia minor fruticosa hexaphylla Senæ foliis, *Cat. Jam.* 146. Fortè Cassia fistula *Indica* flore carneo *Cl. Sebastiani Jagërij Breyn. Prodr.* 2. 26. Cassia fistula *Orientalis*, ovali folio Coluteæ non hirsuto, Cheugunnee *Malabarorum.*

Ibid. post lin. 14.

CASSIA sylvestr. *Americana* siliquâ subrotundâ crassâ, uncialem longitudinem vix excedente, ex *Insula Barbados* ad nos allata. An Cassia *Americana* Fabacea *D. Seyn. Not. in Hort. Malab. Part.* 1. *fol.* 48.

CASSINE vera *Floridanorum* Arbuscula baccifera Alaterni fermè facie, foliis alternatim sitis, tetrapyrene. An fortè Abelicea s. Santalus adulterina *Cretica Honor. Belli JB. Tom.* 1. 490. è *Carolinâ* nobis allata est, & in *Hortis Curiosorum* apud nostrates circà *Londinum* plurimis in locis, hodiè dum viget. Pseudo-Santalum *Creticum, CBP.* 393. *Park. Theatr.* 1606 ?

Cassine vera perquàm Similis Arbuscula Phillyreæ foliis antagonistis, ex *Provinciâ Caroliniensi.* The Cassioberry Bush *nostratibus* dicta. Hujus folia sunt sapore perquàm amara.

Ibid. post lin. 28.

CASTANEÆ facie diphyllos Arbor *Æthiopica Capitis Bonæ Spei.* An Nalagu *Hort. Malab. Part.* 2. *fol.* 43.

Fol. 91. *ad lin ult.*

Kitra & Alkitra, Significatur enim hâc voce *Arabibus* Cedrus, quæ *Chaldaicè* Cadros dicitur. *Dion* (ut *Hermolaus* refert) in *Neronis Vita*, non Citrias sed Cedrinas mensas nuncupare maluit, ut Cedro potius quàm Citro similes viderentur Arbores; *Monardes de Aurantiis* apud *Carol. Clus. fol.* 52. Hinc etiam factum ut *Calepinus* & Lexicon *Græcum.* collatitium *Basil.* pro una arbore declarent Citrum & Cedrum. Quin nec *Henricus Stephanus Thes. Tom.* 2. *fol.* 1632. planè se expedit, nisi quatenus *Plinio* se jungit, qui distinguit, *lib.* 13. *cap.* 16. In eadem dubitationis alea fuisse patrem *Robertum* constat, cum *Tom.* 1. *Thes. Lat. f.* 494. ex *Calep.* Et Citrum *Atlanticam* submurmurat, & Citreas Mensas. De Cedro enim utrumque est capiendum. *Dioscoridem* huc trahunt, qui pro κεδρόμηλα, legunt κιτρόμηλα. Pretiosissima fuisse hæc Tabulata, vel ex hoc *Martialis* disticho cognoscere licet,

Accipe felices Atlantica munera Mensas
Aurea qui dederit dona, minora dabit.

De

De hujusmodi Mensis *Seneca* loquebatur *libell. de Anim. Tranquil.* Placet Mensa non varietate macularum conspicua sed in usum posita, quæ nullius convivæ oculos, nec voluptate moretur, nec accendat invidia. Et *idem. 7. de Benefic.* Video istas Mensas, & æstimatum lignum Senatoris censu eò præstantius, quo illud in plures nodos arboris infelicitas torsit. Ex Citro nempè ligno & quidèm parte nodosâ illæ maculæ in Mensis elucebant, hinc venustè *Petronius Arbiter.*

> ——————*Ecce Afris eruta terris*
> *Citrea Mensa greges servorum ostrumque renidens*
> *Ponitur, ac maculis imitatur vilibus aurum.*

Nec apud nostrates ex variis & eleganter striatis *Indiarum* lignis Mensulæ confici desiêre, atque iis multò pretiosiores ex versicoloribus marmoribus, lapide lazuli, gemmisque quas *Orientales plagæ* subministrant confectæ nunc dierum in deliciis habentur; Visa nobis fuit ante paucos annos apud *Hatfeldiam* in *Illustriss. Comitis Salisburiens. Ædibus* lapidea ejusmodi Mensa intertextis artificiose lapillis nobilioribus *Mosaico* opere ut vocant coagmentatis, Viginti aureorum millibus æstimata. Fortè etiam Thuia *Theophrasti*. Nos (inquit *Goropius*) in eâ sumus opinione Thuiam *Theophrasti* esse Cedrum s. Cedrelatem masculam, *Romani* melius fecissent si Mensas Cedrinas nominassent; Thuia tandèm geminâ de causâ ità vocatur, Altera quod in Sacrificiis Thuris loco haberetur; Altera, quoniàm *Cimbris* The-hui & indè Thui nihil aliud est quam custodia; perdurat (*Theophrasto* teste) materies hæc omninò incorrupta, undè merito Arborem Vitæ vocant: Thuium, sive Thuia dicas, quam *Sacræ Literæ* ex *India* adferri dicunt, eam *Theophrastus* ex *Cyrenaica Plinius* ab *Atlante* & *Anchorario Mauritaniæ monte* adferri scribunt: Concludit tandem dicens, ad Templum *Salamonis* non solùm aurum ex *Atlantico* orbe petebatur, sed ligna quoque Thuina eâdem Navigatione adferebantur, quæ an ex *Atlanticis* saltibus è quibus post à *Romanis* magnis sumptibus petita legimus àn ex *Orbe* quoque *Opher* advecta sint, cum utrumque commodè fieri potuerit, ignoro.

An fortè Sethim *Hebræorum*: Est alia Arbor Medica (inquit *Lemnius in Conjectur. de lignis Sethim*) etiam vocata Citrus, sed quæ Mala aurea non profert, Sylvestri Cupresso aut Cedro non absimilis, ut Nonnulli existimant esse Sethim, Lignum est à carie, teredine, vermiculisque alienum, nec ullo ævo corruptioni obnoxium. Nec est prætermittendum quod apud *Sanctum Hieronymum* legisse me memini *supr. Exod. ad cap. 27.* Facies (*inquit Dominus*) Altare de lignis Sethim, &c. Ecce (inquit) Altaris ligna quæ de lignis *Paradisi* sunt, igne vicino non cremantur, sed puriora redduntur, nec mirum cum etiam Amithon genus ligni, quanto plus arserit, tantò mundiùs inveniatur, Ita ille, quod etiam scripsit, *Vincent. Hist. Nat. lib. 10. cap. 43.*

An Lignum purpureum in quo *Plutarchus* scribit *Caium Marium Rutilium* primum Dictatorem Ordinis Popularis inter *Romanos*, curasse sculpi Bellum, Personarum imagines 369. digitis minores, delatum fuerat lignum ex supremâ *Africâ*, ex quo pulcherrimæ Sculpturæ parari possunt. Ettalche forsàn *Leon.*

African. in Descript. Afric. lib. 9. quo utuntur Medici ad Luem Veneream curandam. Juniperus maj. *Scaligeri Exercit.* 181. *part.* 19. Cujus meminit his verbis. Grandiorem Juniperum quæ Cedrum maximè æmulatur Harar vocant *Arabes*. *Afri* nominant Ettalch, &c. *Vid JB. Tom.* 1. *Part* 2. *fol.* 302. Arbor *Americana* Oxyacanthæ (melius Oxycedro) similis, *CBP.* 489. Lignum exoticum, *Clus. lib.* 1. *Exot. cap.* 6. An affinis arbori Ettalch in *Africa* nascentis cujus, *Joh. Leo in descriptione Africæ* meminit, dubitat ipse *Clusius.* Incolæ igne resinam eliciunt & fortè eadem est cum Damar *Indorum*, quâ Picis loco cùm nostrates *Angli*, tùm *Indi* picandis navibus utuntur.

Fol. 92. *ad lin.* 4.

Pruno fortè affinis arbor maxima, materie rubrâ laxâ odoratâ, *Cat. Jam.* 182. At minùs propriè illic nominatur hæc peculiaris & sui generis Arbor; nihil enim cum Pruno habet commune, nisi quod sit Arbor.

Ibid. ad lin. 10.

Deleantur quæ sequuntur verba, viz. An Pithahaya quæ Saxorum Scissuris nascitur, *Nieremberg. exot.* 326.

Ibid. ad lin. 13. *post loquitur add.*

Hujus autem nominis, viz. Tepeamatl, & fortè ejusd. generis altera exhibetur, *Icon. fol.* 409.

Ibid. ad lin. 16.

Huc (fortè) spectat Arbor resinifera, *Tabacensis de Laet. Ind. Occid. lib.* 17. *cap.* 28. Terebinthus folio singulari, non alato rotundo, succulento, flore tetrapetalo, pallidè luteo, fructu majore monopyreno & si placet (sibi, minimè viso) *D. Sloan. Cat. Jam.* 167. alioquin enim quàm absurdum esset pro epitheto, vocem Monopyreno adjungere, huic fructui, qui mille ferè seminibus scatet.

Ibid. ad lin. 24.

Alni fructu Morifolia arbor, flore pentapetalo, *Cat. Jam.* 135. Sed Alni fructu satis ineptè dicitur arbor quæ capsularem fructum profert.

Ibid. ad lin. 37.

Huic congener est Pongu, *Hort. Malab. Part.* 4. *Tab.* 35. ut nobis videtur, licèt Jacæ species esse censetur *Commelino*, quapropter & nominatur ab illo, Jaca minor sylvestris *Malabarica Not. in loc.* Folia quidem sibi invicèm, non benè assimilantur.

Fol. 93. *ad lin.* 14.

Serratula non laciniata *Sutherland. Hort. Edinburgens.* Serratula præalta angusto Plantaginis aut Persici folio, *Bocc. Mus. Pl. pag.* 45. *Tab.* 32.

Ibid. ad lin. 17. *post calcem. add.*

Forsàn rectius Serratula *Noveboracensis* folio levitèr crenato molli incano, *PBP.* 375.

Ibid. post lin. 21.

CENTAURIUM medium *Marianum* folio integro, Cirsij nostratis more Spinulis fimbriato.

Ibid. post lin. 36.

Centaurium minus *Arabicum* longiori folio, flore purpureo. Variat etiam flore albo.

Fol.

Fol. 94. *post. lin.* 6.

Centaurium luteum Ascyroides *Virginianum Banisteri. Cat. Stirp. Virg.*

Centaurium minus luteum, folio subrotundo membranaceo transparenti, *Capitis Bon. Spei.*

Centaurium minus Hypericoides, flore luteo Lini capitulis. Narrecomptee *Malabar.* Huic fortè congener est Kansjan-cora, *Hort. Malab. Part.* 10. *Tab.* 52. Quanquam alibi à nobis nominatur Lychnidis æmula, alato caule summis ramulis perfoliata.

Centaurium minus spicatum angustissimo folio, sive Scoparium, *Marilandicum* novum.

Fol. 94. *ad lin.* 25.

An Baccifera racemosa fruticosa Buxifolio nervo ad summitates latiori, fructu amaro monopyreno, *Cat. Jam.* 170. Si fortè non sit Buxus nostra Lauri *Alexandrinæ* foliis accedens *Americana, Phytograph. Tab.* 80.

Ibid. ad lin. 34.

Ceraso affinis arbor baccifera racemosa flore pentapetalo herbaceo guttato, fructu coccineo monopyreno viscido, semine rugoso, *Cat. Jam.* 169.

Ibid. ad lin. 42.

Arbor baccifera folio subrotundo, fructu cerasino sulcato, rubro polypyreno, ossiculis cannulatis, *Cat. Jam.* 172.

Fol. 95. *ad lin.* 10.

An Arbor baccifera Myrtifolio latiore, fructu nigro Cerasino dipyreno, *Cat. Jam.* 172.

Ibid. post lin. 12.

CERASI similis Arbuscula *Mariana*, Padi folio, flore albo parvo racemoso.

Ibid. ad lin. 15.

Deleantur *Fortè* & *quæ sequuntur verba*; & eorum loco post vocem *dicta* add. An Ceraso affinis Arbor baccifera racemosa flore albo pentapetalo, fructu flavo monopyreno eduli dulci, *Cat. Jam.* 169. Huic nostro ut à pictura conjicere licet, haud parùm convenire videtur, Quauh-tezhoatl, *Nov. Hispan. Terentij apud Recc.* 405.

Ibid. ad. lin. 21: *post folio add.*

Fructu parvo Fragiformi, Ossiculo tuberculoso.

Ibid. post lin. 22.

Cerasus *Ind. Orient.* Fragiformis grandiori fructu, Ossiculo ferè orbiculari compressiusculo molli, hirsutie villoso. Brindone (fortè) *Indici* Fructus rubentes acidi, *JB. Tom.* 1. *fol.* 89.

Ibid. ad lin 30.

Redbuds nostratibus vulgo, an fortè Comatotoncapatli, *Nov. Hisp. Terentij apud Recc. fol.* 360.

Ibid. post lin. 36.

CERATIA *Brasiliana* pinnatis Fraxini foliis, Ornus *Hispanica*, sive **Spanish Ash** *Barbadensibus.* dicta; Caaroba *Pisonis* 134. *Vid. Almagest. Bot. Append. fol.* 399.

Ibid ad lin 40.

An Acacia arborea maxima non spinosa, pinnis majoribus, flore albo, siliquâ contortâ coccinea ventriosa elegantissimâ, *Cat. Jam.* 151.

Fol. 96. ad lin. 6.

Acacia arborea major spinosa, pinnis quatuor majoribus subrotundis, siliquis variè intortis, *Cat. Jam* 152.

Ibid. ad lin. 18.

An hæc sit fortè Cassia *Americana* fabacea, *D. Seyn. Not. in Hort. Malabar. Part.* 1. *Tab.* 38.

Ceratia cariosa *Caribearum* folliculis teretibus tuberosis, corticè fòris ex fusco rubescente scabro, intùs miniato, Mali Citrij Semine. An Lobus *Brasilianus* minor *Clus. exor. lib.* 3. *cap.* 2. Lobus *Brasilianus* crassus humidus Citrij Semine alter, *JB. Tom.* 1. *lib.* 12. 437. An Ceratoniæ affinis arbor siliquosa Oleæ folio, flore tetrapetalo albido, siliquâ tereti ventriosâ, cujus interior tunica est mucosa, & elegantèr miniata, *Cat. Jam.* 154.

Ibid. ad lin. 39.

Hæc est Arbor illa quæ apud *Guadelupenses* nec non in Insula *Martinico* aliisque *Caribearum* Insulis *Courbary* nuncupatur, quam à similitudine solùm nominis per nudam conjecturam ad Calaburam rubram nos aliquandò tribuimus; tam arduum est (inquit *Seneca*) de iis quæ conjecturâ sequenda sunt, aliquid certi pronunciare. De hoc autèm non ità pridem *D. Andreas Gundelsheimer MD. Germanus*, Vir ornatissimus & insignis *Botanicus* quod ab ipso *Carolo Plumier* erudito Monacho cum esset *Parisiis* addiscebat nos candidè monuit. *Lè Courbary Rochfort. Histoire des Antilles* 58. At malè inter Pruniferas ab illo sortitur. Datur & altera varietas vel species distincta, cujus Lobi sunt minores & Pyriformes ex *Insulâ Barbados*. An Ceratoniæ affinis siliquosa Lauri folio singulari, flore pentapetaloide, purpureo, striato, siliquâ crassâ brevi, pulpâ esculentâ, & purgante, semina ambiente. The Bitch-Tree, *Cat. Jam.* 154. Huic autem nostræ sunt flores papilionacei, ut idem *Plumier* affirmabat.

Ceratodendros folio singulari platyphyllos, siliquâ & seminibus Acaciæ. Nommenaumaram *Malabarorum*.

CEREFOLIUM rugoso Angelicæ folio aromaticum, *Boccon. Muf. Pl. rar. pag.* 29. *Tab.* 19.

Cerefolium *Virginianum* Angelicæ trilobatis fol. semine longo splendente lævi. Cerefolium *Canadense* trilobatum *D. Bobart.* An fortè Cerefolium latifol. *Canadense Cornuti de Pl. Canad. pag.* 176.

Ibid. post lin. antepenult.

CHAMÆDRIFOLIA pusilla planta, flosculo oblongo monopetalo, capsulâ membranaceâ, ex *Coromandel.* An Katu-pee-Tsjanga-puspam, *Hort. Malabar. Part.* 9. *Tab.* 58. Huic etiam proximè accedere videtur, Nanschera-Canschabu *ejusd. Hort. Malab. Part.* 10. *Tab.* 50. (i. e.) Veronica *Indica* Teucrij folio, *Commelini Not. in loc.* Hùc etiam referri libet Tsjeria-manga-nari *ejusd. Hort. Malab. Part.* 9. *Tab.* 85. Alsine spuria s. Veronica *Indica*, flore cæruleo, Chamædrifolia, *Commelin. supr. loc.* at sub eodem ferè titulo, alterius *Icon* exhibetur in *ejusd. Hort. Malab. Part.* 10. *Tab.* 89. *fol.* 177.

Fol.

Fol. 97. post lin. 3.

Chamædrys multiflora *Hispanica Turnefortij* monente *Doctore Preston.*

Chamædrys Verna *Virginiana* odoratissima, *Banisteri Cat. Stirp. Virginian. MS.*

Ibid. ad lin. 5.

Polpium *Pyrenaicum* supinum, Hederæ terrestris folio, *Turnefortij Elem. Bot.* Huic multùm assimilatur ut ex picturâ conjicere licet, Scordotis *Prosp. Alpini lib. de exot.* 284. & eandem esse nobis videtur. Huc fortè spectat Chichilticcihuapatli, *Novæ Hispaniæ Terentij apud Recc. fol.* 367. Huic etiam accedunt & Polium saxatile Chamædryoides amplâ comâ, *Bocc. Mus. Pl. rar. pag.* 75. *Tab.* 61. & Polium Saxatile Chamædryoides, rotundo folio, flore rubello, *ejusd. pag.* 76. *Tab.* 62.

Ibid. ad lin. 8.

An Verbenæ aut Scorodoniæ affinis Anomala, flore albido, calyce aspero, Allij odore, *Cat. Jam.* 64. An fortè Scordium maritimum fruticosum procumbens, flore cæruleo, *ejusd. p.* 66.

Ibid. ad lin. 20.

An Rubia parva foliolis ad geniculum binis, flore cæruleo fistuloso, *Banister. Cat. Stirp. Virg.*

Ibid. post lin. 23.

CHAMÆLÆA *Africana* tricoccos & tetracoccos Taxi folia, fructu nigro, summis ramulis, plumulis, sive villosâ cæsarie coronato. An Cupressus *Æthiopica* coronata, fructu atro quadrifido' *Breyn. Prodr.* 2. 39.

Fol. 98. *post lin.* 8.

CHAMÆMELUM Leucanthemum crassioribus foliis *ex Prom. Bon. Spei.* Anthemis forsàn crasso Sophiæ folio, *Boccon. Mus. Plantar. rar. pag.* 150. *Tab.* 110.

Ibid. ad lin. 9.

Variat interdùm floribus plenis, undè

Chamæmelum *Æthiopicum* lanuginosum, flore pleno, *Breyn. Prodr.* 2. *pag.* 30.

Ibid. ad lin. 11. *add.*

Phytograph. Tab. 274. *fig.* 3. Chamæmelum *Curassavicum* inodorum *Doctoris Uvedale* à *Sherardo* communicatum. Fortè Chamæmelum *Æthiopic.* tenuissimis foliis glabris, *PBP.* 322. nostra tamèn folia pilis tenuissimis scatent.

Ibid. post lin. 14.

CHAMÆPITYS *Æthiopica* foliis lætè virentibus, flore oblongo, phœniceo, plusquàm eleganti, sive *Plusqueneti.* Rara quidem certè, & aspectu pulcherrima, hæc est planta.

Chamæpitys incana exiguo folio, *CBP. Vid. Lysimachiæ spicatæ purpureæ affinis Thymi folia, &c. in Almagest. Bot. fol.* 236.

CHARAMEI *Acostæ* folio Pyri, *JB. Tom.* 1. *fol.* 88. Arbor exotica fructu racemoso, Charamais dicta *CBP.* Charamei Purging-corner'd-Hazel-Nut, *Park.* 1638. *Lusitanis* Cheremelas *Turcis* & *Persis* Ambela: Paringee-Nellekai *Malabareis*, & *Christianorum* Myrobalani s. *Christianorum*-Nellekai ab iis nuncupatur.

Fol.

Fol. 98. *ad lin.* 20.

An Urtica iners racemoſa ſylvatica, folio nervoſo, *Cat. Jam.* 38. quæ (ut ſuſpicor) iterùm recenſetur, ſub hujus noſtræ *titulo, pag.* 164.

Fol. 99. *poſt lin.* 15.

CHRYSANTHEMUM anguſtiori folio repens, ſulphureo flore, hirſutie villoſum, *ex Provinciâ Marianâ.*

Ibid. ad lin. 21.

An Conyza major inodora Helenij folio integro, ſicco, & duro, Cichorei flore albo è ramorum lateribus exeunte, *Cat. Jam.* 123.

Chryſanthemum *American.* latiori folio aſpero, caule quadrangulo, ad ſingulos angulos membranaceis appendicibus, per longitudinem diſcurrentibus, alato. An Naviytepuzt *Mexicenſibus* ſive Quadrilatera, *Hernandez.* 189. Cui fortè congener eſt Mamatztlacotl, *Novæ Hiſpan. Recc.* 383.

Ibid. poſt lin. 21.

Chryſanthemum *Americanum,* caule alato, amplioribus foliis binatis, floribus è pallidè luteſcentibus parvis; Stickweed, à noſtratibus Colonis apud *Provinciam Marianam* degentibus, vulgo dicitur.

Ibid. ad lin. 26.

Hæc autem non eſt de Chryſanthemorum genere, ſed planta ſui generis. & ſibi peculiaris, Singhaerhar *Benghalenſium* nomine, & aliquando ſub Arbore triſti tranſmiſſa eſt, ex plagis Orientalibus. An Arbor triſtis *Acoſtæ Hiſt. Lugd.* 1852. cujus fructus magnitudine Lupini, cordis effigie, per medium ſectus; deſcriptioni optimè congruit, & a ſimilitudine fortè hujus, fructui Manjapumaram, *Hort. Malab. Part.* 1. *fig.* 21. ſive Pariatacu *Bramanum* quod cum *Canarienſium* Parizataco, quæ Arbor triſtis eſt, non malè convenire *Doctori Syen* (in *Notis*) videbatur, qui rotundo-planus eſt, ac compreſſus, colore viridi, in medio unâ Suturâ extuberante, ad verticem utrinque perductâ, Arbor triſtis nuncupari merebatur. Poulamulle *Malabarorum.*

Ibid. ad lin. 36.

Tecpatli fortè *Mexicana Hernandez apud Recc.* 191.

Ibid. ad lin. 39.

An Tlatlocotic *Tepoztlanenſis,* Scabioſa fruticoſa *Mexicana Hernandez apud Recc.* 106. Sed in quibuſdam minùs convenit.

Fol. 100. *ad lin.* 6.

Huic & proximè præcedenti ſunt folia magis frequenter ad caulem inordinatè poſita, interdum autem Variant ambæ, ternis ſimul ad nodos ambientibus foliis.

Ibid. poſt lin. 6.

Chryſanthemum *Marianum* Virgæ aureæ *Americanæ* foliis, florum petalis tridentatis.

Ibid. ad lin. 10.

An Conyza inodora, Helenij folio integro, duro, anguſto, oblongo, capitulis in lateribus ramorum conglomeratis, *Cat. Jam.* 123.

Chry-

Chryſanthemum *American.* minus, anguſtis foliis Bugloſſi aſperis, ſtrumoſâ radice. An Cocoz Xochipatli, ſeu Medicina lutei floris, *Hernandez apud Recc.* 188.
Chryſanthem. fruticoſ. *Monomotapenſe*, foliis Chenopodij glaucis.
Chryſanth. Tuberariæ f. Ciſti Plantaginis folio, & facie, *Inſulæ Johannæ*.

Fol. 100. *ad lin.* 13.

Chryſanthemum *Marianum*, Piloſellæ majoris folio, & caule, petalis ſpecioſis luteis, umbonem nigrum radiantibus.

Ibid. ad lin. 18.

Bidens *Indica* Hieracij folio, caule alato, *Turnefortij Elem. Bot.* 367.
Chryſanthemum *Virginianum*, Viticis folio trifoliatum, florum petalis, ex purpureo & aureo varium.
Chryſanthemum *Indicum*, Saſſafras trilobato folio, flore luteo, radice glanduloſâ. Aumaunadundoo *Malabarorum*. Ad Hæmorrhoidas celeberrimum Specificum. Hujus ſemina ſunt haſtæ cuſpidi perquam Similia. Item ex *Provinciâ Marianâ Novi Orbis* in *Europam* nuper advecta eſt.

Ibid. poſt lin. 20.

Chryſanthemum fruticoſum Limonij foliis *Africanum*, caule glabro, floribus parvis.
Chryſanthemum fruticoſum Polygoni foliis *Africanum*, cauliculis ſcabris, flore minore.

Ibid. ad lin. 22.

An forte Chryſanthemum ſylvaticum repens minus, Chamædryos folio, flore luteo nudo, Semine roſtrato, *Cat. Jam.* 126.
Chryſanthemum *Africanum*, Cyani minoris folio parvo ramoſiſſimum.
Chryſanthemum Conyzoides *Æthiopicum*, capitulo aphyllo, Tithymali paralii foliis ſubrotundis, hiulculis in ſuperficie conſpicuis. An Chryſanthem. Conyzoides *Æthiopicum* capitulo aphyllo, foliis Majoranæ, *Breyn. Cent.* Noſtri tamen folia, Paralij in modum, ad caulem ſibi invicem incumbunt.
Chryſanthemum *Africanum*, vermiculatis foliis fruticoſum, capitulo aphyllo. An Chamæcypariſſus viridis, *Indica*, Ericæ folio, flore albo maximo, *Breyn. Prodr.* 2. 30.
Chryſanthemulum Ericoides coronatum, *Cap. Bon. Spei. Breyn. Cent.* 165. *Icon.* 82.
Chryſanthemulum fruticoſ. Corios folio *Africanum*, cauliculis hirſutis, flore ampliore luteo.

Ibid. ad lin. 34.

An Chryſanthem. paluſtre minimum repens, Apij folio, *Cat. Jam.* 126. Bidens *Americana* Apij folio, *Turnefortii Elem. Bot.* 367.

Ibid. ad lin. ult.

A *Novangliæ* Colonis Pricklouſe, (i. e.) φθειρκυντρωτ☉, f. pediculus aculeatus nominatur. An forte Bidens *Canadenſis* latifolia, flore luteo, *Turnefortij Elem. Bot.* 367.

Ibid. poſt lin. ult.

Chryſanthemum bidens trifidum latiori & breviori folio *Marilandicum*.
Chryſanthemum *Marianum* bidens, ſive aquatic. foliis anguſtiſſimis tripartitò diviſis.

Fol.

Fol. 101. *post lin.* 3.

Chrysanthemum bidens *Marianum* foliis integris glabris, flore amplo, ex luteo & sanguineo versicolore.

Fol. 101. *ad lin.* 7.

Huic (fortè) referatur Chrysanthemum palustre repens, minus, odoratum, folio scabro trilobato, *Cat. Jam.* 126.

Ibid. ad lin. 9.

Huic (fortè) referenda sit Tecpatli *Mexicensibus Hernandez apud Recc.* 191. cui folia itidèm sunt aspera.

Ibid. ad lin. 11.

Charungullee *Malabarorum.*

Ibid. ad lin. 14.

Chrysanthemum Ciceris triphylli folio *Americanum* Leucanthemi flore, semine nigro bicorni. An Chrysanthem. trifoliatum scandens, flore luteo, semine longo rostrato bidente, *Cat. Jam.* 125. Nostri autem flores sunt Bellidis majoris amplitudine candidissimi.

Ibid. ad lin. 21. *adde.*

Vid. Phytograph. Tab. 274. *fig.* 6. ex *Insula St. Helena* nobis allata est.

Fol. 102. *ad lin.* 2.

Chrysanthem. fruticos. maritim. foliis glaucis oblongis, flore luteo, *Cat. Jam.* 125.

Ibid. post lin. 38.

Chrysanthemum Thapsiæ foliis *Æthiopicum* flore parvo singulari.

Ibid. ad lin. 40.

Frequentius est flore melino, variat autem flore pallido flavescente, l. colore buxeo, minore, & aliquandò, flore candido majori, ut nos cum eximio Botanico *D. Samuele Doody* in *Hort. Med. Chelseiano* haud semèl observavimus.

Fol. 103. *post lin.* 2.

Chrysanthemum parvum Cotulæ foliis, caule nodoso, ex *Insulâ St. Helenâ.*

Ibid. post lin. 17.

Chrysanthemum *Marianum,* Scabiosæ tenuissimè divisis foliis, ad intervalla confertis.

Ibid. post lin. 18.

Chrysanthemum Peucedani foliis *Provinciæ Marianæ.* An fortè *Idem* cum præcedenti *in Almag.*

Ibid. ad lin. 36.

Santolina *Africana* corymbifera Coronopi folio, *Elem. Bot.* 366.

Fol. 104. *post lin.* 30.

CICHORIASTRUM *Gaditanum,* Thlaspeos sempervirentis folio, & facie.

Ibid. ad lin. 34.

Cicutaria latifolia fœtidissima, *Lobelij Hist. Lugd.* 790.

Ibid. ad lin. 38.

Cicutaria maxima fœtida, *Lobelij Hist. Lugd. ibid.*

Ibid. ad lin. 39. *post Icon.* 732. *add.*

Quam Thapsiam esse dicit *Morisonus de Umbellif. fol.* 79.

Fol. 104. *post lin. penult.*

CICUTA arbor *Virginiana D. Banisteri Cat. Stirp. Virg. Mss.*

Fol. 105. *post lin.* 1.

CIRCÆÆ foliis incanis, floribus tubulosis plurimis, summo caulis fastigio umbellatim positis, ex *Insulâ Joannâ.*

Ibid. ad lin. 24.

Ad hoc fortè genus accenseri meretur Cozticacuilotl-Xochitl, *Nov. Hispan. Terentij apud Recc. fol.* 374.

Ibid. ad lin. 29.

Fortè etiam Cistus folio oblongo integro glabro, subtùs albido vasculis trigonis, *Cat. Jam.* 36.

Ibid. ad lin. 39.

Hujus *Iconem* nimis fastuosè depictam invenies in *Hort. Medic. Amstelod. ad cap.* 20.

Ibid. ad lin. 41.

An Cistus Marinus, foliis in ambitu undulatis, *Hist. Lugd. lib.* 12. *fol.* 1361.

Ibid. post lin. ult.

CISTUS latifolia major trinervis incano folio, floribus purpureis ex *Insula Pico.* An Cistus, Ledon latifolium *Creticum, JB. Tom.* 2. *fol.* 9. Ledum tertium *Cyprium Clus. Hist.* Cistus Ledum quartum, f. *Cretense CBP.* Ledon à *Græco* diversum, & longè majus in *Monte Olympo Bellonius* notavit. Cistus Ledon latifolium *Creticum Triumfetti Mss. apud Fr. Cupani in Hort. Catholic. pag.* 51.

Fol. 106. *post lin.* 8.

Cistus Ledon foliis Thymi, *CBP.* 467. Ledon decimum *Clusij Hist. Plantar.*

Ibid. post lin. 16.

Cistus humilis *Æthiopicus* inferioribus foliis Rorismarini sylvestris puncticulatis, cæteris autèm Serpylli subrotundis, flore carneo.

Ibid. ad lin. 37.

Cistus pulpifer *Indicus D. Hermanni.*

Ibid. post lin. 37.

Cistus *Orientalis* pulpifer Jujubinis foliis trinervis, capsulâ parvâ. Tsjerou-Kadali, *Hort. Malab. Part.* 4. *Tab.* 44.

Cistus Chamærhododendros *Mariana*, Laurifolia, floribus expansis, summo ramulo in umbellam plurimis.

Ibid. ad lin. 39.

Rectiùs fortè hæc est Tzatzequa, *Novæ Hispan. Terentij apud Rcc.* 433. Cui Belillam, *Hort. Malab. Part.* 2. *fig.* 18. spectare putarem, si non diceretur Scandere.

Ibid. post lin. 43.

Cistus *Virginiana* Periclymeni flore ampliori minus odarato.

Fol. 107. *ad lin.* 3. *post vocem* Cretica *adde.*

(i.e.) Laureola *Cretica* humilis, *Prosp. Alpin. de exot. pag.* 43.

Fol. 107. *ad lin.* 11.

Anonymos fruticosa, foliis Ericæ bacciferæ *Mattholi, JB. Tom.* 1. 527. Rosæ alpinæ altera species, foliolis minimis, Acinariæ palustris nostræ persimilibus *Gesneri de Hortis.*

Fol. 107. *ad lin.* 13.

Helenium ex *Helenæ* lachrymis natum, *Plin. lib.* 21. *cap.* 10. &c. 21. Est enim frutex humi se spargens, dodrantalibus ramulis, folio Serpylli. Helenium *Ægyptiacum Smetij à Leda Miscellan. Medic. pag.* 592. ubi dicit quod *Avicenna Tract.* 2. *cap.* 240. Utrumque Helenium turpiter confundit: neutrumque novisse videtur, & librum suum nonum his verbis concludit. Hoc Helenium *Ægyptiacum* cum hodiè nemo Eruditorum sit, qui se novisse venditet, non est quod de illo pluribus laboremus præsertim cum contrà Serpentûm ictus, præcipuus illius prædicetur usus.

Ibid. post lin. 21.

Cistus humilis Chamædryos crispatis foliis, *Promont. Bon. Spei.* Kurundoti forsan *Hort. Malab. Part.* 10. *Tab.* 18. Cistus humilis *Indica* Ciceri folio flore flavo *Commelin. Notis supr. locum.*

Ibid. post lin. antepenult.

Cistus Helianthemos Rorismarini foliis viridibus, flore luteo, vasculo seminali trigono, ex *Insula Chio.*

Fol. 108. *ad lin.* 3.

Chamæcistus capillaceis, sive Camphoratæ foliis pluribus ad eundem exortum, uno aliis longiori *Fr. Cupani Hort. Catholic.* 46.

Ibid. post lin. 7.

Cistoides frutex *Æthiopicus* parvis Coronopi foliis ad nodos, caulem radiatim ambientibus.

Ibid. ad lin. 19.

An Barberis fructu, fruticosa racemosa Fraxini folio alato, fructu nigro dipyreno, *Cat. Jam.* 170. Nostræ enim Arboris fructus, est sanè dispermos.

Ibid. post lin. 30.

CLEMATIS daphnoides *Caroliniensis Horti Comptoniani.*

Ibid. ad lin. 37.

Datur & hujus altera varietas minor. Apocyno affine Gelseminum *Indic.* hederaceum fruticosum minus. *Cat. Jam.* 216. Bignonia forsan *Americana* lutea, Fraxini folio, siliquis angustioribus *Sirinami, Turnefortij Elem. Bot.* 133.

Ibid. post lin. ult.

Clematis triphylla *Ind. Orient.* Ciceris majore folio baccifera. Muurlachedde *Malabarorum.*

Fol. 109. *ad lin.* 12. *post Imago, add.*

An Nerium arboreum folio maximo obtusiore, flore incarnato, *Cat. Jam.* 154. Ubi Synonymia sunt ferè omnia confusa.

Ibid. ad lin. 28.

Clematis (fortè) tetraphylla alia pulcherrima, ex *Guiana Breyn. Prodr.* 1. 30. Apocyno affine Gelseminum *Indicum,* hederaceum, herbaceum, tetraphyllum, folio subrotundo acuminato, *Cat. Jam.* 90.

Fol. 109. *ad lin.* 43.

Clematitis cujus folia in *Jamaica* semper terna observata sunt, *Cat. Jam.* 85. An Flammula s. Atragine *Ceylanica,* sylvestri latifoliæ similis, *Breyn. Prodr.* 2. 46.

An

An hæc sit Clematitis *Peruviana CBP.* 300. Bexugo *del Peru Clusij Not. in Monard. fol.* 340. Cujus radix (fortè) Radix Quimbaya *Petri Ciecæ Hist. Peruv. Part.* 1. *Carthagena's* Purging Roots, *Parkins. Theatr.* 1619.

Fol. 110. *ad lin.* 3.

Huic generi Plantarum (fortè) pertinet Miaxihuitl, *Nov. Hispan. Hernandez. apud Recc.* 385. Quam nominare lubet Clematitis s. Flammula recta Cinerariæ foliis, flore luteo *Americana.* Fortè etiam Tequaumecatl, *Nov. Hispan. apud eundem Recc.* 412. Inter erectas Clematitidum species adnumerari meretur, ut & ipse *Terentius in Notis suis* suspicatus est.

Ibid. ad lin. 5.

An Tlacuitlapilli, *Nov. Hispan. Terentij apud Recc. fol.* 421.

Clematis *Virginiana Pannonicæ* similis, foliis amplioribus subrotundis.

Clematis erecta humilis non ramosa, foliis subrotundis, flore unico ochroleuco, *Banist. Cat. Stirp. Virg.*

Ibid. ad lin. 9.

Clematis purpurea repens petalis florum coriaceis, *Banist. Cat. Virg.*

Clematitis anguloso Citrulli folio, Aceris fructu, *Plumier. Tab.* 92.

Ibid. ad lin. 13.

An Prunella flore dilutè cæruleo pentapetaloidæo, *Cat. Jam.* 65.

Ibid. post lin. 18.

CLINOPODIUM arvense, s. Acinos *Hispanica* foliis admodùm lanuginosis.

Ibid. ad lin. 20.

Ad hoc Plantarum genus accenseri meretur, Tragoriganum Quauhuahuacense *Hernandez apud Recc.* 196.

Ibid. ad lin. 39.

Pulegium *Virginianum* floribus in cymis congestis, *Banister. Cat. Stirp. Virg.* Serpentaria *Virginiana,* Dracunculi hortensis foliis odoratis, *Bocc. Mus. Plant. pag.* 153. *Tab.* 108. & *Tab.* 115. Hujus datur & altera varietas, latiori folio, ex *Terrâ Marianâ.*

Clinopodium *Africanum* procumbens Psyllii foliis & capitulis cum cauliculo lanugine vestitis.

Ibid. post lin. 39.

Clinopodium Serpentaria dictum, latiori folio capitulis grandioribus, ex *Provinciâ Marianâ.*

Ibid. ad lin. ult. post 1926. *add.*

Ab hac tamen diversa est; magis enim convenit Origanum foliis ad summitatem caulium canis, floribus multis, pallidè cæruleis in cymis ramorum, densè stipatis, *ejusd. Banister. ibid.*

Clinopodium *Carolinianum* magis incanum, summo caule flosculis purpureis coronatum; In Horto rariorum exoticarum instructissimo amplissimi Viri *D. Samuelis Reynardsoni apud Hillingdonam* observavimus. Fortè Hoitzit-Xilxochitl. Origanina *Hernandez apud Recc.* 103. An fortè Quaxoxouhqui, *Nov. Hispan. apud eund. Recc.* 406. Attamen nostri flores non senescunt; Origanum cujus ramorum summitates, floribus dilutè rubris in verticillos congestis coronantur, *Banist. Cat. Virg. apud Raij. Hist. Pl.* 1926.

Fol. 110. *post. lin. ult.*

Clinopodium Origani fistulosi *Canadensis* folio coronatum, Camphoram spirans Dittany (i.e.) Dictamnus *Terrâ Marianâ* degentibus vocatum, à præcedenti haùd multùm discrepat.

Fol. 111. *ad lin.* 4.

Huic convenit Clinopodium fruticosum *Arabicum* summo caule coronatum, Ziziforan *Chalepensibus* dictum, *Herbarij Vivi à Judæo* quodam apud *Chalepenses* collecti & compaginati, *Anno* 1690. Fortè etiam Atochietl tertia quam alii Dictamum vocant *Nieremberg*. 316. Hujus & altera varietas, angustiori folio, ex *Orientalibus* plagis in nostro *Phytobiblio* conservatur; Idem fortè cum Clinopodiò alpino roseo Satureiæ folio, *Bocc. Mus. Plantar. rarior. pag.*135. *Tab.*95.

Ibid. post lin. 16.

COCCULUS *Officinarum*. Cautacudde *Malabarorum*. à Natsjatam, *Hort. Malab. Part.* 7. *Tab.* 1. plurimùm diversa, quanquam hujus quoque Arbor est Convolvulacea Smilacis *Virginianæ* Canellæ foliis æmula. Eademque forsan Arbori Aristolochiæ foliis *Maderaspatanæ*, fructu (flore) parvo Medicæ adinstar involuto *Phytograph.* Ex hujus baccis pulverisatis in aqua communi infusis, fit liquor albuminis Ovi adinstar viscosus, & spumescens; qui si ad cochlearia tria exhibeatur, Gonorrhææ medetur.

Ibid. post lin. 30.

COLUTEA *Rhodiensis* Vesicaria, Scorpioidis foliis parvis, floribus & Vesicis, vulgari paribus.

Fol. 112. *ad lin.* 6.

Deleatur Vox Cretica.

Ibid. ad lin. 11.

An frutex innominatus ultimus *Marcgrav. lib.* 2. *cap.* 15. *fol.* 82. Hanc autem eandem plantam esse cum nostro Cynophallophoro velit, *D. Sloan. Cat. Jam.* 153. At pleraque his similia falsò exponit, quæ prorsus veritati refragantur; quibus conjecturâ colligi potest ea non oculatâ fide, sed narratione potiùs ab aliis accepisse, aut ex *Iconis* nostræ nudô inspectu, *deceptione visûs* errasse.

Ibid. ad lin. 15.

An Coluteæ affinis fruticosa argentea, floribus spicatis è viridi purpureis, siliquis falcatis, *Cat. Jam.* 142.

Ibid. ad lin 22.

Hujus fortè affinis est Tlalchichicpatli, *Nov. Hispan. apud Recc. fol.* 421.

Ibid. ad lin. 29.

Nilachettu *Gentilium Indorum*, & Auverrechedde *Malabarorum* siliquis rectis.

Ibid. ad lin. 32.

Coluteæ affinis fruticosa, floribus spicatis purpurascentibus, siliquis incurvis, è cujus tincturâ *Indigo* conficitur, *Cat. Jam.* 141. Ad hoc genus Plantar. meritò recenseri potest Yztacpatli nona. *Hernandez apud Recc.* 451. *ab Ind. Or.* Sub titulo *Eremmurre* aliquando accepimus.

Colutea *Indica* Galegæ folio & siliquâ, floribus purpureis *ex Insulâ Johannâ*.

Fol. 113. post lin. 4.

Colutea parva *Malabarica* foliis hirsutis, siliquâ scorpioide brevi. Man-Todda-Vaddi, *Hort. Malab. Part. 9. Tab. 22.* Mimosa *Malabarica* foliis pilosis, non spinosa minor, flore papilionac. luteo, siliquis angustis articulatis, *Commelin. Not. in loc.*

Ibid. post lin. 9.

CONFERVA marina trichoides, f. Muscus marinus virens tenuifolius, *Phytograph. Tab. 182. fig. 6.* Fucus f. Alga viridis capillaceo folio *CBP.* Hæc, nescio quo casu, in *Almagest. nostr.* omissa est.

Ibid. ad lin. 20.

Variat etiam foliis tripartitò divisis, undè Convolvulus folio hederaceo anguloso, flore dilutè purpureo, *Cat. Jam. 56.*

Ibid. ad lin. 35.

An Clematis baccifera villosa, rotundo & umbilicato, *Plumier. Descript. des Plantes de L'Amerique fol. 78. Tab. 93.*

Ibid. ad lin. 37. add.

Phytograph. Tab. 324. fig. 1.

CONVOLVULUS *Africanus* albus, seminibus calyce longissimo immersis, folio subrotundo, ad unum plerumque latus crenâ singulari donato. In *Hort. Pharmaceut. Chelseian.* ex semine oriundam Observavimus. Fortè Xiuh-cocolin seu Planta contortiva, *Hernandez apud Recc. fol. 123.*

Fol. 114. post lin. 7.

Convolvulus maritimus rotundifolius maximus, summo fastigio bisulcus, ex *Insula Johannâ.* Hujus plantæ folia sunt formâ & magnitudine foliorum secundæ speciei Mandaru, f. Chovannæ Mandaru, in *Horto Malabarico* depictæ.

Ibid. ad lin. 8. adde.

Phytograph. Tab. 324. fig. 3. magnam intercedit similitudinem, quoàd folia saltèm inter hunc nostrum Convolvulum & Nasturtij *Indici* folio anguloso picturam, in *JB. Tom. 2. fol. 176. ex Dodonæo* exhibitam.

Ibid. ad lin. 11.

Cacamotic Tlanoquiloni f. Batata purgativa, *Hernandez apud Recc. fol. 299.*

Ibid. ad lin. 14. post fol. 16. add.

Itèm Pararo *ejusd. fol. 52.*

Ibid. ad lin. 15.

Spinachiæ foliis; Convolvulus radice tuberosâ esculentâ, Spinachiæ folio, flore albo, fundo purpur. semine post singulos flores singulo, *Cat. Jam. 53.*

Ibid. ad lin. 19.

Turpetum verum f. album ex *Batavia Jacatrensi* missum *Cleyeri.* Turpetum *Indicum* Ibisci foliis, caule volubili, *Hernandez apud Recc. 180.* Ignotum planè fuit *Græcis*; Hi non tantùm virtutes ejus, verum etiam totam plantam ignorasse videntur. Indè est quod Illi, qui *Dioscoridem* in Plantarum notitiâ nihil latuisse existimant, & varias & totâ specie diversas plantas idem referant; cum enim radicem alicujus plantæ esse omnes ferè arbitrati sint, ad quamnam tamen referri deberet, convenire aut certo docere non potuerunt; Sed in diversas acti partes,

alij

alij Alypi, alij Pithyusæ, Thapsiæ alij: Alij Tripolij radicem esse, sunt arbitrati: Debemus ejus inventionem & in humanos usus deductionem *Arabibus*, qui ut non de paucis aliis è purgantium numero, ita quoque de hoc ipso, ejusque viribus, primi omnium aliquid memoriæ prodidêre.

Fol. 114. *ad lin.* 21.

An fortè hæc sit Tepehoila-Capitzxochitl, f. Hoila-Capitzxochitl, Saxivolvula *Hernandez apud Recc.* 211. Cui & Hochoctzontecomatl, seu Caput Senis, *ejusd. Hernandez fol.* 287. quodammodo convenire nobis videtur.

Ibid. post lin. 21.

Convolvulus *Indicus* amplissimo subrotundo folio caule alato, Turbith f. Tiguar *Garciæ* quibusdæni putatis. Hujus enim radix, usu etiam, & figurâ Turpeto convenit. Shevada *Malabarorum*. An fortè Kattu-Kelengu, *Hort. Mal. Part.* 11. *Tab.* 51. Huic fortè rectius Tepehoila-Capitzxochitl f. Saxivolvula *Hernandez* pertinet *ut suprà*. Turpeti altera species, Utriusque *Indiæ* alumna.

Ibid. ad lin. 24.

Vid. Phytograph. Tab. 325. *fig.* 1.

Ibid. ad lin. 37. *add.*

Vid. Phytograph. Tab. 167. *fig.* 1. Convolvulus polyanthos, folio subrotundo, flore luteo, *Cat. Jam.* 55. Ubi pro hujus Synonymo hunc nostrum Convolvulum, indubitantèr subjungit Autor, & dubium movet; An sit Antholisthos convolvulaceus *Americanus Plukenet*, & ad suum refert Convolvulum luteum polyanthum *Plumier fig.* 102. ac si has tres & plurimùm diversas plantas, in unam eandemque coalesceret: Excusandus autem erat hujus Catologi Autor, ut qui non exactè noverit, ac ideò plurimis in locis miscuerit *quid* pro *quo*.

Ibid. ad lin. 44.

An Clematis baccifera glabra, rotundo & umbilicato folio, *Plumier Tab.* 93.

Fol. 115. *ad lin.* 16.

An Convolvulus maximus, caule spinulis obtusis obsito, flore albo, folio hederaceo anguloso.

Ibid. post lin. 16.

Convolvulus f. Scammonea *Indica* latifolia, Cullecaucanai *Malabarorum*. Fortè Tiru-tali, *Hort. Malab. Part.* 11. *Tab.* 53. Convolv. *Malabaric.* floribus ex albo purpurascentibus, *Commelin. Not. in loc.*

Convolvulus Scammoneæ majoris folio subrotundo, flore albo minore, *ex Virginia*. Fortè Scammonea rotundifolia *Virginiana Park. Theatr. Pl.* 164.

Convolvulus Scammoneæ subrotundis foliis villosis, flore amplo purpureo, ex *Insula Johannâ*.

Convolvulus purpureus minor, Scammoneæ subrotundis foliis glabris, ex *Insula Johanna*.

Ibid. ad lin. 18.

Moolepuncoodee *Malabarorum*.

Ibid. ad lin. 25. *post Park. Theatr. add.*

In Appendice fol. 1677.

Ibid. post lin. 32.

Convovulus *Virginianus* leviter hirsutis & oblongis foliis flore maximo albicante.

Fol. 115. *ad lin.* 35.

Convolv. folio lanato in tres lacinias diviso, flore oblongo purpureo, *Cat. Jam* 55.
Convolvulus minor *Virginianus*, Passifloræ folio trilobato glabro, flore candido.
Idem foliis hirsutis, floribus amænè purpureis.

Ibid. post lin. 37.

Convolvulus *Indicus* capreolis donatus, foliis Bryoniæ albæ divisuris, *Sandaracæ* colorem referentibus, floribus striatis, per limbum flavis, & in collo ex viridi albicantibus, Kindici-valli, *Hort. Malab. Part.* 8. *Tab.* 27. Todwallewel *Ceylanensibus* dictus.

Ibid. ad lin. 42.

Hujus semen aviculæ capitulum, cum suo rostello, & oculis prominentibus, apprimè refert, ut satis artificiosè depictum invenies, in *Hort. Malab. ubi suprà.*

Ibid. ad lin. 44. *post fig.* 6.

Turbith nigrum *Cleyero Breyn. Prodr.* 2. 102. Convolvulus *Indicus* hirsutus niger heptaphyllus, flore luteo, *ejusd. ibid.*

Fol. 116. *ad lin.* 11.

An Convolvulus major heptaphyllos, flore sulphureo odorato, *Cat. Jam.* 55.

Ibid. ad lin. 14.

An fortè Convolvulus pentaphyllos minor, flore purpureo, *Cat. Jam.* 55. Convolvulus enim pentaphyllos, flore pallidè flavescente, caule hirsuto pungente, *ejusd.* ad quem pro Synonymo refertur; huic nostro non convenit. Huc quoque spectat Convolvulus *Ægyptiacus* quinquefolius *Casparis Bauhini*, *JB. Tom.* 2. *fol.* 169. Convolvulus foliis laciniatis vel quinquefolius, *CB. prodr.* 134.

Ibid. ad lin. 20.

Huic accedit Convolvulus longifolius azureus, niveo umbilico erectus, *Africanus*, *Boccon. Mus. Pl. rar. pag.* 76. *Tab.* 63. & *Tab.* 105.

Ibid. ad lin. 43.

Visneecrantee *Malabarorum.*

Ibid. ad lin. ult.

Convolvulus *Curassavicus* Elatinæ majoris folio, flore cæruleo parvo, *PBP. app.*

Fol. 117. *ad lin.* 6. *post fig.* 5. *add.*

Coolaguttee *Malabarorum.*

Ibid. post lin. 8.

Convolvulus minimus *Ind. Orientalis*, Euphrasiæ foliis, capsulis bullatis.

Ibid. ad lin. 13.

Vushacoodde *Malabarorum*, Hujus succus amatorius ab *Indigenis* habetur.

Ibid. post lin. 24.

CONYZA minor *Ind. Orientalis* Nelapú *Malabarorum.*

Ibid. ad lin. 25.

An Chrysocome flore aureo amplo, Conyzæ mediæ foliis, *Capit. Bon. Spei. Breyn. Prodr.* 2. 32.

Ibid. ad lin. 28.

An Conyza *Pannonica*, lanuginosa *ejusd. Casp. Bauh. Pin.* 265. (i. e.) Conyza tertia *Austriaca*, legitima fortè, *Dioscoridis*, *Clus. Hist.* 2. *fol.* 20.

Fol.

Fol. 117. *post lin.* 39.

Conyza minor *Hispanica* ex Oris *Gaditanis*. An Conyza minor exotica, *CBP*. 265. Conyza minor *Bœtica Clus. Cur. posterior. fol.* 32.

Conyza aromatica frutescens *Mauritanica* Camphoratæ foliis ad margines pilosis, flore magno flavo, ex flosculis fistularibus composito. An Chamæcyparissus canescens foliis Stæchadis citrinæ *Italicæ*, *Breyn. Prodr.* 2. An potiùs Chrysanthemum frutescens *Æthiopicum* odoratum, foliis Thymelææ serratis, & incanis, *ejusd. Breyn. Prodr.* 2. 32.

Conyza *Æthiopica* flore bullato aurea, Pinastri brevioribus foliis lætè viridibus. An fortè Elichrysum minus *Africanum*, flore aureo, *Breyn. Fascic.* 22. Elichrysum *Africanum*, foliis & flore Abrotani viridis *D. Bobart* de hâc. vid. *Almagest. app. fol.* 400. *pl.* 2.

Ibid. ad lin. ult. post 204. *add.*

Senecio *Canadensis* acris alba, *Hort. Regij Blef.* 190. Itèm Conyza acris annua alba, *ejusd. pag.* 256.

Fol. 118. *post lin.* 4.

Conyza alba major glabra, Luteolæ foliis *Mariana*.

Ibid. ad lin. 5. *post Doody add.*

Apud Nostrates primò observata.

Ibid. post lin. 6.

Conyza *Indica* Teucrifolia flore flavo odorato, *Commelin. Not. in Hort. Malab.* Manja-adeca-manjeu, *Hort. Malabar. Part.* 10. *Tab.* 17. Hujus flos plurimis flosculis est conflatus.

Conyza arbor Helenoides f. *Insulæ St. Helenæ* Teucrij crassis & hirsutis foliis, Balsamum *Tolutani* æmulum, fundens.

Conyza arbor Helenoides, sive *Insulæ St. Helenæ* Salviæ crenatis foliis, pronâ parte albâ lanugine incanis, Balsamifera. Hæc enim Arbor est quoque Balsamifera resinam Benzoin haud malè referentem, copiosè fundens. An Conyza Salviæ odorem spirans, *CBP*. 265. Planta *Bantanica Clus. exot. lib.* 4. *cap.* 23. *fol.* 92.

Ibid. ad lin. 34.

An Corallina Opuntioides, ramulis densioribus, & foliis magis sinuatis atque corrugatis, *Cat. Jam.* 4.

Ibid. ad lin. 39.

Corallina nervo tenuiori, fragilioríque internodia longiora nectente, *Cat. Jam.* 4.

Ibid. ad lin. 41.

An Corallina major, nervo crassiori fuciformi, internodia breviora nectente, *Cat. Jam.* 4.

CORALLINA geniculata mollis, internodiis rotundis brevioribus, nostras. In Oris *Angliæ* nostræ partibus *Orientalibus* invenitur.

Ibid. ad lin ult.

Fucus (fortè) cavus geniculatus *Brasilianus Breyn. Prodr.* 2. 49. An Fucus marinus Coralloides minor fungosus, albidus, teres, segmentis in summitate planis, *Cat. Jam.* 5.

Fol.

Fol. 119. *ad lin.* 2.

Hæc autem ad Potamogeita marina potiùs accenseri meretur, *fol.* 304. *exhibita.*

Fol. 120. *ad lin.* 7.

Deleantur hæc verba scilicet. Coral *de Bois Rochfort.*

Ibid. ad lin. 8.

Araboutan s. Pseudo-santalum rubrum *Brasiliense Jonston. Dendrograph.* 456.

Ibid. ad lin. 11.

Wild Parsley, *nostratibus* vulgò.

Ibid. ad lin. 12.

Muracoottan *Malabarorum.*

Ibid ad lin. 22.

Pisum cordatum non vesicarium, *Cat. Jam.* 111. ubi nimis audactèr dubium movetur, an sit Arbuscula nostra *Barbadensis* amplexicaulis triphylla, Mail-elou *Malabaricæ* foliis tenerioribus, & petiolis alatis, *Phytogr. Tab.* 145. cùm inter has plantas, nulla vel remota intercedat similitudo.

Ibid. ad lin. antepenult. post fig. 6.

Hujus arboris baccæ in Phytogr. depictæ sunt calycibus Orbatæ.

Fol. 121. *post lin.* 4.

CORNUS *Malabarica* foliis Nymphææ, *Raij Hist. Pl.* 1537. Tsjerou-punna, *Hort. Malab. Part.* 4. *Tab.* 39.

Ibid. post lin. 16.

CORÛ arbor pumila Malo aureæ similis, floribus luteis *Acostæ. Aromat. cap.* 13. Coru *Canarica* Arbuti vel Malo aureæ similis, *JB. Tom.* 1. *fol.* 89. *Lusitanis* Indiarum *Incolis* Herba *Malavarica* nuncupatur, quoniam (fortassè) *Malabarenses* ejus usum ad cujuscunque generis dysenterias curandas primò docuerunt: Coru arbor. The Costive-Tree of *Parkinson*, 1663. Corutee *Malabarorum.*

Coru *Indorum* Mali aureæ foliis, floribus albis; Parencoruttee *Malabarorum.* An Mal-Naregam, *Hort. Malab. Part.* 4. *Tab.* 12. s. Malus limonia pumila sylvestris *Zeylanica*, *D. Herman. Commelin. Not. in loc.* Hæc autem est de Pruniferarum censu. An fortè Coru s. Herba *Malavarica Garciæ ab Orto Hist. Pl. lib.* 2. *cap.* 7.

Coru *Indorum* Limoniæ folio grandioribus aculeis horrida. Perencalla *Malabareis.* Benkara (fortè) *Hort. Malab. Part.* 5. *Tab.* 35.

Ibid. post lin. 20.

CORYLUS *Indica* nuce majore, calyce magno calloso, in plures lacinias diviso, subtùs asperâ hirsutie hispido. Avellana pumila, *Byzantina Clus. Hist.* 1. *fol.* 11. Avellana peregrina humilis, fructu majore, *CBP.* 418. in *Musæo Corteniano* mihi primò conspectus, *ab Ind. Or. allatus.*

Corylus *Virginiana* nuce parvo, rugosâ amplissimâ sede, cætero putamine, nigro, lævi.

Ibid. ad lin. 27.

Hanc verò Conyzam facit, *Cat. Jam.* 124. ubi sub hoc titulo exhibetur, scilicet Conyza fruticosa flore pallide purpureo, capitulis è lateribus ramulorum spicatim exeuntibus. Est mihi Arbuscula baccifera.

I Fol.

Fol. 121. ad lin. 41. post 1379. add.

Hoc autèm cum Crithmo suo maritimo florè Asteris Attici, malè confundit, *Casp. Bauhin. in Pinac.* 288. Cum inter Crithmum Chrysanthemum, & hoc nostrum, plurimum est discrimini; nostrum quoque multò est ignotius, & inventu rarius, Planta paucis obvia locis, & plurimis rei Herbariæ studiosis hodiè dùm incognita.

Ibid. post lin. ult.

CROCUS *Æthiopicus* angustioribus Sisyrichij foliis, flore ex albo & purpureo striis aureis variegato, *ex Prom. Bon. Spei.*

Fol. 122. ad lin. 3. post 50. add.

An Cyanus arborescens Styracis folio *Africanus ejusd. Br. Cent.* 180.

Ibid. ad lin. 10.

Carpakelegelepee *Malabarorum.*

Ibid. ad lin. 15.

Janapachidde *Malabarorum.*

Ibid. post lin. 15.

CROTALARIA Genistæ folio, & siliquâ ferrugineâ lanugine densius villosis. Janachidde *Malabarorum.*

Ibid. ad lin. 19.

A *Malabareis* Vatakelugelepé, à *Gentilibus Indis* Gelakachittu nuncupatur.

Ibid. ad lin. 22.

Pseudo-Lathyrus luteus hirsutus, siliquis tumentibus, continentibus duplicem seriem seminum, *Banisteri. Cat. Virg.*

Ibid. ad lin. 24.

Pseudo-Lathyrus luteus glaber, siliquis tumentibus duplicem seriem seminum continentibus. *ejusd. ibid.*

Ibid. post lin. 30.

Crotalaria triphylla minor *Æthiopica* florè obsoletè purpureo.

Ibid. ad lin. 34.

Crotalaria trifolia fruticosa, foliis rotundis incanis, floribus spicatis è viridi luteis, fructu pubescente, *Cat. Jam.* 141.

Ibid. ad lin. 36.

Genista *Malabarica* pentaphylloides, flore amplo aureo flavescente, siliquis bullatis *Commel. Not. in loc.*

Ibid. ad lin 39.

Huc fortè spectat Crotalaria trifolia fruticosa, foliis glabris, flore è viridi luteo minore, *Cat. Jam. ibidem.*

Ibid. ad lin. 41.

Huic valdè similis ex *Insulâ Palmâ* nuper est allata plantula, cui nomen dedi *Polygonum* Serpylli foliis, ex adverso binis, sericeâ comâ candicante.

Fol. 123. ad lin. 4. add.

Vid. Fagaras.

Ibid. post lin. 6.

CUCUMIS *Ægyptius* Chate *JB. Tom.* 2. 248. *ex Prosp. Alpino de Pl. Ægypt.*

Fol.

Fol. 123. *ad lin.* 15.

Post folio, addatur *molli.*

Ibid. ad lin. 18.

Cucumis Anguriæ folio latiore (aspero) fructu minore candido, spinulis obtusis muricato, *Cat. Jam.* 103. *Aspero* autèm malè additur pro Epitheto, est enim folio molli.

Ibid. ad lin. 22.

A Præcedenti plurimùm diversa. Cucumis minima fructu ovali nigro lævi, *Cat. Jam.* 103.

Ibid. post lin. 22.

Cucumis parvus *Marianus.* Bryoniæ albæ foliis minoribus polycarpos.

Ibid. post lin. 23.

Cucumis *Canadensis* monospermos fructu parvo erinaceo, plurimis sibi invicèm stelliformitèr conglomeratis. Sicyoides *Canadense* fructu echinato, *Turnefort. Elem. de Botan.* 86. *planch.* 28. Cucumis *Africanus* echinatus minor, Hystrix Vegetabilis vulgo, *Paradis. Batav.* 133, ubi Icon satis accuratè depicta est sed descriptio minùs convenit, à proximè præcedenti (fortè) non diversa.

Ibid. ad lin. 29.

Peapepingkai *Malabarorum.*

Ibid. ad lin. 41.

Momordica s. Charantia *Ind. Or.* fructu aurantio majore, oblongo, seminibus albis, *Breyn. Prodr.* 2. 73.

Cucumis puniceus *Indicus*, subrotundis foliis, fructu pyramidali lævi, seminibus ad oras angulatis. Balsamina Cucumerina folio amplo, flore candido, fructu glabro, ex flavo rubescente, *Commelin. Not. in loc.* Padavalam, *Hort. Malab. Part.* 8. *Tab.* 15.

Cucumis puniceus *Africanus*, Bryoniæ albæ foliis, ex *Promont. Bon. Spei.*

Cucumis *Indianus* minor, foliis Epimedij, floribus filamentosis, semine albo undulato. Toti-pira, *Hort. Malab. Part.* 8. *Tab.* 17. Balsamina Cucumerina fructu viridi, striis albis, *Commel. Not. in loc.*

Fol. 124. *ad lin.* 8.

Janipaba *Brasiliensium Pisonis lib.* 4. *cap.* 16. Ab hâc diversa est, & fortè idem cum Panitsjika-maram, *Hort. Malab. Part.* 2. *Tab.* 41. Quæ potiùs de Anonarum s. Mespilorum Sappadilliæ dictorum genere est, ut mecum existimo.

Ibid. post lin. 21.

CUCURBITIFERA arbor spinosa foliis ferè Ficûs, fructu Pomi magnitudine, & formâ; seminibus albis serie eleganti massulâ nigrâ, immersis. Hujus fructum ex *Prom. Bon. Spei.* Secum adferebat perhumanus Vir Dominus *Jacobus Coningham. Scotiâ* oriundus, & Chirurgus peritissimus.

Ibid. ad lin. 30.

Ettee. *Malabarorum*, Muttee-Chettu *Gentilibus Indis.*

Ibid. ad lin. 38.

Sed has duas licèt in diversis & distantibus, *Hort. Malabarici* locis, & pro diversis illic exhibitas invenimus, si non prior, utpotè Arbor procera crassa, & erecta, hæc vero inter Frutices scansiles & Convolvulaceos, vicinas Arbores

amplexantes poneretur, utramque pro una eâdemque plantâ nos acciperemus. An hujus fructus grana sint idem cùm nucula Taphet, *Herculis Saxoniæ JB. Tom.* 1. *lib.* 3. 341.

Fol. 124. *post lin.* 38.

Cucurbitifera Malabathri foliis scandens Catolongay & Contará *Philippinis Orientalibus* dicta, cujus Nuclei Pepitas de *Bysayas* aut Catbalogan & Fabæ *Sancti Ignatii*; ab *Hispanis*; Igasur & Mananaog (i.e.) Victoriosi, *Insulanis* nuncupati. Sive Nuces Vomicæ genuinæ *Serapionis P. Camelli.* Nucis Igasur ope *Insularum Indigenæ* ab omni contagio se immunes reddi existimant, Ita ut nunc demùm mirari desinam quâ gratiâ Electuarium de Ovo, quo olim *Maximilianus*, optimus & prudentissimus Imperator usus est, & quod tantoperè deprædicant adversus pestem, Nucem Vomicam recepisse quanquam propter hanc Nucem *Casparo Hofmanno de Medicam. Offic. lib.* 2. *cap.* 74. Totum fuit suspectum; præcipuus enim hujus usus est in peste, quâ vulgo Incolæ etiam utuntur cùm adversùs omnis generis venena, tùm ad morsus Serpentium maximè noxiorum, aliorumque Virulentorum Animalium cùm intrò sumpta, tùm foris applicata. Vulgus etiam Igasur pro cælesti auxilio habet, ad cuncta absolutè corporis humani mala amovenda, nullâ habitâ temporis, morbi, ætatis, aut dosis ratione indifferentèr exhibet, & adhibet, miraculosque inde subsequentes effectus narrat. Immò *Ch. Miralles* in suis *Collectaneis*, hanc Nucem affirmat non tantùm virtutem habere depellendi corporis morbos, sed Incantationibus Magicis & malignis Spiritibus speciali quadam oppositione resistendi; Quæ apùd *Plinium, lib.* 13. *cap.* 4. Videtur inter Palmæ fructus reponi. Cùm inquit, *Quibusdam osseum continetur lunatumque, dente contrà Fascinantes religione potitum.* Nucis Igasur denique vires & virtutes tam Experientia sua, quam relatione acquisitas, nec non de variis *Indorum* aliorumvè Curiosorum & observationibus & Adnotationibus excerptas ac collectas ab eodem *P. Camelli* videsis in *Transact. Philosoph. Lond. edit. No.* 250. Quæ, si res verè & sine fuco narretur, ritè concludamus, Præstantissima Naturæ dona quoàd nos saltèm, sæpè latent in obscuro.

Cucurbitifera *Ind. Or.* Canellæ foliis lætè virentibus fructu minore. Nellawattachedde *Malabarorum.* Solanum arborescens *Indicum* foliis Napecæ minoribus, fructu rotundo duro, & semine orbiculari compresso minoribus, *Breyn. Prodr.* 2. 93. Scheru-catu-valli-Caniram, *Hort. Malab. Part.* 7. *fol.* 5.

Fol. 125. *ad lin.* 2.

Deleantur hæc verba *scilicet.* An Vengu *Sinensium Mart. Atl. Sinens. Lusitanis* Jamboa, vid. *Jonst. Dendr. fol.* 27.

Ibid. ad lin. 9. *post JB.*

Arbor ferens Sirifoles *Nierembergij* 315.

Ibid. ad lin. 12.

Valanya *Malabarorum* & interdùm Moellecruetto *Eorundem.*

Ibid. post lin. 12.

Cucurbitiferæ trifoliatæ baccata similis Arbor *Ind. Orient.* Villevittree *Malabarorum.*

Ibid. ad lin. 13.

Tota linea expungatur.

Fol.

Fol. 125. *ad lin.* 15.

Vitex *Indica* foliis solitariis amplissimis, flore maximo, *Breyn. Prodr.* 2. 42.

Ibid. ad lin. 24.

In *Palma* quoque *Insulâ* unâ ex *Fortunatis* oritur hæc arbos.

CUPRESSUS nana *Mariana* fructu cæruleo parvo.
Cupressus fœmina *Goensis*, rarioribus foliis viridibus, galbulo minore.
Cupressus *Goensis* mas, foliis crebrioribus coesiis.
Cupressus *Goensis* confertissimis crispatis foliis, circà virgulas triplici serie dispositis.

* Nos enim commonefecit ex propria sua Observatione *Reverendiss. in Deo Pater Henricus Compton Episc. Lond.* Has elegantes arbores non ad Cedros, nec Sabinas, sed potiori jure ad Cupressorum genera referendas esse, vid. Sabin. *Almag.* An harum sit Habhel fructus *Clus. Hist. fol.* 37. Nisi quis malit illum ad Ahochoetl, s. Abietem *Mexicanam* minorem *Hernandez* referre.

Ibid. ad lin. 35.

Ambaigtinga arbor de *Laet. Ind. Occident. lib.* 15. *cap.* 8. Et fortè Tzina Cancuitla Quauhitl, s. Arbor ferens Gummi, simile Stercori Vespertilionum, Laccifera; *Hernandez apud Recc.* 58. Quæ folia fert exilia pennas avium imitantia.

Cupressus nana compressis Taxi longioribus, & tenuioribus foliis, *Africana, Hort. Uvedalensis*, sub Chamæcyparissi *Africanæ* titulo missa fuit.

Ibid. ad lin. 39.

De hâc plura *fol.* 397. Hujus *Almag. plant.* 7.

Fol. 126. *ad lin.* 4.

Post capsulis, *add.* velùt in vesicam.

Ibid. ad lin. 10.

Viscum Caryophylloides tenuissimum, è ramulis Arborum Musci in modum dependens, foliis pruinæ instàr candicantibus, flore tripetalo semine filamentoso, *Cat. Jam.* 77. Ubi magno sanè versatur in errore hujus compilator, propterea quòd varia hoc in loco sunt promiscuè posita.

Ibid. ad lin. 12.

An Cuscuta inter majorem & minorem media, filamentis longis & fortibus, latissimè super arbores vel campos se extendens, *Cat. Jam.* 85.

Ibid. ad lin. 14.

Cootan *Malabarorum.*

Ibid. post lin. 18.

CYANUS *Æthiopicus* rigidis capillaceis tenuissimis foliis trifidis ex *Promont. Bon. Spei.*
Cyanus spinosus *Creticus Ponæ* vid. Stoebe.

Ibid. ad lin. 36.

Cynoglossum max. *Virginianum* folio aspero viridi, flore parvo albicante.

Ibid. ad lin. 39.

Omphaloides *Turnefortij Elem. Bot.* 117.

Ibid. ad lin. 42. *&* *ult.*

Acaciis affinis arbor siliquosa, folio subrotundo singulari, flore stamineo albido, siliquâ tereti, ventriosâ, cujus interior tunica est mucosa, & eleganter miniata, *Cat. Jam.* 153.

Fol. 127. *ad lin.* 2.

An Ceratoniæ affinis arbor ſiliquoſa, Oleæ folio, flore tetrapetalo, albido, ſiliquâ tereti, ventrioſâ, cujus interior tunica eſt mucoſa, & elegantèr miniata, *Cat. Jam.* 153. Ubi perperàm refertur ad noſtram Salicem folliculiferam, obtuſis foliis candicantibus, *Americanam*: Eo quod iſtis notis in deſcriptione recenſitis, hujus folliculi neutiquàm reſpondent.

Ibid. poſt lin. 2.

CYNORYNCHIUM *Nov'anglicanum* Digitali accedens, Herba quadricapſularis, floribus albis, rictum caninum referentibus. Dogs-Snout & Dogs-Mouth, vulgò vocatum. Κυνορύγχιον. An Digitalis folio oblongo ſerrato, ad foliorum alas florida, *Cat. Jam.* 60. Huic forſan Odel-Odagam, *Hort. Malab. Part.* 9. *Tab.* 43. accenſeri meretur.

Ibid. ad lin. 6.

An potiùs Karij-Kandel ſ. Kanil-Kandel *ejuſd. Hort. Malab. Part.* 6. *Tab.* 33. *fol.* 59. An Mangle Lauroceraſi foliis, flore albo tetrapetalo, *Cat. Jam.* 156.

Ibid. poſt lin. 8.

CYPERUS Miliaceus ex *Provinciâ Marianâ* paniculâ villoſâ aureâ.

Ibid. ad lin. 14.

An Gramen Cyperoides minus ſpicis compactis ſubrotundis flavicantibus, *Cat. Jam.* 36.

Ibid. ad lin. 23.

An Cyperus maximus, paniculâ ſparſâ foliacea, *Cat. Jam.* 35.

Cyperus *Indicus* paniculâ ſparſâ, & ſpecioſâ. Milecorea *Malabarorum*.

Cyperus major *Virginianus*, ſummo caule elegantiſſimè paniculatus, foliolis ſurſum maximè elongatis.

Cyperus minor *Virginian.* panicularum ſpiculis lineis atropurpureis amœnè ſtriatis.

Ibid. ad lin. 26.

An Cyperus max. paniculâ minùs ſparſâ ferruginea, capitulis compactis, craſſioribus, *Cat. Jam.* 35.

Ibid. ad lin. 30.

An Cyperus rotundus gramineus ferè inodorus, paniculâ ſparſâ compreſſâ viridi, *Cat. Jam.* 35.

Cyperus *Americanus* paniculâ polydactyloide, ſtrigoſis ſpiculis, ex *Terra Marianâ*.

Ibid. ad lin. 44.

Margaritæ *Ægyptiæ Autore* libri *Ariſtotelis de Plantis ejuſd. Dalechampii* in *Plin.* Margaritæ Gingemicæ *Ebu Jezlæ*, quas Interpres non ſatis *Romanus* perlas Gingem appellat, & tubercula ſunt Cyperi Aſphodeloidis *Marantæ lib.* 2. de cognoſcend. *Simpl. cap.* 2. Aſſerente *Hieronymo Velſchio Epiſt. Joan. Matthæo Fabro* ad calcem *Strychnoman.* edit.

Fol. 128. *ad lin.* 32.

Axixzoca Huilizpatli Yanguitlanenſis, *Hernandez apud Recc.* 183. Adeò huic noſtræ conſimilis eſt, ut niſi floribus ab eâ diſtaret, in illius ſpecies, nobis videretur referenda.

Fol. 128. *post lin.* 32.

CYTISUS *Africanus* angustifolius, sericeâ lanugine argentatus, spicâ Lagopoide, ex *Prom. Bon. Spei.*

Ibid. ad lin. ult.

An Cytisus *Hispanicus* siliquis Ornithopodij, *CB. Prodr.* 157.

Fol. 129. *post lin.* 6.

Cytisus Lagopoïdes, hirsutis subrotundis foliis scabris, & punctatis, *Prom. Bon. Spei.*

Cytisus spicatus foliis subrotundis, densis, & pilosis, floribus purpureis parvis, *Prom. Bon. Spei.*

Ibid. ad lin. 11.

An Cytisus arboreus foliis obtusis glabris, foliorum pediculis alatis, *Cat. Jam.* 141. Mirè enim ludit *Natura* pro diversâ ætate, in hujus foliorum varietate; Folia namque natu minora, sunt multo majora, & pediculis plurimùm alatis ornata.

Cytisus trifoliatus, Juniperinis foliis, floribus luteis, in spicam densiorem adactis, *Prom. Bon. Spei.*

Cytiso affinis, singularibus Juniperinis foliis, floribus luteis spicata, ex *Prom. Bon. Spei.*

Cytiso affinis Arbuscula *Monomotapensis*, villosis & sericeis foliis, solitariis, grandioribus Myrti.

D.

Fol. 129. *ad lin.* 27.

Exhibetur quoque ipsissima planta, ad *fol.* 74. *Hujus Almagesti.* Sub titulo Cachryos *Siculæ*, semine fungoso, striato, lanuginoso, *&c.*

Fol. 130. *ad lin.* 12.

Therionarcha *Cappadocica Plinij* putata, *lib.* 24. *cap.* 17.

Ibid. post lin. penult.

DENS LEONIS *Virginianus* Hyoseridis minoris folio, radice bulbosâ.

DENTARIA triphyllos, *Clus. Hist. CBP.* 322. *Moris. Hist.* 2. 254. Coralloides enneaphyllos, *Clusij JB. Tom.* 2. *fol.* 902.

Dentaria pentaphyllos *CBP. ibid.* Coralloides prima quinquefolia, *JB. Tom.* 2. 900.

Dentaria heptaphyllos *CBP. ibid.* Coralloides altera sive Septifolia, *JB. Tom.* 2. 901. Aconiti Lycoctoni genus aliud *Dalechampij Hist. Lugd.* 1744.

Ibid. ad lin. ult. add.

Siliquosa. Huic fortè congener est planta, Aconitum Lycoctonum *Dodonæi ex Codice Cæsareo Hist. Lugd.* 1741. Et dici possit.

Dentaria peregrina, Urticæ facie siliquosa, monophyllos.

Fol. 131. *post lin.* 4.

Dentaria *Virginiana* Nasturtij sapore pentaphyllæa. De quo plura *sis vide apud Append. hujus Almag. fol.* 400.

Ibid. post lin. 9.

DICTAMNUS *Æthiopicus* foliis Majoranæ, spissâ lanugine tomentosis, odore suavi & aromatico, à *Reverend. D. Stonestreet* habuimus. Neophytus quidam è nostratibus, sub titulo Amaranthoides, Polygoni folio hirsuto, Lupuloides, ex *Insula Sanctæ Helenæ* exhibet; Quod sanè in memoriam revocat querimoniam illam justam *Simonis Pauli Quadrip. Class.* 3. *pag.* 25. Ubi dicit, qua *Parrhesiâ* nomina scilicet imponendi herbis, plerique Nautarum *Maris Balthici Hesperiam* petentes quoque abutuntur, dùm Origanum *Heracleoticum* dictum appellant **Spanighen Hopffen**, ideò quod Verticillos aut conos instàr Lupuli salictarij squamatim compactos habeat; cæteroquin Lupulo hàud conveniens; inde concludamus: Nihil sanè insulsius videtur, quam omnem occasionem in publicum prodeundi arripere, & vel nugis Venditandis famam aucupari; à quo quantum absit Neophytus noster, Centuriæ suæ testantur. Mihi nefas semper fuit conspurcare chartas crudis quibusdam & incertis Observationibus Plantarum, quarumque notitia vix unâ constet experientiâ: Mos iste eorum est, qui ut alios præveniant, & famam Inventorum sibi vendicent, temerario ausu diluta, atque ridicula proponunt, in quos convenit Poetæ illud,

Parturiunt Montes, nascetur ridiculus mus.

Fol. 131. *post lin.* 11.

DIGITALIS *Mariana* serratis densioribus rigidis & angustis foliis, semine Fegopyri triquetro.

Digitalis Verbesinæ foliis, è regione binis, *Americana*, capsularum apicibus longissimis filamentis donata; ex *Terrâ Marianâ*. Huic, sunt capsulæ pyramidales longissimis filamentis in vertice instructæ, cùm spicâ florum Adhatodæ instàr compactiore.

Digitalis *Virginiana*, Panacis Coloni foliis, flore amplo pallescente. Digitalis flore pallidè transparenti, foliis & caule, molli hirsutie imbutis. *Banister. Cat. Virginian.*

Digitalis *Virginiana*, Lysimachiæ siliquosæ foliis glabris, floribus amplis pallidis, propè summitatem caulis; Digitalis flore pallido transparenti, foliis glabris, *Banister. Cat. Virg.* Idem Neophytus nimis audacter has elegantes & verè capsulares plantas, Dracocephala improperat. Huic Classi & fortè spectat Bahel-tsjulli, *Hort. Malab. Part.* 9. *Tab.* 87. Digitalis affinis *Indica* Blattariæ folio, flore rubicundo, *Commelin. Not. in loc.*

Digitalis minor, luteo parvo flore, *CBP.* 244. in *Prodr.* descripta.

Digitalis major, luteo, vel pallido parvo flore, *CBP. ibid.* Digitalis flore minore, albidiore, *Gesner. Col.* à priore plurimùm diversa.

Ibid. post lin. 13.

Digitalis lutea elatior, Jaceæ nigræ foliis, *Banister. Cat. Stirp. Virgin.*

Digitalis *Virginiana*, foliis Rutæ caninæ divisuris, floribus amplis, ex luteo pallescentibus.

lescentibus. Fortè Digitalis lutea altera, foliis tenuiùs dissectis, thecis florum foliaceis, *Banist. Cat. Virgin.*

Fol. 131. *post lin.* 15.

Digitalis *Virginiana* rubra, folio & facie Antirrhini vulgaris, fortè Digitalis rubra minor, labiis florum patulis, foliis parvis angustis, *Banisteri Cat. Virginian.* Huic etiam extrà dubium accenseri meretur, Quauh-chilpan, *Nov. Hispan. Terentij apud Recc. fol.* 400.

Ibid. ad lin. 20.

An Doronicum integro & crasso Hieracij folio, *Bot. Monsp. app. pag.* 294.

DORONICUM *Virginianum* majoribus nervosis foliis, subtùs incanis, ad marginem levitèr denticulatis.

Ibid. post lin. 27.

Doronicis affinis Planta *Mariana* Solidaginis *Saracenicæ* foliis, è regione binis, amplissimo melino flore, octopetalo.

Ibid. ad lin. 33.

Ab hâc nostrâ equidem diversa, quapropter & nobis collocetur *de novo*, Verumtamèn non est nova planta, si me, mea non fallit Autopsia.

Ibid. post lin. 33.

Doronicum *Pyrenaicum* Persicæ foliis glabrum, *Sch. Bot.* Quod tamen intèr nondùm descriptas adnumerare non licet, cum jam exactissimè cognovi, hanc plantam, eandem esse Consolidæ aureæ Nemorum, *Pona Hist. Lugd. lib.* 11. 1271. (i. e.) Virgæ aureæ magno flore, *CBP.* 268. Consolidæ aureæ Nemorum, Limonij folio, *Adversar. Lob. & Icon.*

Doronicum *Æthiopicum*, Jaceæ nigræ foliis, subtùs tomentosis, *Promont. Bon. Spei.*

Doronicum *Virginianum*, Valerianæ sativæ foliis amplioribus.

Doronicis affinis petræa, Asplenij foliis *Æthiopica.* Aster vel forte Doronicum saxatile folio Ceterach, *Capit. Bon. Spei. Breyn. Prodr.* 2. An Polypodium *African.* minimum, facie Ceterach, *PBP. Append.* de hac *vid. Almag. Bot. fol.* 336.

Doronicum pumilum, subrotundo folio, bulbosum, *Prom. Bon. Spei.*

Doronici (fortè) species pumila, Auriculæ Ursi folio glabro, flore saturatè croceo, ex *Prom. Bon. Spei.* Rectius forsan de Hieraciorum censu reputanda. **Little Grim the Collier.**

Fol. 132. *ad lin.* 3.

Lepidium humile incanum arvense, *Turnefortij Elem. Bot.* 184.

Ibid. ad lin. 16.

Hæc planta quamvis annua dicatur *Lobelio*, & aliis, radix tamen hyemem perfert, & in plures annos durat, etiam postquàm semen dederit, ut rectè notat, *Celeberr. Rajus Hist. Pl.* 828. Qui tamen hoc in loco, & alibi, *viz. fol.* 840. sub eodem titulo, aliam plantam capsulis monospermis, Myagri (forte) alicujus speciem, huic maximè diversam, describit, ut optimè ante nos animadvertit, *Clariss. Breyn. Prodr.* 2. 63.

Ibid. ad lin. 18. *post Chalepense add.*

Primis foliis minoribus, & serratis, secundis majoribus, & profundè sinuatis, spissis, incanis.

E.

Fol. 132. *post lin.* 19.

EBENUS arbor *Ind. Orientalis*, Fagi amplioribus foliis, Anonæ dulcis fructu magno, coronato eduli. Tumbamaram & Carpamaram *Malabarorum*.

Ibid. ad lin. 27.

Aſpalathus arboreus, ſ. Pſeudo-Ebenus Buxifolio, flore luteo patulo, ſiliquâ latâ brevi chartaceâ, ſemen exiguum reniforme complectente, *Cat. Jam.* 130. Verum maximo in errore verſari hujus Autorem, vel rerum ſimilitudine deceptum, hoc loco ſcire oportet, ut ex ſtirpium ipſarum deſcriptionibus, differentiiſque cognoſcere licet. Sed admodùm quidem miratus ſum quod hæc non noverit *Sloanus*, cum tamèn is plus Botanices (ut audio) quam cujuſvis alterius *Medicinæ* partis profeſſorem ſe dicat; qui de hâc Plantâ, intrepidâ & conſtanti ſua aſſeveratione, nobis etiam errandi anſam præbuit, ex cujus confidentiâ liquet, quàm miſerè non rarò decipiamur, dum nudis Autorum verbis, fidem habemus, nec res expendimus ipſas. Quod & hoc in loco uſu venit, cum uni plantæ tribuitur, quæ alteri debentur. Lycio ſimilis frutex *Indicus* ſpinoſus, Buxifolio, *Breyn. Prodr.* 2. 65. *Hort. Medic. Amſtelod.* cum *Icone*. Black-Thorn, (i.e.) Spina nigra *Noſtratibus* vulgò.

Ibid. ad lin. 32.

Caunampoondoo *Malabarorum*.

Fol. 133. *post lin.* 3.

ECHINOPHORÆ affinis *Mariana*, Scabioſæ pratenſis folio integro, capitulo ſplendente, lævi, ſummo caule coronata. Idem fortè cum præcedenti.

Ibid. post lin. 9.

ECHIUM *Virginianum* foliis ſubrotundis aſperis, *Malabathri* in modum, tribus nervis inſignitis.

Ibid. ad lin. 10.

Anchuſa maxima, Bugloſſæ minoris facie, *Capitis Bon. Spei. Breyn. Prodr.* 2. 14.

Ibid. ad lin. 18.

Deleantur hæc verba, *an Echium Alpinum luteum CBP?*

Ibid. ad lin. 27.

Poſt flore, *add.* Siliquâ Lentis.

Ibid. post lin. 28.

ELATINES fœminæ affinis *Virginiana*, Moſchatellinæ foliis, flore flavicante.

Ibid. ad lin. 31. *post Avicen.*

Avicenna ſuo Garab eaſdem pene vires tribuit, quas Salici; Corticem ejus quoque in uſum venire ſcribit, & gummi quod inciſione effluit.

Ibid. ad lin. 33.

Rauwolfius enim ſcribit, Aphronitrum (Salem *petræ* vocant) optimum fieri igniario pulveri parando, quo in bellicis tormentis pilis excutiendis utuntur, ſurcu-

les.

los scilicèt extremos cùm foliis in cinerem comburi, an[illegible]que aquâ macerari, separari, & multâ ebullitione coagulari; sed pulverem illum nostrati hau[illegible] valere.

ELICHRYSUM *Africanum*, duriusculis Plantaginis foliis glabris, & nervosis. Chrysocome *Æthiopica* Plantaginis folio, *Breyn. Cent.* 143.

Fol. 134. *post lin.* 5.

Elichrysum *Æthiopicum*, foliis latioribus denticulatis, subtùs tantummodò lanuginosis, floribus phœniceis. An Chrysocome *Africana* flore phœniceo, serratifolia, *Breyn. Fasc. Rarior.* 20.

Ibid. post lin. 10.

Elichrysum Gnaphaloides crispatis foliis *Monomotapense*. An Stæchas *Curassavica* latifolia incana, *PBP.* 379.

Elichrysum *Æthiopicum*, Stæchadis citrinæ sylvestrioris *Parkinsoni* foliis, capitulorum squammis amplioribus, ex argenteo splendentibus, summo caule glomeratis, *a Domino Stonestreet* accepimus.

Ibid. ad lin. 12. *add.*

Phytograph. Tab. 325. *fig.* 3. An Elichryson, foliis Abrotani glabris, *C. p. Bon. Spei. Breyn. Prodr.* 2. 43.

Ibid. ad lin. 17.

Vid. Phytograph. Tab. 328. *fig.* 1.

Elichrysum s. Stæchas citrina tenuifolia, maximè tomentosa, ex Oris *Gaditanis*.

Ibid. ad lin. 20.

Fortè Chrysocome *Africana*, flore phæniceo, angustifolia, *Breyn. Fascic. rar.* 20.

Elichrysum *Æthiopicum*, tenuissimis Stæchadis citrinæ confertis foliis, ramosissimum, comis argenteis; fortè Chrysocome *Africana* flore albo, angustissimis foliis, *Breyn. Fasc. rarior.* 19. *à Dom. Stonestreet* habuimus.

Ibid. ad lin. 22.

Elichryson *Creticum Matthioli Hist. Lugd.* 777.

Elichryson minus *Æthiopicum* procumbens, Serpylli folio candidissimo, tomento subtùs lanuginosum, flosculis parvis, albis, in umbellam glomeratis.

Elichryson *Æthiopicum* umbellatum, Chrysanthemi *Cretici* foliis minùs laciniatis; ex *Prom. Bon. Spei.*

Ibid. post lin. ult.

EPHEMERUM Phalangoides, Lilij convallij foliis scabris; ex *Terrâ Marianâ.*

Fol. 135. *ad lin.* 4.

An Phalangium *Africanum* perfoliatum, *Breyn. Cent.* 180. Planta innominata prima, *Marcgr. fol.* 8.

Ibid. post lin. 6.

Ephemerum Phalangoides, Persicariæ minoris folio, *Virginianum.*

Ephemerum Phalangoides, Persicariæ pusillæ folio *Gaditanum.*

Ibid. ad lin. 10. *post videtur add.*

An Periclymenum rectum herbaceum, Gentianæ folio, folij pediculo caulem ambiente, *Cat. Jam.* 115.

Fol. 135. *ad lin.* 23. *add.*

Phytograph. Tab. 174. *fig.* 2. Attamen *Hermannus in Paradiso* suo post obitum edito, ejus *Prodromi* compilatori increpat, quod Graminis alicujus speciem, sub hoc titulo ibi proposuit, proindè quod ipsemet ad Exemplur siccum à se *D. Sherardo* communicatum hoc loco pinxi, Graminis Dactyli speciem esse, & non Ephemeri palàm agnoscit, *pag.* 154.

Ibid. post lin. 28.

EPIDENDRON *Ind. Orient.* floribus ex alis in spicam, prodeuntibus. Cheddemeelchedde *Malabarorum.* An Cara-kandel, *Hort. Malab. Part.* 6. *Tab.* 59. Ab hâc etiam Scheru-valli-Caniram, *ejusd. Hort. Malabar. Part.* 7. *Tab.* 4. haùd prorsùs abhorret.

Ibid. ad lin. 30.

Non bene capio quid sibi velit *Cl. Hermannus*, vel ejus editor cum in *Paradiso* suo *pag.* 152. Epidendro nostro Ephemeri nomen me adscripsisse dicit. Hujus equidem Iconem ex *Codice Comptoniano* exaratum habui, ast nomen quod huic imponebam, fuit Epidendron, & non Ephemerum, nec Ephemeri nomine ullibi hanc plantam exhibuimus.

Ibid. post lin. 37.

EQUISETUM *Indicum*, mansu arenoso simile, florescens. Vailumbasli *Malabarorum.*

Fol. 136. *post lin.* 4.

ERICÆFORMIS suffrutex *Virginianus*, floribus exiguis, vasculo seminali oblongo, trifariam diviso.

Erica *Æthiopica* Rosmarini sylvestris folio, eleganter punctato; flore purpureo tetrapetalo. An Erica Coris folio, *Æthiopica*, flore purpureo tetrapetalo, *Breyn. Fasc. rarior.* 22.

Erica Rosmarini foliis incanis, *Æthiopica*, floribus Arbuteis, magno calyce inclusis.

Erica Coris folio hispido Cerinthoides, *Africana*, *Breyn. Cent.* 5.

Erica *Africana*, Coris longioribus foliis, Unedonis flore hirsuto, fusco.

Erica *Africana*, parvis tenuissimis foliis, flore Arbuteo fusco.

Erica spicata, floribus oblongis, ex carneo purpureis. An Ista *Breyn. Cent.* 177.

Ibid. ad lin 22.

An Ericæ formis suffrutex, flore elegantissimè rubro, *Breyn. Cent.* 178.

Ibid. post lin. 24.

Erica *Africana* Coridis folio, pilosa, flosculis minutissimis, purpureis, inter ramulos dispersis.

Erica *Africana* tenuifolia, Unedonis flore, foliis longioribus, cauli appressis.

Erica *Æthiopica*, foliolis longioribus glabris, cauli appressis, flosculis acerosis, & squammatis calycibus inclusis.

Erica *Æthiopica* incana, foliolis Laricis in modum confertis, plurimis staminulis purpureis, pro flosculo, ex squammoso calyce prorumpentibus.

Erica *Africana* erecta, tenuissimis foliolis, & caule elegantèr pilosis, flosculis rarioribus parvis, amœnè purpureis, inter foliola sparsis.

Erica *Africana*, floribus perexiguis herbaceis, in spicam dispositis.

Erica

Fol. 136. *post lin.* 24.

Erica *Africana* hirsuta Thymi foliolis ternis, circà caulem ambientibus, flosculis ex carneo purpureis, staminulis refertis.

Erica Serpylli hirsuto folio, pungente, *Africana*, flore purpureo pulchro. An Erica Serpylli folio *Æthiopica*, flore purpureo pulchro, *Breyn. Fasc. rariorum.*

Erica aculeata foliorum lanugine cinereâ, an? *D. ten Rhine Breyn. Cent.* 179. An hæc fortè sit Tetralix *Athieniensium Plinij Hist. Nat. lib.* 11. *cap.* 16. Aliorum judiciis decernendum relinquo.

Erica capitata, s. nodiflora, Cupressiformis *Africana*. Cupressopinulus, *Cap. Bon. Spei. Breyn. Cent.* 22. Erica florulentis capitulis albis, noduligera, *D. ten Rhine ejusd. Breyn. Cent.* 179. Scabiosa *Africana* arborescens, seu Cupressopinulus, *Cap. Bon. Spei. Breyn.* Scabiosæ affinis, Arbuscula *Africana* ericoides, sphærocephalos, *Raij Hist. Pl.* 1444.

Erica capitata, seu nodiflora *Africana*, foliolis ad caulem arcuatis, flosculis staminosis. An Erica noduligera, capitulis hirtis, ex purpureo fusci coloris, *D. ten Rhine Breyn. Cent.* 179.

Erica capitata, s. nodiflora *Africana* procerior, Corios grandioribus foliis, variè inflexis, propè summitatem surculi, in breviores ramulos divaricata.

Erica capitata, s. nodiflora, Corios foliolis rectis, *Æthiopica*.

Ibid. ad lin. 38.

An Micatlach-Pahoaztli, *Novæ Hispan. Terentij apud Recc.* 386.

ERIOCEPHALOS *Bruniades* Ericæformis, *Monomotapensis*, capitulis globulorum instàr, interius cavis & densâ lanugine tectis. An Erica arborescens, capitulis lanuginosis, flore flavo, *D. ten Rhine Breyn. Cent.* 179.

Eriocephalos *Bruniades Æthiopica*, Corios tenuissimis foliolis, & caule pilosissimis, Suffrutex peramænus.

Eriocephalos *Bruniades Africana*, Lariceis argenteis, & sericeis foliis, capitulis staminibus refertis, globulorum instàr, interius cavis & densâ lanugine tectis. Ingeniosus & perhumanus Vir *D. Alexander Brown*, rarissimas has quæ novum Plantarum genus conficiunt, apud *Bonæ Spei* hujusmodi deliciarum feracissimum *Promontorium*, propriâ manu collegit, & nobis amicè communicavit; Eaproptèr in Sempiternam sui Nominis memoriam, *Bruniades*, pro harum Cognomine usurpari placuit.

Ibid. post lin. 40.

ERUCA latifolia lutea, s. Barbarea minor angustifolia, *Moris. Hist.* 2. 230. Eruca s. Barbarea perennis, semine crassiore, *ejusd. H. R. Bles.* 71. Eruca Barbareæ æmula major, *ejusd. Prælud. Bot.* 263. An Erysimo similis, Herba Sancti *Alberti, J. B. Tom.* 2. 862. Erysimo similis, lævis, laciniata, floribus luteis, *CBP.* 101.

Eruca *Salemitana* saxatilis, laciniato lanceolato folio, *Cupan. Hort. Cathol. pag.* 69.

Eruca *Salemitana* Iberidis folio, *Cupani. Hort. Cathol.* 70.

Fol. 137. *ad lin.* 22.

An fortè Eryngium minimum trifidum *Hispanic.* & *Italicum*, *Bocc. Mus. Pl. pag.* 81. *Tab.* 71.

Fol. 137. *ad lin.* 28.

Eryngium foliis angustis serratis fœtidum, *Cat. Jam.* 127. Qui eandem facit cum præcedenti, sed perperàm.

Ibid. post lin. 40.

ERYSIMUM latifolium hirsutum, f. Irio *Æthiopica*, ex *Promont. Bon. Spei.*

Fol. 138. *ad lin.* 13.

An Herba Mora *Italorum Hist. Lugd.* 1338.

Ibid. post lin. 15.

ERYTHROBULBUS Hellebori albi plicatis foliis; Red-bulb (i. e.) Bulbus rubeatus *nostratibus* dictus, *Hort. D. Uvedale.* An fortè Ocoloxochitl *Mexicensium*, f. Flos Tigridis *Hernandez apud Recc.* 276. Fortè etiam Flos Spiritûs Sancti, *PBP.* 335.

Ibid. ad lin. penult. post 1804. *add.*

An Pseudo-Santalum album, *CBP.* 393. Lignum Sambarane, Santalo albo persimile, *Garciæ.* Sambarane *Acostæ.*

Fol. 139. *ad lin.* 5.

Euonymus *Pannonicus* prior, f. latifolius, *Clus. Hist.*

Ibid. ad lin. 12.

An Frutex *Æthiopicus*, foliis Alaterni, *Breyn. Fasc.* 22.

Ibid. ad lin. 16.

Barbadensibus nostratibus, Shag-barke nuncupatur, an Trachylepos altera *Americana*, foliis longis mucronatis, *Phytogr. Tab.* 230. *fig.* 7. Huic convenit? Necnè, Inquirendum propono.

Ibid. ad lin. 21.

An Euonymus *Novæ Belgiæ*, Corni fœminæ foliis, *Hort. Med. Amst. cap.* 86. *cum Icone.*

EUONYMUS *Virginiana* Teucrij foliis.

Euonymus *Æthiopicus*, Rorismarini foliis, seminibus atronitentibus.

Euonymo affinis *Africana*, Myrtylli foliis grandioribus, ad imum petiolum noduligera.

Ibid. post lin. 21.

Euonymus *Marianus*, Loti arboris folio, fructu parvo teicocco. Spiræ Theophrasti similis Frutex *Indicus*, *Phytogr. Tab.* 63. *fig.* 2. Huic maximè convenit, Utræque tamen foliorum formâ à præcedenti plurimùm discrepant.

Ibid. ad lin. 36.

Paliurus *Africana JB. Tom.* 1. *lib.* 6. 37. *Cordus* etiam apud *Dioscoridem* scribit, Variam esse apud *Autores* Paliuri historiam, & in tantâ varietate quicquàm indicare, temerarium fore.

Fol. 140. *ad lin.* 3.

Deleantur hæc verba, *viz.* An Ibiraeé *Brasiliensibus Marcgr.* 101.

Ibid. ad lin. 9.

Damor *Sinensium*, f. Anisum *Indicum* stellatum, *Park. Theatr.* Zingi fructus stellatus, sive Anisum *Indicum*, *JB. Tom.* 1. *lib.* 4. 485. Badjany *Siberiæ*; Cardamomum *Siberiense Patavinorum P. Amanni Hort. Bosian.* pag. 6. Fœniculum *Sinense*, *Francisc. Redi Experim. Nat.* 172.

Fol.

Fol. 140. *ad lin.* 14.

Eupatorium (fortè) *Americanum*, Enulæ folio minus, *Breyn. Prodr.* 2. 44.

Ibid. post lin. 14.

EUPATORIUM Salviæ folio triphyllon, capitulis amœnè purpureis ex *Provinciâ Marianâ.*

Ibid. ad lin. 18.

A *Nov' anglicanis* nostratibus **Throatw-leafe** nuncupatur.

Ibid. post lin. 19.

Eupatorium *Marianum*, longissimis acuminatis foliis, non perfoliatum, floribus albicantibus.

Ibid. post lin. 23.

Eupatorium *Marianum* Scrophulariæ foliis, capitulis globosis, colore cælestino.

Ibid. ad lin. 25.

Conyza *Americana*, Urticæ folio, flore albo, *Turnefortij Elem. Bot.* 361.

Eupatoria *Africana* graveolens, Rapistri aquatic. *Tabernæmont.* foliis, floribus purpureis. In *Horto Med. Chelseiano*, ex seminibus enutritam, observavimus.

Ibid. post lin. 29.

Eupatorium *Marianum*, Virgæ aureæ foliis, floribus aureis umbellatis.

Eupatorium *African.* Agerato affinis *Peruvianæ* foliis *Almag. Bot. Append.* 400. Nobis etiam adfertur, ex *Terrâ Marianâ*, foliis alternatim positis.

Eupatorium *Marianum*, Agerato affinis *Peruvianæ* foliis, binis ex adverso sitis, floribus oblongis.

Ibid. ad lin 31.

Expunge Synonymium sequens, *viz.* Serratula *Nov' eboracens.* folio levitèr crenato, molli, subincano, *PBP.* 375. Quia huic nostræ, adscriptio non placet *Hermanno vid. Paradis. Batav.*

Ibid. ad lin. 37.

Fortè etiam Yztac-cococ-tlacotli, *Nov. Hispan. Terentij apud eundem Recc.* 450.

Ibid. post lin. 37.

Eupatorium Conyzoides, s. Baccharis *Africana*, Raphani aquatic. s. Verbesinæ foliis lætè virentibus, capitulis bullatis albis, summo caule glomeratis, *Hort. D. Uvedal.* Hujus est Indolis Quaxoxouhqui, *Novæ Hispaniæ Terentij apud Recc.* 406. s. Eupatorium *Mexicanum*, Solani vesicarij pallentibus foliis, capitulis summo caule glomeratis. Hùc etiam spectat Cihoapatli-Xantetelco, *Nov. Hispan. ejusd. apud eund.* 370.

Ibid. ad lin. 39.

An Conyza major odorata, s. Baccharis floribus purpureis nudis, *Cat. Jam.* 124?

Eupatorium Limonij foliis humile, albicante pappo, *Monomotapense.*

Eupatorium Circææ foliis incanum, purpurascente pappo, ex *Insula Johannâ.*

Eupatorium *Coromandelianum*, pallescentibus foliis Alaterni.

Ibid. post lin. ult.

Eupatorium *Marianum*, Jaceæ vulgaris folio integro, Baccharidis facie, amplioribus capitulis aureis.

Eupatorium *Marianum*, Hieraeij *Sabaudum Lobelij* foliis dentatis, & asperis.

Fol. 141. *ad lin.* 9. *post Fratrem.*

Et rectiùs forsàn inter Conyzas adnumeranda ; ut velit *Hermannus* in *Paradis. Batav.* Qui iterùm negat eandem esse cum Virgâ aureâ, latissimo folio *Canadensi* glabrâ, *Sch. Bot.* 201. idque rectissimè, ideòque repudiatur Synonymium hìc & in *Phytogr. nostrâ Tab.* 235. *fig.* 4. sub proprio titulo, videsis *Iconem :* At prioris Synonymij loco inseratur, Conyza (fortè) præalta, odorata, alato caule, capitulis barbatis, Baccharis *Monspeliensis* æmulantibus, *Boccon. Mus. Plantar. rar. pag.* 168. *Tab.* 121.

Ibid. post lin. 10.

Eupatoria Jaceöides ex *Terrâ Marianâ*, quæ re verâ est, Jaceæ & Serratulæ affinis, capitulis Baccharidis, *Breyn. Prodr.*

Eupatorium Aquilegiæ foliis, *Malabaricum*, flore purpureo. Puam-Curundala, *Hort. Mal. Part.* 10. *Tab.* 64. Conyzæ affinis *Malabarica*, Aquilegij folio, flore purpureo, *Commel. Not. in loc.*

Ibid. post lin. 18.

Eupatorium Rapistri arvensis folio, capitulis parvis, *Coromandelianum*, pappo candidissimo.

Eupatorium *Americanum* tomentosum, Lychnidis coronariæ folio, & facie, flore albo, *Breyn. Prodr.* 2. 24.

Ibid. post lin. 21.

Eupatorium Conyzæ minimæ foliis rigidioribus, capitulis parvis *Coromandeliense.*

Ibid. ad lin. 28.

Hujus & altera datur species, aut sanè varietas, *Provinciæ nostræ Marianæ apud Indos Americanos* alumna, foliis angustioribus, circa caulem ad intervalla confertis, caule magìs ramosa, & flosculis minutioribus.

Ibid. post lin. 28.

Eupatorium Ericoides, *Capitis Bon. Spei. Breyn. Cent. fol.* 140.

Ibid. ad lin. 31.

Est flore purpureo ; An Civapatli-Yacapichtlensis, Conyza *Mexicana*, *Hernandez apud Recc.* 157. Et si non situs foliorum obstaret, eandem esse putarem, cum Tzazalicpatli, *Nov. Hispan. Terentij apud eund. Recc.* 434. An fortè Serratula *Nov. Eboracensis* maxima, foliis longis, serratis, *Catal. Plantar. ad calcem Paradis. Batav. à Sherardo edit.*

Ibid. ad lin. 33. *post dicta, add.*

Et aliquando **Christmas-Flower**, nostratibus, nuncupatur. Axixpatli *Hernandez fol.* 233. haùd multùm abludere videtur. An Conyza fruticosa, folio hastato, flore pallidè purpureo, *Cat. Jamaic.* 124. Item Conyza Urticæ folio, *ejusd. ibid.*

Ibid. post lin. 36.

Eupatorium *Indicum*, folio Lampsanæ modo distincto, flore minori. Eltanee-coondo *Malabarorum.*

Ibid. ad lin. penult.

Cui affinis est Yxtomio-Xihuitl, seu lanuginosa herba ejusd. *Hernandez ibid.*

Fol.

Fol. 142. *ad lin.* 7.

An Scabiosæ affinis anomala sylvatica, Enulæ folio, singulis flosculis albis, in eodem capitulo perianthia habentibus, semine papposo, *Cat. Jam.* 127.

Ibid. post lin. 18.

EUPHRASIA magna, serratis rigidis foliis, flore purpureo, *Marilandica.*

Euphrasia major *Mariana* floribus spicatis amplis, tubis longioribus, summis oris profundè incisis. Sive Euphrasia rubra, *Terræ Marianæ*, palustribus gaudens grandiflora.

Euphrasia Alsines majori folio, flore galeato, purpurascente, Cimices sylvestres gravitèr olens, ex *Ind. Orientali.* Mucoorundee *Malabarorum.* Hùc fortè spectat Cara-Caniram, *Hort. Malab. Part.* 9. *Tab.* 56.

Ibid. ad lin. 28.

Codasallee *Malabarorum. Insigne Traumaticum habetur.*

Ibid. post lin. 32.

Euphrasia *Æthiopica* Drabæ foliis, summis oris flosculorum, altiùs divisis.

Ibid. ad lin. 38.

Hùc fortè spectat Kalu-polapen, *Hort. Malab. Part.* 9. *Tab.* 66. Quanquàm *Commel. supr. loc.* Hanc plantulam ad Sedi genus, adhibendam statuit.

Euphrasiæ affinis *Æthiopica*, Abrotani campestris folio, cauliculis subrubentibus.

Euphrasiæ affinis aromatica, pusilla planta, flosculorum labiis latis, & promissis, ex *Insulâ Johannâ.* Marrepundee *Malabarorum*, cui, seminalis est Capsula membranacea. An fortè Antirrhini affinis pusilla planta, foliis scabris *Maderaspatana*, *Almag. Bot.* 34. An Kalu-polapen, *Hort. Malab.* ut *anteà.* Hùc fortè quoàd flores saltèm, & vascula seminifera, nimirùm Plantarum partes magìs essentiales (ut loqui amant nostri Methodistæ) pertinet Pee-Tsjanga-puspam, *Hort. Malab. Part.* 9. *Tab.* 55. Et nuncupari possit Euphrasiæ affinis, *Indica*, Veronicæ foliis, flosculorum labiis longè promissis.

Euphrasiæ affinis frutescens Chamædrifolia, profundiùs denticulata, ex *Promont. Bon. Spei.*

Euphrasiæ affinis *Africana*, Pedicularis folio villoso, floribus prælongis tubulis, profundè labiatis, donata. Huic congener est Pul-colli, *Hort. Malab. Part.* 9. *Tab.* 69. Et nominari possit, Euphrasiæ affinis, foliis oblongis cuspidatis, subtùs villosis, promissis flosculorum labiis, tridentatis.

Euphrasiæ affinis *Virginiana*, Lysimachiæ spicatæ purpureæ foliis lanuginosis, floribus in summitate caulis.

Euphrosynes facie, an Sideritidis æmula, *Ind. Orient.* Kainepu *Malabarorum.*

Ibid. ad lin ult.

Nella-mulle *Malabareis* nuncupatur.

Fol. 143. *ad lin.* 2.

An fortè Embira *Brasiliensium*, & Pindaiba *Pisonis*, *lib.* 4. *fol.* 144. Zanthoxyli aculeati Fraxinei nostri, fructus genuinus, (qui enim adpicti hujus ramulo, *in Phytogr. Tab.* 239. *fig.* 4. *extant*, sunt fructus proximè subsequentis, *in Almagest. fol.* 396.) cùm magnitudine, tùm formâ, tùm corticalis ejus partis aromaticitate, & colore, adeo similis est ei, quem Fagaram minorem appellat, & depingit *J. Bauhinus*, *Tom.* 1. 350. Ut nihil aliud esse pronunciare, jàm ausus sim.

E.

Fol. 143. *post lin.* 7.

FAGUS *Mariana* Carpini rugosis foliis apud Collectaneas, *D. Ayré.* A Carpino *Virginianâ* nostra florescente, *Phytograph. Tab.* 156. videtur differre.

Ibid. ad lin. 11.

Buck-Wheat, nostratibus vulgo Beucke-Wheat, or Beech-Wheat, *Skinner. Etymologic. Botan.*

Ibid. ad lin. 14.

An Fegopyrum Scandens, s. Volubilis nigra, major, flore & fructu membranaceis, subrotund. compressis, *Cat. Jam.* 46.

Ibid. post lin. 14.

FAGOTRITICO similis angustiori folio, Convolvuli modo scandens, Planta *Mariana*, caule spinulis deflexis densius obsito.

Ibid. ad lin. 25.

Lotus enneaphyllos, *Dalechampij Hist. Lugd.* 510. Securidaca enneaphyllos, siliquis in summitate, *Morison. Hist. Oxon.*

Ibid. ad lin. 35.

Libanotis Ferulæ folio, & semine *Italica*, *Boccon. Muf. Plant. rarior. pag.* 117. *Tab.* 123.

Fol. 144. *ad lin.* 8. *post* 79. *add.*

Fortè Olus-atrum *Africanum*, *ejusd. Breyn. Fasc.* 24.

Ibid. ad lin. 11.

Ut & Cayolpatli *Mexicensibus ejusd. fol.* 199. An Arbor *Africana* myrrham fundens *Jubæ* regis *Mauritaniæ*, *apud Plin. lib.* 12. *cap.* 15. Cui, folia sunt Olusatri aut Levistici similia.

Ibid. post lin. 16.

FICUS sylvestris, s. Caprificus Papaiæ foliorum æmula, segmentis denticulatis, *ex Angola* nupèr allata est.

Fol. 144. *ad lin.* 22.

Deleantur hæc verba, Ficus *Indica* Tiliæ foliis, &c. Et totus *Paragraphus*, cujus loco substituantur quæ sequuntur Verba, scilic. De hâc Arbore me deceptum fuisse libentèr agnosco, & verbis ostendere vix queam, quàm mihi gratum est, & quàm maximè gaudeo, quod opportunitas nunc datur ad hunc locum restituendum: Errandi nobis dedit occasionem, mala & promiscua aliquot Exemplarium stirpium, ex Insulâ *Barbadensi* advectorum Collocatio; ubi Ficus exiguus, qui proximè subsequentis in *Almagesto* Plantæ fuit fructus legitimus, hujus ramulo incuriâ Colligentis adjungebatur; In vertice quoque surculorum, Conus oblongus & argenteus emergit, inter foliosa involucra, folia novella argentea recondens, quod & omnibus hujus prosapiæ s. Ficuum speciebus est commune. Ab

isto

iſto autèm tempore quo *Almageſtum* edidi ; hujus ſemina cum ramulis optimè aſſervatis, ex *eâdem Inſulâ*, nobis ſunt allata, quibus certior factus ſum, inter Malvacearum genera hanc Arborem reponendam fore ; & nominari mereatur. Malva arborea *Indica* Abutili foliis argentea, ſub externo cortice tænidiophoros, & ſummis ramis radicoſa. Mahot arbor *Caribana D. Rochfort. Virginienſibus* noſtratibus, **The Riband-Tree**, & interdùm **Lace-Tree**, & **Basse-Tree**, nuncupatur. Vid. *Almageſt. Botan. fol.* 41. & *Barbadenſibus Anglis* **Broad-leaf'd Mangrove.** *Hæc forſitan & non Ceratia agreſtis, (ut ſemèl putavi) eſt illa Camatotoncopatli, *Nov. Hiſpan. Terentij apud Recc. fol.* 360. Tàm facilè decipimur in Simplicium cognitione ; Sed labi humanum eſt, quod mihi ſi aliquotiès, uſu venerit hoc opere, ut culpam libens fatebor, ita non illibentèr caſtigationem recipiam, ut Poſteri meo errore etiam meliùs ſapere, & aliquid veritatis diſcere valeant ; Homo enim ſum ipſe & errori obnoxius, utcunque ex natali conſtitutione, Veritatis Indagator ſtudioſus, utpotè illius unicè amans, ſemper mecum recolens Sapientiſſimum iſtud *Plutarchi* effatum *Opuſc. de Iſid.* & *Oſyrid.* ubi monet. Omnia bona à *Deo* petenda eſſe, ſed præcipuè *Veritatem*, quod nihil homo accipere grandius, vel largiri *Deus* ipſâ poſſit auguſtius ; Cætera enim (inquit) *Deus* hominibus quidem quorum ſunt indigi donat, Hanc poſſidet ipſe peculiarem, eâque utitur. Ideoque mallem juſtè redargui, quàm fallere, vel erroris cauſa eſſe, cum etiam errando Veritatem quæſierim, Noſtra tàm perverſè non amamus, ut errorem aliis imputare malimus, quam innoteſcere, quod erremus.

Fol. 144. *ad lin. antepenult.*

Ficus arboreſc. *Bengalenſis*, folio ſubrotundo, fructu orbiculato, Pipal *Bengalenſibus, Hort. Beaumont. Hort. Med. Amſtelod.* cum *Icone* artificiociſſimè ſculptâ, *cap.* 62.

Ficus *Ind. Orient.* Obe vulgo Junioris folio, flore albo tubuloſo, ſericeâ lanugine obſito, fructu orbiculari. Panneermaram *Malabarorum.*

Fol. 145. *poſt lin.* 2.

Ficus *Indica* Mali Limoniæ folio, ſubtùs caneſcente, fructu exiguo, cortici adnato; Sunutperai *Malabarorum.* Tsjela (fortè) *Hort. Malabar. Part.* 3. *Fol.* 85. *Tab.* 63.

Ficus *Indica*, ſubrotundis Coccigriæ denſioribus foliis, fructu parvo, è regione binato ; Callerelle *Malabarorum.*

Ibid. ad lin. 29.

Fructuum etiam curvitate, à præcedenti diſcrepat.

**Ibid. ad lin.* 34. *poſt* 474. *add.*

Pappaichedde *Malabarorum.*

Ibid. ad lin. penult. poſt Antilles add.

An Hezmaytl, *Nov. Hiſpau. Terentij apud Recc.* 377. Hujus ſit novella planta ; inquirendum propono.

Fol. 146. *ad lin.* 3. *lege.*

Utræque ſortiebantur in *Tabulis noſtris Phytographicis.*

Ibid. ad lin. 9.

An Yaruma de *Oviedo*, Jaruma *Martyr. Lopez* de *Gomara fol.* 33. *de Thevet. Coſmograph.*

mograph. 985. *Niereмb.* 330. *Jonst. Dendr. fol.* 56. Ambayba *Brasilianorum ejusd. Cat. Jam.* 45. Ast Jaruma *Nieremberg. lib.* 14. *cap.* 104. & Ambayba *Brasiliensium Laetij Ind. Occ. lib.* 15. *cap.* 8. *apud Johnstonum* sunt Arbores diversæ, & in diversis locis proponuntur, ut cuivis patet in *Dendrolog. fol.* 54. & *fol.* 58. Unam vero & eandem facit, *Cat. Jam. ubi suprà.*

Fol. 146. *ad lin.* 37. *post fig.* 2. *add.*

Nondum editi.

Ibid. ad lin. 41. *add.*

Aliàs Metaguesunaux, hujus Arbores Toona's, ab *Hispanis* nuncupantur, *Dampier pag.* 229.

Fol. 148. *ad lin.* 9.

An Pitahaya, quæ Saxorum scissuris nascitur, *Nieremberg. Exot.* 326. *Jonst. Dendr.* 32. *de Laet. fol.* 389. Carduus Pitahaya *Americanorum*, cujus fructûs Iconem *Parkinsonius noster ex Oviedo* depingit, *fol.* 1628. Carduus Pitahaya fructum ferens, *Hist. Lugd.* 1442. *JB. Tom.* 3. *lib.* 25. *fol.* 94. Carduus spinosissimus brachiatus, ex *Hispaniolâ*, *CBP.* 384.

Ibid. ad lin. 12.

Fortè Cahajaba *quibusdam*, Mippi vocatur, *Jonst. Dendrolog.* 58. Mippi nonnullis *Indis* Cajahaba, *Clus. Exot. lib.* 4. *cap.* 14. *fol.* 1886. Mippi nonnullis *Indis*. Cajahaba, quæ Ossium fracturis alligata, eam ferruminare solet, *Clusio CBP.* 458. Cereus serpens Ἑλιόφυγας, s. Solfuga, eò quod noctu à Solis occasu, usque ad ortum ejus, hæc floreat planta, interdiu verò minimè: Hujus flos stupendæ pulchritudinis, noctu dùm expansus est, flagrantiâ odoris quemque rapiat; Misophœbus, & Noctiluca dici potest, quæ flore suo immaculati candoris, amplissimâ triplici radiorum serie, auro fulgenti, tanquàm gloriâ, circumcincto, magnâ in orbem expansione, alterius instàr Solis, mediis in tenebris lucet, at diurno tempore, illucenteque Solis jubare, penitiùs oblitescit; Arboris instàr tristis per diem, quæ occidente sole floret, Oriente deflorescit, ac si Soli irata & ἀντιπαθής. Sub exitum Mensis Julij in *Hort. Reg. Hamptoniæ*. Ejus flores vesperi dehiscebant, totâ nocte hiantes manent, summo mane clauduntur, nec ampliùs aperiuntur, sed flaccescunt, statimque Solis præsentiâ evanescunt; Influxum enim illucentis Solis adeò aspernari videtur, ut Ἑλιοκαταφρόνητος nominari meretur. Hujus Flos in *Phytobibliâ* nostrâ servatur.

Ostendunt terris hunc tantùm Fata.
Nec ultrà esse sinunt.
Vix enim florens defloruit, vix olens exolevit,
Apparuit simul & aruit.

Ideoque multò plùs laboris ac temporis, ad productionem hujuscemodi florum, quàm ad Ostentationem Natura impendisse videatur, ut nihil mirum sit, aliquid inesse illis egregij, quod nos lateat.

Ibid. ad lin. 20.

Fortè Tepenexcomitl, *Nov. Hispan. Terentij apud Recc. fol.* 410.

Fol.

Fol. 148. *ad lin.* 35.

Mirasol dici possit, quia florem noctu comprimit, eumque aperit Solis exortu; Huic enim Plantarum generi florum petala, interdiu latissime expansa, Solis excipiunt calorem aperto velut sinu, hujus verò Syderis absentiâ occluduntur, cui nomen Mesembrianthemi s. Floris Meridiani propterea imposuit *Cl. Breynius* quoniam plerarumque hujus generis specierum flores, medio die Sole illustrato, sese aperire observantur, *Breyn. Prodr.* 2. 71. Secùs autem facit illud Tragopogonis genus, à Nostratibus **Sleep-at-Noon**, & interdum **Go-to-Bed-at-Noon** dictum, eò quod flores circà meridiem se claudunt, nec ante proximum Solis ortum aperiuntur.

Fol. 149. *post lin.* 18.

FICOIDES *Africanum* Mesembrianthemum, s. Ficus aizoides minor, folio tereti procumbens, flore coccineo, *Hort. Leyd.* 252. An Mesembrianthemum *Africanum* procumbens, tereti folio viridi, flore intùs aureo, extùs phæniceo, *Breyn. Prodr.* 2. 69. Hanc vero floribus venustisimis ornatam in *Hort. Med. Societ. Pharmaceut. Lond. apud Chelseiam*, laudati *D. Doodij* curâ enutritam, oculis nostris maximâ cum voluptate non rarò lustravimus.

Ficoides *Afric.* Mesembrianthemum triquetro folio, flore albo, parvo, polyanthos.

Ibid. post lin. 27.

Ficoides *Afric.* Mesembrianthemum, s. Ficus aizoides *Afric.* flore amplo niveo, folio latiore plano.

Ibid. ad lin. 37.

Ad hoc genus fortè referatur Nonochto, *Novæ Hisp. Terentij apud Recc.* 392.

Ibid. post lin. 38.

Ficoides *Afric.* Mesembrianthemum, s. Ficus aizoides major, procumbens, Tripolij folio magis succulento, denticulis fimbriato, flore argenteo, ad umbilicum aureo, fructu magno pyramidali, quinquefariàm diviso; callosо calyce pentagonali incluso. In *Horto Med. Chelseiano*, auspiciis *D. Doody istius Hort. Præfect. digniss.* excultàm observavimus.

Fol. 150. *post lin.* 14.

FILICULA s. Adiantum nigrum, rigentibus pinnulis auriculatis, *Insulæ Johannæ*.

Filix s. Adiantum nigrum floridum, *Monomotapense*, priori valdè simile, si non idem.

Filicula Lonchitidis folio auriculata, & dentata, *Insulæ Johannæ*.

Filix s. Adiantum Trichomanoides, Lonchitidis æmulum, *Monomotapense*, pinnulis non dentatis, ad oras pulverulentis, pediculo nigro.

Ibid. ad lin. 16.

An Filix minor ruffâ lanugine, tota obducta, in pinnas tantùm divisâ, raras non crenatas subrotund. *Cat. Jam.* 19.

Filiculà *Æthiopica* denticulatis pinnulis, aversâ parte Asplenij ritu, villosâ lanugine tectis, pediculo splendente nigro.

Ibid. post lin. 17.

Filicula Geranij arvensis folio, & facie, *Æthiopica*; ex *Promont. Bon. Spei*.

Fol. 150. *poſt lin.* 33.

Filix arborea *Marilandica* Dryopteridi *Tragi* ut in *Hiſt. Lugd.* depicta eſt, magis conveniens.

Ibid. ad lin. 36.

Fortè etiam Adiantum ſaxoſum floridum, *Plumier. fig.* 43. Oſmunda *Americana*, Filiculæ folio, *Turnefortij Elem. Bot.* 437. Lunaria elatior, Adianti albi folio, duplici ſpica, *Cat. Jam.* 14. Itèm fortè Filix non ramoſa minor, pinnulis crebris obtuſis, crenatis *ejuſd. pag.* 21.

Ibid. ad lin. 40.

An Adiantum nigr. max. non ramoſ. pinnis crebris majoribus craſſis, & Trapezij in modum figuratis, *Cat. Jam.* 21. Alioquìn Synonymiis malè adhibitis confunditur.

Ibid. ad lin. 41.

Poſt *Filix* ; deleantur *Americana*, & ad lin. 42. *Inſula Jamaicenſi*, & eorum loco ; pone ex *Hiberniâ*. Et poſt *Tab. add.* 282. *fig.* 3. *nondum edit.*

Ibid. ad lin. 43.

Filix minor longifolia, tarſis raris, pinnulis longis tenuiſſimis, & oblongis laciniis fimbriatis, *D. Sherard. Raij. Synopſ. Stirp. Britan.* noviſſimè edit. 51.

Fol. 151. *ad lin.* 1.

Poſt *paluſtris add.* repens. *ad lin.* 3. *add.* Filix minor non ramoſa, *JB. Tom.* 3.

Ibid. ad lin. 6.

Filix non ramoſa major, ſurculis (alis) crebris, pinnulis longis anguſtis, *Cat. Jam.* 19.

Ibid. poſt lin. 9.

Filix non ramoſa, ex *Inſula Sanctæ Helenæ*, pinnulis amplioribus, noſtrati *fæminæ* haùd abſimilibus.

Filix mas *Marilandica*, foliis *fæminæ* foliorum æmulis, à præcedente diverſa.

Filix non ramoſa latiùs dentata *Mariana*, floreſcens, thyrſo florum, ruffâ lanugine tecto.

Ibid. ad lin. 12. *poſt* 292. *add.* nondum edit.

Ibid. poſt lin. 30.

Filix non ramoſa, pinnulis longioribus, anguſtis, profundè dentatis, ſupremâ pinnâ admodùm elongatâ ; ex *Inſ. Johanna.* Filix pyramidalis *Madraſpatana* elegans, pinnulis ſerratis. Item Filix pyramidalis elegans, *Inſulæ Sancti Johannis*, pinnulis anguſtis ſerratis, *Muſ. Pet.* Bis enim repetitur.

Filix non ramoſa pinnulis anguſtis profundè dentatis, pediculis hirſutie ferrugineâ hiſpidis, ex *Inſula Johanna.*

Ibid. ad lin. 36.

An Filix minor non ramoſa, alis foliorum alternatim poſitis, bifidis & multifidis, *Raij Synopſ.* 48.

Filix mas non ramoſa *Marilandica*, pinnulis anguſtis, rarioribus, profundè dentatis, ſupernâ parte auriculatis.

Filix petræa *Marilandica*, folio ad utrumque extremum pyramidali.

Fol.

Fol. 152. *ad lin.* 7.

An Polypodium parvum foliis minutim serratis, *Banist.* Fortè Filix minor in pinnas tantùm divisa, ex adverso sitas, oblongas latasque non crenatas, infimis ad basim auriculatis, *Cat. Jam.* 19. Pinnulæ autem nostræ, sunt minutissimis crenaturis circumcinctæ.

Ibid. ad lin. 11.

Lonchitis altissima, pinnulis utrinque, seu ex utroque latere auriculatis, *Cat. Jam.* 16.

Ibid. ad lin. 14.

Fortè etiam Lonchitis major, pinnis latioribus leviter denticulatis, superiori latere auriculatis, *Cat. Jam.* 16. Item Lonchitis major pinnis angustioribus, leviter denticulatis, superiori latere auriculatis, *ejusd. ibid.*

Ibid. ad lin. 15.

An Lonchitis minor pinnis latioribus, leviter denticulatis, superiore latere auriculatis, *Cat. Jam.* 16.

Ibid. post lin. 19.

Filix s. Lonchitis major, Polypodij foliis *Virginiana, Banisteri Cat. Stirp. Virg.* Hæc atque etiam vulgaris Lonchitidis species, ut in Horto suo sicco scriptum reliquit, Autor, simili modo florida est.

Ibid. ad lin 21.

Lonchitis minor, pinnulis angustis, crebris, tenuibus, atrovirentibus, *Cat. Jam.* 16.

Filix Lonchitidis facie minor, *Insulæ Sanctæ Helenæ*, pinnulis brevioribus, dentatis, supernâ parte auriculatis.

Filix Lonchitidis facie, supernis pinnulis auriculatis, & exquisitè denticulatis; à priore diversa.

Filix s. Lonchitis *Æthiopica*, pinnulâ latâ, brevi, supernè modo articulata, nervo medio in aculeum parvum desinente.

Ibid. ad lin. 35.

An fortè Lonchitis Asplenij facie, pinnulis variis, viz. subrotundis, & ex utroque latere auriculatis, *Cat. Jam.* 16. Quam facit eandem cum Filice non ramosa Scolopendroide, *Plumier. fol.* 7. *fig.* 11. Sed minùs rectè, ut mecum existimo; hujus enim pinnulæ nullatenùs sunt anriculatæ. Fortè etiam Lonchitis altissima, pinnulis raris, non laciniatis, *ejusd. Cat. Jam. ibid.*

Ibid. ad lin. 39.

An Filix non ramosa minor, caule nigro, surculis raris, pinnulis latis, dentatis, subtùs niveis, *Cat. Jam.* 21.

Ibid. ad lin. 44.

An Filix major scandens, in pinnas tantùm divisa oblongas, latissimas, non crenatas, *Cat. Jam.* 18. Sed nostra non scandit. An potius Filix minor in pinnas tantùm divisa, crebras non crenatas auriculatas, & lineis pulverulentis aversâ parte notatas, *ejusd. ibidem.* Nostra tamen folia sunt crenata, vel sinuata saltèm.

Fol. 152. *post lin.* 44.

Filix non ramosa, Pastinacæ aquaticæ angustioribus foliis serratis, atque ad oras veluti perforatis, ex *Insula Johanna.*

Fol. 153. *ad lin.* 7.

An Filix ramosa minor, pinnulis crebris, brevibus, latis, obtusis, subrotundis, *Cat. Jam.* 23. Fortè etiam, Filix ramosa major, ramulis raris ex adverso sitis, pinnulis Asplenij scilicèt crebris, latis, brevibus, subrotundis, non dentatis, *ejusd.* 24.

Filix non ramosa *Insul. Johannæ*, pinnulis Lonchitidis obtusis, non dentatis, ad ora pulverulentis. An Lonchitidis genus ramosum, *Ind. Orientalis.*

Ibid. ad lin. 12.

An Filix non ramosa major, surculis crebris, pinnulis brevioribus angustis, *Cat. Jam.* 20. Item Filix ramosa major, pinnulis longis, acutis, raris, falcatis, *ejusd. pag.* 23.

Filix non ramosa *Æthiopica*, longioribus alis, pinnis particularibus, Agerati foliorum æmulis, ex *Prom. Bon. Spei.*

Ibid. ad lin. 19.

Polypodium minus pinnulis raris subtùs cinereis, *Cat. Jam.* 16. Ubi Polypodium radice tenui, & repente, *Plumier*, ponitur pro Synonymo.

Filicula sive Polypodium parvum pilosum, Rosmarini foliis punctatis, pediculo nigro, ex *Ins. Johannâ.*

Ibid. post lin. 27.

Filix *Mariana* Osmundæ facie racemifera; à Præcedenti neutiquam differt. Utriusque *Indiæ* alumna est; in *Provincia nostra Mariana apud Americanos*, collegit *D. David Krieg. Germanus, Medicus Ornatissimus*, & redeunte in *Angliam*, secum attulit, & nobis amicè communicavit. Hujus racemum elegantèr depictum exhibetur à *Clariss. Breyn.* in *Cent.*

Filix Osmundæ facie *Mariana*, segmentis minutim denticulatis, pediculo atronitente. Huic perindè ac in Lonchitidum censu, duo sunt foliorum genera, ab *eodem laudato Kriegio* accepimus.

Eadem segmentis sinuatis, crispis, & argutè denticulatis.

Ibid. ad lin. 30.

An Polypodium *Monomotapense*; Lonchitidis foliis, *Hort. Beaumont.* 35. Polydium Scolopendriæ, vel Phyllitidis facie maximum, *Surinamense, Breyn. Prodr.* 2. 85. Fortè etiam Polypodium exoticum, foliis Quercûs, *CBP, Hort. Fagelian. ejusd. Breyn. ibid.* Hanc nostram Filicem Polypodio majori aureo, *Plumier. fig.* 35. eandem facit *Sloanus, Cat. Jam.* 15.

Ibid. post lin. 34.

Filix Angelicæ foliis quodammodò accedens, ex *Insula Johanna.*

Ibid. post lin. 39.

Filix mas vulgari similis, pinnulis crenatis, ex *Insulâ Sanctæ Helenæ.*

Ibid. ad lin. 43.

Filix major scandens, in pinnas tantùm divisa, oblongas latasque non crenatas, *Cat. Jam.* 17? Cui pro Synonymo adponitur Filix scandens latifolia, serrata, *Plumier.* Sed quàm rectè aliorum judiciis relinquo. An Panna-valli, *Hort. Malab. Part.* 12. *Tab.* 35.

Fol.

Fol. 154. *post lin.* 3.

Filicula saxatilis Osmundæ facie foliis variis; margine non serratis; sive Adiantum *Marianum*, pediculis atris, à superiùs nec tamen pro meritis satis laudato *D. Kriego* accepimus.

Ibid. ad lin. 4.

Post foliis *add.* prælongis. *Et ad lin.* 7. ante *Breyn. add.* & *Brasiliana*.

Ibid. ad lin. 12.

An Filix maj. in pinnas tantùm divisa, oblongas, angustasque non crenatas, *Cat. Jam.* 18. Sed malè additur non crenatas, si sit nostra; rectius fortè, Filix maj, in pinnas tantùm divisa oblongas, angustasque non crenatas, *ejusd. ibid.*

Ibid. ad lin. 18. *post fig.* 1. *add. nondum edit.*

An Lonchitis major pinnis longis angustissimisque, *Cat. Jam.* 16. Item Filix non ramosa major, surculis raris, pinnulis longis, angustis, rarissimis, *ejusd. pag.* 19.

Filix non ramosa *Monomotapensis*, prælongis pinnis integris, margine plerumque planis, ad pediculum tamen, rarioribus denticulis amplis, & magis extantibus ornata.

Ibid. ad lin. 24.

Lonchitis palustris maxima, *Cat. Jam.* 15. Item Filix maxima in pinnas tantùm divisa, oblongas, latasque non crenatas, *ejusd. pag.* 17.

Ibid. ad lin. 28.

Lonchitidi affinis arbor anomala, folio alato è pinnarum crenis fructifero, *Cat. Jam.* 16. Hæc autem & quæ proxime sequitur in *Almagesto* nostro, sunt de bacciferarum censu, & novum plantarum genus constituunt, Laurotaxis nostris monopyrenis ad folia bacciferis, annumerandæ.

Ibid. post lin. 34.

Filix f. Phyllitis major grandioribus foliis, ex *Insula Johanna.*

Filix Phyllitis dicta, tenerifolia, longius mucronata, *Insulæ Johannæ.*

Ibid. ad lin. 36.

Filix minor plerùmque trifida, pinnis oblongis latisque non crenatis, *Cat. Jam.* 18. Minùs autem propriè, minor dicitur, cùm folio sit amplissimo.

Ibid. ad lin. 40.

Phyllitis ramosa trifida, *Cat. Jam.* 19. Phyllitis f. Lingua cervina, multifido folio ramosa, *Breyn. Prodr.* 2. 82. Lingua cervina polyphylla, polyschides, *Bocc. Mus. Pl. pag.* 144. *Tab.* 102.

Filix f. Phyllitis caulifera, *Insulæ Sanctæ Helenæ*, pinnulis variè dentatis, aversâ parte liris obliquè tendentibus, serratisque eleganter striatis. Habuimus etiam ex *Insulâ Johanna.*

Filicifolia Phyllitis cauliferæ similis, trifoliata, ex *Insula Johanna.*

Ibid. ad lin. ult.

Phyllitis non sinuata minor, apice folij radices agente, *Cat. Jam.* 14.

Fol. 155. *ad lin.* 9.

Hemionitidi affinis, Filix major trifida, auriculata, pinnis latissimis, sinuatis. An Caticaa sive Polypodium, *Pisonis Cat. Jam.* 18.

Fol. 155. ad lin. 9.

Filix Hemionitis trifida & quinquifida, bullatis foliis, ex *Insula Johanna*. An fortè sit de genere Polypodiorum.

Filix sive Hemionitis multifida platyceros, s. segmentis coriaceis, cornu cervinum referentibus, aversâ parte canescentibus, ex *Inf. Johanna*.

Ibid. ad lin. 11.

Hemionitis folio hirsuto, & magis dissecto, s. Ranunculi folio, *Cat. Jam.* 15.

Ibid. ad lin 19.

Hemionitis foliis atrovirentibus maximè dissectis, s. Filix Geranij Robertiani folio, *Cat. Jam. pag.* 15.

Ibid. post lin. 19.

Filix Hemionitis *Americana* major, Ricini laciniatis foliis, ex *Insula Trinidado*. A fratre suo ad *D. Stonestreet* allata est.

Ibid. ad lin. 24.

Hemionitis peregrina *Clusij Cat. Jam.* 15. Itèm Hemionitis peregrina foliorum segmentis sinuatis, longioribus, & magis acuminatis, s. Hederæ folio angulosο, *ejusd. ibid.*

Ibid. ad lin. 27. add.

Vid. Phytograph. Tab. 287. *fig.* 5.

Ibid. ad lin. 30.

Phyllitis scandens minima, Musci facie, foliis membranaceis subrotundis, *Cat. Jam.* 15.

Filix mari ramosæ pinnulis dentatis *Gerardi* similis, sed diversa, ex *Insula Sancta Helena*.

Filix ramosa latius dentata, plana, pinnulis ad oras aversâ parte pulverulentis, ex *Terrâ Marianâ*. An Filix fæmina, foliis ad margines pulverulentis, feminibus fimbriatis, *Banister. Cat. Stirp. Virginian.*

Filix Osmundæ facie, summo pediculi fastigio, ramulis in orbem radiatis, ex *Insula Madagascar*.

Filix elegans tanaceti vulgaris folio, *Insulæ Johannæ*.

Filix ramosa Cicutariæ maximæ folio, mediâ costâ candore nitente, ex *Insula Sancta Helena*.

Ibid. ad lin. 37. post 294. *add.* Nondùm edit.

Ibid. ad lin. 40. add.

Filix saxatilis crispa *Parkinsoni D. Merret in Pinac.*

Ibid. ad lin. ult.

Hoc etiam attributum magis propriè Filici mari ramosæ pinnulis dentatis *Gerardi* appropriari meretur, ut cuilibet pateat ex *Icone* in *Phytogr. nostra Tab.* 181. exhibitâ.

Fol. 156. ad lin. 1.

An Adiantum nigrum ramosum maximum, foliis s. pinnulis obtusis, tenuibus, regulariter minutissimè & pulcherrimè sectis, *Cat. Jam.* 22. *ad lin.* 3. *post* 293. *add.* Nondum edit.

Ibid. ad lin. 4.

An ? Filices hastâ crassiores *Petr. Martyr. Decad.* An Filix arborea ramosa, spino-

sa, caudice non diviso, pinnulis latis, densis, brevibus, tenuibus, minutim dentatis, *Cat. Jam.* 22.

Fol. 156. *ad lin.* 9.

Lege nondùm edit. & *ad lin.* 11. *add.* nondùm edit.

Ibid. ad lin. 15.

Filix ramosa major, caule spinoso, foliis sive pinnulis rotundis, profundè laciniatis, sive Cerefolij foliis, *Cat. Jam.* 23.

Ibid. ad lin. 18.

Filix furcata, pinnulis longiusculis, non dentatis, *Plumier. fig.* 20. Filix fœm. f. ramosa major dichotoma, pinnulis Lonchitidis, scilicèt longis angustis, non dentatis, *Cat. Jam.* 24.

Filix furcata Polypodij angustioribus pinnis, supremâ admodùm prolixâ, ex *Insula Johanna.* An Filix ramosa, pinnulis rostratis *Plumier.*

Ibid. ad lin. 19.

Filix fæmina f. ramosa, major, pinnulis angustis, obtusis, non dentatis, impari surculum terminante longissimâ, *Cat. Jam.* 24. An Filix ramosa pinnis longiusculis partim auriculatis, *Plumier. fig.* 22.

Ibid ad lin 20.

Filix fæmina, f. ramosa major, pinnulis angustissimis, rarissimisque, *Cat. Jam.* 24.

Ibid. ad lin. 22. *post fig.* 3. *add.*

An Filix arborea ramosa, caudice non diviso, pinnulis angustis, raris, obtusis, integris, *Cat. Jam.* 22.

Ibid. ad lin. 31.

Fortè Adiantum nigrum ramosum, maximum, foliis f. pinnulis tenuibus, longis, acutis, spinosis, *Cat. Jam.* 22.

Filix ex *Insula Johanna* pinnulis obtusioribus, planis, alis infimis utrinque bisectis.

Eadem pinnis brevioribus, ramulis infimis bifurcatis, *ex Insula Johanna.*

Filicula corniculata *Insulæ Sanctæ Helenæ,* f. Adiantum ἀκρόστιχον *Indicum,* longis, rigentibus pinnulis tenuissimis, bifurcatum.

Ibid. ad lin. 35.

Filicis an species (fortè) *Marcgravij, fol.* 2. Phyllitidi multifidæ affinis, Filix scandens, in pinnas tantùm divisa, oblongas, angustas, laciniatas, *Cat. Jam.* 19. *Fortunatum* esse oporteat, qui divinare voluerit, quid sibi velit autor, hujusmodi epithetis. An Valli-panna, *Hort. Malab. Part.* 12. *Tab.* 32. An Isjeru-Vallipanna vel Warapoli, *ejusd. Hort. Malabar. Part.* 12. *Tab.* 34. An Isjeru-Vallipanna altera, *ejusd. ibid.*

Ibid. ad lin. 37.

Filix non ramosa maxima, surculis raris, pinnis variis, inferioribus scilicet oblongis, acutis, superioribus verò Asplenij subrotundis, *Cat. Jam.* 19.

Quid sibi vult Autor *per hanc notam,* viz. *surculis raris,* in denominatione hujus Filicis, cum non ramosa sit, me planè ignorare fateor; surculum enim esse Stipitis partem, aut rami, ex *Festo* didicimus, & ratio vocis indicat, & declarat usus; nam Vox diminutionem notat, ex Suro, Surum, palum dixêre prisci, unde Sura in hominibus. Surculus (inquit *Rajus noster, in Terminorum quorundam &*

Vocum generalium explicationibus), est, quod in ramis simplex assurgit tenerum & exile, ergo nullus datur surculus, ubi non est ramus, ideoque in Filice non ramosa (surculis raris) minùs propriè adjiciuntur, alis raris ex nostrâ sententiâ meliùs diceretur.

Ibid. ad lin. 41.

An Phyllitidi multifidæ affinis, Filix scandens in pinnas tantùm divisa oblongas, angustas, non crenatas, an Filicis alia species, in *Insula Tamaraca*, *Marcgravij fol.* 2. *Cat. Jam.* 19.

Ibid. ad lin. 43.

Post vocem *Jamaicensis* deleantur verba inter Filicem & Lycopodium media, & *eorum loco lege*, Filicis & Lycopodij compos.

Ibid. ad lin. ult.

Phyllitis minor scandens, foliis angustis, *Cat. Jam.* 15.

Fol. 157. *ad lin.* 29.

Phaseolus sylvaticus, flore patulo; dilutè purpureo, siliquâ tenui, nigrâ, seminè minore maculato, *Cat. Jam.* 71. Ubi Autor pro more consueto, confundit diversarum plantarum nomina.

Fol. 158. *ad lin.* 32.

Tlaolli Maiziumvè *N. eremberg. fol.* 322. Triticum *Bactrianum Cordi H. Plantar. fol.* 112. *Turcicum* frumentum, typhâ magnâ, Triticum magnum, s. *Asiaticum, Tragi. fol.* 651. Frumentum *Turcicum*, rectiùs Panicum peregrinum, *Gesneri Hort. German. fol.* 259.

Ibid. ad lin. 40.

Post alterum *add.* minus, *post* 455. *ejusd. lineæ add.* Fortè & Triticum *Indicum ejusd. JB. Tom.* 2. *fol.* 453.

Ibid. ad lin. ult.

An Granati folio *Curassavica* arbor lucida *PBP.* 338.

Fol. 159. *post lin.* 1.

FRUTEX sive Arbuscula baccifera, subrotundis foliis, Chrysanthemi floribus *Africana*.

Frutex *Indicus* Prunifolius, fructu hexagono, cum officulo singulari, multinucleo, ex *Insula Johanna*.

Ibid. post lin. 8.

Frutex *Æthiopicus* baccifer, Teucrij acutioribus foliis scabris, ad caulem imbricatis.

Ibid. post lin. 10.

Frutex anonymos, foliis Lauri-tini minoris, *Breyn. Fasc. Rarior.* 23.

Ibid. ad lin. 20.

Huic etiam pertinet Katou-Nirouri, *Hort. Mal. Part.* 10. *Tab.* 44. ex *Insula Barbados*, sub Indigo sylvestris nomine, hanc plantam aliquando recepi. Flosculum fert luteum ut audio. An Cocusquahuitl *Vaxacensis* s. Arbor cardiaca, *Hernandez apud Recc. fol.* 96. Keelanelle *Malabareis* nuncupatur. Adversus Icterum, & Febres intermittentes, insigne specificum.

Ibid. ad lin. 22.

Vitis Idææ affinis, flore hexapetalo exalbicante, *Commelin. Not. in Hort. Malab.*

Fol. 159. *post lin.* 24.

Frutex *Virginianus* pentapetaloides, Circææ foliis rigidis, fructu calyce immerso, baccam mentiente, foliorum petiolis eleganter fimbriatis.

Ibid. ad lin. 28.

Post muscosus *add.* Herbæ Impiæ capitulis in spicam sessilibus.

Ibid. post lin. 29.

Frutex *Æthiopicus*, Cineraceo muscoso similis, capitulis sparsis. Foliola sua minutissima in gyrum stellulæ depictæ instar, stipitibus arctè adnascentia, musci in modum emittit. At hujus Plantarum generis sunt plurimæ diversæ species, quas omnes ad Myricæ genus relegandas eixstimo, & sub Temarisci titulo invenies.

Ibid. post lin. 31.

Frutex *Africanus*, Terribilis *Narbonensium* folio, capitulis oblongis, squamosis, *Breyn. Fascic.*

Ibid. post lin. 33.

Frutex *Africanus*, lanceatis foliolis duris, mucrone pungentibus, ad *D. Stonestreet* allata est; forte sit de Ericarum genere.

Ibid. ad lin. 35.

Genistella Rusci folio major, *Capit. Bon. Spei. Breyn. Prodr.* 2. 50.

Ibid. ad lin. ult.

Jujubes (fortè) *Indiana*, sive Ber *Indicæ* affinis Laccifera.

Fol. 160. *ad lin.* 6. *post cap.* 10. *add.*

Kaate, ex hujus arboris ligno, pastillos concinnatos cum *Betello* comedunt, *CBP.* 410. *ex Linschoten. Part.* 4. *Ind. Or. cap.* 16.

Fol. 160. *post lin.* 12.

Frutex scandens Petroselini foliis *Virginianus*, claviculis donatus, in *Horto Plantar. exoticar. ditissimo, D. Samuelis Reynardsoni*, percelebris Mercatoris *Londinens.* apud Villam suam ad *Hillingdonam* ex seminibus sibi natum, hunc perelegantem Fruticem primò lustravimus, deindè in *Hort. celeberrimo Comptoniano apud Fulhamiam.* An hæc planta sit, Frutex Petroselini foliis, *Banist. Cat. Virg.* Fortè Clematidis species, an Aquitzli *Mexicensibus, Hernandez apud Recc. fol.* 354. Talictri (fortè) foliis *Portoricensis*, Planta scandens capreolis, *Hort. Beaum.* 38. **The Pepper-Tree**, nostratibus dicta.

Ibid. ad lin. 14.

Atexcalquahoitl, *Nov. Hispan. Terentij apud Recc.* 354.

Ibid. ad lin. 34. *post* 360. *add.*

Tokaun folia oblonga, & acuta, ex quibus fila detrahunt, & reticula piscatoria indè contexunt, *ejusd. CBP.* 320. *ex Stadio in Brasil. lib.* 2. *cap.* 8.

Ibid. ad lin. 35.

In istâ opinione nuperrimè confirmavit nos, Insignis Botanicus *Germanus D. Andreas Gundelsheimer MD.* Qui huic nostro, idem esse nobis affirmavit.

Fol. 161. *ad lin.* 26.

Fucus hæmorrhoidalis maximus, s. nodis prægrandibus nostras. Quercus marina tertia *Gerard. emac.* 1568.

Fol. 162. *post lin.* 1.

FUCUS membranaceus Ceranoides, pennatus rubens, elegantissimus, *ex Groënlandiâ.*

Ibid. ad lin. 13.

Fumaria exilis *Romana*, folio Sophiæ tenuissimo, *Boccon. Mus. Plant. pag.* 107. *quoad figuram ad Tab.* 81.

Ibid. ad lin. 21.

An Fumaria minor, Foeniculi tortuosi foliis, flore albo, maculâ rubente, *Boccon. Mus. Pl.* 144. *Tab.* 102.

Ibid. post lin. 23.

FUMARIA *Virginiana* Sempervirentis *Cornuti* æmula, siliquis Ornithopodij.

Ibid. post lin. 33.

Fumaria amplexicaulis Vesicaria, *Cap. Bon. Spei. Act. Hafniens. Ann.* 1637. *Obs.* 24. Fumaria alba Vesicaria, capreolis donata, sub exitum Autumni florens *Æthiopica, Almag. Bot. app. fol.* 400.

Fol. 163. *post lin.* 29.

FUNGUS parvus pullus, stipitibus cariosis adnascens, supernè lamellatus, *D. Vernon.*

Ibid. ad lin. 31.

An Scyphulus tantùm alicujus Musci terrestris, vel Lichenis; non aliud est quàm Scyphulus albus, Musci leprosi audactèr asserit, *D. Doody, Raij. Synops. Stirp. Brit. novissime edit.* 331.

Fol. 164. *ad lin.* 21.

Laurifolia arbor Venenata, folio acuminato, copiosum lac præbens, ex quo inspissato Viscus aucupum paratur, *Cat. Jam.* 138. Hùc fortè spectat Arti, s. Ada arbor in *Insula Solor*, *Zanoni fol.* 29. Quam eandem esse suspicamur cum Tezcapatli, *Novæ Hispan. Terentij apud Recc. fol.* 413. Fortè etiam Curupicaiba, *Laetij Ind. Occ. lib.* 15. *cap.* 8. *fol.* 132. Fortè etiam, Visci instar succus concretus, *JB. Tom.* 1. *Part.* 2. *fol.* 347. Cujus fragmentum ad *Carolum Clusium* transmittebat *Londino Jacobus Garetus*. An fortè Kerzeherch arbor Venenata *Persarum*; sive Arbor cujus una radix venenum est, altera Veneni antidotum, *Thevenot. Itinerar. Part.* 2. *fol.* 117. Arbor contrariis prorsùs facultatibus donata, *CBP.* 457. Nam quæ Solem Orientem, spectat, adversus omnia venena valet, quæ vero Occidentem, Venenum præsentaneum sunt, *ex Ignatio Franciscano in Itinere Novi Orbis*, ex quo etiam *Clusius Notis in Christoph. Acost. cap.* 41. An fortè Arbor venenata, Laurifolia, omnibus animantibus noxia, *Strabon. lib.* 15. Vidisse enim se plantam Lauro persimilem scribit, quam gustantes belluæ abalienatæ, quasi *Herculeo* morbo concidunt, ore spumantes.

G.

Fol. 164. *ad lin.* 23.

SCORPIOIDES Galegæ foliis ſingularibus, *Boccon. Muſ. Plantar. pag.* 150. *Tab.* 110.

Ibid. poſt lin. 23.

GALEGÆ affinis *Malabarica* arboreſc. ſiliquis majoribus articulatis, *D. Seyn. Not. in Hort. Malab.* Agaty *Malabarorum*, *Hort. Malab. Part.* 1. *fig.* 51.

Fol. 165. *ad lin.* 2.

Geniſtæ affinis *Africana*, flore cæruleo, alato, & punctato, foliis aſperiuſculis, *Breyn. Faſc. Rar.* 24.

Ibid. poſt lin. 3.

GENISTA *Æthiopica* incana, foliis anguſtiſſimis, prælongis, denſius ſtipatis, floribus parvis luteis.

Geniſta *Æthiopica* flore flavo, foliolis inflexis, & araneoſa lanugine fimbriatis, ſummo ramulo, circà flores glomeratis. An Chamælarix, ſ. Chenopoda *Monomotapenſis*, *Breyn. Cent.*

Ibid. poſt lin. 4.

Geniſta non ſpinoſa, Roriſmarini foliis, *Æthiopica.*

Ibid. ad lin. 14. *poſt vulgò add.*

Cytiſus humilis argenteus, longis & anguſtis foliis, ex *Inſulis Stoechadibus Turnefort. PBP. append.*

Ibid. ad lin. 18.

Cytiſus argenteus Linifolius, *Inſularum Stæchadum*, *Turnefortij Elem. Bot.* 508. Cytiſus *Inſular. Stæchadum*, foliis oblongis anguſtis, ſubtùs argenteis, an Cytiſus foliis acuminatis, *Italicus CBP. Schol. Bot.* 272. An fortè Caxumba *Indis*, Floërs ad Tincturam, *JB. Tom.* 1. *Part.* 2. *fol.* 398. *ex Linſchotano.*

Ibid. ad lin. 24.

Hujus proſapiæ nobis videtur, Tocapotle *Novæ Hiſpan. Terentij apud Recc.* 431.

Ibid. poſt lin. 24.

Geniſtæ tinctoriæ ſimilis, Planta *Æthiopica*, Linariæ folio, flore luteo.

Geniſta tinctoria arboreſc. *Luſitanica*, flore parvo luteo, folio ſingulari virente, in *Hort. DD. Uvedale Enfeldiæ* enutritam, conſpeximus. An fortè Geniſta *Arabica* quæ à noſtrâ diverſa, planities ad montem *Sinai* obſiti ſunt; quæ etiam in *Arabiæ* ſolitudinibus naſcitur, *Bellon. Obſ. ſed quid ? CBP.* 395. Hujus enim ſunt Virgulæ noſtratis vulgaris inſtar, anguloſæ, virentes, lentæ, tenuiſſimæ, quarum aliquæ pedem ſuperant, aliæ minores ſunt, ex quibus ſcopas etiam parari poſſe mihi facilè perſuadeo. Et ſi foliorum ſitus non obſtarent, hanc eandem eſſe cum Tocapotle *Nov. Hiſpaniæ* putarem.

Fol.

Fol. 165. *post lin.* 29.

Genista parva, Gallij albi facie, ex *Oris Coromandel.*

Genista Ericoides Africana, s. Genista-spartium cæruleum, *Capitis Bon. Spei. Breyn. Fasc.* 24.

Genista *Æthiopica* non spinosa, foliis Ericæ villosis, ex uno puncto confertis, floribus parvis spicatis, luteis, calycibus longioribus immersis.

Genista non spinosa, Laricis foliis *Æthiopica.*

Genista *Æthiopica* glabra, longioribus foliis, ex uno puncto plurimis, flore majore luteo.

Genista minima *Æthiopica*, foliolis Thymi confertis, splendentibus glabris.

Ibid. ad lin. 31.

Deleantur quæ sequuntur verba. Huc fortè spectat Katupolapen, *Hort. Malab. Part.* 9. *Tab.* 66.

Ibid. ad lin. 38.

An Trifolium frutex Genistæ folio, *JB. Tom.* 1. *Part.* 2. *fol.* 375.

Fol. 165. *post lin.* 43.

Genista arbor *Æthiopica*, Salicis odoratæ folio, flore flavo. An Myrtogenista, *Breyn. Cent.* 68.

Genista *Æthiopica* frutescens, Rusci longioribus foliis, maxima.

Genista *Africana* cinerea, Ericæ supinæ nostratis maritimæ facie, apicibus foliorum spinosis, floribus rubescentibus, summo caule glomeratis.

Genista Astroites, Juniperinis pungentibus foliis, *Æthiopica*, floribus saturatè luteis. Hæc planta folia sua apicibus aculeata, stellæ in modum stipitibus arctè adnascentia, profert, unde patet Astroites epitheto, non immeritò auctum hujus titulum.

Fol. 166. *post lin.* 5.

Genistella spinosa *Africana*, Laricis folio, *Breyn. Cent.* 68.

Ibid. post lin. 13.

Genista Aspalathoides polyanthos major, *Capit. Bon. Spei. Breyn. Fasc. rarior.* 24. Quam nunc existimo diversam esse, ab ultima hujus Classis in *Almagestro nostro* recensitâ, licet aliquandò alitèr senserim.

Ibid. post lin. 15.

Genista-Spartium aculeatum minus, s. Aspalathoides *Africanum* aphyllon, ex *Prom. Bon. Spei* ad *D. Stonestreet*, à fratre suo allata est. An Scorpius spinosus Veteribus, *JB. Tom.* 1. *lib.* 11. 399. Fortè Hippophæstum *Cæsalpini*, s. Glastivida secunda *Cretica*, *Ponæ. Bocc. Mus. Pl. pag.* 111. *Tab.* 89.

Ibid. ad lin. 23.

Post fig. 6. Huic fortè spectat Spartium spinosum, *Pr. Alpin. de Plant. Ext.* 26.

Ibid. ad lin. 25.

Deleantur hæc verba. An Erica Serpyllifolio *Æthiopica* flore purpureo pulchro, *Breyn. Fasc.*

Ibid. post lin. 27.

Genisto-spartium spinosum monospermon, Polemonij folio singulari, hiulculis conspicuo, flore parvo candicante, *Prom. Bon. Spei.* An fortè idem cum proximè præcedenti.

Fol.

Fol. 166. *ad lin.* 29.

Deleantur quæ sequuntur. An Genista Aspalathoides polyanthos major, *Cap. Bon. Spei. Breyn.*

Ibid. ad lin. 30.

Aspalathus (fortè) albicans, torulo citreo, *CBP.* 392. Lignum rosei odoris in *Brasil. Lerius Descript. Brasil.* vel *Part.* 3. *Ind. Occ. cap.* 12. Fortè etiam Aspalathus humilior spinosus in *Nisyro & Rhodiorum Insulis*, quem alij Erysisceptrum vocant, *Plin. lib.* 24. *cap.* 13. Hujus etenim flores sunt rosacei coloris.

Ibid. post lin. 35.

GENTIANA major *Mariana*, angustiori folio, Gentianellæ Vernæ floribus cæruleis, plurimis in summitate coaggestis. An Gentiana cruciata, floribus cæruleis, *Banisteri. Cat. Stirp. Virginian.*

Ibid. post lin. 38.

Gentiana angusti folia *Americana*, flore ex ochro & cyaneo mixto, in fastigio caulis unico. Hæc fortè rectius deprehendatur Basium esse monile, *Hernandez apud Recc.* ex *Terrâ Marianâ* allata est.

Fol. 167. *post lin.* 8.

Gentianella minor aurea flore singulari amplo, deflexo, pallidè flavescente. Ut & tota planta flavescit, à *D. Krieg* habuimus, quam in *Provinciâ Marianâ* invenit.

Ibid. post lin. 11.

Gentiana *Æthiopica*, geniculato caule, perfoliata, foliis acuminatis, crassis, Paralij ritu veluti squamis densissimè tecto, summa parte floribus puniceis. Ad *D. Stonestreet*, fratre suo à *Promont. Bon. Spei.* allata est.

Ibid. post lin. 24.

Gentiana *Virginiana* foliis inferioribus parvis, mucronatis, summo caule amplioribus subrotundis, venosis, ad flores suos convolutis. Hujus *Icon* sub Orobanche titulo per errorem exhibetur, in *Phytograph. Tab.* 209. *fig.* 6.

Gentianella *Æthiopica*, floribus veluti in umbellam sparsis, colore cæruleo.

Gentiana Centauroides, *Ind. Orientalis*, Hyssopi folio, floribus purpureis, in verticillas densiùs stipatis. Vulerhir *Malabarorum.*

Ibid. ad lin. 32.

Gentianella flore cæruleo integro, vasculo seminali, ex humidi contactu impatiente, *Cat. Jam.* 52. Ubi per nimiam inadvertentiam quæritur, an sit Gentianellæ species, *Bontij fol.* 154. Multa enim hoc opere, non sine supinâ Oscitantiâ traduntur, alterum pro altero, sub eodem nomine, licet inter se nihil planè commune habeant.

Fol. 168. *ad lin.* 2.

Geranium (fortè) montanum, rotundifolium, perenne, flore purpureo, majore, *Boccon. Mus. Plantar. pag.* 81. *Tab.* 72.

Ibid. post lin. 4.

GERANII *Robertiani* quodammodo similis, folio magis anguloso, Planta *Æthiopica.*

Ibid. post lin. 8.

Geranium saxatile procumbens, foliis subtùs canescentibus, flore majore candicante, *ex Insula Pico.* Curâ industrij Hortulani *Johannis Adams in Hort. Comptoniano*,

toniano, ex feminibus enutritam confpeximus. An Tlatlauh-capatli f. Oxygeranium *Mexican.* primum, *Hernand. apud Recc.* 293.

Fol. 168. *ad lin.* 15.

Geranium *Pyrenaicum*, foliis cineraceis, radice craffâ, magno flore variegato, *Turnefortij* monente *Doctore Preston.*

Ibid. post lin. 18.

Geranium parvum *Æthiopicum*, flore magno candicante, Lupini foliis, argenteo fericeis.

Fol. 169. *ad lin.* 7.

Geranium fupinum, rotundo Batrachioïdes craffo, tomentofo folio, radice rufefcente, longiùs radicatâ, *Bocc. Muf. Pl. pag.* 160. *Tab.* 128. Huic noftro in plurimis convenire videtur.

Ibid. post lin. 12.

Geranium fruticofum, Betulæ foliis, *Africanum.*

Ibid. ad lin. 15.

An Geranium *Æthiopicum* procumbens, flore galeato parvo Betonicæ folio, vel potius Malvæ Betonicæ folio foliis, *Breyn. Prodr.* 2. 51. Geranium fupinum Botrys folio, acu furfum fpectante, *Bocc. Muf. Pl. pag.* 145. *Tab.* 109. Huic accedere videtur; rectius forfan Geranium æftivum minim. fupinum alpinum, Chamædryoides, flore albo variegato, *Bocc. Muf. Pl. pag.* 160. *Tab.* 128.

Ibid. ad lin. 19.

Geranium *Æthiopicum*, flore galeato albo, Alchimillæ folio, roftris longiffimis nutantibus, *Breyn. Prodr.* 2. 52.

Ibid. ad lin. 25.

Geranium (fortè) Anemones folio, flore fuaverubente, *Breyn. Prodr.* 2. 51. Huic quoque fpectat Geranium Anemones folio, & flore ampliffimo, albo, ftriis violaceis variegato, *Horti Fagelian. Breyn. ibid.*

Ibid. ad lin. 27.

Ad hoc quoque genus (forfan) accenferi meretur Tlatecomaxohuitl f. Tealtecomaxochitl, *Novæ Hifpan. Hernand. apud Recc.* 407.

Fol. 170. *ad lin.* 3.

Geranium Chryfanthemi *Cretici* folio, *Neapolitanum*, *Bocc. Muf. Plantar. pag.* 93. *Tab.* 83.

Ibid. ad lin. 5.

Cui accedit Geranium *Africanum* tuberofum, Anemones folio, incarnato flore, *Parad. Batav.* 178. Itidem Geranium Cicutæ folio erectum *Romanum*, *Bocc. Muf. Plantar.* 93.

Ibid. ad lin. 6.

Poft *Africanum add*, Icon habetur in *Phytogr. Tab.* 328. *fig.* 3.

Ibid. ad lin. 9.

An Geranium *Æthiopicum*, flore galeato, foliorum fegmentis latioribus, f. Coriandri, *Breyn. Prodr.* 2. 51.

Geranium *Africanum*, foliis Adianti nigri *Officinarum*. An Geranium *Africanum* foliis Adianth, *PBP.* 336. Hujus autem folia, in tenuia fegmenta Adianti acroftici inftar, infecta funt, ut in *Paradifo Batavo*, defcribitur, noftra non item.

Fol.

Fol. 170. *ad lin.* 14.

Gladiolus (fortè) major latifolius, flore rubro maximo; àn Gladiolus maximus, *Prom. Bon. Spei*, flore rubro incarnato, *Swertij*, *Breyn. Fasc.* 24.

GLADIOLUS maximus ramosus, floribus argenteis, *Prom. Bon. Spei.*
Gladiolus *Africanus*, flore incarnato, nervis foliorum albentibus, *PBP.* 336.
Gladiolus parvus *Æthiopicus*, flore purpureo pendulo. An Gladiolus *Africanus*, flore pendulo, *Breynij Fasc.* 24.
Gladiolo affinis Caryophylloides, *Æthiopica*, foliis cavis, flore cæruleo, cauliculis secundùm longitudinem alatis. An Gladiolus minor gramineus, flore parvo cæruleo, *Breyn. Fasc.* 24. Caryophylleus *Monomotapensi*. nervosis Bupleuri foliis, intùs cavis, flore cæruleo, cauliculis secundùm longitudinem alatis, *Almag. Bot. fol.* 87.

Ibid. post lin. 32.

Gladiolus luteus tripetalos, ex *Terrâ Marianâ*, capitulo clavato gracili.
Gladiolus lacustris *Marianus*, capitulo squammoso, orbiculari parvo.

Ibid. ad lin. 39.

An Glaux major palustris, flore herbaceo, *HRB.* 82. & 268.

Ibid. ad lin ult.

Eadem (fortè) cum *Can Cao*, *Sinensium Cleyeri Medicam. Simplic. Chinensibus usitat pag.* 25.

Fol. 171. *ad lin.* 2.

Gnaphaloides maritimum nostras, seminibus arcuatis solidis.

Ibid. ad lin. 8.

Deleantur Fortè & quæ sequuntur verba, viz. Tzonpotonic s. Heliochrysum *Mexicanum*, *Hernandez apud Recc.* 233.

Ibid. post. lin. 20.

Gnaphalium *Virginianum*, subrotundis foliis, capitulo oblongo.

Ibid. ad lin. 24.

An Chrysocome flore albo minore, *Cap. Bon. Spei. Breyn. Prodr.* 2. *pag.* 33.

Fol. 171. *post lin.* 33.

Gnaphalium *Ægyptiacum*, latiore folio ramosius, flore ex albicante purpureo. Gnaphalio montano affinis *Ægyptiaca*, *CBP.* 264. Baccharis *Dioscoridis*, *Rauwolfio. Hist. Lugd. app* 33. *Clus. Hist.* . . . . ex *Aleppo* nobis allata est. Chrysocome *Syriaca*, flore atrorubente, *Breyn. Cent.* 146.

Ibid. post lin. 33.

Gnaphalium montanum elatius, floribus oblongis, amænè purpureis, *Marianum*.

Ibid. ad lin. 38.

An fortè Chrysocome flore aureo amplo, Conyzæ mediæ foliis, *Cap. Bon. Spei. Breyn. Prodr.* 2. *pag.* 32.

Ibid. ad lin. 40. *add.*

Vid. *Phytograph. Tab.* 323. *fig.* 1. An Chrysocome flore albo majore, *Cap. Bon. Spei. Breyn. Prodr.* 2. 33.

Ibid. ad lin. 42.

Gnaphaloides *Lusitanicum Turnefortij Elem. Bot.*

Fol. 172. *ad lin.* 4.

An Chrysocome Impia; f. Filago dicta prima vel altera, *Cap. Bon. Spei. Breyn. Fasc.* 21.

Ibid. ad lin. 5. *post JB. add.*

Tom. 3. 159. Item Gnaphalio vulgari similis, *ejusd. ibid.*

Ibid. ad lin. 9.

Filago vulgaris tenuissimis foliis erecta, *Turnefortij, Elem. Bot.* 360.

Ibid. post lin. 9.

Gnaphalium minimum tenuifolium, è *Monte Tabulari D. Stonestreet.*

Ibid. post lin. 13.

Gnaphalium minus *Æthiopicum*, valdè tomentosum, capitulis nigris strigosis. Huic referendum existimo Gnaphalium supinum, Lavendulæ folio, *Bocc. pag.* 107. *Tab.* 85.

Ibid. post lin. 18.

Gnaphalium minus erectum, oblongis & angustis foliis, floribus argenteis. Velacaumboo *Malabarorum*, à præcedenti vel in paucis discrepare videtur.

Gnaphalium minus erectum, flosculis pallescentibus, summo caule glomeratis, ex *Insula Sancta Helena.*

Gnaphalium *Æthiopicum* minus, subrotundis foliis, maximè tomentosis, summo caule ramosius, floribus argenteis, à *D. Stonestreet* accepimus.

Ibid. post lin. 20.

Gnaphalium *Æthiopicum* ramosum, flosculis aurantiacis, f. Gnaphalium Elichrysoides, comis aureis, ex *Promont. Bon. Spei.* atque etiam ex *Oris Coromandel* habuimus.

Gnaphaloides *Æthiopicum*, frutescens, stœchadis citrinæ foliis spinosis, summo ramulo floribus albis, duriusculis, arctè conglomeratis.

Gnaphaloides *Americanum* lignosum, Salicis brevioribus, & viridibus foliis, per longitudinem caulium, tomento seu cotone ad foliorum exortus, densiùs glomerato. An Herba lanuginosa *Brasiliana, Pison.* 230. Zazanaca (fortè) *Mexicensibus, Hernand. apud Recc. fol.* 184.

GOAN herba cujus radix lavando corpori inservit, *ex Carolina.* Quæ etiam ab *Ind. Orient.* (ut audio) aliquando adfertur. Fortè Costi quoddam genus, Zingiberis radicibus similes, suavitèr olens. An fortè Kuikiu sive Xinkieu radix *Sinica D. Wilhelm. ten Rhine Dissertat. de Anthritid. pag.* 108. ubi *Icon* exhibetur. Quæ Piscinæ injecta, odore suo pisces gregatim allicit, ex *ejusd. Mantiss. Schematic. pag.* 156. Adeo odorata existit hæc radix, ut sola manuum attrectatione sine ullo subjecto igne suavissimum spirat odorem Citrij & Jasmini *Catalonici* æmulum, si non ferè inerrabilem, non necesse est ad suffitus adoleri flammis; sola presentia cubilo, aut cœnaculum, quantum quantum sit, odore complet; ob cujus fragantiam à pluribus multùm æstimatur. An Tagari radix in *Naupon* pro lavando corpore, *CBP.* 91. *Part.* 4. *Ind. Orient. cap.* 8. Fortè etiam Tauzarghent radix odorata, *Scaligeri Exercit.* 142. *JB. Tom.* 1. 481. Occidentalis enim *Mauritaniæ*, quoquè alumna est. An Radix *Americana* Iridis *Florentinæ* fragrantia

fragrantia æmulans, cujus ſucco *Apalachites*, ut a pediculis ſint immunes, & benè oleant, ſua corpora frequentèr lavant, *D. Rochefort Hiſtoire des Antilles*, *pag.* 358. Coſtus Iridem redolens, *Caſp. Bauh. Theatr. Botan. fol.* 673.

Fol. 172. *ad lin.* 25.

Ychcaxihuitl ſive Goſſipium, *Hernandez apud Rec.* 308.

Ibid. ad lin. 34.

Goſſipium arboreum, flore atro purpureo, *PBP.* 337.

Ibid. ad lin. ult.

Hùc fortè ſpectat Cacanquahuitl, ſivè Signi arbor, ab aliis Pochotl vocata, *Nieremlergij* 326. Goſſipium arboreum maximum ſpinoſum, folio digitato, lanâ ſericeâ griſea, *Cat. Jam.* 159. Ubi res omnino diverſas pro iiſdem malè accipit Autor; nunc Rubus exoticus, *CBP.* Nunc Ceyba de *Oviedo*, nunc Saamouna velit, quæ dicta tam varia, non parvam fidem faciunt, ſe ignoraſſe quidnam eſſet Saamouna, quidnam Rubus exoticus, &c. Hic ſanè ubique toto ſuo Catalogo, plurima exicripſit fruſtrà, malè annexo ad unamquamque ferè Herbam, & Arborem, nominum acervo.

Fol. 173. *poſt lin.* 7.

GRAMEN ſparteum, ſpicis Cupreſſi formibus numeroſis, ad caulium nodos ex utriculis irrumpentibus, Colletteepillee *Malabarorum.*

Gramen ſparteum avenaceum pumilum, *Indiæ Orientalis*, Ravanameſe *Malabarorum.*

Ibid. poſt lin. 9.

Gramen ſparteum *Virginianum*, ſpicâ ſecalinâ.

Ibid. ad lin. 16. *add.*

Ponnepillee *Malabarorum. ad lin.* 23. *pro* Amethyſtinis *pone Cyaneis.*

Ibid. ad lin. 26.

An Gramen dactylon bicorne, ſpicis purpuraſcentibus minùs, *Cat. Jam.* 34.

Ibid. ad lin. 29.

An Gramen dactylon bicorne, ſpicis purpuraſcentibus majus, *Cat. Jam. ibid.* ad *calcem.* Iſchæmonum, ſeu Digitatorum, hoc & proximè præcedens Gramen, reponi debent.

Fol. 174. *poſt lin.* 3.

Gramen bromoides, ſive Avena ſterilis *Indiæ Orient.* Torapo *Malabarorum.*

Gramen feſtucarium, ſ. Feſtuca avenacea ſterilis, ſpicâ prælongâ, ſpadiceâ, ex *Inſulâ Johannâ.*

Ibid. poſt lin. 7.

Gramen avenaceum, *Marianum* purpureum, ſparſâ paniculâ, pulchrâ.

Ibid. ad lin. 16.

An Gramen avenaceum, paniculâ minùs ſparſâ, cujus ſingula grana tres ariſtas longiſſimas habent, *Cat. Jam.* 35.

Ibid. poſt lin. 23.

Gramen frumentaceum parvum, articulatâ ſpicâ ſimplici, plurimis granis uno verſu ad internodia ſeſſilibus, ex *Inſula Johanna.*

Ibid. poſt lin. 25.

Gramen paniceum *Virginianum*, majoribus granis, ſpicâ ſimplice molli.

Gramen paniceum parvum, ſpicatum, *Boeticum.*

Fol.

Fol. 174. *post lin.* 28.

Gramen paniceum, ſpicatum, asſperum, latiori folio, *Indiæ Orientalis.* Peapillee *Malabarorum.*

Ibid. post lin 37.

Gramen paniceum diſtachyophoron, ſ. ſpicâ gemella, binis granorum ordinibus, uno verſu conſtante *Ind. Orient.* Ponnevaragupille *Malabarorum.*

Gramen paniceum, ſpicâ ſimplici, ad caulem intervallatâ, binis granorum ordinibus, uno verſu conſtante, *Americanum.*

Ibid. ad lin. 38.

An Gramen Cyperoides polyſtachion, ſpicis ad nodos ex utriculis, ſ. foliorum alis echinatis prodeuntibus, *Cat. Jam.* 36.

Fol. 175. *ad lin.* 2.

Fortè Catechu *Officinarum.*

Ibid. ad lin. 12.

Gramen dactylon procumbens, craſſum, & viridius, culmo reclinato, *Cat. Jam.* Ubi ineptè quæritur, an ſit Gramen Iſchæmon, *Bermudenſe* ſpecioſius, foliis brevibus, obtuſis, *Phytogr. Tab.* 245. *fig.* 1.

Ibid. ad lin. 16.

An Gramen dactylon, ſpicis gracilioribus, plerumque quatuor, cruciformiter diſpoſitis, *Cat. Jam.* Hoc etiam ex *India Orientali* aliquando habuimus, ſub titulo Codemuttaugepillee *Malabarorum.*

Ibid. ad lin. 18.

An Gramen dactylon, ſpicis brevibus craſſis, plerumque quatuor, cruciformiter diſpoſitis, *Cat. Jam.* Cavareccodder *Malabarorum,* & interdum Wootarepillepu, *eorundem.*

Gramen Iſchæmon *Ind. Orientalis,* panicula longâ, ſpicis gracilioribus, pallidis. Cumboopillee *Malabarorum* & interdùm, ſub nomine Caverrepille *ab iiſdem locis* accepimus.

Ibid. ad lin. 25.

Comacheepillee *Malabarorum.* Hoc quoque eſt Gramen aromaticum, & Schoenanthôs altera ſpecies.

Ibid. ad lin. 27.

An Gramen polydiſtachyophoron, lanuginoſum, *Hort. Catholic. Fr. Cupani* 90. & *pag.* 92.

Ibid. ad lin. 29.

An Gramen dactylon bicorne, tomentoſum, maximum. ſpicis numeroſiſſimis, *Cat. Jam.* 33. Capupuba *Braſilianis,* Gramen plumeum, *Marcgr. fol.* 2. Item Gramen dactylon paniculâ longâ, ſpicis plurimis, gracilioribus, & longis, *Cat. Jam.* 34. Item Gramen dactylon panniculâ longâ, è ſpicis plurimis gracilioribus, purpureis, vel viridibus mollibus, conſtante ; *ejuſdem.* An Gramen Serpentarium *Zeylanicum, Horto Fageliano Breyn. Prod.* 2. 54. Hujus enim noſtri folium Xerampelinum, maculis majoribus, atris, variegatum, haud ſemel obſervavimus, aſpectu jucundiſſimum.

Ed.

Fol. 175. *post lin.* 29.

Gramen Ischæmon minus, prælongis spicis tenuissimis, *Americanum*, ex *Terrâ Marianâ.*

Ibid. post lin. 35.

Gramen dactylon supinum, folio arundinaceo minimum. *ex Indiâ Orientali.* Colenarrunillu *Malabarorum.*

Ibid. ad lin. antepenult.

An Gramen dactylon elatius, spicis plurimis tomentosis, *Cat. Jam.* 33. Item Gramen dactylon, Alopecuroidis facie, paniculâ longissimâ, è spicis plurimis tomentosis constante, *ejusd.* Ubi nimis ineptè quærendum proponitur; an sit Gramen alopecuroides *Curassavicum*, spicâ longissimâ, sericeâ, candidâ, *PBP.* 338. Hoc idem Gramen Ischæmon, villosis paniculis; ex *India Orientali*, accepimus, atque Poopillee à *Malabareis* nuncupatur.

Fol. 176. *post lin.* 5.

Gramen filiceum, *Indiæ Orientalis*, paniculis integris, s. non ramosis, in prælongam spicam, uno versu prorumpentibus. Narracuchapillee *Malabarorum.*

Ibid. post lin. 7.

Gramen paniculis elegantissimis, fortè Eragrostis major, *CBP. ex Ind. Or.* Tulipillee *Malabarorum.*

Gramen amoris *Marilandicum* paniculis azureis.

Ibid. ad lin. 10.

An Gramini tremulo affine paniculatum, elegans, minimum, *Cat. Jam.* 34.

Ibid. ad lin. 12.

An Gramini tremulo affine, paniculatum elegans majus, spicis minoribus, & longioribus, *Cat. Jam.*

Gramen filiceum, s. *Amourets* spicâ longâ, variis minoribus, spiculis compositâ, ad unum latus spectante. Cauderepillepu. *Malabarorum.*

Gramen amoris *Indianum* paniculâ ramosâ, è spicis vix perceptibilibus concinnatâ. Pangepillee *Malabarorum.*

Ibid. ad lin. 22.

An Gramen Miliaceum sylvaticum maximum, semine albo, *Cat. Jam.* 34.

Ibid. ad lin. 24.

An Gramen Miliaceum majus, paniculâ minus sparsâ, locustis minimis, *Cat. Jam.* Fortè etiam Gramen Miliaceum, paniculâ viridi, vel purpureâ, *ejusd. ibid.*

Ibid. ad lin. 25.

Milium *Curassavicum* minimum, *PBP.* 353.

Ibid. ad lin. 27.

Gramen Miliaceum viride, foliis latis, brevibus, paniculâ capillaceâ, semine albo, *Cat. Jam.* 35.

Ibid. post lin. 27.

Gramen Milaceum minus, *Virginianum*, granis grandioribus.

Gramen Miliaceum, Coodepilleepoo, *Malabarorum.*

Gramen Milaceum, paniculâ minus sparsâ, Challendenai, *Malabarorum.* Ex hujus foliis, in Oryzæ infuso coctis, Oris collutio fit, in Anginâ summè utilis.

Fol. 176. *post lin.* 27.

Gramen Miliaceum, latiori folio *Virginianum*, jubâ diffusâ, f. paniculâ arundinaceâ, tenui.

Gramen Miliaceum angustioribus foliis *Marianum*, paniculâ capillaceâ, sparsâ.

Ibid. post lin. 29.

Gramen Arundinaceum minus elegans, Cuchemilepillu, *Malabarorum*.

Gramen Arundinaceum, paniculâ argenteis plumis tomentosâ, Naunelpu, *Malabarorum*.

Gramen agrorum, Venti Spica, *Marilandica*.

Ibid. post lin. 31.

Gramen pratense majus, *Ind. Or.* nostrati simile, paniculâ elegantiori; Nellematchepille, *Malabarorum*.

Gramen spicatum elegans, spicâ plurimis minoribus spicis cauli adnatis, compositâ. Narrecuchpille *Malabarorum*.

Gramen pratense minus, *Ind. Or.* nostrati simile; Caudneupillee *Malabarorum*.

Ibid. post lin. 44.

Gramen minus Alopecuroides, *Gaditanum*, aliquantulum à *nostrate* diversum.

Fol. 177. *ad lin. penult.*

Gramen echinatum maximum, spicâ rubrâ vel albâ, *Sloane, Cat. Jam. ubi pro more suo, quæritur*, an Gramen geniculatum, foliis brevibus, aculeos mentientibus, *Maderaspatan. Phytogr. Tab.* 189. *fig.* 3. Cum nulla inter hæc Gramina, intercedat similitudo.

Ibid. ad lin. ult.

Culmo reclinato, procumbit hoc genus. An Gramen maritimum echinatum procumbens, culmo longiori, & spicis strigosioribus, *Cat. Jam.* 30.

Fol. 178. *ad lin.* 9. *add.*

Tuneaddepillee *Malabarorum*.

Ibid. post lin. 12.

Gramen Cyperoides *Marianum*, Junci paniculâ sparsâ.

Graminis Cyperoidis species minor *Indiana*, paniculâ Junci compactâ minore, Shegapucorea *Malabarorum*.

Ibid. ad lin. 15.

Tagatacoräe *Malabarorum*.

Ibid. post lin. 15.

Gramen Cyperoides, hirsutum, spicis plurimis, summo caule glomeratis, glumarum apiculis recurvis, *ex Virginiâ*.

Gramen Cyperoides *Virginianum*, spicis integris non squammatis, apicibus in furcam desinentibus, fastigio caulis, glomeratis.

Gramen Cyperoides *Marianum*, Tamarisci *Belgarium* pericarpiis, ad intervallum calami conglomeratis.

Ibid. ad lin. 17.

An Gramen Cyperoides, paniculâ conglomeratâ, è plurimis spicis cinereis, constante, *Cat. Jam.* 36.

Fol.

Fol. 178. *ad lin.* 19.

An Juncus Cyperoides, culmo compresso, striato, radice odoratâ, tuberosâ, capitulo rotundo, compacto, *Cat. Jam. ibid.*

Ibid. post lin. 28.

Gramen Cyperoides *Marianum*, habitioribus, teretibus, & compactis Cupressiformibus spicis, ad summum caulem, pediculis innitentibus.

Gramen Cyperoides *Indiæ Orientalis*, spicâ Cupressiformi, cochleatâ, proliferâ, seminis glumâ binis aculeis denticulatâ; s. Gr. Cyperoides cochleatum, bidens. Cooppucoräe *Malabarorum.*

Ibid. ad lin. antepenult.

An Gramen Cyperoïdes minimum, spicâ simplici, compactâ, radice tuberosâ, odoratâ, *Cat. Jam.* 36.

Fol. 179. *post lin.* 3.

Graminis Cyperoides species major, Vaudemaulecode, *Malabarorum.*

Gramen Cyperoides citratum, *Ind. Or.* foliis odore corticum Citri; Vasnapillee *Malabarorum.* Narcaphthum seu Nascaphthum (fortè, *Dioscoridis*, quod jucundi odoris gratiâ suffitur, & Thymiamatis miscetur, *lib.* 1. *cap.* 23.) Hoc autem corticosum esse dicitur, Mori libro simile. Et sanè Narcaphthi historiam adeò paucis perstrinxit Author, ut quid rei sit difficillimum est statuere, hujus neque *Galenus*, neque *Ætius*, neque *Plinius*, neque *Theophrastus* meminêrunt; Recenset quidem *Theophrastus* Narram, inter Aromata, quæ unguentis miscentur, *lib.* 9. *de Hist. Plant.* Esse autem Narram, eandem cum Narcaphtho, *Manardus* suspicatur potius, quam certum decernat *lib.* 9. *Epist.* 3. An igitur rectius Carpesium sit *Galeni*; qui in *libro suo de Theriac. ad Pisonem.* scribit, Carpesium esse festucas quasdam tenues aromaticas, similes in gustu *Phu*, (i. e.) radici odoratæ cujusdam herbæ, quam nonnulli illam esse Opinantur, quæ vulgò *Valeriana* dicitur; licet non omnia quæ de *Phu* scribit *Dioscorides*, *Valerianæ* conveniant. Sed re verâ brevior est hujus quoque descriptio, quam ut aliquid certi indè haberi possit.

Ibid. ad lin. 4.

An Gramen Cyperoides minimum, spicis pluribus compactis, ex oblongo, rotundis, *Cat. Jam.* 36.

Gramen Cyperoides, spicâ longiore compressâ, glumarum marginibus argenteis, Masthecoräe *Malabarorum.*

Ibid. ad lin. 7.

An Gramen Cyperoides majus, spicis ex oblongo rotundis, compactis, ferrugineis, *Cat. Jam.* 36.

Gramen Cyperoides, paniculâ dactyloide, ex *Insulâ Johanna.*

Gramen Cyperoides *Orientale*, paniculâ elegantissimâ, spiculis Graminis amoris, in glomerulos conflata. Neercorea *Malabarorum.*

Gramen Cyperoides, an potius Cyperus *Indica*, Graminis Amoris spicis plurimis, in summitate caulis.

Ibid. ad lin. 9.

An Cyperus paniculâ maximè sparsâ, ferrugineâ, compressâ, elegantissimâ, *Cat. Jam.* 35. Fortè Gramen Cyperoides minus, paniculâ sparsâ spadiceâ, ex *Insula Coracao Breyn. Prodr.* 2. 53.

Fol. 179. *ad lin.* 9.

Gramen Cyperoides *Virginianum*; elatius, paniculâ spadiceâ, minùs sparsâ, radice tuberosâ. An Cyperi genus *Virginianum*.

Gramen Cyperoides minus, Junci compacto capitulo albo, globoso, ex *Oris Coromandel*.

Gramen Cyperoides Lithospermi semine, *Virginianum*.

Ibid. post lin. 11.

Gramen Cyperoides, paniculâ Junceâ, *Æthiopicum*.

Gramen Cyperoid. *Ind. Or.* foliis hirsutie pubescentibus, intervallatâ paniculâ pulchrâ, Poonarrepille *Malabarorum*.

Gramen Cyperoides *Orientale* perpusillum, capitulis subrotundis, hispidis, plerumque gemellis. Vanamalleecoddee *Malabarorum*.

Ibid. ad lin. 18.

Gramen eriophoron *Africanum*, flore lanato, Gladiolo vel Sisynrichio fortè affinis, flore flocculosâ lanugine fimbriato. Hæc reverâ est, Perfoliato angustifolio montano *Columnæ* similis, Planta umbellifera nova, fructu triplici membranaceo, *Capit. Bon. Spei. Breyn. Fasc.* 25.

Ibid. ad lin. 22.

An Gramen Cyperoides majus aquatic. paniculis plurimis junceis, sparsis, ex oblongo rotundis, spadiceis, *Cat. Jam.*

Ibid. post lin. 29.

Gramen junceum *Orientale*, s. Juncus foliaceus elatior, paniculâ magis sparsâ, Arnacorea *Malabarorum*.

Ibid. ad lin. 31.

An Gramen Cyperoides sylvaticum, maximum, geniculatum, asperius, semine Milij foliis, *Cat. Jam.* 36.

Ibid. post lin. 41.

Gramen junceum *Ind. Orient.* majus, capite rotundo, ex spiculis paleaceis, summo caule glomerato. Shaneecoree, *Malabarorum*.

Ibid. post lin. ult.

Gramen junceum *Ind. Orient.* minus, capitulo rotundo, ex paleaceis spiculis, in cacumine caulis glomerato; Graminis bufonij æmulo. Callapillee *Malabarorum*, cum proximè præcedenti, plurimùm convenit.

Fol. 180. *post lin.* 8.

Gramen spicatum floridum, Orchidis facie, *Prom. Bon. Spei.* An Gramen triglochin bulbosum, *Monomotapens. Breyn. Fasc.* 24.

Ibid. ad lin. 11.

Huc fortè accenseri meretur, Gramen omnium minimum, loculis Lunariæ *Græcæ*, *Boccon. Mus. Plantar. Tab.* 59. Gramen capsulis Lunariæ *Græcæ* donatum, articulat. minimum, à tenuissimo pediculo pendentibus, uno versu dispositis, *Bononiensis*, *ejusd. pag.* 69.

Ibid. ad lin. 18.

Ad hunc Plantarum Classem consociari velim Atehuapatli, s. Herba nascens juxtà rivos, *Hernandez apud Recc.* 264. Sub nomine Gratiolæ Scordioïdes *Mexicanæ* radice reticulatâ. Ut & Chichica-Quilitl, *Novæ Hispan. Terentij apud eundem*

eundem Recc. 364. Sub hoc titulo, viz. Gratiola Scordioïdes *Americana*, latiori folio, caule geniculato. Videtur etiam Chiantzolli alia, *Hernandez apud Recc.* 234. Inter *Gratiolarum* Cohortes militari.

Ibid. ad lin. 28. *add.*

Yellechellendenai *Malabarorum.* Huic etiam Nir-Schulli, *Hort. Malabaric.* accedens è *Coromandel*, *hujus Almageſt. fol.* 264. proximè accedit.

Ibid. poſt lin. 28.

GRATIOLÆ affinis *Coromandeliana*, Digitalis æmula, folio Clinopodij, capſulis bivalvibus, in laxiorem ſpicam congeſtis. Huc fortè ſpectat Valli-upudali, *Hort. Malab. Part.* 9. *Tab.* 45. Hujus autem folia ſunt majora, & piloſa, proindè nuncupatur à *Commelin. Not. in loc.* Digitalis affinis *Malabarica*, folio piloſo.

Ibid. ad lin. 33.

Deleantur quæ ſequuntur verba, viz. *Indiæ Occiduæ* Palmæ ſanctæ ſimilis arbor, *Adv. Lob.* & *Icon.*

Ibid. ad lin 34.

Inquirendum propono, ān Panitsjika-maram, *Hort. Malab. Part.* 3. *Tab.* 41. (i. e.) Janipaba, *Piſonis lib.* 4. *cap.* 16. Ut cenſet *Commelinus in Not.* & Junipapeeywa *Braſilienſibus*, *Cluſ. exot. lib.* 1. *cap.* 10. Sit de hujus genere Plantarum vel non; Genipat *Theveti* (inquit *Commelinus*) ſi non Panitsjika-maram, ſaltèm ſpecies hujus eſt. Inſuper *J. Bauh. Hiſt. Pl. Tom.* 1. *lib.* 3. *cap.* 4. & 5. Plura hujus Arboris genera, è variis *Autoribus* collecta, recenſet.

Fol. 181. *ad lin.* 7.

Huc fortè pertinent Igbucami *Braſilianorum*, *de Laet. Ind. Occid. lib.* 16. *cap.* 11. Caoup *Maragnanæ Inſulæ*, *ejuſd. ibid.* Item Agouti-treva *ejuſd. Inſulæ*, *Laëtij ibid.*

H.

Fol. 181. *ad lin.* 13.

HUC fortè ſpectat Cenanam de Quahuna-hoac, *Nov. Hiſpan. Terentij apud Recc.* 361. Ut & Quauthlayexochitl apud *eundem fol.* 404.

Ibid. poſt lin. 20.

HEDERA monophyllos *Virginiana*, umbilicatis foliis baccata, oſſiculo compreſſo, lunato, ſingulari. Baccifera oſſiculo compreſſo lunato, Planta *Virginiana* caudice lento, ſcandente, foliis hederaceis, Naſturtij *Indici* more umbilicatis, *Baniſt. Cat. Mſſ.*

Ibid. ad lin. 23.

Toxicodendron triphyllum glabrum, *Elem. Bot.* 483.

Ibid ad lin 30.

Toxicodendron triphyllum, folio ſinuato, pubeſcente, *Turnefortij Elem. Bot.* 483.

Fol. 181. *post lin.* 30.

Hedera surrecta triphylla, medio folio Querciformi, *Virginiana*, ex seminibus ortam conspeximus, *in Hort. Med. Chelseiano.*

Ibid. ad lin. 36.

Post vocem *Orientalis adde* Coryli foliis.

Ibid. ad lin. ult. add.

Coodewengee *Malabarorum.*

Fol. 182. *ad lin.* 2.

Abutilo affinis arbor, Althææ folio, cujus fructus est styli apex auctus, quatuor vel quinque siliquis hirsutis, funis adinstàr in spiram convolutis, constans, *Cat. Jam.* 97. Hæc pro Helicteride nostrâ *Occidentali*, ponitur; Atqui vero ab Autore sagaci, quoad morem usitatum ibi quærendum proponitur, an sit Isocamurri, *Hort. Malab.* (i. e.) Helicteres nostra *Orientalis*, proximè præcedens in *Almagesto.* Ubi hoc artificio, & callidâ insinuatione, has duas inter se specie plurimùm distinctas, & nobiles Plantas, malè confundere moliretur.

Ibid. ad lin. 5.

An Heliotropij flore, Frutex baccifer racemosus, folio rugoso, fætido, maximo, subrotundo, hirsuto, fructu albo, *Cat. Jam.* 173. Heliotropium frutescens *Curassavicum*, odore Salviæ, *PBP.* 340. Aguaraquinha fortè *Brasiliensium*, *Pisonis* 229.

Ibid. ad lin. 8.

Variat aliquando foliis angustioribus. Hæc autem est Planta capsularis, monente insigni *Botanico*, *D. Stonestreet*, capsulam triquetram, multa semina parva in se continentem, ferens.

Ibid. post lin. 8.

HELIOTROPIUM majus cæruleum, Cannæ *Indicæ* angustifoliæ facie, ex *Terrâ Marianâ.*

Heliotropij genus *Marianum*, Mercurialis folio angustiori.

Ibid. ad lin. 10.

Heliotropium arboreum maritimum tomentosum, Gnaphalij *Americani* foliis, *Cat. Jam.* 93.

Ibid. ad lin 16.

Heliotropium maritimum minus, folio glauco, flore albo, *Cat. Jam.* 94. Ubi Autor de hujus plantæ Synonymiis, ex *Phytographiâ nostrâ*, enumerationem pangit, qui tamen eam non citat, sed pro suis venditat, gaudens magis alienis ornari plumis, quam Creditori suo honorem ferre debiti.

Ibid. post lin. 29.

Heliotropij affinis, Balsaminæ fæm. folio, Planta capsularis, ex *Terrâ Marianâ.*

Ibid. post lin. 35.

HELLEBORINE *Mariana*, Bupleuri angustissimo folio, purpurascente flore, caule aphyllo; ab hâc parùm distat, Helleborine angustifolia, flore rubente, *Virginiana*, *Banisteri.*

Ibid. post lin. 39.

Helleborine *Mariana*, flore pallide purpureo, trianthophoros.

Helleborine *Mariana* Monanthos, flore longo purpurascente liliaceo.

Fol.

Fol. 182. post lin. 39.

Helleborines affinis, Planta *Mariana*, Herbæ *Paridis* facie, quinquefoliata.

Ibid. post lin. ult.

Helleborine *Virginiana*, flore rotundo magno, ex purpuro-albicante, *Banist. Cat. Mss.*

Helleborine Calceolus dicta, *Mariana*, foliis binis è radice, ex adverso prodeuntibus, flore purpureo.

Helleborine Calceolus dicta, *Mariana*, flore gemello candido, venis purpureis striato. *Binis quoque foliis hæc prædita est, alterum ad radicem, alterum ad caulem alterno situ promens, cujus florum petala sunt multò latiora, & breviora, cæteris hujus sortis. Æstivo tempore floret.*

Helleborine Calceolus dicta, *Mariana*, Lilij convallium folio unico, caule tomentoso, floris Utriculo maximè elongato.

Fol. 183. post lin. 2.

Helleborine *Virginiana*, flore rotundo luteo, purpureis lineis striato, *Banisteri.* **The Moccasin Flower.**

Helleborine Calceolus dicta, *Mariana*, caule folioso, flore luteo minore. *Mense Julij floret.*

Helleborines affinis *Æthiopica*, flore albo, tetrapetalos.

Helleborines affinis *Æthiopica*, parva planta, tripetalos.

Helleborines facie, Planta hexapetala, Graminis *Parnassi* floribus, *Orientalis.* Ma-delvelladee *Malabarorum.*

Ibid. post lin. 4.

Helleborus albus minor botrytis, Ephemeri phalangoides *Virginiani* foliis, magnâ sui parte caulem vaginantibus, floribus amplioribus atro purpureis, *ex Angola.*

Ibid. post lin. 12.

HERNIARIA Alsinites annua major, *Grisleij Virid. Lusit.* Ab Alsine maritimâ Centum granâ crassiore folio perenni, *Almag. nostri fol. 20.* plurimùm diversa. Hujus exemplar in *Horto* spectatiss. viri *D. Uvedal, Enfeldiæ*, collegimus.

Fol. 183. ad lin. 19.

Draba maritima repens cærulo-purpurea, quibusdam Leucoium marinum alterum, latifolium, purpuro-violaceum, *Lob. Obs. & Icon.* Leucoium marinum alterum latifolium, *Lobelij, Hist. Lugd. fol. 1360.* An Leucoium maritimum minus, Hesperis quorundam, *ejusdem Hist. Lugd.* quæritur à *Casp. Bauh. in Pinace. 202.*

HESPERIS *Virginiana* Cochleariæ folio, flore albo ampliore; an Cochlearia flore majore, *Banister Cat. Virg.*

Hesperis *Virginiana*, Nasturtij *Babylonici* foliis, lætè virentibus. Plurimis convenit proximè præcedenti; folia habet longiora magis dentata, vel sinuata potiùs, & flores paulò minores. Ad Nasturtia fortè utræque rectiùs relegandæ.

Hesperis *Hispanica*, Leucoij foliis, summâ siliquâ corniculata, sive lunata, *in Hort. Med. Chelseiæ*, ex seminibus à laudato *D. D. Preston* communicatis, observavimus; à subsequenti autumo, haud multùm dispar.

Hesperis parva, prælongo & rariùs dentato folio, floribus magnis, peramœnè cæruleis. Sub Keiri nomine, ex *Aleppo, Herbarij Vivi ad eundem locum collecti.*

Huic

Huic quodammodo convenit, & fortè idem est, Eruca purpurea, aliis cærulea, s. Viola petræa, *JB. Tom.* 2. 865. Qui inter Plantas siccas *D. Agerij*, comperit eam dici Violam petræam à *D. Hardero.* Fortè etiam Hesperis *Pyrenaica* longifolia, hirsuta, odorata, *Schol. Bot.* 93. An Leucoium *Lusitanicum* purpureum, foliis eleganter dentatis, *PBP.* 346.

Ibid. ad lin. 23.

Leucoium luteum aizoïdes montanum, *Fab. Columm. Ecphras. Part.* 2. Bursa pastoris alpina, rosea, lutea, folio crassiusculo, Sedi vermiculati more, sed hirsuto, loculo oblongo, itidem hirsuto, *Hist. Oxon.* 306. (i. e.) Paronychia Myosotis lutea, &c. *Almagest. Bot. fol.* 281.

Fol. 183. *post lin.* 26.

HEXAPETALA spicata, Sisyrichij foliis, floribus in longiorem spicam dispositis; Ullarehan *Malabarorum.* Hyacinthi fortè species *Indiana.*

Ibid. ad lin. 27.

An Hieracium fruticosum, angustissimis gramineis foliis, capitulis parvis, *Cat. Jam.* 123.

HIERACIUM *Africanum*, latiori Bupleuri folio, flore Pilosellæ, ad caulium nodos lanuginosum.

Ibid. post lin 41.

Hieracium *quintum* villosum *Clus. Hist.* 2. *fol.* 141. Hieracium (fortè) montanum tomentosum, *HRB. pag.* 95.

Hieracium *Africanum* bulbosum, Pilosellæ flore singulari, foliis raris dentatis, caule ad radicem valdè tomentoso. Chondrilla bulbosa *Africana.*

Ibid. post lin ult.

Hieracium *Marianum*, Pulmonariæ *Gallicæ* subrotundis foliis, Lactucæ floribus parvis.

Fol. 184. *post lin.* 2.

Hieracium umbellatum *Africanum*, pilosissimum, Doronici rotundioribus foliis, amplexicaule, floribus saturatè croceis; Huic autem ad radicem folia, sunt longiora, pediculis donata.

Ibid. ad lin. 13.

Sonchus *Tingitanus*, Papaveris folio, *Turnefortij Elem. Bot.* 377.

Ibid. post lin. 13.

Hieracium *Marianum* perelegans, Lapathi venis sanguineis inscripti foliis, flore parvo flavescente.

Hieracium *Indicum* Sonchifolium, caule nudo, flore albicante. An Yztac-Cihuatl, sive Fœmina candida, *Hernandez apud Recc.* 208. *in Horto rarioribus Plantis ornato, Doctiss. viri D. Uvedale Enfeldiæ* cultum Observavimus. An fortè Lactuca sylvestris pumila, *Parkins.* 1622. A *Monarde* ad dolorem dentium sedandum celebrata.

Hieracio similis, *Ind. Or.* umbellatis floribus, radice crassâ, & carnosâ. Paringehekka *Malabarorum.* A Medico ejus usu, & similitudine externâ, China radix à *Nostratibus illic commorantibus*, nuncupatur.

Hieracium asperum *Hispan.* foliis ad radicem Raphani sativi, flore luteo singulari.

Fol. 184. *post lin.* 17.

Hieracium Chondrilla dictum, *Canariense*, Crupinæ *Belgarum* foliis tenuissimè laciniatis.

Ibid. post lin. 24.

Hieracium Intybaceum, foliis ad oras hirsutie hispidis, latiore basi in alas elongatis, absque petiolo caulem amplectentibus. Senecio hirsutus, *CBP.* 131. Erigerum tertium *Dodon. edit. Lat.* 641. Erygeron tomentosum, *Lob. Icon.* 226. Erigeron tomentosum alterum, *Ger. emac.* 279. Cichorium fœtidum a nonnullis vocatum. Hoc verò maximè diversum censeo, à Cichorio pratensi luteo lævіori, *CBP.* 126. (i. e.) Dentis Leonis tertia Species, *Dodon.* 636. *Tabernæm. Icon.* 175. Hieracium luteum glabrum, seu minùs hirsutum, *JB. Tom.* 2. *Part.* 2. 1024. Quæ itidèm differt ab Hieracio foliis & facie Chondrillæ, *Lob. Icon.* 239. Quæ nec debet confundi cum Hieracio Chondrillæ folio glabro, *CBP.* 127. Sive Hieracio Aphacoide, *Tabern. Icon.* 182. Utcunque à *Joanne Bauhino* omnes confunduntur.

Hieracium asperum, ex *Siciliâ Horti Uvedalensis.*

Ibid. post lin. 37.

Hieracij peculiare genus Coridis folio, *Æthiopicum*, seminum pappis densiùs radiatis. An Eupatorio affinis, suffrutex Ericoides capitatus, Coris s. Juniperi folio, *Capit. Bon. Spei. Breyn. Fasc. rar.*

Fol. 185. *ad lin.* 11.

Post vocem *Gomerâ add.* quæ una est ex *Fortunatis. ad lin.* 12. *add.* An Sclarea *Lusitanica* glutinosa, amplissimo folio, *Turnefort. Elem. Bot.* 148.

Ibid. ad lin. 24.

Post *CBP. add. Park. Theatr. Plantar.* 57. *ad lin.* 31. *post* inventum est, *add.* Horminum sylv. vulgare, s. Oculus Christi, *Park. Theatr.* 55. & in *append.* 1680. Ubi hujus *Icon* exhibetur, sed minùs accuratè exsculpta.

Ibid. ad lin. 33.

Horminum sylvestre incanum, flore albo, *Park. Theatr. Plant.* 55.

HORMINUM *Virginianum*, latioribus foliis dissectis, floribus purpureis.

Ibid. post lin. 36.

Horminum parvum *Marianum*, Rapistri foliis hirsutioribus.

Horminum *Virginianum* minus glabrum, folio Rapistri lineis purpureis virgato, floribus parvis longo tubulo donatis. An rectius de Sideritidum censu existimandæ sunt.

Ibid. ad lin. 38.

Si folia alterno situ posita non repugnarent, eandem hanc esse plantam suspicarer, cum Maro *Ægyptiorum*, *Prosp. Alpini. de Pl. exot. pag.* 253.

Ibid. post lin. 40.

Horminum Melissophyllon, *ex Terrâ Marianâ*, spicâ longâ gracili.

Fol. 186. *ad lin.* 1.

Post vocem, *Dalechamp. leg. Hist. Lugd.* 1121. *ad lin.* 23. *leg.* An Hormino affinis, foliis angustis glabris, *Cat. Jam.* 65.

Fol.

Fol. 186. *ad lin.* 4.

Ab hâc quoque non prorsùs abhorrere videtur, Horminum nigrum rugoso, hirsuto Mentastri, aut Scorodoniæ folio, *Boccon. Mus. Pl. pag.* 163. *Tab.* 130.

Fol. 187. *post lin.* 18.

HYACINTHO affinis *Africana*, caulescens, Polygonati plicatis foliis, ex medio caule pediculum didorum, floribus cœruleis, peramplis odoratis, prælongo collo gracili, singulis inter bina foliola exeuntibus, spicatum, lateralitèr emittens. Hanc pervenustam raram & prorsùs novam plantam, in fictili vase cum floribus superbientem, primò ostendit nobis humanissimus Vir, & rerum Naturalium Æstimator eximius, *D. Jacobus Ayré*, qui hujus bulbum habuit inter alia curiosa, à *Promont. Bon. Spei.* sibi allatum.

Fol. 189. *post lin.* 5.

HYPERICUM pumilum sempervivens, caule compresso ligneo, ad bina latera alato, flore luteo tetrapetalo; Crux *Sancti Andrææ D. Banister. Cat. Stirp. Virginiens.* St. Andrew's-Wort.

Ibid. post lin. 10.

Hypericum minus *Arabicum*, ramosissimum, angustis longioribus foliis, floribus parvis, *ex Aleppo.* An Hypericum *Syriacum Ger. emac.* 539.

Ibid. post lin. 12.

Hypericum *Virginianum* ramosius, parvis foliis, floribus exiguis.

Ibid. ad lin. 17.

An fortè Tamoxo suffrutex, *Clusio, JB. Tom.* 1. *lib.* 10. *fol.* 359. Frutex exiguis foliolis confertus, *CBP.* 479. Fortè etiam Hypericum humile procumbens, multicaule, densè fruticans, Cupressiforme, vulgo *Pirico à Macchia Hort. Catholic. Fr. Cupani, pag.* 100. An Coris lutea Ericoïdes fruticans, *Hispanica, Boccon. Mus. Plantar. pag.* 83. *Tab.* 74.

Ibid. ad lin. 28.

An forsan Androsæmon, amplo perfoliato folio, *Boccon. Mus. Pl. pag.* 164. Androsæmum Sambac perfoliato folio, *ejusd. Tab.* 127.

Hypericum latiori folio, f. Androsæmum perforatum elegans, flore carneo *Marilandicum.*

Hypericum ramosum, amplioribus subrotundis, crenatis foliis, *Americanum*, floribus luteis. An fortè Hypericum frutescens luteum, Phillyreæ foliis *Virginianum, Banister. in Horto Comptoniano Fulhamiæ*, curâ industrij Hortulani *Johannis Adams*, ex seminibus enutritum observavimus.

Fol. 190. *post lin.* 7.

Hypericum parvum *Virginianum* caule quadrato, sive Ascyrum minimum, *D. Banister. Cat. Stirp. Virg.*

Ibid. post lin. 10.

Hypericoides ex *Terrâ Marianâ*, floribus exiguis luteis.

Ibid. post lin. 13.

HYSSOPIFOLIA, flore albo, ex *Provinciâ Marianâ.*

I.

I.

Fol. 190. *ad lin.* 23.

HUIC nostræ haùd admodùm dissimilem plantam, excepto floris colore, *D. Bocconus* pinxit *in Mus. Pl. Tab.* 76. Sub nomine Jaceæ majoris, Pineis foliis, luteo flore, capite spinoso.

Ibid. ad lin. 34.

Jacea altera non ramosa, tuberosâ radice, foliis latioribus, flores ferens pauciores, majores, squammis hiantibus armatos, & pediculis curtis insidentes, *Banister. Cat. Virg.*

Ibid. ad lin. 36.

Jacea *Virginiana*, Leucoij petræi folio rigido, floribus pulchrè purpureis, ad nodos caulium in laxiorem spicam dispositis. Jacea ramosa, tuberosâ radice, foliis plurimis rigidis, peranguſtis, flores ferens multos, parvos, rubentes, acaulos, in spicâ ad caulem sessiles, *Banist. Cat. Virg.*

JACEA anguſtiori folio *Virginiana*, hirsuto caule, capite oblongo, spinoso, squammis hiantibus rigidis, ornato. An Cyanus Centauroides fruticesens, Lavandulæ folio, *Cap. Bon. Spei. Breyn. Fasc.* 21.

Fol. 191. *post lin.* 27.

Jacea *Sicula*, glaucophylla, capitulo oblongo, ad squammarum apices, spinulis deflexis semi-stelliformitèr ornata. An Jacea folio Cerinthes purpurascente flore, è *Rupe Victoriæ. Schol. Bot.* 208.

Jacea *Hispanica* foliis ad radicem Cichoraceis ; supernis verò integris, mollibus, minutìm denticulatis. Colitur *in Hort. D. Uvedale.*

Fol. 192. *post lin.* 7.

Jacea marina, purpurea, Erucæ folio, alato caule, capitulorum squammis summo apice, plurimis spinulis coronata, *ex Sicilia.*

Ibid. ad lin. 35.

An Cyanus arborescens longifolia, *Prosp. Alpini. de exot. pag.* 31.

Ibid. ad lin. 41.

Vice minores, lege pauciores.

Fol. 193. *post lin.* 2.

Jacea lutea, capite longis aculeis spinoso, *CBP.* quæ tertia in *Prodrom. ubi dicitur*, Hæc à Jaceâ montanâ, echinato capite, *Clusij* diversa est, cujus etiam Flos aliquando luteus evadit. An hæc sit Carduus *Solstitialis* major, seminibus Crupinæ *Belgarum*, *Domino Bobart*, quam habuit à *Doctore Richardsono.* Attamèn à Carduo *Lusitanico*, capite araneosâ lanugine obsito, in præcedentibus exhibito, plurimùm diversa est.

Fol. 193. *ad lin.* 5.

An Carduus *Lusitanicus*, Erucæ folio, *Turnefortij*; qui habetur in *Almagesto nostro fol.* 86.

Ibid. ad lin. 12.

An fortè Jacea Stœchadis folio, flore luteo, *Boccon. Mus. Plant. pag.* 77. *Tab.* 65.

Ibid. ad lin. 22.

Heliochryso sylvestri angustifolio similis, tota viridis, *Boccon. Mus. Plantar.* 145. *Tab.* 109.

Ibid. ad lin. 23.

Heliochrysum saxatile, singulari capitulo, acuto & angusto Stæchadis folio, *Boccon. Mus. Plant.* 142. *Tab.* 104.

Ibid. post lin. 28.

Jacea Elichrysoides *Asiatica*, Hieracij *Sabaudi* angustis, virentibus foliis, caule niveo tomentoso.

Ibid. ad lin. 32.

Xeranthemum spinosum *Æthiopicum*, capitulis compactis purpurascentibus, *Breyn. Prodr.* 2. 105.

Jacea Oleæ foliis, capite spinoso, flore albo. Xeranthemum flore albo coronato, folio Cynoglossi *Cretici*, *Breyn. Prodr.* 2. *pag.* 105.

Fol. 193. *ad lin.* 39.

Ptarmica Xeranthemos, *Hyacinth. Ambrosin. Phytolog.* 571.

Ibid. ad lin. penult.

Senecio incanus, pinguis, *CBP.* 130.

JACOBÆA *Africana* Senecionis folio, pingui, flore purpureo majori. Hæc nobis à *Cap. Bon. Spei. allata* est, quam etiam, floribus suis superbientem, in *Horto Suburbano*, amplisſ. Viri *D. Caroli du Bois* observavimus.

Jacobæa Senecionis folio incano, flore luteo minore, *Prom. Bon. Spei.*

Jacobæa radiato Senecionis flore, Chondrillæ foliis *Æthiopica.*

Jacobæa minor *Æthiopica*, foliis laciniatis, Rutæ Caninæ divisuris.

Jacobæa Coronopi rigentibus foliis, *Æthiopica.*

Jacobæa *Virginiana*, foliis ad radicem integris, Eryngij campestris æmulis, cæteris autem elegantissimè laciniatis.

Ibid. post lin. penult.

Jacobæa *Æthiopica* procerior, Lampsanæ foliis, floribus luteis.

Fol. 194. *post lin.* 8.

Jacobæa Absinthites frutescens, tomentosis Cinerariæ foliis, *Æthiopica*, calyce integro, summis oris dentato. Tagetes fortè minimus, tenuitèr diviso folio, *Cap. Bon. Spei. Breyn. Prodr.* 2. 99.

Ibid. ad lin. 14.

An Jacobæa maritima, foliis subrotundis, araneosâ lanugine pubescentibus, *HRP. Turnefort. pag.* 4. *Epist. ad Sherardum.*

Ibid. post lin. 19.

Jacobæa parvaincana, Stoebes Salamanticæ foliis, ex *Insulâ Johannâ.*

Fol. 194. *ad lin.* 24.

Jacobæa pumila alpina, *Boccon. Muſ. di Piante rare, Tab.* 8. ubi optimum *Iconem* ſis vide.

Ibid. ad lin. 29. poſt *vocem* floribus *add.* nudis.

Jacobæa *Æthiopica* ſpicata lutea, foliis parvis, craſſis, & incanis, rigidiuſculis, ex nodis caulium confertim erumpentibus. An fortè Jacobææ ſpicatæ *Monomotapenſis*, altera ſpecies, *Breyn. Cent.* 1. 138.

Ibid. poſt lin. 31.

Jacobæa *Æthiopica*, Chryſanthemi *Cretici* foliis, flore purpureo.

Jacobæa Chæryophylli foliis, *Mariana*, floribus luteis, ferè umbellatis.

Jacobæa *Africana*, Hieracij fruticoſi anguſtioribus dentatis foliis glabris, flore flavo octopetalo pulchro. An Jacobæa *Æthiopica* Lavandulæ folio, *Breyn. Cent.* 1. 136. Elichryſi ſpecies ex *Africâ D. Bobart.* in *Hort. Medic. Chelſeiano* florentem nuper conſpeximus, & à Conyza *Melitenſi* retuſis foliis *Bocconi*, haud prorſus abludere videtur, licet folia per extremum ſint minùs retuſa.

Jacobæa ſpicata Linariæ foliis, floribus amœnè purpureis, *Provinciæ Marianæ. D. Ayre.*

Jacobæa fruticoſa, Camphoratæ foliis, *Æthiopica*. An Chryſanthemum fruteſcens *Æthiopicum*, Roſmarini folio, flore aureo amplo, *Breyn. Prodr.* 2.

Jacobæa *Æthiopica*, anguſtiſſimis & prælongis foliis, rariùs crenatis, ab imo caule ad ſummum uſque confertis.

Jacobæa *Æthiopica*, Laricis folio, *Breyn. Cent.* 136.

Jacobæa *Æthiopica*, ſtæchadis citrinæ foliis, flore luteo. Fortè Conyza *Africana*, foliis Stæchadis citrinæ *Gallicæ*, *Breyn. Faſc. rariorum.* An fortè Elichryſum foliis Abſinthij *Pontici* majus, *Cap. Bon. Spei. Breyn. Prodr.* 2. 43.

Ibid. ad lin. 33. *poſt edit. add.*

Vid. Phytograph. Tab. 323. *fig.* 2.

Ibid. ad lin. 40.

An Hieracium fruticoſum, foliis tenuiſſimè Coronopi modo diviſis, *Cat. Jam.* 123. Noſtra tamen intèr flores, & ſumma folia, gummi candidum copioſè fundit. An meliùs ſit Chryſanthemum ſ. Coma aurea *Æthiopica*, Abrotani trifido viridique folio, ex *Cap. Bon. Spei.* Et tùnc ad fol. 133. *Almageſti*, inter lineas 28. & 29. Apud Corymbiferas inſerenda.

Fol. 195. *ad lin.* 7.

Hanc autem ſub alieno titulo, ſibi etiam ignoto, *Neophytus* noſtras confuſè ſatis, ac perplexè, pro nondùm deſcripto, Carduum facit, dùm Carlinam, *Cap. Bon. Spei* Coronopi foliis, ſubtùs incanis, appellat; ubi Synonymiis non citatis inſcitiam ſuam ſatis prodit, & ſummam ſapere videtur *Tyronis* Oſcitantiam: Ita nobis ipſis interdùm ſomnia fingimus, ut aliquid novi & inauditi dicentes, & nobis placeamus, & aliis; Atque utinam Materia Medica, vel potiùs Plantarum exoticarum immenſa varietas, non magnam incrementi ſui partem, non in vanis ejuſmodi Imaginationibus, nullâ interdùm ratione, nullo ſenſu fundatis cœpiſſent; Adeo ſanè inter ſe in quibuſdam Plantarum nominibus diſcrepant homines, non mali, ſed in re *Herbaria* malè verſati, ut perſæpè eorum mentes maximè perturbent, qui Rerum Veritatem indagare ſtudent; & interdùm ludunt

dunt nostram diligentiam. An sit Anemospermos *Africana*, foliis & floribus Taraxaci incanis, *Cat. Plantar.* ad calcem *Paradisi Batavi edit.* 1698.

Fol. 195. *post lin.* 7.

Jacobæa parva *Æthiopica*, tuberosâ radice, imis Cymbalariæ foliis, ad caulem longioribus angustis, luteo flore summo fastigio, singulari.

Jacobææ affinis, Planta tuberosa, *Capit. Bon. Spei. Breyn. Cent.* 138. Cui sunt ad radicem folia plurima, Cyclaminis more adumbrata.

Ibid. ad lin. 37.

An Jasminum *Azoricum* trifoliatum, flore albo odoratissimo, *Hort. Med. Amst. cap.* 82. cum *Icone*.

Fol. 196. *ad lin.* 5.

An Cerafo affinis, arbor baccifera, racemosa, fructu cæruleo monopyreno, testiculato, *Cat. Jam.* 169.

Ibid. ad lin. 16.

Cheggapumellela *Malabarorum* ; An Jasminum arboreum, foliis laurinis ex adverso nascentibus, oblongis, acuminatis, flore albo, *Cat. Jam. ibid.*

Ibid. post lin. 25.

JASMINUM arboreum foliis amplis, oblongis, supernè viridibus, subtùs leni canitie pubescentibus, flores albos in quatuor lacinias longas, angustas, ad umbilicum usque partitos, racematim ferens. *Banist. Cat. Stirp. Virg.*

Ibid. ad lin. 42.

Acuilotl. sive Planta volubilis propè aquas proveniens, *Nieremberg.* 357. Acuilotl. s. Volubilis aquatica, *Hernandez apud Recc.* 107. Nostra enim est Planta sarmentosa, quæ sarmentis serpendo altiùs se extollit.

Ibid. ad lin. 44.

An Jasminum *Indicum*, Mali Aurantiæ foliis, flore albo pleno, amplissimo. Catsipiring *Indorum*, *Breyn. Prodr.* 2.

Fol. 198. *ad lin.* 4.

An Agrifolium folio tenuiore, magis acuminato, & minùs corrugato, spinulis gracilioribus, & longioribus, armato, *Cat. Jam.* 173.

Ibid. post lin. 6.

ILEX *Americana*, Phillyreæ angustifoliæ facie, ex *Terrâ Marianâ*, medio folij nervo in pinnulam abeunte, *Cat. Virg.*

Ilicis lucentibus parvis foliis, Arbuscula perelegans, ex *Ind. Orientali*.

Ibid. post lin. 22.

IMPERATORIA Ranunculoides, Sphondylij hirsuto folio minor, ex *Prom. Bon. Spei.* An Ranunculus *Æthiopicus*, foliis rigidis, floribus ex luteo-virescentibus, *Hort. Med. Amst. cap.* 1. Ubi in Descriptione hujus plantæ dicitur, *Floribus succedunt semina nuda*, at posteà inter Observationes, *Flores quidem Ranunculi florum sunt æmuli, verùm à fine ultimo magis Christophorianis accensenda : Baccifera enim est planta, baccis monospermis prædita.* Ast sanè non capio quid sibi velint *Observatores in locum*, cùm huic plantæ baccas monospermas adscripsisse videantur ; baccæ enim semina nuda nequaquàm dici possunt, semen nudum est, quod nullo involucro sensibili obducitur, quod involucro tegitur, est semen opertum, aut fructus, qui propriè loquendo, à semine distingui debet ; Ille

enim

enim non tantùm ex grano coalescit, sive parte illâ in quâ germen est situm, sed & ejus involucro, seu sicco, seu molli vel carnoso, ut in omnibus baccis; Indè equidèm patet quod *Autoris* verba in Descriptione, & *Observatorum* Notatiunculæ circà hanc rem, inter se non benè conveniunt.

Ibid. post lin. 26.

IRIS *Africana* versicolor, pumila, plicatis & hirsutis foliis, radice bulbosâ. Sisynrichij fortè genus.

Fol. 199. ad lin. 4.

An Prunus *Ægyptia*, circà *Memphim Plinij, lic. 13. cap. 10.*

Ibid. post lin. 6.

JUJUBE species *Indiana*, Surecchedde *Malabarorum*. Eadem fortè cum præcedenti.

Ibid. ad lin. 23.

Konar fortè *Persarum. Thevenoti* in *Itinerar. Part. 2. fol. 117.* Yellendamaram *Malabarorum* & interdum, Masanas.

Ibid. post lin. 23.

Jujuba *Indica* Coryli folio spinosa, fructu minore, rubro. Cauryellandai *Malabarorum*. Idem est cum Frutice *Bisnagarico*, spinoso, Coryli foliis densis, spinis brevioribus, crassis, *Phytogr. Plukenetian. Tab. 29. fig. 7.*

Ibid. ad lin. 27.

Jujube *Americana* spinosa, Loti arboris foliis, & facie, fructu rotundo, parvo, dulci, *ejusd. Hort. Beaumont. Hort. Med. Amst.* 141. ubi *Icon* exhibetur.

JUNCARIÆ affinis *Æthiopica*. Pinastri foliis triphylla, *Prom. Bon. Spei.* Genistæ *Æthiopicæ* Pinastri foliis triphyllæ, quoàd folia saltèm, hæc planta consimilis est.

Ibid. post lin. 40.

JUNCUS *Africanus* lignoso calamo, ad nodos involucris nigris circumvoluto, paniculâ arundinaceâ, ex *Prom. Bon. Spei.*

Fol. 200. ad lin. 19.

Cyperus maritimus, capitulis glomeratis, *Turnefortij Elem. Bot.* 419.

Ibid. ad lin. 25.

Neerchoutecorea, *Malabarorum, ad lin. 36.* Coddanecoode, *Malabarorum.*

Fol. 201. ad lin. 14.

Hujus baccæ sunt trinucleæ (i. e.) tres nucleos continentes, & aliquandò quatuor.

Ibid. ad lin. 18.

Hujus bacca per maturitatem adaucta, est atrocærulea, unico tantùm nucleo, coniformi, striato, prædita, & verè dici possit, fructu monopyreno.

Ibid. ad lin. 25.

Pro angustiore lege *longiore*, & post 489. *adde* Juniperus alpina, *Clusij Hist.*

Ibid. ad lin. ult.

Juniperus *Barbadensis*, Cupressi folio Arbor præcelsa, tetragonophyllos, sive foliaturâ quadrangulari, an Juniperus arbor *Sacrorum Bibliorum*, *Reg. 1. cap. 19. vers. 4.* memorata, cujus sub tegmine decubuit, & longo itinere fatigatus, ad

somnum.

somnum se composuit *Elias Propheta* in Deserto. Hinc *Virgil. Juniperi gravis Umbra.* Fortè etiam Juniperus *apud Plin. lib.* 16. *cap.* 40. ex cujus ligno in *Hispania, Dianæ Saguntinæ* perantiqui Templi trabes sunt factæ, per multos ævos duraturæ. An fortè *Gopher* גפר *Genes. cap.* 6. *vers.* 14. quod nomen alibi in *Sacris literis* non invenitur; Arbor erat ex cujus materie, Arca quæ veri totius Mundi reparanda germina capax fuit, secundùm mandatum *Dei*, à *Patriarcha Noë* constructa est: Sic enim *Septuaginta* vertunt Interpretes, ποίησον σεαυτῷ κιβωτὸν ἐκ ξύλων τετραγώνων. *Fac tibi arcam ex arboribus quarum foliaturæ sunt quadrangulares*, *Hebræi* enim Arborem & Lignum uno eodemque nomine appellant; & Tetragonodendron, hujus arboris species nuncupari dignetur. Tetragonia (fortè) *Theophrast. Hist. Plant. lib.* 3. *cap.* 6. Sicut etiam *Vossius* suspicatur, *de Septuag. Interpr. eorumque Tralatione, cap.* 12. *pag.* 33. Quæ à quibusdam Euonymus *Latinorum* perperàm censetur: Nam si vulgaris hæc nostra Euonymus esset Tetragonia *Theophrasti* ut illi volunt, & Euonymus etiam *Ejusd.* sit eadem, ut ex diversorum *Botanicorum* sententiâ colligi potest, inconsideratè sanè *Theophrastus* eandem plantam sub diversis nominibus tradidisset, quod de tanto viro, ægrè supponendum puto potiori igitur jure concludamus, non aliundè quàm ex solâ hâc notâ, *viz.* ramulorum foliaturæ quadraturâ, quod huic arbori peculiare est, *Gopher* apud *Hebræos* nomen optimè meruerit; & apud *Græcos* Tetragonia, cujus solum nomen apud *Theophrastum* inter serò germinantes reperitur, (*Gaza*, Quadratoria interpretatur.) * Quæ Vox indè, satis propriè attributa sit, ut nos facilè agnoscamus. *Hieronymus* autèm non satis exploratum habeo, quod ligni genus intellexerit, in *vulgari Tralatione*, ubi *Gopher* redditur *de lignis lævigatis*: Cum omnia ligna lævigari possint: Sed adverte (inquit *Eugubinus*) Idem in *Quæstionibus Hebraicis* dicit, in *Hebræo* haberi *de lignis bituminatis*; patet autèm quàm differant nomen bituminis, & hujus ligni, cum bitumen vocetur כפר *Copher*, at ligni hujus nomen est גפר *Gopher*; Existimamus ergo eum ibi esse lapsum, non quod hanc varietatem ignoraret, sed ex eo quod frequentèr solet fieri, ut aliquid facientes, non omnia advertamus, indicioque est quia hic non eodem modo scripserit. Hactenùs ille, *Augustin. Steuchus Eugubin. Episcopus Kisami in Genes. cap.* 6. Ex hoc quoque *P. Simonius Ordinis Congregationis Oratorij* in libro secundo *Criticas* in *Vetus Testament. disceptationes continente, pag.* 79. Observationem suam substruit; *in Genes. cap.* 6. *v.* 14. Ubi (inquit in *vulgar. Tralatione* legitur, *de lignis lævigatis*, *Sanctus Hieronymus* dicit, Juxtà *Hebraicam Versionem* oportere legi, *de lignis bituminatis*, in quo videtur errasse, eò quòd legerit *Copher* pro *Gopher*, forsàn ipse mutavit literam *Gimel*, in *Caph*, ut melior sensus redderetur, quanquàm legerit *Gopher* in *Hebraico Typo*, quemadmodùm hodiè nos, & hoc (inquit) apud *Rabbinicos Autores*, frequenti usu venit. Scio equidem doctissimum *Bochartum* Vocem *Gopher*, de Cupressis accepisse, nec ego negaverim vocem Cupressi, à *Copher* commodè derivari, licet non immediatè. Cum enim ab hâc *Hebræâ* voce, Insulæ quoque *Cypro* nomen obtigerit, proptèr copiam bituminatarum Arborum illic crescentium, non incommodè exindè petas originem Vocis *Cupressi*. Alitèr sanè *P. Simonius* hæc reddenda censet sic nempè ut ξύλα τετράγωνα accipiantur de asserib. seu plancis quadratis; Attamen (inquit *Vossius*) quis Naupe-

gus

gus non rideat, si quis huic jubeat ex *asseribus*, aut *tabulis quadratis*, construere qualecunque navigium, *Isaac. Voss. ad Objectiones nuperæ Critic. Sacr. Responsio*, *pag.* 25. An Juniperus maxima Cupressi folio minimo, cortice exteriore in tenues phyliras spirales, ductili. **Savin Trees**, *Cat. Jam.* 128. Sub eodem enim titulo aliquando accepimus. Fortè etiam Cedrus *Cumanica*, cujus Tabulis, si naves conficiantur, non sentiunt teredinem, *Cardan. de rerum Varietat. lib.* 6. *cap.* 20. *fol.* 109. Hujus autem baccæ *Vulgaris* instar, sunt trinucleæ, & interdum tetrapyrenæ.

Fol. 202. *post lin.* 2.

JUNIPERIFOLIA suffrutex *Africanus*, glomerato flore, cum pericarpio rotundo.

Ibid. ad lin. 11.

Mellakurui *Malabarorum*.

K.

Fol. 202. *ad lin.* 26.

HUIC fortè accedit Halimus Nummulariæ madido folio, *Siciliana*, *Boccon. Mus. Pl. pag.* 169. *Tab.* 100.

KALI AIZOIDES *Ind. Or.* procumbens, sive Mirasol nodosa, Mesembrianthemi species, floribus ferè inconspicuis, foliis lanugine incanis.

Fol. 203. *ad lin.* 9.

Mogullamaram, *Malabarorum*, & aliquando Mogullancheddе *eorundem*.

Fol. 203. *post lin.* 9.

Lamij *Tingitani* facie glabra, quadrato caule, planta *Mariana*.

Ibid. ad lin. 14.

An Herba Yú, ex quâ sub *Quangsi* in *Chincheu*, *Incolæ* pannos, sericum ipsum superantes, conficiunt. *In Provinciâ Quangsi* haud procul à *Chincheu Incolæ*, pannos, sericum ipsum superantes conficiunt, *Ogilv. Chin. Tom.* 1. *fol.* 247. An Chen-su *Sinensibus Andr. Cleyer.* quam non comperit in *Herbario* parvo, *de Medic. Simpl. Sinens. pag.* 49. *no.* 245. Poco-sempie *Doctoris Merret* apud *Mus. Societ. Reg. fol.* 386. ubi dicitur esse Insigne *Cardiacum*, ad Hæmorrhagiam sistendam propinata est, felici semper eventu. Musci fortè genus sericeum, aurei coloris, Arboribus innascens, apud *Indiam Orientalem*. Est re vera Muscus ramulis Arborum, & aliquando radicibus in *Sina* innascens; ubi Agni *Scythici* lana, f. Vellus aureum vulgo vocitatur: Sanguinis profluvium ut aiunt mirificè sistit. An *Til* planta in Sylvis nascens, sine fructu, comâ flavescente mollissimum Sericum referente, quo pro plumis utuntur ad lectisternia, *CBP.* 320. *ex Linschotano*, *Part.* 3. *Ind. Or.* 6.

L

L.

... 203. *ad lin.* ...

LAmium fruticans, Teucrij folio lucido, calyce, & flore magno candido, tantillâ purpurâ varie notato, *Hort. Catholic. Fr. Cupani.* 106.

Fol. 204. *ad lin.* 16.

Lamium foliolo, subrotundo, profundioribus incisuris, albâ lineâ per medium notato, humillimum, *Fr. Cupani Hort. Catholic.* 106.

Fol. 205. *ad lin.* 7.

Amamaxtla expurgans, s. Rhabarbarum vocatum *Monachorum*, *Hernandez apud Recc. fol.* 217. Rhabarbarum *Americanum*, *Monardes apud Clus. fol.* 312. Rhabarbarum *Monachorum* fuit appellatum quòd à *Monachis Carthusianis* diù pro secreto habitum, quamvis posteà *Monachi* qui in *Mesuem* sunt commentari, secretum prodiderint. Aliis autem videtur appellationi occasionem dedisse *Tzetzes in Hesiodum*, qui Lapathi radicem dicit vocari *ῥέον*. Ita enim est *edit. Heins. proxima*, non autem Rhabarbarum ut *Camerarius* habet, *Hort. Medic. pag.* 84.

Ibid. ad lin. 23.

Hujus exhibetur pictura à *D. Boccon. in Mus. Plantar. rar.* sub hoc falso titulo; *scilicet*, Blitum angustifolium verticillatum, *Tab.* 80. atque in *Tab.* 104. Iterùm repetitur eadem planta quanquàm minùs adulta nomine Lapathi aquatici Luteolæ folio; perindè ac si essent duæ novæ diversæ & nondùm descriptæ Plantæ.

LAPATHUM longo, angustoque folio, Anthoxantho plurimùm accedens, verticillis rarioribus caulem cingentibus, semine majori. Nupèr invenit in Compascuo quodam ponè *Westmonasterium*, *Tothil-Fields* vulgò vocato, stirpium Indagator diligentissimus, D. *Isaacus Rand.* Pharmacopæus *Londinensis*, & magnæ spei *Botanicus*.

Ibid. post lin. 25.

Lapathi anthoxanthi summis ramulis aliquatenus accedens, Planta Caustica, *Ind. Orientalis.* Kalurëve *Malabarorum.*

Ibid. ad lin. 42.

Xanthium vulgare nostras, ex *India Orientali* aliquandò nobis allatum est; & Marloomatee à *Malabareis* nuncupatur.

Fol. 206. *ad lin.* 13.

Pro hexapetali *leg.* pentapetali, *Ibid. ad lin.* 18. *add.* echinis lanuginosis, *ad lin.* 19. *post vocem* major *add.* echinis deorsùm reflexis.

Ibid. ad lin. 37.

Agrimonia lappacea inodora, folio subrotundo dentato, *Cat. Jam.* 92. ubi dubium movetur, an sit eadem quoque illi, quæ in *Almagesto nostro* proximè subsequitur:

ſequitur; quanquàm ſanè duæ hæ plantæ *toto cælo* inter ſe diſcrepant; Aſt inter Herbas quàm parùm ſapere viſus hic *Criticus in Methodo* Legentiùm judicium penes ſit fides, ubi advertitur Admirabilem *Perüanam*, unà cùm hâc Lappulâ noſtrâ *Bermudenſi*. à ſe collocari in medio Umbelliferarum, quarum *Criteria*, ſ. Notæ Characteriſticæ, quæ omnibus in univerſum conveniunt, ſunt Flos pentapetalos, & ad ſingulos flores, bina ſemina nuda, fibrillis ſimùl juncta; Hoc equidem illi merè arbitrarium eſt, nam nota Characteriſtica generis alicujus, ſive ſit proprietas quædam ſingularis, ſive Complexus accidentium, vel Attributorum concurſus, omnibus ſub illo genere contentis ſpeciebus convenire debet, ſed quænam quæſo convenientia eſt inter has, & Umbellam, cujus Character apud omnes *Botanicos* accipitur pro ſummo caule, ſummiſvè ramulis in plures ab eodem puncto ortos radios, diviſis, & ſingulis radiis in plures itidèm pediculos, qui flores ſuſtinent ſubdiviſis; quæ generis Umbelliferi optima Nota eſt. Eodem equidem jure has plantas ad Verticillatarum, vel etiam ad quodlibet aliud plantarum genus adnumerare potuiſſet; Quid enim Lappula noſtra *Bermudenſis* ratione Characteris cum Planta Umbellifera? Omnis denominatio Herbarum (ut rectè mònet *P. Amannus*) undecunque etiam ſit deſumpta, niſi exprimat ſimùl notam Characteriſticam, à *Botanicis* non eſt attendenda, *Charact. Plant. Natural.* 27. Hæc eſt vera, & genuina *Methodus*, primò & per ſe cognitioni inſerviens, & à *Naturâ* ipſis Vegetabilibus communicata Teſſera, vel Nota infallibilis, in omnibus ſub eodem genere contentis, perceptibilis; Admirabilis ergo *Perüana*, atque etiam Lappula noſtra, licèt à priori maximè diverſa, ab Umbellis Utræque averruncandæ, ob deficientem teſſeram Umbellæ debitam. Et quis demùm eſt ſi examinare dignetur, Admirabilem *Peruvianam* & Agrimoniam lappaceam, & quantis inter ſe diſtent paraſangis, qui mecum non libenter agnoſcet, à malè digerendis plantis ingens remora diſcentibus objiciatur; At quidem *Sloanus*, is ſcilicet qui *Catalogum Plantarum Jamaicæ* compoſuit, licet aliquandiù illic moraretur, planè ex iis, quæ vel ipſe ſcribit præ ſe fert *Grammaticum*, indicatque ſe nunquàm conſpexiſſe herbas, quas exponit, ſed aliis fidem habuiſſe, citrà ullam Explorationem. An Quauhytzapoli, *Novæ Hiſpan. Hernandez apud Recc.* 404. Huic noſtræ ſit aliqua affinitas, nobis ſuſpicari licet.

Fol. 206. *ad lin.* 41.

An Frutex innominatus ſecundus, *Marcgrav. fol.* 80.

LAPPULA Althæoides *Americana* Mori albæ foliis Vitigineis, hirſutie ferruginea pubeſcentibus, White-Barke, *Barbadenſibus* vulgò.

Lappula *Americana* ſpicata, foliis amplis fidium inſtàr ſinuatis, & elegantèr crenatis. Fiddle-Weed, noſtratibus dicta. Huic fortè cognata eſt Althæa Abutili foliis, fructu hiſpido, *Americana*, *Phytogr. Tab.* 132. *fig.* 5.

Lappula *Malabarica* ſpicata, Betæ foliis Antagoniſtis, floribus interiùs lanuginoſis; Wellia Codiveli, *Hort. Malab. Part* 10. *Tab.* 59. Betæfolio *Malabarica* ſemine lappaceo *Commel. Not. in Hort. Malab.* Hùc fortè ſpectat Pu-pal Valli, *Hort. Malab. Part.* 7. *Tab.* 43.

Fol. 206. *post lin. ult.*

Lappula ferè umbellata, Astrantiæ foliis *Virginiana*.

Fol. 207. *ad lin.* 7. *post* 951. *add.*

Itèm Laserpitium *Alpino, ejusd. Parkinson. in append. fol.* 1685.

Ibid. ad lin. 11.

Deleantur quæ sequuntur, scilicet. Fortè etiam Libanotis *Theophrasti* quorundam, folio minùs rotundo, *ejusd. ibid.* 165.

Ibid. ad lin. 19.

Deleantur hæc verba, viz. Libanotis altera quorundam, aliis dicta Cervaria nigra, *JB. Tom.* 3. 165. Item. Et eorum loco substituantur quæ sequuntur verba. An Libanotis *Theophrasti* quorundam, folio minùs rotundo, *JB. Tom.* 3. 165. Quæ suprà ad penultimam pro Synonymo habentur, ubi expungenda sunt, & hoc loco transferenda, sic emendabitur error.

Ibid. ad lin. 21.

Libanotis fortè *Theophrasti* magis genuina quod folia habet σελίνω ἑλείω, (i. e.) palustri Apio majora.

LASERPITIUM aureum Petroselini foliis *Marianum*.

Fol. 208. *ad lin.* 5.

Et *Angliæ* nostræ Indigena est.

Fol. 208. *post. lin.* 9.

LATHYRUS major è *Siciliâ*, flore amplissimo, odorato, vexillo rubro, labialibus petalis rostrum ambientibus cæruleis, siliquâ hirsutâ, planâ, *Hort. Uvedalens.* An Lathyrus distoplatyphyllos hirsutus, mollis, magno & peramœno, flore odoro, *Hort. Cathol. Cupan.*

Ibid. ad lin. 36.

Lathyrus rectus gracilis, Gladioli folio tenui, monanthos, rubicundus, *Francisc. Cupan. Hort. Catholic. pag.* 107.

Lathyris congener spicata, foliis integris gramineis, s. Catanance leguminosa *Indorum* microlobos, semine quadrato. Nir-murri, *Hort. Malabar. Part.* 9. *Tab.* 32.

Lathyroides, vel Lathyris congener, Linariæ foliis, *Æthiopicum*.

Fol. 209. *post lin.* 8.

Lathyro affinis monophyllos, *Caroliniana*, pediculis foliorum alatis, *Hort. Compton.* An Lathyrus *Curassavic.* pediculis foliorum alatis, *PBP.* 345.

Ibid. ad lin. 28.

An Quauh-Tlac-Pavatzli, *Novæ Hispan. Hernandez apud Recc.* 405.

Ibid. ad lin. 36.

Ruscus angustifolius, fructu folio innascente, *Elem. Bot. pag.* 70.

LAUROTAXA epiphyllocarpos, crenatis foliis, maxima, è singulis foliorum crenis, baccifera. Ex *Insula Palma*; nuper allata est.

Laurotaxa epiphyllocarpos, *Americana*, crenatis latioribus foliis, non ramosa, ad crenaturas fructum promens.

Laurotaxa epiphyllocarpos angustifolia, minor, ramosa, baccis è crenis foliorum prodeuntibus, *Jamaicana*. Inter Filices Hemionitides, in *Almagesto* perperàm accensentur, *fol.* 150. *Pl.* 7, & 8. Hoc loco reponi deberent, sunt enim Plantæ bacciferæ & monopyrenæ.

Fol. 209. *ad lin.* 37.

Laurotaxa epiphyllocarpos *Alexandrina*, medio folio baccâ insidente, Victoriola quibusd.

Ibid. ad lin. 40.

Ruscus latifolius, fructu folio innascenre, *Elem. Bot. ibid.*

Fol. 210. *ad lin.* 3.

Ruscus angustifolius, fructu summis ramulis innascente, *Turnefort. Elem. Bot. ubi suprà.*

Ibid. ad lin. 5.

Laurotaxa epiphyllocarpos minor, fructu majore, medio folio cuspide aculeato, sessili.

Ibid. ad lin. 30.

An Quauh-Eloxochitl, *Nov. Hispan. Terentij apud Recc.* 403.

Ibid. post lin. 31.

Laurus serrata odora *Promont. Bon. Spei, Bod. à Stapel. Not. in Theophr.* 333. Laurus *Africana* serratis foliis, *Bartholin. Act. Medic. Anni* 1673. *Obs.* 24. A Myrto enim Brabanticæ accedente, Almagest. & Æleagno *Virginianæ*, *Banisteri* quæ tantùm prioris est varietas, plurimùm differt hæc Laur. *Africana.*

Ibid. ad lin. 37.

Et aliquando Milkwood *Barbadensibus* nostratibus dictam.

LAURIFOLIA *Virginiana*, Mirabilis *Parüanæ* floribus, summo ramulo veluti in spicam innascentibus.

Fol. 211. *ad lin.* 3.

Katu-Naregam, *Hort. Malab. Part.* 4. *Tab.* 13. *Lusitanis*, Limao Coroado Arbor & folio, & fructu, huic nostræ propiùs accedere videtur, attamen spinar in proventu discrepat.

Ibid. ad lin 11.

Huic est congener Alpam, *Hort. Malab. Part.* 6. *Tab.* 28. Siliquosa *Indica*, flore tripetalo, siliquis teretibus, pulpâ absque seminibus repletis, *Raij Hist.Pl.*1765, & Pee-Kandel fortè *ejusd. Hort. Malab. Part.* 6. nec non Xaxahoactli, *Novæ Hispan. Hernandez apud Rec. fol.* 438. Horum enim omnia sunt, olliculis fungosis.

Ibid. ad lin 27.

Flos nondùm apertus, pyxidi *Beatæ Mariæ Magdalenæ* (ut aliquando fictum vidit *Banisterus*) similis est; à *Virginiensibus* Colonis Ivy-flowring-Winter-green, nuncupatur. An Arbor Febrifuga *Peruviana Jonston. Dendrograph. fol.* 476. *Tab.* 135. De hac Arbore Corticiferâ, & ejus loco natali, vid. *Sebastiani Badi Anastasin Corticis Peruviæ*, s. *Chinæ-Chinæ defensionem*, quæ omnia habuit ex cujusdam *Bolli* Mercatoris *Genuensis* narratione, ex Arboris ipsius ramo grandioribus lineis in ære inciso, totâque Arbore, sed minutiùs figuratâ, in Iconibus quas *Romæ* habuit à

Cl. Hieronymo Bardi, & à peritissimo Pharmacopola *Collegij Societatis Jesu*; ex harum postremâ Catagraphe (ut conjicere licet) Icon à *Jonstono* exarata est in *Dendrographia.* Quantumvis autem *Peruviani* Corticis, implevit Nomen aures Medicorum, cujusnam Arboris spolium sit, clarè non patet; Incerta sunt plerumque rerum magnarum exordia, densoque sub caliginis occultantur peplo, sub quo latent, quò profundiùs, eò majori appetitus sciendi fertur desiderio. An hæc nostra Laurustinus sit, Tiliæ affinis Laurifolia, Arbuti floribus albis racemosis odoratis, fructu pentagono, *Cat. Jam.* 136.

Fol. 211. *post lin.* 29.

LENS *Africana* Elatines fæm. folio singulari, pilis longioribus hirsuta, ex *Prom. Bon. Spei.* Elatines folio pilosissima, papilionaceo flore, *Maderaspatana. Almag. Bot.* 133.

Fol. 211. *ad lin.* 33. *add.*

Huic, folia *Vulgaris* sunt multo ampliora, subtus purpurea, quæ multiplicat se radiculis suis tenuissimis, cùm *Vulgaris*, radice tantùm simplici, donata sit.

LENTICULA aquatica trichôdes, ad margines foliorum, longioribus pilis fimbriata, in Angliâ nostrâ invenit, *Generosus Vir. D. Adamus Buddl.*

Ibid. ad lin. 36.

Lens palustris altera, *Matthioli. Hist. Lugd.* 1015.

Ibid. ad lin. ult.

Lemma (fortè) Orchomeni lacus *Theophrast. Hist. Pl. lib.* 4. *cap.* 11. Lemma enim quidam dictum volunt quasi λέπιδα (*i. e.*) squamam, corticem, membranam, à verbo λέπειν quod significat λεπίζειν desquamare: Nostra quidem gignitur in palustribus, foliis membraneis, hinc indè à caulis cortice prodeuntibus, & squamarum instar, eum circumvestientibus, in vertice densiùs stipatis, ac confertissimis.

Fol. 212. *post lin.* 8.

LEONTOPETALO affinis, Staphylini folio aliquatenùs accedens, apicibus tridentatis. Leontopetalo affinis, foliis quernis. *C B P* 324. Chrysogonum *Dioscoridis*, *Rauwolfii. Hist. Lugd. append.* 28. *Ponæ. Italicè*; Huic, (quoàd folia) plurimùm accedit Tlicoxochitl de Guastepec-Otequa-Xochitl, *Nov. Hispan. Terentii apud Recc. fol.* 430.

Ibid. ad lin. 13.

Frutex *Æthiopicus* conifer, foliis lanuginosis omnium maximus, *Breyn. Prodr.* 2. 49. An fortè Shittai Arbor *Hebræorum in Isaiah cap.* 41. recensita, cujus & in *Sacris Scripturis*, non alibi memoratur.

Ibid. ad lin. 17.

An Arbor *Indiana* Archam, cujus radix Mater Dei, dicitur. *Zanon. Istor. Bot.* 23.

Ibid. ad lin. 19.

Dele nondùm *edit.* & add. *Tab.* 304. *fig.* 6. *ad lin.* 22. Huic fortè pertinet Cecocpatli, *Nov. Hisp. Terentii apud Recc.* 362.

Fol. 213. *post lin.* 18.

LEUCOIUM *Æthiopicum*, latiori folio in canum, trifidum & multifidum, flore cœlesti. Curâ D. *Tillemanni Roberti*, *Jacobi* fratris consanguenei, in *Horto Cl. viri D. Christophori Wren*, *Equitis aurati & summi Architecti regii*, apud *Aulam*

Hamptionam,

Hamptoniam, ex ſeminibus à *Prom. Bon. Spei* allatis, ſibi natum habuimus. Ranunculus purpureus *Hiſt. Lugd.* 1036. (quoàd folia) huic noſtro Leucoio, haud multùm impar.

Fol. 215. *poſt lin.* 10.

Leucoium alyſſoides fruticoſum, folio virente, ex *Hiſpaniâ*. Alyſſoides fruticoſum, Leucoij folio viridi *Turnefortii*.

Fol. 215. *ad lin.* 39.

Fortè Nerii facie, arbor *Indica, Park. Theatr. Plant.* 1470. & *I B. Tom.* 2. *fol.* 142. Nerio affinis, arbor ſiliquoſa, folio palmato, ſive digitato, flore albo. *Cat. Jam.* 154.

Fol. 216. *ad lin.* 39.

Adverſus morſum Canis rabidi, probatum eſt Specificum, *Dampier* in *Philoſoph. Tranſact. Londini edit.* 1697.

Fol. 217. *ad lin.* 9.

Fortè etiam Liguſticum alterum, *Matthioli edit. Baub.* 547. an Libanotis Apii folio, ſemine aſpero: *C B P.* Roſmarinus foliis Selino ſimilibus, quæ Libanotis legitima, *Theophraſto Belli. Epiſt.* 1. *ad Cluſ.* σκοτίσμεα vulgo, quòd Vertiginem inducere credatur, & ni fallor (inquit *Bellus*,) Siler *Creticum* à quibuſdam perperàm vocatur. Libanotis *Theophraſti* Apii folio, *Cretica. Park. Theatr. Pl.* 52.

Ibid. ad lin. 23.

An Βότρυς τῆς Κύπρυ ſive Botrys Cypri, *Canticorum. cap.* 1. *verſ.* 13.

Ibid. ad lin. 25.

An Amazquilitl, *Novæ Hiſpan. Terentii*, apud *Recc.* 350.

LILIO-Narciſſus *Indicus* umbelliferus, flore extùs rubro, intùs albo inodoro, Rapaceâ radice. Narrevilancalunga *Malabarorum*.

Fol. 218. *ad lin.* 11.

Lilium ſ. Martagon *Virginianum*, floribus reflexis, ex luteo rubentibus, purpureis maculis eleganter punctatis. *Baniſt. Cat. Mſſ.*

Fol. 220. *ad lin.* 10.

Poſt Viridario ſuo *lege* apud *Hockeſdon*, Vicum *Londini* ad Aquilonem ſuburbanum jam nunc ſuperbiant.

Ibid. ad lin. 13.

An Lilio-Narciſſus humilis albus, *Baniſteri Cat. Virg. ad lin.* 36. Smilax unifolia humillima *Turnefort. Elem. Bot.* 512.

Fol. 221. *poſt lin.* 11.

LIMONIUM *Hiſpanic.* ſupinum, comâ diffuſâ, *Turnefortii.* Ut nos monuit inſignis *Botanicus* D. D. *Carolus Preſton*.

Fol. 222. *ad lin.* 3. *poſt C B P. add.*

Quæ deſcribitur in *Prodromo* 106. an Linaria Myrſinites triphylla, flore candido ſulphureo, rictu croceo, brachiata, *Fr. Cupani Hort. Catholic.* 114.

Ibid. ad lin. 4.

Poſt vocem *flore*, add. *ejuſd. C B P. ad lin.* 6. adde cui folia ſunt Centaurii minoris.

Fol.

Fol. 222. post lin. 8.

LINARIA triphylla ſpecioſis, ex aureo & carneo, pervenuſtè mixtis, ſummo caule indiviſo, an Linaria latifolia triphylla *Sicula Boccon. de Pl. Sicul. pag.* 44. Qui *Bauhinianam* Linariam triphyllam latifoliam (exceptâ notâ brachiatâ, in caulis ſummitate,) cum ſuâ omninò convenire pronunciat. Hanc noſtram ſanè pervenuſtam plantam florentem vidimus, præterito anno in cultiſſimo exoticarum Stirpium Horto, *Enfeldiæ*, *ad Ædes D. D. Vvedale* maximâ cum voluptate.

Ibid. ad lin. 13.

Linaria folio capillo craſſiore, ſpicato flore candido, rictu crocato, *Fr. Cupan. Hort. Cath.* 113.

Ibid. poſt lin. 21.

Linaria arvenſis, folio anguſtiſſimo, *P.B.P.* 348.

Ibid. ad lin. 24.

An Linaria erecta cærulea, *Cat. Jam.* 59. At hujus denominatio tàm lata eſt, ut quæ illa ſit herba, difficile eſt hariolari.

Ibid. ad lin. 40.

Fortè Linaria *Luſitanica*, procumbens, Polygoni folio, flore pallido cæruleo, rictu luteo, *Hort. Medic. Amſtelod. cap.* 7. *cum Icone*. An Linaria Saxatilis, Serpylli folio, Turnefortî, apud *Collectaneas D. Preſton.*

Fol. 223. ad lin. 6.

Linaria notha, Antirrhimi folio, flore candido decuſſato, quinque foliis faſtigiatis cincto, *Franciſc. Cupani Cat. Hort. Catholic.* 113.

Ibid. ad lin. 18.

Pſeudolinaria lanceolato folio craſſulo, floſculo albo pentaphyllo *Cupan. H. Catholic.* 173.

Ibid. ad lin. 22.

Huc fortè ſpectat Texioquahoitl; *Nov. Hiſpaniæ Terentii apud Recc.* 413.

Ibid. poſt lin. 37.

LINUM *Æthiopicum*, anguſto rigido folio, elatius, & lignoſum, floribus cæruleis parvis.

Lini *Æthiopici* ſimilis, Planta *Africana*, Saniculæ alpinæ floſculis albis, ſummo caule faſtigiatis. An Sanicula alpina fruteſcens, *Æthiopica*, Lini folio, flore candidiſſimo?

Ibid. poſt lin. 43.

Linum pratenſe *Marianum* Cathartici ſimile, ſive Chamælinum flore luteo, *Americanum*.

Linum parvum *Virginianum* Cathartici floribus albis, ad nodos caulium veluti in ſpicam emergentibus.

Fol. 224. poſt lin. 22.

Lini faciè multicapſularis, Linariæ modo, ſummo caule folliculis ad intervalla, quaſi in ſpicam diſpoſitis. Idem fortè cum præcedenti in *Almageſto*. Provenit in *Cypriorum Inſulâ* & circà *Alexandriam*; in quibus locis collegit D. *d'Aviſſon.*

Ibid. ad lin. 23.

An Linum Scandens, flore dilutè purpureo, ſemine triangulari. *Cat. Jam.* 89.

Ibid.

Ibid. ad lin. 38.

An Arbor Thurifera *Mauritanica Jubæ Numidiæ* regis in *Commentariis* fuis ad C. *Cæsarem* apud *Plin. lib.* 12. *cap.* 14. Cui, rami funt Aceris maximè *Pontici* perfimiles. *Juba* enim rex iis Voluminibus quæ fcripfit ad *Caium Cæsarem Augusti* filium, ardentem famâ *Arabiæ* tradit, contorti effe caudicis, ramis Aceris maximè *Pontici*, ac fuccum Amygdalæ modò emittere; talefque in *Carmaniâ* apparere, & in *Ægypto* fatas ftudio *Ptolomæorum* regnantium, ut ex Inquifitione iftius regii *Botanici*, tradit *Idem Plinius ubi fuprà* An Arbor Thurifera, *Parkinfon Theatr. Pl.* 1602.

Fol. 225. *poft. lin.* 2.

LITHOSPERMUM Bugloffi foliis afperis, tetrafporon, five feminibus ad fingulos flores quaternis, veluti in unum coalitis. Ex *India Orientali*.

Lithofpermum Scorpioïdes, floribus roftratis pallidè luteis *Virginianum*, *Banifteri Cat. Strip. Virgin.* Heliotropium (fortè) minus, Lithofpermi foliis, *Cat. Jam.* 25. Ubi movetur dubium, An fit Echioïdes parva alba amphibia *Fab. Columm. ecphraf.* 185?

Ibid. ad lin. 13.

An Baccifera arbor calyculata, foliis laurinis, fructu racemofo, efculento, fubrotundo, monopyreno, pallidè luteo; Bastard Locust Tree *Cat. Jam.* 165. Item Baccifera arbor calyculata, foliis integris, oblongis, acuminatis, fructu rufefcente. *Ejufd. ibid.*

Fol. 225. *poft lin.* 30.

LOTUS filiquofa lutea, filiquâ quadratâ, foliis admodum hirfutis. Hanc quoque debemus *Cl. viro* D. D. *Carolo Prefton*; cujus fanè Studio in re *Botanicâ* plurimùm debetur.

Fol. 226. *poft lin.* 3.

Lotus *Africanus*, tenuiffimis foliis ramofiffimus, floribus luteis, perexiguis.

Lotus *Æthiopicus* fruticofus elegans, cauliculis rubicundis. Manelli (fortè) *Hort. Malab. Part.* 9. *Tab.* 37.

Ibid. ad lin. 5.

Poft 355. *add.* Meliloti majoris quarta fpecies, *Trago. ejufd. I B. ibid.* 349. Melilotus *Serapionis*, Lotus altera major, hirfuta, & erecta, guftu aftringenti, *Gefnero.* in *Hort. Germ.*

Ibid. poft lin. 12.

Lotus corniculatus *Æthiopicus*, frutefcens, foliis fubtus argenteis.

Lotus corniculatus argenteus, flore luteo, ex Oris *Gaditanis.*

Ibid. ad lin. 16.

Fortè Lotus polyceratos, humi proftrata, pentaphylla, incana, hirfuta, foliis acutis, floribus luteis rubro virgatis. *Fr. Cupani. Cat. H. Cath.* 116.

Ibid. poft lin. 37.

Lutos *Æthiopicus* argenteus, flore fingulari rubro.

Ibid. poft lin. 42.

Lotus argenteus minor, *Gaditanus.*

Fol. 227. *post lin.* 5.

Loti corniculati & Coluteæ media, pilosis foliis, siliquâ quadratâ; Codeserupaulada *Malabarorum*. Huic fortè congener est Tsjovanna-Manneli *Hort. Malab. Part.* 9. *Tab.* 38. An sit Yztacpatli nona *Nov. Hispan. Terent. apud. Recc. fol.* 451.

Lotoides *Æthiopicum*, Saxifragæ pratensis folio, plurifariam quinque partito.

Ibid. post lin 15.

Loto affinis *Lusitanica*, pinnatis foliis, flore minimo versicolore. Barba Jovis minor *Lusitanica*, flore minimo, variegato, *Turnefort. Elem. Bot.* 511. Glaux supina viminosa, *Lusitana*, *Grisleii Viridar. Lusitan.*

Ibid. post lin. 25.

Loto affinis Lagopoides, *Nov'anglicana*, frutescens, foliis ternis, subtùs sericeâ lanugine argentatis, monospermos.

Loto affinis trifoliata, frutescens, glabra, ex *Terra Mariana.*

Ibid. post lin. 28.

Loto affinis monophyllos, Polygalæ foliis, argenteâ hirsutie pubescentibus; Nellacrandee *Malabarorum.*

Fol. 228. *ad lin.* 5.

Medicago Vulnerariæ facie *Hispanica*; *Turnefortii, Elem. Bot.* 328. Item Medicago *Cretica* Vulnerariæ facie, *ejusd. ibid.*

Ibid. ad lin. 31.

An Cytisus arboreus, bituminosus, Hederæ foliis, non angulosis; *Cat. Jam.* 141. Sed quâ causâ, hæc nuncupatur Cytisus, nullo modo divinare possum. An fortè hæc sit Draco arbor *Indica* siliquosa, Populi folio Angsana vel Angsava *Javanica Hort. Medic. Amstelod. cap.* 109. Quam nos Aceris cognatam Tiliæ foliis &c. fecimus in præcedentibus.

Ibid. ad lin. 33.

Osmunda foliis lunatis, *Turnefortij Elem. Botan.* 436.

Ibid. ad lin. 35.

Osmunda foliis Adianti, *Turnefortij, Elem. Bot.* 437.

Ibid ad lin 38.

Osmunda multifido folio, *Turnefortij, Elem. Bot.* 436.

Ibid. post lin. 40.

LUNARIA racemosa minor Matricariæ folio *Breyn. Cent.* 184. à Lunaria Cicutariæ foliis *Jamaicanâ*, est plurimùm diversa; Lunaria elatior, Matricariæ folio, spicâ duplici, *Cat. Jam.* 14.

Osmunda Matricariæ folio, *Turnefortii, Elem. Botan.* 436.

Lunaria multifido folio crasso, racemo florum ex pediculo propè radicem prodeunte, ex *Terrâ Marianâ*, à *præcedentibus* plurimùm diversa. Aut si mavis, Lunaria *Marilandica* ramosa, segmentis crassioribus, Halicacabi peregrini divisuris, thyrso florum ex pediculo propè radicem irrumpente.

Fol. 229. *ad lin.* 8.

Item Lupinus angustifolius, flore è candido-purpureo, *Fr. Cupani Hort. Cathol.* nostra tamèn folia, haud propriè angusta dici merentur.

Ibid. ad lin. 34.

Hùc (fortè) spectat Camopaltic, *Nov. Hispaniæ, Terentii apud Recc.* 360.

Fol.

Fol. 229. post lin. penult.

LYCHNIS Coronaria, *Monomotapensis*, umbellata, multiplex; f. Caryophyllus holostius tomentosus, *Æthiopicus*, latiori folio, flore argenteo completo. Vel Lychnis Umbellifera Gnaphaloides *Monomotapensis*, flore argenteo completo.

Fol. 230. post lin. 33.

Lychnis parva, hirsutis foliis, *Æthiopica*.

Ibid. post lin. 38.

Lychnis parva, ramosa, cauliculis nodosis, floribus in laxiorem spicam, uno versu dispositis, ex *Insulâ Rhodiorum*.

Lychnis aizoïdes glaucophyllos, ad nodos caulium flosculis amœnè purpureis *Rhodiensis*. In *Hort.* Medicinæ apud *Chelseiam*, curâ D. *Doody*, ex seminibus enutritam conspeximus, at majori perfectione ex indè lustravimus, in Horto *Cl. viri D. du Bois*. Hùc fortè spectat Lychnis *Mexicana* vermiculari folio, radice grumosâ, f. Tlalizta-Quilitl *Nov. Hispan. Terentii apud Recc.* 421. an Lychnis marina pusilla, Alsines folio crasso, minore, glutinoso, polyanthos. *Cupan. H. Cath.*

Fol. 231. post lin. 1.

Lychnis *Virginiana*, vermiculatis Kali longioribus foliis, caule nudo, summo fastigio, floribus umbellatis.

Lychnis *Hispanica* fruticosa, Kali folio multiflora; *Turnefortii*; *Elem. Bot.* 281. *à D. Carolo Preston* nobis communicata.

Ibid. ad lin. 5.

Hanc autèm plantam, ad Alsines genus, potiori jure, quàm ad Lychnidis pertinere merito suspicatur *Rajus Hist. Pl.* 997.

Fol. 231. post. lin. 24.

Lychnis viscosa humilis. *Virginiana*, latiori folio, floribus albis amplissimis.

Ibid. post lin. 30.

Lychnis *Virginiana* elatior, floribus parvis, in summitate caulis.

Lychnis Campanulæ hortensis folio, calyculis parvis, ex *Insulâ St. Helenâ*.

Fol. 231. post. lin. 33.

Lychnis viscosa *Lusitanica*, capsulâ subrotundâ glabrâ. An Lychnis viscosa angustifolia, alpestris, flore interiùs albo, exteriùs rubro, imis foliis Ocimi, *Cupani Hort. Cath.* 119.

Fol. 232. ad lin. 6.

Huic fortè spectat Apanxaloa *Nov. Hispaniæ Terentii apud Recc.* 353.

Fol. 233. post. lin. 20.

Lychnis minor Caryophylloides, angustifolia, *Insulæ St. Helenæ*.

Ibid. post lin. 31.

Lychnidea *Virginiana* Blattariæ accedens, umbellata, maxima, Lysimachiæ luteæ foliis amplioribus, binis ex adverso positis.

Lychnidea *Virginiana* Blattariæ accedens, Been albi *Officinar.* foliis, è regione binis, longè inter se distantibus.

Lychnidea *Virginiana* Blattariæ accedens, Been albi foliis crebrioribus, floribus in umbellam positis.

Lychnidea *Virginiana* Blattariæ accedens, Alsines aquaticæ foliis, floribus summo caule brachiatis, sivè in ramulos divaricatis.

Lychnidea *Mariana* elatior, Alsines aquaticæ foliis, floribus in longam spicam densè stipatis.

Fol. 233. *post lin.* 34.

Lychnidea umbellata, Satureiæ duris longioribus foliis, ex *Terrâ Marianâ.*

Ibid. post lin. 38.

Lychnidea Clinopodij *Canadensis* fistulosi, foliis pubescentibus, *Marilandica*, flore albo amplissimo.

Lychnidea fistulosa *Marilandica*, Clinopodii *vulgaris* folio, flore amplo singulari.

Ibid. ad lin. 39.

Post 58. *adde.* An Rhamnus solutivus *Pannonicus* 2. *ejusd. I B. ibid. fol.* 57.

Fol. 234. *post lin.* 4.

LYCIUM *Asiaticum*, non serratum, Prunifolium, minus, ex *Insulâ Rhodiensi.* an Lycium *Hispanic.* folio oblongo. *C B P.* fortè Courou-Moelli *Hort. Malab. Part.* 5. *fol.* 77.

Ibid. ad lin. 16.

Todalle *Malabarorum. Ibid. ad lin.* 20. an Lycium (fortè) foliis subrotundis, integris, spinis & foliis ex adverso sitis. *Cat. Jam.* 171.

Fol. 234. *post lin.* 22.

An Ricini fructu glabro, arbor julifera, lactescens, folio Myrtino; *Cat. Jam.* 131. an Lycium Buxifolio rotundiore, integro, flore purpureo tetrapetalo, spinis validissimis, & longis armatum. *Cat. Jam.* 171.

Ibid. ad lin. 24.

Cujus baccæ sunt grandiores, trigonæ vel triquetræ, & striis ornatæ.

Ibid. post lin. 27.

Lycium confertis Buxi foliis, spinis horridum, compresso Guaiaci triquetro fructu, *Malabaricum.* Cauraichedde *Malabarorum.* An Licium *Siculum* Buxi folio, fructu trigono, rubro-nigro, *Cupan. Hort. Cath.* 111.

Fol. 234. *post lin.* 33.

Lycium *Indicum* elatius, floribus calyculatis, ex sinu foliorum plurimis simul junctis, fructu albo Pisi formâ & magnitudine. Tetumecootan *Malabarorum.*

Ibid. ad lin. ult.

An Cacao affinis frutex spinosus, Lycii facie, Jasmini flore albo, fructu in dispares particulas inter se arctè hærentes, diviso. *Cat. Jam.* 135.

Lycium *Coromandelianum*, Phillyreæ latioribus foliis, spinosum, floribus, Jasmini, longo tubulo donatis.

Fol. 235. *ad lin.* 4. *add.*

Chachedde *Malabarorum.*

Fol. 235. *post lin.* 14.

LYSIMACHIÆ Chamænerion dictæ latifoliæ similis, siliquosa, floribus parvis Hyacinthoidéis, in longiorem spicam dispositis. *Provinciæ Marianæ* alumna est.

Ibid. post lin. 16.

Lysimachia Chamænerion dicta alpina CBP. 245. et in *Prodr.* 216.

Fol. 235. *ad lin.* 18.

An Lysimachia siliquosa, alpina, erecta, Alsines folijs, *Bocconi. Mus. Plant. Tab.* 15.

Ibid.

Fol. 235. *post lin.* 18.

Lysimachia siliquosa glabra, minor, *Mariana*, angustioribus sive Hyssopi foliis. Zacanal-Haotl *Chullulensis* s. Anagallis *Mexicana Hernandez apud Recc.* 241. hujus est omnino similis.

Lysimachia Chamænerion dicta minor, *Virginiana*, flore albo.

Ibid. ad lin. 31.

Huic fortè spectat Pozahualizpatli *Nov. Hispan. Hernandez apud Recc.* 398.

Ibid. ad lin. 33.

An Lysimachia lutea non papposa, erecta, major, foliis hirsutis. *Cat. Jam.* 85.

Ibid. post lin. 35.

Lysimachia non papposa *Terræ Marianæ*, leptoneurophyllos, flore tetrapetalo rubello, folio & caule hirsutie ferrugineâ hispidis.

Lysimachia lutea corniculata, Hyssopifolio, ex *Virginia*. An Lysimachia flore luteo, tubo longissimo, D. *Oldelandii*: *Mus. Pet.*

Fol. 236. *post lin.* 2.

Lysimachia non papposa, Hyssopifolia, fructu Caryophylloide parvo. Yellecootan *Malabarorum*.

Ibid. ad lin. 28.

Post *Vocem folio*; *lege* flosculorum petalis falcatis.

Ibid. ad lin. 37.

Post *Dioscoridis add.* Ajuga (fortè) s. Chamæpitys altera, *Matthioli edit. Valgris.* 941. Chamæpitys 3. s. altera *Matthioli Hist. Lugd.* 1160. fortè etiam Anthyllis marina altera, *Narbonensis*, *Penâ ejusd. Hist. Lugd.* 1382. Icon tamèn infeliciter exsculpta, minùs convenit. Chamæpitys prima *Dioscoridis* odoratior, *Lobelij Icon.* 383. Chamæpitys incana, exiguo folio, *CBP.* 249.

Ibid. ad lin. 38.

Post Vocem *donavit*. add. Erica marina humilis *Saccensis*, Ericæ *Alexandrinæ* folijs, mollibus, pilosulis, albicantibus *Francisc. Cupani. Hort. Cath.* 69. Fortè etiam Thymelæa Sedi minoris perenni folio, atrovirente, s. fæmina, flore albo seminifera, *ejusd. Cupani. ibid. pag.* 212.

Fol. 237. *ad lin.* 13.

Deleantur hæc verba scilicèt, à quâ Tsjeruparva *Hort. Malab. Part.* 10. haud multùm abludit. quia hæc potiùs ad Althæarum genus pertinere videtur; quanquam *Commelinus* in *locum*; Illam posuit pro ipsissimâ Cabrittâ.

M.

Fol. 237. *post lin.* 18.

MACER *Græcorum*, *Parkinson*, *Theatr. Plant.* 1590. Macre *Indorum* sive Arbor Dysenteriæ. Et Arbor *S. Thomæ Christianorum*, *Christoph. Acost. Aromat. cap.* 12. Macer veterum *Clus. lib.* 4. *cap.* 4. Macer & Macir, Talisafar,

sasar, radicis cortex, *Avicennæ. CBP.* 408. Cortex ad alvi profluvia, in *novo Orbe Monardis.*

Ibid. ad lin. 21.

Origanum *Indicum Park. Theatr. Pl. app.* 1674. *Ibid. ad lin* 24. Et ex *Cap. Bon. Spei,* nuper habuimus.

Ibid. ad lin. 33.

An Loti arboris folio angustissimo, Arbor baccifera, racemosa, fructu minimo, croceo, monopyreno. *Cat. Jam.* 163.

Fol. 237. *post lin.* 33.

MALVA flore luteo, *Sicula,* folijs moschatis, crispis; *Boccon. de Plant. Siculis. pag.* 68.

Fol. 238. *ad lin.* 2.

Hujus quoque datur Species minor, ex *Alepo,* quam ex Seminibus euntritam, vidimus in *Horto* exoticarum amoenitate *instructissimo. D. Caroli du Bois,* undè dicitur.

Malva trimestri Similis, sed multò minor *Chalepensis.* An Malva trimestris, ac pumila *Clusii Hist.*

Fol. 238. *ad lin.* 6.

Hujus autem fructus ex pluribus capsulis constat, in capitulum globosum congestis, proindè rectius inter Alceas annumeranda esset.

Ibid. post lin. 6.

Malva *Africana* procumbens, Betonicæ folijs, margine lacinijs minutioribus eleganter fimbriato; *Almag. Bot.* app. *fol.* 401. An Malva acuminato, lacerato folio Betonicæ, hirsuta repens, *Cupani Hort. Cath.* 122.

Malva odorata, folio crasso, et veluti crispo, densâ lanugine incano, Xanthij æmulo, floribus purpureis parvis, ex *Insula Coo.* In Hortis excultissimis Dris. *Uvedale* & D. *Caroli du Bois* observavimus.

Fol. 238. *post lin.* 8.

Malva parva *Gaditana,* foliis incanis.

Ibid. post lin. 14.

MALUS Sylvestris, Azarolæ ferè folijs, *Caroliniana,* fructu pusillo aureo. In *Horto Gulielmi Darby* crescentem observavimus.

Fol. 238. *post lin.* 21.

Malus rosea *Malabarica* Syalita dicta, *Hort. Malabaric. Part.* 3. *fol.* 39. an Ἀρτοκαρποφόρος sive Fructus panificius, The Bread-Fruit, vulgo dictus, *Insulæ Guam,* vel *Mariæ,* qui ut testatur *Dampier* Arboris est fructus, quæ amplitudine, et proceritate, maximas nostratis *Insulæ* Malos adæquat; diffusum habet verticem, ramis luxuriantem, et folijs atrovirentibus, fructus ex ramis provenit instar pomorum, quoàd magnitudinem, instar panis denario empti, quando modius tritici quinque solidis constat, figurâ rotundus, & coriaceo putamine cinctus: Cum fructus maturuerit, fit flavus, & mollis, gustui Suavis, ac jucundus. Indigenæ hujuscè *Insulæ,* (*Guam,* vel *Mariæ*) pro pane utuntur, adultum Colligunt dum viridis, ac durus existit, tum furno pinsunt, quod torret putamen, & nigrefacit, radunt verò exteriorem, nigram crustam, remanente alterâ crustâ molliusculâ, ac tenuì, pars autem interior mollis, & tenera est, & instar

ſtar medullæ panis denario empti candet; neque ſemen, neque oſſiculum habet, ſed omninò inſtar puræ panis ſubſtantiæ apparet. Neceſſe eſt ut edatur dum recens, ſi enim reponatur diutiùs, ſpatio viginti & quatuor horarum, areſcit, & rancore ſtrangulatorio reſipit; guſtui autem egregiè placet, priuſquàm temporis morâ nimis veteraſcit. Hicce vero fructus octo menſes, ſingulo quoque anno viget, quo durante tempore *Indigenæ* nullo alio cibo panificii generis utuntur. Nunquam alibi hunc fructum mihi conſpicere contigit: Indigenæ quidem nobis ſignificabant, maximam hujuſce fructus copiam, in cæteris *Ladronenſibus Inſulis* innaſci, at nunquam audivi eum in alijs locis provenire. Hactenùs *Dampier Orbis Circumnavigat. pag.* 296. An Fructus in *Inſulâ Stæ. Mariæ*, Pyra majora referens, intùs mucculentum. *Part* 3. *Ind. Orient.* 10. *CBP.* 439.

Fol. 238. *ad lin.* 25.

Huc fortè ſpectat Yztlacatinipatli, *Nov. Hiſpaniæ. Hernandez, apud Recc.* 453.

Fol. 239. *ad lin.* 12.

Poſt *vocem* imitatur, *add.* qui et ipse videtur, has duas ſpecie diſtinctas *Theophraſti* plantas, malè confundere.

Ibid. ad lin. 17.

Variat etiam hujus Arbor Limoniæ, ſeu Mali *Medicæ* folio, & fructus medullâ albicante. An non Arbor *Scientiæ* cujus, fructus erat Malum, in *terreſtri Paradiſo*, primis *Parentibus* interdictum, & quod Nobis exinde omnium Malorum ortum dedit fatalem; *Theologis* inquirendum propono; *nobis enim hoc veriſimile videtur.*

Ibid. ad lin. ult.

An Limones ſuâ ſpecie puſilli, in *Indiæ Inſulâ Zeilam Hiſt. Lugd.* fol. 1838. Attamen re verâ hujus Arbor eſt Coru *Parkinſoni* ſpecies, fructu minore.

Fol. 240. *ad lin.* 14.

Mamei folium, *Hiſt. Lugd. fol.* 1836. an Mombini et Mommina, *Almag. Bot. fol.* 307. *pl.* 5. an Mammee Sylveſtris, *Dampier Circumnav.* 204.

MAMMEE Canarinæ folijs, & facie, Arbor ex *Inſulâ Johanna.*

Ibid. ad lin. 30.

Fortè Tlapaltic-Cacolaxechitl *Hernandez apud Recc.* 94.

Ibid. ad lin. 33.

Senæ ſpuriæ, aut Aſpalatho affinis, arbor ſiliquoſa, foliis bifidis, flore pentapetalo vario. *Cat. Jam.* 50. fortè Ticaxochitl aut Tlauhquichulxochitl *Nov. Hiſpan. Hernandez. apud Recc.* 94. Chera-Mandarree *Malabarorum.*

Ibid. ad lin. 38.

Aateenarchedde *Malabarorum.*

Ibid. ad lin. antepenult.

Dudaim in *Sacris Quorund.* de quâ *vid. Epiſt. erudit. apud Stuckium in Conviv. lib.* 3. *cap.* 8. Dabit etiam aliquid. *Kyberus* in *Latin. Trago*, ut & *Tremell. Annot. in Geneſ.*

Fol. 241. *poſt lin.* 12.

MANGHA Sylveſtris, anguſtis foliis, nitore lucentibus, Thea *Indorum* ſapore ſimulans, Moruttan chidde *Malabarorum.*

Manghas Sylveſtris altera, anguſtis denſioribus foliis *Indiæ Orientalis*; Cautmaunchedde *Malabarorum.*

Fol.

Fol. 241. *post lin.* 16.

Manghas aquat. *Americana*, folio subrotundo, *Barbadensibus* Water Mangoes dicta. Hujus sunt fructus foris Amygdalæ pares, formâ, at magnitudine multò minores, Quos intùs imâ suâ parte intrà valvas-conchæ anatiferæ putatæ in modum, villis longiusculis, & tenuissimis murini coloris obsitos, edit.

Ibid. ad lin. 27.

Hujus siliquæ, s. potius Folliculi, sunt longitudine duas, vel saltèm sesquispithamam excedunt, pulpâ absque seminibus repleti.

Ibid. ad lin. 31.

An Mangle julifera, foliis subrotundis, versùs summitates latissimis confertim nascentibus, cortice ad coria densanda utili; Olive-Bark-Tree. *Cat. Jam.* 156. Item Mangle julifera foliis ellipticis ex adverso nascentibus; an Cereibuna *Pisonis ejusd. ibid.*

Ibid. ad lin. 33.

Post *fig.* 1. add. Mandioca radix in *Insula St. Catharinæ Hist. Brasil.* s. *Part.* 3. *Americ.* cap. 4. 9. 11. 15. 17. *ejusd.* CBP. 90. Aypi *Brasilianorum*, radix sesqui pedalis &c. ejusd. CBP. 91. Cassavi radix. *Part.* 8. *Ind. Occid. ejusd. ibid.* Item Cocuschaw *Hariot in Virginia. ejusd. Pinac.* 92. Ut & Arbor venenata 3. s. Succo venenato, radice esculentâ *ejusd. CBP.* 512. an Mandeoch parpie radix, castanearum sapore; *Part.* 7. *Ind. Occid. ejusd. pag.* 91. an Mandeoch Mandapore radix, ex quâ Vinum conficiunt *ejusd. Pinac. ibid*

Ibid. ad lin. eandem.

Post 794. add. Arbor farinifera venenati succi *ejusd. I B. Tom.* 1. *lib.* 4. 505. Arbor innominata 2. succo venenato, radice esculentâ, *Jonst. Dendrogr.* 467. Tucubia *Nieremberg.* 328.

Ibid. ad lin. 39.

Est equidèm hæc planta de Ricinorum genere, & nominari meretur, Ricinus farinifera heptaphyllos, ex cujus radice venenatâ, & panem conficiunt *Americani.* Sub Ricini titulo in *Cat. Jam.* rectè ponitur, At hujus Author pro more consueto, Nominum consarcinat fasciculum, & nobis sanè in errore versari videtur, quòd Maniel foliis Pæoniæ, *Part.* 3. *Americ. epist.* 2. ut & Tockahough, quæ non sunt Species ab Aro diversæ, cum hoc suo Ricino confundit, ac si ad unam eandemque plantam, utraque appellatio referenda sit.

Fol. 242. *ad lin.* 7.

An fortè Marrubium villosum, *Syriacum*, s. *Montis Libani ejusd. Breynii ibid.* 66. An Pseudo dictamnum nigro, rotundo, crispo folio. *Boccon. Mus. Pl. pag.* 152.

Ibid. ad lin. 14.

Marrubium *Hispanicum*, rotundifolium, majus, seu latifolium; *Bcc:oni Mus. Pl. p.g.* 167. *Tab.* 122.

Ibid. ad lin. 26.

An Marrubium foliis crispis, serratis, & incanis; PBP?

Fol. 243. *post. lin.* 2.

MATRICARIA maritima, CBP. 134. Parthenium maritimum minimum, *Hist. Lugd.* 1395. Chamæmelum maritimum, *Dalechampii*; *ejusd*, 1394.

Ibid.

Fol. 243 *ad lin.* 11.

Medicago trifolia frutescens incana; *Turnefort. Elem. Bot.* 328.

MEDICA frutescens minor, *Ind. Or.* subrotundis, sericeis foliis, siliquâ falcatâ planâ, è *Maderaspatán*; nupèr allatâ.

Ibid. ad lin. 16.

Medicago annua, Trifolii facie, *Turnefortii. Elem. Bot.* 328.

Ibid. post lin. 20.

Medica *Æthiopica*, foliis incanis, purpurea, floribus spicatis.

Ibid. post lin. 36.

Medica *Lusitanica*, dicarpos, fructu glabro, depresso. PBP. 352.

Fol. 244. *ad lin. ult.*

Medica polycarpos, *Turneforti. Elem. Bot.* 327.

Fol. 245. *post lin.* 4.

Medica minor *Syriaca*, floribus coronatis, luteis, ex foliorum alis, binis petiolis longioribus insidentibus; ex *Aleppo.*

Ibid. ad lin. ult.

Varanna-mullee *Malabarorum.*

Fol. 246. *post lin.* 14.

MELILOTUS *Arabica*, Loto hortensi similis, flore luteo coronato; sive floribus luteis in serta congestis.

Ibid. ad lin. 19.

Trifolium fructu racemoso; *Bocconi Mus. Plantar. pag.* 163. *Tab.* 124.

Ibid. ad lin. 36.

Melilotus sive Sertula campana; *Hist. Lugd. fol.* 511.

Ibid. ad lin. 40.

Melilotus quædam *Cretica Prosp. Alpin. de exot. pag.* 273.

Fol. 247. *ad lin.* 8.

Yelanainreve *Malabarorum.*

Ibid. ad lin. 15.

Melissa arvensis hirsuta, procerior, haud ingratè olens, albido folio. *Fr. Cupani Hort. Cath.* 140. Melissa sylvestris, foliis albidioribus, & lanuginosioribus. *Petr. Castel. Hort. Messan.* Melissa sylvestris hirsuta major *Italica*; *Bocconi. Mus. Pl. pag.* 166. *Tab.* 117. fortè etiam Lamium fætidum *Lusitanicum*, folio Melissæ; PBP. *append.* Marrubium nigrum amplioribus foliis odoratis, ex *Insulâ Coo*, ut velit quidam apud *Nostrates*, non ita pridèm in re *Botanicâ Neophytus.*

Ibid. post lin. 15.

MELISSA *Vulgaris* folio, & facie, inodora, *ex Provinciâ Marianâ.*

Ibid. ad lin. 18.

Mentastrum maximum, flore cæruleo, Nardi odore. *Cat. Jam.* 64.

Ibid. ad lin. 21.

Hæc autem Melissa non est, sed re verâ ad Mentharum genera accenseri meretur, & nominari licet Mentha pilulifera Betonicæ formâ, & odore aromatico, ex *Insulis Fortunatis.* Polihomons *Insulanis* dicta.

Fol. 247. post. lin. 32.

Melissa *Canarina* multifido folio spicata, odorem Camphoræ spirans, penetrantissimum. vid. *Almag. Bot. app. fol.* 401. An *Moldavicæ* Species trifolia, ex *Americâ*, nuper ad nos missa; *Turnefort. de opt. Meth. instituend. in re Herbar. epist. ad Sherard. pag.* 18. Folia habet terna, quaterna, interdùm quina serrata, hirsutie asperiuscula, Rubi foliorum æmula, summis caulibus emergunt fl res ampli, galeati, pallidè rubentes, labio superiorè seu galeâ bifido, inferiore trifido albicante, lateralibus alis ex albo purpurascentibus, aut dilutiore purpurâ nitentibus, lineis albis intùs variegatis è calycibus striatis, margine in quinque lacinias s. radios in extremitate incisos dissecto, uno pediculo pluribus simùl nixis, spicam habitiorem Betonicæ vel Sideritidis *Anglicæ* strumosâ radice *Park.* similem conficientibus, singulis floribus succedunt quatuor semina, simuljuncta, oblonga, pulla, quæ dilapso flore, aliquandiu restant in calyce. Huic fortè congener est Katu-Kurka *Hort. Malab. Part.* 10. Tab. 90. quoàd flores saltem, & eorum dispositionem; Hi enim in vertice caulium, in spicâ compactiore congregati proveniunt, foliolo viridi cuspidato reflexo succincti, persico aureo pallidi, odoris grati, &c.

Ibid. post lin. 38.

MELOCORCOPALI (fortè) *Scaligeri.* Arbor *Indica* Cydonii facie, fructu Melonis effigiè. *C B P.* 435. Arbor Cydoniæ magnitudine & foliis, cujus fructus Corcopal, *Theveto*, & *Lugdunens.* *Melory* forsan arbor *Insulæ Nicobar* D. *Dampier Circumnavig.* 478. Hæc arbor quoàd amplitudinem & proceritatem ad nostras Malos accedit, nigricanti cortice imbuta, folio non admodùm lato; Fructus hujus arboris magnitudine æquat Artocarpophoron (*i. e.*) Bread-fruit in *Insula Guam.* s. panem denario emptum, quoàd formam Pyro similis, putamine lento, sed lævi, dilutè viridi colore, pars fructus interior quoàd substantiam pomo admodùm similis, fibrillis verò lignosis filamentorum magnitudine refertus; *D. Dampier* nunquam alibi hanc Arborem crescentem conspexit. Hæ sunt arbores Melory dictæ, & sua sponte provenire videntur. Indigenæ hujuscè Insulæ ollis majoribus utuntur duodecem vel quatuordecem amphoras continentibus ad incoquendum hujus Arboris fructum, has ollas fructu implent, & modicam aquam adhibentes os ollæ foliis tegunt, quibus vaporem includant inter bulliendum, ubi fructus coquendo fit mollis, corticem delibrant & pulpam radunt à fibrillis plano ligniculo instar cultelli, exinde in frusta grandiora componunt instar Casei *Hollandici*, tum in sex aut septem dierum spatium conservari possunt, flavum habet colorem, & gustui placet, & pro cibo maximè utuntur.

Fol. 247. ad lin. 40.

Post *vocem* dispositis *add Pluc'ne-Tea.* vulgò dicitur, & *Salusandra* dici mereatur.

Fol. 247. ad lin. ult.

Et dici mereatur, Gentianis cognata, paludosa, foliis ternis fabaceis, formâ, & magnitudine, floribus in spica fimbriatis.

Ibid. post lin. ult.

MENTHA tuberosâ radice *C B P.* 227. Mentastrum tuberosâ radice *Clusij Hist. Plantar.* Nepetha tuberosa spicata purpurea *Hispanica Boccon. Mus. Plantar. pag.* 44. *Tab.* 36.

Mentha

Fol. 247. post lin. ult.

Mentha spicata nostras, Cardiacæ sativæ formâ, & odore, æmula, folio rugosiore. Mentha angustifolia spicata glabra, folio rugosiore, odore graviore; *Raji Synops.* 128. Hanc multis abhinc annis invenimus ad ripas Fluvii *Medway* dicti in agro *Cantiano* propè oppidum Maidstone vulgo dictum.

Mentha Saxifraga, angustiore folio spicata, sapor eacri fervido. Mentha spicis brevioribus, & habitioribus, foliis Menthæ fuscæ, sapore fervido Piperis. *Raji Synops.* 124.

Fol. 248. ad lin. 2.

An Yxiayahoal *Chapaltepacensis.* Nepeta *Mexicana, Hernandez. apud Recc.* 224. *Ibid. ad lin. 3. add. Phytogr. Tab.* 308. *fig.* 1.

Ibid. post lin. 7.

Mentha Costi Hortensis folio, Balsamum apoplecticum redolens, ex *Insulâ St. Helenæ.*

Mentha *Syriaca,* magnis Balsamitæ foliis, odoratissima, *Chalepensis,* à præcedente diversa.

Ibid. post lin. 9.

Mentha Melissoides *Americana,* propè summitatem caulis floribus, ex alis longo pedunculo Lupuli ad instar glomeratis. Et re vera est de Menthatum genere, quanquàm inter Scabiosas ponitur in *Almagest. fol.* 335. sub hoc alieno titulo, viz. Scabiosæ affinis, Chrysanthemi facie, Lamii foliis *Americana.* Sub quo etiam depingitur in *Phytogr. Tab.* 222. *fig.* 7. *Barbadensibus* nostratibus Archangel (hoc est) Lamium à foliorum similitudine, & aliquando Sweet Scabious; (i.e.) Scabiosa redolens, & quibusdam Perfum'd-Hops (i. e.) Lupuli odoriferi nuncupatur. An Sideritis spicata Scrophulariæ folio, flore albo, spicis brevibus habitioribus rotundis, pediculis insidentibus, Wild-hops, *Cat. Jam.* 65.

Ibid. post lin. 13.

Mentha arvensis verticillata, folio rotundiore, odore aromatico, D. *Vernon. Raij Synops. Stirp. Brit.* 123.

Mentha arvensis verticillata, fragrantissimè moschum redolens, è *Terrâ Marianâ.* Auricularia *Indorum* ad Surditatem efficax, Ear-Wort, vulgò D. *Marloe.*

Ibid. ad lin. 23.

Ricino quodammodò convenit.

MERCURIALIS *Coromandeliensis,* tricoccos, major, Urticæ facie, cum acetabulis. An Welia-Cupameni, *Hort. Malab. Part.* 10. *Tab.* 83.

Ibid. ad lin 27.

Ut & Yxyayahuatl vel Yxyayahoal, *Nov. Hispan. Terentij apud Reccum. fol.*448. Fortè etiam Yzquinchichioalli, *apud eundem Recc. fol.* 449.

Ibid. post lin. 27.

Mercurialis *Mariana,* Urticæ folio trinervis, floribus albis perexiguis.

Ibid. post lin. 29.

MESPILUS folio laurino major; *CBP.* 453. Mespilus Setania, *Hist. Lugd.* 334.

Mespilus peregrina, non serrata, Salicis capreæ longioribus foliis auriculatis.

S *Fol.*

Fol. 248. post lin. 34.

Mespilo Alni lanato folio majori similis, non crenata; Arbor ex *Insulâ St. Helenæ.*

Ibid. post lin. 36.

Mespilus *Mariana*, lanatis foliis minutissimè crenatis, floribus in spica digestis.

Fol. 249. post lin. 3.

Mespilus *Mariana*, mucronatis Pruni foliis, pallidè virentibus, fructu brevi pediculo insidente.

Eadem foliis lætè virentibus, pomis longo pediculo innixis.

Ibid. ad lin. 16.

Hujus autem arboris fructus duabus tantùm ossiculis sunt præditi, ergò deleantur quæ sequuntur verba, viz. An Oxyacanthus quinque ossiculis, fructu magno inclusis, *Banisteri*. Et eorum loco inserantur Oxyacantha ossiculis binis, fructu magno inclusis, *Banist. Cat. Virgin.* Quæ eodem in folio ad lin. 23, & 24. Expungantur, ut Synonymum prædictum illic malè attributum, ad hunc locum transponatur, & sic emendabitur error, hujus enim fructus ossicula instar novæ Lunæ quodammodò arcuata, & ad extremitates acuta, sunt numero quinque.

Ibid. ad lin. 32.

Hujus fructus sunt nucleis gemellis, Ossiculis subrotundis.

Mespilus *Virginiana*, Pyracanthæ parvis subrotundis foliis, subtùs incanis, spinis longissimis armata.

Mespilus *Nov'anglicana*, Oxyacanthæ similis, ossiculis binis hæmisphæricis, ità inter se junctis, ut unum globum ritè conficiunt.

Ibid. ad lin. 40.

Hujus sunt baccæ parvulæ tetrapyrenæ, (i. e.) quatuor seminibus s. nucleis repletæ, sigillatim & seriatim stipitibus adnatæ; sive distinctis baccis Oxyacantha.

Ibid. ad lin. ult.

Pœoniæ *Ceylanicæ* titulus, quoniam non est multisiliqua, sed tricapsularis hexapetalos, malè huic plantæ tribuitur; potiori jure Lilium *Ceylanicum* seminibus ad Pœoniam accedentibus dicatur. Sheranarchalunga & interdùm Calapecalunga à *Malabareis* nuncupatur apud quos radix pro Antidoto habetur.

Fol. 250. ad lin. 6.

Milium semine albo; Peelechellendenaicum à *Mallabaræis* vocitatur.

Ibid. ad lin. 32.

An Millefolium alpinum, tomentosum, odoratum, nanum, *Bocc. Musſ. Plant. pag.* 166. *Tab.* 120.

Ibid. ad lin. 38.

Tanacetum album tenuifolium, flore candido, *Bocc. Mus. Plant. pag.* 83. *Tab.* 25.

Tanacetum odoratum, Absinthij *Pontici* profundò dissectis foliis viridibus, *Battistæ Trionfetti.*

Ibid. post lin. antepenult.

MILLEFOLIUM camphoratum aureum, *Monomotapense.*

Fol. 251. ad lin. 3.

Ad *Alepum* Urbem *Syriæ* maximum & Emporium celeberrimum, hoc Millefolij Chamæcyparissi facie, perpulchrum genus collectum habuimus. Hùc fortè spectat Abrotanum fœmina incanum, albo Achillææ flore, *Creticum. Boccon. Mus. Plant. pag.* 46. *Tab.* 34.

Fol.

Fol. 251. *ad lin.* 5.

An Argyrocome Ericoides, f. foliis Rosmarini angustioribus, *Cap. Bon. Spei. Breyn. Prodr.* 2. 15. Chrysocome f. Argyrocome *Africana*, Ericoides, flore albo, *ejusd. Prodr.* 1.

Ibid. post lin. 13.

Millefolium lenticulatum *Indicum*, capsulis orbiculatis; Yellapashee *Malabarorum* (i. e.) Planta aquatica.

Ibid. ad lin. 27.

An Æschynomene spinosa arborescens, frondibus orbicularibus, pinnis Acaciæ latioribus, siliquâ parvâ, filo pilis rigidis radiato, cinctâ, *Breynij. Prodr.* 2. *pag.* 9.

Ibid. ad lin. 38.

Nec non ex Oris *Coromandel* ad nos allata est. Acacia *Javanica* sulcata, caule & foliorum costis spinosis, *Hort. Med. Amst. fol.* 205. *cum Icone.*

Ibid. ad lin. ult.

Hùc fortè spectat Yztacpatlis *Tepexicensis*; Frutex quem *Michuacanenses* Hoximo, vocant *Hernandez. apud Recc.* 106. cujus & altera *Icon* habetur *fol.* 481.

Ibid. post lin. ult.

MIMOSA *hirsuta*, pumila, flore purpurascente, quæ tactu ramulis non modo clauditur, sed humi prosternitur. Mimosa humilis herbacea, *Ind. Orient.* femine vulgaris æmulo; Chaddailackaree *Malabarorum.* Huic nostræ Tlaçoxiloxochitl flore barbato; *Hernandez apud Recc. fol.* 104. plurimùm convenire videtur.

Mimosa humilis quadripennis, glabra, procumbens, guttis sanguineis maculata, ex *Insula Ceylon.* Hanc perelegantem plantam curâ Industrij Hortulani D. *Joan. Adams*, à seminibus enutritam in *Hort. Episcopali Fulhamiæ* conspeximus.

Mimosa *Indica*, siliquis plurimis simùl junctis, latis, brevibus, flore parvo, globoso. Varainchuddee *Malabarorum.*

Mimosa pumila *Ceylonensis*, erecta, multifolia, pinnulis singulis, maculâ purpureâ, utrinque notatis.

Fol. 252. *ad lin.* 4.

Pooncheddai *Malabarorum. Ibid. ad lin.* 15. An Mimosa herbacea, non spinosa, minima, repens, *Cat. Jam.* 153.

Ibid. ad lin. 24.

Vid. *Phytogr. Tab.* 4. *fig.* 4. An Malam-Todda-Vaddi, *Hort. Malab. Part.* 9. *Tab.* 21. Fortè etiam Mimosa arborea, non spinosa, *Indica*, Cristæ pavonis facie, pinnis latissimis Tamarindi, siliquâ spadiceâ, maximâ; *Breyn. Prodr.* 2.

Ibid. post lin. 24.

Mimosa non spinosa, Coluteæ foliis, floribus stamineis, siliquâ latâ, fuscâ, brevi, & lignosâ; Erewetamaram *Malabarorum.*

Ibid. ad lin. 33.

An Herba sentiens, & pudica, *Bontij fol.* 120. Herba viva, foliis, & floribus longis pediculis uni thyrso insidentibus, *Ambonica*; *Rumph. Eph. Germ. Ann.* 11. *Obs.* 32. An fortè Charitoplepharon *Jubæ* regis *Mauritaniæ*, Herba amatoriis efficax, quæ circa *Troglodytarum Insulam* nascitur; *apud Plin. lib.* 13. *cap.* 25.

Fol. 252. *ad lin.* 38.

Jalappa vera, Mirabilis *Peruviana*, flore rubro, *Munting. cultur. Plantar.* 212. The Flower of the Noon, *in Ligon. fol.* 99. & vulgò, The Power a Clock-Flower, nuncupatur.

Fol. 253. *ad lin. antepenult.*

Hujus radicis cortex, *Sàm pè pi* à *Sinensibus* vocatur; *Cleyeri Med. Simpl. Chinens. pag.* 530. *no.* 280.

Fol. 254. *post lin.* 2.

MORUS *Mariana*, densioribus subrotundis foliis, ad oras amplioribus serris: An Morus *Virginiana Park.*

Ibid. ad lin. 10.

Ut de Larico Musco suo dicit *Johan. Bauhinus, Tom.* 1. *Part.* 2. 273. Sic dici possit de nostro, *Totus citrino colore nitet peramœno.*

Fol. 256. *ad lin.* 3.

Fortè etiam, Muscus terrestris, Cupressinus, nanus, *Styriensis*; *Boccon. Mus. Plant. pag.* 161. *Tab.* 108.

Ibid. post lin. antepenult.

Muscus polytrichoides, humi instratus, The Carpet-Mosse dictus.
Muscus erectus Abietiformis; ex *Insulâ Johannâ.*

Fol. 258. *ad lin.* 6.

An Muscus terrestris, minor, repens, cujus ramuli, foliis multis & minimis seriatim quadrato ordine dispositis, cinguntur, *Cat. Jam.* 12.

Ibid. ad lin. 31.

An Aphyllon *Indicum JB. Tom.* 2. *lib.* 15. *fol.* 211. Rosa *Hierochonticæ* exsiccatæ similis, Blatterloos *Hollandis*; Fruticulus ad Scorbutum; *Ind. Orient. Part.* 4. *fig.* 21. *Casp. Bauh. Pinac.*

Ibid. post lin 38.

MYROBALANUS citrina, Carcai *Malabarorum*, est Arbor Prunifera. Pruna rectius appellari censet *Garcias arom. lib.* 1. *cap.* 27. Invehiturque in Arabum Interpretes quod Myrobalani vocem Arabicam *Delegi, Halilegi* glandem reddiderint cum pruna longè convenientius vertere potuissent. *Mesue* recenset opinionem *Illorum* qui Citrinas, *Indas*, & Chebulas, ejusdem Arboris fructus esse judicant, citrinas quidèm, ubi nondùm maturi sunt fructus, *Indas* ubi maturuerint: Chebulas ejusdem arboris eodem anno esse fructum. Ipse autèm de diversis esse arboribus videtur asserere, verior sententia diversas esse, ut diversæ operationis. *Garcias* ab *Orto*, & post eum *Chrystophorus à Costâ* diversas esse arbores testantur. *Veslingius de Pl. Ægypt.* rectè, Errant (scribit) qui tot Myrobalanorum genera, unius arboris fructus esse arbitrantur. Species septem ex *Serapione* enarrare se posse existimat *Gabriel Fallopius, insignis Simplicium in Patavino Athenæo demonstrator*, quinque tamèn tantùm sunt *Officinis* notæ. Ignotæ fuêre hæ Arbores, & hi fructus veteribus *Græcis*, ab *Arabibus* primò in *Scholam Medicam* introducti. Citrinæ Myrobalani dictæ primum obtinent locum. Quæ in Lotio bovino calide infusæ, & ægro propinatæ, infallibilitèr ut aiunt, hydropi medentur. An verò sit hæc Arbor eadem cùm Phœnico-balano, *Plin. Hist. Nat. lib.* 12. *cap.* 22. *f.* Palmâ Myrobalaniferâ, *lib.* 23. *cap.* 5. Ut & ista fun-

gosa

gosa substantia Tuberibus similis, quæ Myrobalani citrinæ flores, & à quibusdam Faba *Bengalensis* dicitur, ad omnes hæmorrhagias, præsertim ad hæmoptosyn sistendum, summè utilis, sit primum istius Palmæ fructûs rudimentum, quam *Plinius* Adypson vocitet, nos solertissimis Naturalium Indagatoribus considerandum relinquimus.

Fol. 258. *post lin.* 38.

Myrobalanus Bellerica *Officinar.* Taunecai *Malabarorum.* Cujus fructus sunt quasi pilosi, in extimâ facie, ut ritè dixit *Fallopius*; Fortè Tani, *Hort. Malab. Part.* 4. *Tab.* 10. Cujus in descriptione, fructus sunt cortice tenui glabro nitente, ac rubicundo cincti, nostri tamèn cortice sericeâ lanugine ex subrusso, nitente sunt obvoluti, cæteris autem huic omnino convenit, ut eandem esse Arborem meritò suspicari liceat. Perperam enim mea quidem sententiâ huic Tani *Malabaricæ* à *Commelino* adscribitur; Fructus in *Insulâ St. Mariæ* pyra majora referens, intùs mucculentum, *CBP.* 439. Myrobalano Bellericæ ut *nobis* videtur Idu-Mulli, *Hort. Malab. Part.* 4. *Tab.* 18. congener est; & nominari potest Myrobalanus *Indica*, Arbor spinis horrida, angustiori folio longo, fructu racemoso. Hujus quoque Indolis, scilicèt quoàd fructus saltèm, est Punanchidde *Malabarorum.* Quæ sub titulo Purnaval etiam aliquandò ex *Orient. Indiâ* accepimus (i. e.) Arbor aromatica è *Coromandel* Laurinis foliis binis, ternisvè nostra; *Raij*, cujus ramulus absque fructu tùnc nobis inviso, in *Phytegr. Tab.* 14. exhibetur; & dici mereatur Prunifera triphylla *Indica* foliis & ligno aromaticis, fructu umbellato pyriformi, sericeâ lanugine tecto. Forsitàn non incommodè ad Agallochum, barbarâ appellatione, nùnc ob saporem amarum, Xyloaloen referri possit, Arbor ad Thymiamata retrorsioribus sæculis frequenti usu, cujus fit mentio *in libro Proverbiorum, cap.* 7. *v.* 17. *Canticorum* 4. *v.* 14. *Psal.* 45. *v.* 9. Eadem arbor aromatica, seu idem Aloës lignum designatur *Joan.* 19. cum scribitur quod *Nicodemus* venerit φέρων μίγμα σμύρνης ὲ ἀλόης ὡσεὶ λύτρας ἑκατόν, ferens misturam Myrrhæ & Aloes, quasi libras centum. Agallochum *Officinarum, CBP.* 393. Lignum Aloës vel *Paradisi*, vel Sanctæ Crucis, *Cornaro.* Lignum est (Autore *Dioscoride lib.* 1. *cap.* 21.) quod ex *Indiâ* & *Arabiâ* adfertur, Thyino ligno simile, ἐστιγμένον, εὐῶδες πολύχρουν ἐν τῇ γεύσει μετὰ ποιᾶς πικρίας, punctis & maculis distinctum, odoratum, cum amaritudine quâdam gustum adstringens; quod verò Agallochi arborem, fructum proferre rotundum, Piperis modo, & rubentem *Serapio libr. Simplic.* refert, à veritate alienum esse suspicor, cum nec reliqui *Arabes, Rhasis, Avenroës & Isaac*, usquàm ejus fructûs meminerunt, tametsi Agallochi facultates descripserint: Cum verò rarissima sit hæc Arbos, Santalum flavum, aut citrinum ejus Ἀντιβαλλόμενον ponitur, Ita *Renodæus, Si desit Lignum aloës, Sandalum citrinum substituendum.*

Myrobalanus Emblica angustis Acaciæ foliis, flosculis Tamarisci racemosis. Nellemaram *Malabarorum.* An Myrobalanus Emblica, *Clusij Not. ad Garc. Arom. Hist. lib.* 1. Myrobalanus Emblica, foliis Securidacæ, *Breyn. Prodr.* 2. 74. Nilicamaram, *Hort. Malab. Part.* 1. *fig.* 38. *vid. fol.* 6. hujus *Almagest.*

Fol. 259. *ad lin.* 3.

An Myrrhis annua alba, hirsuta, nodosa, Pastinacæ sylvestris folio candicante, *Hort. Cath.* 148.

Fol.

Fol. 259. *ad lin.* 8.

Cicutaria bulbosa, esculenta; *Boccon. Mus. Plantar. pag.* 171. *Tab.* 123.

Ibid. ad lin. 11.

An Myrrhis altera parva *Lobelij Hist. Lugd.* quoàd *Iconem fol.* 761. cujus parvitas (fortè) debetur, eò quod in *Genevæ* & *Salevæ* vicinis montibus reperta fuit.

Ibid. ad lin. 15.

Quam Chærefolij sylvestris speciem fecit *Morisonus*, Umb. 79.

MYRRHIS *Virginiana*, Angelicæ multiplici lobato folio. An Myrrhis *Americana* foliis *Angelicæ*, semine brevi, crasso, *Breyn. Prodr.* 2. 75.

Myrrhis *Chalepensis* elegans, Pastinacæ subrotundis parvis foliis, oris profundiùs incisis.

Fol. 260. *post lin.* 4.

MYRTIFORMIS baccifera *Ind. Orient.* fructu subrotundo coronato, Codalcunge *Malabarorum*, adversus Diabeten presentaneum remedium est. Avacari fortè sive Planta miræ efficaciæ adversùs inveteratas dysenterias *Garciæ ab Orto, Plant. Hist. lib.* 2. *cap.* 8.

Myrtiformis baccifera, Salicis pumilæ foliis, *Æthiopica*, sericea lanugine fusca incanis. An Myrtiformis frutex *Æthiopicus*; *ten Rhine*; *Breyn. Fasc.* 22. Est species Vanamaram *Malabarorum* s. Arbusc. baccif. monopyren. ex *Territorio Divi Georgij* apud *Indos Orientales.*

Ibid. ad lin. 13.

Hæc vero non est Laurus odorata *Stapelij*, ut semel putavimus, sed ab Istâ plurimùm diversa, ut ab Istius exemplaris genuini ad *D. Stonestreet*, à *Promont. Bon. Spei.* allati propriâ Inspectione nos nuper didicimus.

N.

Fol. 261. *ad lin.* 4.

NEC ab eâ plurimùm distat Cururzeti vocata Planta à *Michuacanensibus*; *ejusd. Recc. fol.* 46. ab aliis Aphatzipuntzumati aut Aphatzesirangua; sunt qui Tziphatsiti, & Tzipesi vocent.

Ibid. ad lin. 11.

An fortè Nasturtium *Pyrenaicum* aquaticum; *Herman. Paradis. Batav.* 203. Nasturtium *Pyrenaicum* aquatic. latifol. purpurascente flore, *D. Fagon. Schol. Bot. pag.* 85.

Ibid. ad lin. 14.

Hùc fortè spectat Tlac-cecec vel Tlaliztic, *Novæ Hispan. Terentii apud Recc. fol.* 414.

Fol.

Fol. 261. post lin. 39.

NASTURTIUM *Æthiopicum*, tenuissimis Coronopi falcatis foliis, flore elegantissimo, cælestino. Auspiciis *D. Doody* ex seminibus natum, in *Horto Medicinæ Chelseiano*, Observavimus.

Ibid. post lin. antepenult.

Nasturtium *Virginianum*, Cochleariæ folio, flore albo ampliore. An Cochleariæ flore majore, *Banister. Cat. Stirp. Virg.*

Nasturtium *Virginianum Babylonici* foliis, læte virentibus. Plurimis convenit præcedenti folia habet longiora magis dentata, & flores paulo minores.

Nasturtium *Marianum* Myagri foliis integris.

Fol. 262. post lin. 2.

Nasturtium *Marianum* Anemones sylvaticæ foliis enneaphyllon, floribus exiguis.

Nasturtium *Marilandicum*, Cannabinis foliis flore majore enneaphyllon.

Ibid. post lin. 12.

Nasturtium petræum angustifolium; ex *Prom. Bon. Spei.*

Nasturtium petræum *Æthiopicum*, siliquâ in plurimos loculos, isthmo connexos, dispertitâ, floribus albis.

Fol. 263. ad lin. 12.

An Nerium arboreum altissimum, folio angusto, flore albo, *Cat. Jam.* 154.

Ibid. ad lin. 14.

An Apocynum erectum fruticosum, flore luteo maximo, & speciosissimo, *Cat. Jam.* 89. Savanna-Flower *Jamaicensibus* dictum.

Ibid. ad lin. 18.

Fortè etiam Perebecenuc *Insulæ Hispaniolæ Hist. Lugd.* 1901.

Ibid. ad lin. 24. add. & fol. 312.

Ibid. ad lin. antepenult.

Inter Nigellarum genera, & Xochipalli Artimesi folia, *Hernandez apud Recc.* 240. locum sibi vendicare potest, & ad Nigellam latifoliam *Hispanicam*, accenseri meretur.

Fol. 264. ad lin. 4. post vocem differt. add.

Quæ fortè eadem est cum Tataricâ, *Caroli* de *Noyelle*, & *Athanasij Kircheri*. Tataria *Hungarica Clus. Hist. rarior. lib.* 6. *cap.* 14. Panaci *Heracleo* similis *Ungarica*, *CBP.* 157. An Baltracan in *Tartaria* nascens, *Josephi Barbari*. Hujus radice *Ungariæ Agriæ Vicini*, alterius panis penuriâ vescuntur, & Tartari foliorum in aquâ decoctum refrigeratum, Vini instar bibunt, quæ Sphondylio nostrati, sive Pastinacæ sativæ; adeo assimilatur, ut in *Japonensi Terrâ*, ipsa Pastinaca, magnæ sylvestris *Ninzin* nomen vulgò obtineat. An nostra sit Scandragora ἀνθρωπόδης *Rasæi cap.* 381. Marby *Ebn Serafionis*, quod est Mandragora Comatôdes in Panaceâ *Cleempori* regiâ *Persarum*, apud *Plin. lib.* 24. *cap.* 17. ut ex *Georgio Velschio* didicimus. Nostra quidèm fortè sit Hendem *Arabum*, *JB. Tom.* 1. *fol.* 339. vel ut quidam scribunt Genden *Bellunens.* ad margin. *Avicen.* viz. *lib.* 2. *Tr.* 2. *cap.* 503. Ubi addit *Gianzi-henden*, totum hoc caput à *Serapione* accepit; Nux enim satis propriè nominari possit radix, quæ sapore nucem refert. Radices equidèm sunt multiplices quæ à quâdam similitudine, vel usu glandes, & nuculæ vocitantur, quemadmodùm Lathyrus tuberosus, Bulbocastanum, Trasi quo-

que-

que ex mente *J. Bauhini Tom* 1. *lib.* 3. 292. sunt veluti Fructus, & Nuclei avellanarum. *Nisi Japoniorum.* Cujus figuram ex *Libro Herbario Sinensi* dedit *Reverend.* & *Nobiliss. Müllerus.* Et aliquando vocatur Gim-Sem. (i. e.) Nativitas hominis *Sinensis* ut invenio in *Epist. Georg. Hieronym. Velschij ad Joan: Matthæum Fabrum Hist. Strychnomaniæ* adnexâ. Gîn-Sên *Sinensium*, *Andr. Cleyer. de Medic. Simpl. Chinens. usitat. pag.* 25. *no.* 4. Nean s. Ninsing D. *Marloë Obs.* Insigne est Analepticum, de quâ vid. *Ogilv. Chin. Tom.* 1. *fol.* 244. Instaurat spiritus & sanguinem, bibitur subindè instàr potionis *Châ*, vulgò *Thee* dicta, ut idem *Cleyerus ibid.* Omimeztli seu Os femoris *Hernandez apud Recc.* 276. Huic quodammodò convenire videtur, immò maximè consentaneum est, eò quòd radix nostra, in duo quasi femora divaricata, incoxantem quoque hominem, quodammodo refert.

Fol. 264. *ad lin.* 15.

Huic fortè spectat, Nummularia Saxatilis, minima, repens, foliis crenatis villosis, floribus albis, *Cat. Jam.* 90.

NUMMULARIA foliis & facie *Virginiana*, flosculis parvis tubulosis, summo ramulo binatim junctis; an fortè de Rubiarum genere, tunc dici meretur, Rubeola *Virginian.* Nummular. fol. binatis, flosculis in summo purpuro-cæruleis. A quâ haùd multùm distare videtur, Rubia parva latifolia, foliis ad genicula binis, flore rubente, *Banister. Almagest. Botan.* 324.

Ibid. ad lin. 20. *post vocem* alterum, *add.* fructu.

Ibid. ad lin. 33.

Nux Juglans trifolia, fructu magnitudine Nucis Moschatæ; *Cat. Jam.* 128. In juniore & tenellâ plantâ, modò trifoliata cernitur, cùm magis adulta, quinquefoliata & interdùm heptaphylla, s. septem latiusculis pinnis ornata, anteà justam magnitudinem adipiscitur.

Ibid. ad lin. 35.

Kiscatana, *Nov'anglicanis* dicta, undè ad nos missa est, cui folia sunt angusta, Fraxini vulgaris haùd absimilia.

Fol. 265. *post. lin.* 14.

NUCIFERA arbor sempervirens *Indiarum*, prælongis foliis venustè venosis, cujus lignum **Redwood**, (i. e.) Erythroxylon *Barbadensibus*, Nux verò Dhûmba *Ceylonensibus* dicta. Cui flores sunt spissi, colore lactei, admodùm odorati. Spectabilis magnitudinis Arbor est. Hujus est Fructus orbicularis, perpolitus, mucrone glandis, *JB. Tom.* 1. *fol.* 313. *Clus. exot. lib.* 2. *cap.* 25. An Arbor quæ vel *Brasiliensem* rubedine superat, *Ind. Orient. Part.* 6. *cap.* 56. *fol.* 123. Arbori *Brasilianæ* affinis, *CBP.* 393. Araboutan 2. sive Pseudosantalo rubro *Brasiliensi* affinis, *Jonston. Dendrolog.* 457. **Logwood** *Domino Battelio Turckes. lib.* 7. *cap.* 3. *Sect.* 5. *fol.* 979. An fortè Mali *Persicæ* Mameyæ dictæ folio longiore, arbor maxima, cortice sulcato, cinereo, amaro, **Bastard-Mamee-Tree, or** Santa *Maria*, *Cat. Jam.* 180. An fortè Palma *Maria*, *Dampier. Circumnavig.* pag. 212. Quæ ad Navium Malos conficiendos, ob altitudinem suam, tàm *Anglis*, quàm *Hispanis* usitatissima. Hujus ramulum ex *Ind. Orient.* jam olim missum habuimus sub gentilitio Nomine Ponakai-verree. Hujus arboris fructus, fructui Ponnæ, *Hort. Malab. Part.* 4. *Tab.* 38. quamplurimùm assimilatur.

Fol.

Fol. 265. *ad lin.* 25.

Hujus meminit *Dampier* in *Circumnavigat*, pag. 392.

Ibid. ad lin. 28.

An *Belgis* in *Brasiliâ* vulgò Lotus *Marcgr. fol.* 111. quoàd picturam, Arbor siliquosa *Brasiliensis*, foliis pinnatis, costâ mediâ membranulis utrinque extantibus alata, *Raij. Hist. Plant.* 1762. Fortè etiam Juglandis folio fruticosa siliquosa, foliis pinnatis, costâ mediâ membranulis utrinque extantibus alatâ, siliquâ quadrangulâ, *Cat. Jam.* 153. Hujus exhibetur Icon in *Hort. Med. Amst.* nupèr edit. in Fol. ad *cap.* 94.

Ibid. ad lin. 32.

An Arbor baccifera *Indica*, foliis majoribus splendentibus, flore pentapetalo, *Hort. Medic. Amst. cap.* 90. cùm *Icone*.

Fol. 266. *ad. lin.* 4.

Hujus fructus globulis precariis parandis sunt aptissimi, undè forsàn Arbori nomen *Pater noster*, à quibusdam sit impositum; *Ovet. Hist. lib.* 9. *cap.* 5.

Ibid. post lin. 6.

Nuciprunifera Arbor *Indiæ Orientalis*, Populi albæ foliis amplissimis; f. pampineis foliis alba lanugine tectis. Carututec *Malabarorum*. Locis montosis, saxosis, præruptis, aridis, ad *Terchucheani* Montem, haud procùl à *Territorio Divi Georgij* apud *Indos*, luxuriant hæ Arbores.

Ibid. ad lin. 13.

Post *conspeximus add.* Lignum *Americanum* fætidum, merdam olens, Palefoulatio, *Lusitanis*, *PBP.* 346. Huic Telabo *Zeylanensium* congener est, ut nobis videtur; An fortè idem cum Quauhiyac, sivè Arbore fœtidâ, *Hernandez apud Recç. fol.* 68.

Ibid. post lin. 28.

Nucipomifera Arbor, foliis densioribus subtùs argenteis, floribus in prælongam spicam dispositis, fructu tetragono; An fortè Samstravadi, *Hort. Malab. Part.* 4. *Tab.* 6. Quæ species est Tsjambou, *ejusd. Hort. Malab. Part.* 1. *Tab.* 17, & 18. Ut putat *Commelinus*, *in loc.* Neereaddumba *Malabarorum*.

Fol. 267. *ad lin.* 5.

Nymphæa *Indica*, flore candido, folio in ambitu serrato, *Cat. Jam.* 120.

Ibid. ad lin. 7.

Alepoo *Malabarorum*. Ibid. ad lin. 9. Nymphææ minoris affinis *Indica*, flore albo piloso, *Commel. Not. in loc. Cat. Jam.* 121.

Ibid. post lin. 9.

NYMPHÆA minor Scaphoides, f. oblongo folio, umbilicata, ex *Terrâ Marianâ*.

Ibid. post lin. 15.

Nymphæa *Indica*, latioribus albicantibus foliis, margine crispatis; Aucashdammaree *Malabarorum* Kodda-pail, *Hort. Malab. Part.* 11. *Tab.* 32. Sedum *Indicum* palustre, foliis latissimis crispis, floribus albicantibus pilosis; *Commelin. Not. in loc.*

Ibid. ad lin. 18.

Post *fig.* 5. add. Nymphæa *Indica*, flore purpureo, cujus calyx, seu fructus, quasi per nebulam à *Clusio* describitur, *Bontij lib.* 6. *fol.* 128.

T *Fol.*

Fol. 267. *ad lin.* 24.

Hujus accuratior *Icon* habetur, *Phytograph. Tab.* 322. *fig.* 1. De hujus quoque genere videtur, Nymphæa flore cæruleo, odoratissimo, *Capitis Bon. Spei. Breyn. Prodr.* 2. *pag.* 77. Cujus foliorum tanta amplitudo est, atque durities, ut cum suâptè naturâ concava sint, poculi ministerium nullo prorsùs adhibito artificio Catinorum, atque paropsidum vicem reddant; quin in ipsâ Urbe *Alexandriâ* ad ipsos hos usus, illa folia publicè venditantur, *Strab. lib.* 17. Atque ita fit ut Faba una tegumentum, umbraculumque multis convivis præbeat, pocula, paropsides, simùl quoque esculenta, panem scilicet & obsonium, & quod utilius est, etiam plurimos durare solet annos is fructus; *Pyrrhi* enim regis ætate, quodam specu *Ambraciæ* usque ad Pyraticum *Pompeij magn.* bellum durasse, annos circitèr centum viginti, Faba comperta est, *Plin. lib.* 18. *cap,* 30. Hinc fortè ἐκπέταλα *Græcorum*, *Anglicè* **Wide-mouth'd Bowls, or Cups,** *Cooper*. Ecpetala Pocula perampla, quoniam folia perampla nuncupantur petala, *Cæl.* De radice hujus Fabæ, & ejus spinoso caule ita *Discorides lib.* 2. *cap.* 128. Radix (inquit) subjacet Harundinis radice crassior, quæ cocta & cruda estur, & Colocasia, nominatur; quæ quanquam sit Vox *Ægyptica*, fortè tamèn duci potest à Κόλον cibus, & Κάσσω ornare, ob multas utilitates, flores enim sunt ad coronamenta, Fructus maturus ad cibariorum epulas; & Radix ad edendum. Vel dict. ab amplitudine foliorum, quasi Κόλον Κάσιον (i. e.) parva lacerna. *Voss.*

Ibid. ad lin. 32. *add.*

Et *Chin. Tom.* 1. *fol.* 250. Hæc quoque in folliculo peramplo, ad Coni inversi effigiem, & Coli instàr perforato, seu Vesparum favi cartilaginosi modo, in cellulas excavato, Fabas, sive fructum suum habet inclusum.

Nymphææ minoris folio, *Montis Tabulari*, Planta terrestris. Fortè Brassica folio Nymphææ, Cajou-a, *JB. Tom.* 2. 385. ex *Lerio. Hist. Americ. cap.* 73. Brassica *Brasiliana*, fol. Nymphææ, *CBP.* 111. Quam Ari genus facit *Sloanus Cat. Jam.* 62. Ubi Tajaobo prima *Pisonis* quæ de Rapunculorum est genere, ut *Cl. Rajo*, & nobis videtur, pro hujus Synonymo ponit, ac in parvo spatio multa miscet indistinctè pro more consueto. Utendum ergò in rebus *Botanicis* hujus *Herbarij* Catalogum, semèl & simùl consulo, ubi non hallucinatur, quod ei tamèn nimis familiare est; Hic enim ex probatis Autoribus multa, at ex inidoneis quam plurima congessit, quæ cum judicio oportet recipere; Nautarum etenim dictis, quibus hujus *Catalogus* est maximè fretus, in re *Herbaria*, vix quælibet vel minima datur autoritas, quod plerumque hi sunt homines admodùm dilutæ fidei, & parùm probatæ; Nèc in *Plantarum* disquisitionibus, unquam volui ad *Nauclerorum* Narrata, ceu aliquod Veritatis Tribunal appellare, cum hi non æqui sint Judices, & ad *Botanicas* litigationes componendas, maximè inidonei; Hos ego nec laudo, nec vitupero testes, at sæpenumerò de eâdem re, modo affirmant, modò negant, & nos sub cultro relinquunt. Quinetiam tot nodi apud ipsum Catalogi *Scriptorem* malè probatissimos Autores interpretantem, res ipsas implicant, qui nisi *Mercurius* quidam *de Cælo* mitteretur, ut eos solveret, mihi satè videntur inexplicabiles. An hæc sit Asari folio, Planta *Æthiopica D. Hermans. Breyn. Cent.* 178. Studiosis inquirendum propono.

O.

O.

Fol. 268. *ad lin.* 4.

HUIC etiam pertinet Huitxiqua *Michuacanensium*, f. *Mexicensibus* Xoxocapatli, *Hernandez apud Recc.* 113.

Ibid. post lin. 14.

OCYMUM *Indicum*, Melissæ folio fragrantissimum, semine fusco.

Ocymum *Indicum* Mercurialis folio odoratum, spicâ florum gracili. Karunde-poondoo *Malabarorum*.

Ibid. ad lin. 17.

Katu-Tumba (fortè) *Hort. Malab. Part.* 10. *Tab.* 92.

Ibid. post lin. 24.

Ocymum *Indicum*, Melissæ foliis atro purpureis, odoratissimum. Param-Tulscee *Malabarorum*. Fortè idem cum proximè præcedenti.

Ibid. post lin. 28.

Ocymi genus *Indianum*, Tragorigani ferè facie, odore gratissimum, flosculis ad verticillas densiùs stipatis. Kerande-chidde *Malabarorum*.

Ibid. ad lin. 37.

Daucus pratensis, *Dalechampij Hist. Lugd. lib.* 6. *fol.* 718.

Fol. 269. *ad lin.* 5.

Ziziphus alba argentea *Zeylanica*, *Hermanno Breyn. Prodr.* 2. 105.

Ibid. ad lin. 8.

An fortè Frutex innominatus, *Marcgr. lib.* 2. *cap.* 2. Hanc etiam habuimus ex *Prom. Bon. Spei.* Fortè Sideroxylum *Africanum* Cerasi folio, *Hort. Med. Amst.* cum *Icone cap.* 101. *fol.* 197.

OLEA *Africana* Nerij facie, foliis longissimis, an fortè Aspalathus albicans, torulo citreo, *CBP.* 392. Rhodium lignum, quibusdam Agallochum, Olea *Æthiopica*, ut videtur *Cordo* in *Dioscorid.*

Ibid. ad lin. 13. *add.*

Waapamaram *Malabarorum*.

Ibid. ad lin. 16.

His arboribus Panel, & Narum-panel, *Hort. Malab. Part.* 2. *Tab.* 9, & 10. Masè attribuuntur à *Commelino*.

Ibid. post lin. 22.

ONOBRYCHIS major, Viciæ foliis, spicâ florum ferrugineâ. Hanc plantam à seminibus ex *Venetâ* sibi missis, enutrivit in *Hort. Med.c. Chelseiano*, *D. Doodius*, ubi & nos collegimus. An Onobrychis flagellis longissimis, *Boccon. Mus. Pl. pag.* 262. *Tab.* 129.

Fol. 269. ad lin. 26.

Onobrychis minor, siliculis echinatis, cristatis majoribus, & crassioribus aculeis præditis donata, *Morisono*: Cupani *Hort. Cath.* 156. Polygalon minus Saxatile, *JB. Tom.* 2. *fol.* 336.

Fol. 270. ad lin. 3.

An Hedysarum caule hirsuto, Mimosæ foliis alatis, pinnis acutis minimis gramineis, *Cat. Jam.* 74. quibus verbis quid sibi velit Autor, planè non Intelligo, & multùm est si ipsemet seipsum intellexit.

Ibid. post lin. 9.

Onobrychis *Orientalis*, Mimosæ minoribus foliis, falcatis & dentatis siliquis ex foliorum sinu oriundis, Neelchaddai *Malabarorum*, & aliquando Nerucheddey *eorundem*; *Gentilibus Indis* Neerpundo nuncupatur.

Onobrychis *Mariana*, parvo subrotundo folio trifoliata, procumbens, summo caule ramulis floribunda.

Ibid. ad lin. 14. add. foliis mucronatis.

Onobrychis *Americana* trifoliata aspera; foliis magnis ferè orbiculatis, in *Terrâ Marianâ* collegit *D. Krieg.* & nobis communicavit.

Onobrychis phaseolôdes, floribus purpureis, siliquâ asperâ bidentatâ, & tridentatâ majori.

Onobrychis phaseolôdes ramosior, floribus sulphureis parvis, falcatis & dentatis siliquis, asperis. Utræque ex *Provinciâ Marianâ*.

Onobrychis (fortè) Asphaltites, angustiori folio triphylla, floribus purpureis, spicatis, ex *Terrâ Marianâ*.

Ibid. post lin. 16.

Onobrychis *Mariana* triphylla, Passifloræ pentaphyllæ angustiori folio, & facie, siliculis dentatis asperis. A præcedenti plurimùm diversa. Ab *eodem* Ornatissimo Viro *D. David Kreig.* collecta est; & nobis communicata.

Ibid. ad lin. 19.

An Mallam Tsjulli, *Hort. Malab. Part.* 9. *Tab.* 83. Hedysarum minus diphyllon, flore luteo; *Cat. Jam.* 73. Ubi Autor more suo, duo plantarum diversa admodùm genera, confundere adnititur.

Ibid. ad lin. 21.

An Nelam-Muri, *Hort. Malab. Part.* 9. *Tab.* 82. Ponauverrepoondoo *Malabarorum.*

Ibid. post lin. 23.

Onobrychis *Indiæ Orientalis* monophyllos, siliculis numerosis asperis, à *D. Adaire* accepimus.

Ibid. ad lin. 31.

An *Bois de Rose. D. Rochfort. des Antilles pag.* 69. An Verbalci folio minore, Arbor floribus spicatis, luteis tetrapetalis, seminibus singulis, oblongis, in singulis vasculis siccis, *Cat. Jam.* 139.

Ibid. ad lin. 37.

Ad Helleborines Symbola, proximè accedunt.

Fol.

Fol. 270. *post lin. ult.*

ORCHIS palmata peramœna, Caryophylli montani floribus, margine fimbriatis, ex *Virginiâ*. An Orchis *Amboinensis*, floribus albis fimbriatis; Flos *Susannæ Rumphij*, *PBP.* 358. An fortè Orchis montana, purpureo hilariter sanguineè punctato flore, Gallinæ alas, caudamque extensas fimbriatas, referente, *Francisc. Cupani Hort. Cath.* 158.

Fol. 271. *post lin.* 6.

Orchis *Virginianus* speciosus, pistillo florum in plurimas ramificationes radiato, calcaribus corniculatis.

Ibid. post lin. 26.

Orchis spiralis elatior, ex *Terrâ Marianâ*.

Ibid: post lin. 30. *de novo.*

Orchis Hermaphroditica, *Prom. Bon. Spei.* Anisum redolens. Quam, **Anised-Robin** *Anglicè* denominare placet.

Ibid. post lin. 43.

Orchis *Virginianus* elegans, flore albo, calcaribus rectis prælongis.

Fol. 272. *post lin.* 2.

Orchis bifoliata humilis, ex *Terrâ Marianâ*; majori-folio, & floribus purpureis magnis.

Ibid. ad lin. 5. *add.*

Gratissimo odore nares perstringit.

Ibid. ad lin. 6.

Hùc fortè spectat Cihoapatli Tepoztemica, *Nov. Hispaniæ Terentii apud Recc.* 370. ut & Moloncapatli, *ejusd. apud eund. fol.* 387. *Jucundâ suavitate nares demulcens.*

Ibid ad lin 11.

An Origanum lignosum *Syracusanum*, umbellâ amplissimâ, *Boccon. Mus. Plant. Tab.* 38.

Ibid. ad lin. 18.

Post *Th.* 15. *add.* & in *Append. fol.* 1674. At figura minùs placet.

Ibid. ad lin. 19.

Origanum album *Anguillaræ*, *Epist.* 5. & 12. Nihilque aliud esse ait, quàm Hyssopum *Cilicium* à *Dioscoride* descriptum. Hyssopus *Græcorum*, *Pr. Alpin. de plant. exot.* 257. Omni Origano odoratior, est hæc planta, & suavi acrimoniâ naribus acceptissimâ, Castoreum quodammodo redolet.

Ibid. ad lin. 26.

Arbor, finium *Regundorum*, fructu Castaneæ echinato, *JB. Tom.* 1. *lib.* 7. *cap ult. fol.* 130.

ORNITHOGALUM majus spicatum, flore albo, *CBP.* 70. Ornithogalum spicatum, albo flore *Monspessulanum*, *JB. Tom.* 2. 628.

Ornithogalum *Neapolitanum*, *Clus. exot. part.* 2. *append.* 2. *JB. Tom.* 2. 631. Narcissus quartus *Matthioli*, quoad *Iconem*.

Fol. 272. *ad lin.* 28.

Xoxonacatic Hyacinthoides capillosa, *Hernandez apud Recc.* 168. Huic nostræ haud multùm absimilis est, cui si non eadem, saltèm congener judicari debet.

Ibid. ad lin. 30.

Asphodelus bulbosus *Galeni*; apud *Histor. Lugd. lib.* 15. *fol.* 1589. Huic nostro maximè convenit.

Ornithogalum spicatum, flore albo stellato, *Prom. Bon. Spei.*

Ornithogalum spicatum minus *Marilandicum*; si non sit *Phalangij* genus.

Ibid. post lin. 37.

Ornithogalum minus *Æthiopicum*, angustissimis nervosis foliis, floribus albis, spicâ florum brevissimâ, à præcedenti plurimùm diversa.

Ornithogalum spicatum rubrum, nervosis foliis, caule fistulôso, ex *Terrâ Marianâ.*

Ornithogalum vulgare, flore albo, *Clus. Hist.* 2. Ornithogalum vulgare & verius, majus & minus, *JB. Tom.* 2. 630.

Ornithogalum magnum umbellatum *Goense*, floribus totis albis, pericarpio splendente nigro, medium florem occupante; Hujus radices ex *Ulissipone* missæ sunt, nullo nomine adscriptæ, quas verno tempore horto credebam, & flores proferebant insequente *Augusto.* An Ornithogalum umbellatum maximum, *CBP.* 69. Ornithogalum *Arabicum*, *Clus. Hist.* 2. Lilium *Alexandrinum*, s. Ornithogalum magnum *Syriacum*, *JB. Tom.* 2. 629. Ornithogalum *Arabicum* multiflorum album, umbilico interiore nigro, *Swertij Florileg.*

Ornithogalum *Virginianum*, floribus luteis, atrâ maculâ insignitis, summo caule veluti in umbellam diffusis.

Ibid. ad lin. ult. add.

Coolacauvallee *Malabarorum.*

Fol. 273. *ad lin.* 17.

Tota planta est pellucida, & candidissimi nitoris, in sylvis *Marianis* itidem invenitur, sed rarius.

Ibid. ad lin. 18. *ad initium.*

Hâc plantâ sanè deceptus fui, nec ritè à nobis denominatur Orobanche; siquidem Gentiana est legitima, ut candidè nos monuit insignis Botanicus D. *Samuelis Doody.* Ad Gentianarum ergo classem reponi curavimus; & ei hoc nomen imposuimus; Gentiana *Virginiana*, foliis inferioribus parvis, mucronatis, summo caule amplioribus, subrotundis, venosis, ad flores suos convolutis.

Ibid. post lin. 29.

OROBANCHE species *Æthiopica*, ex *Prom. Bon. Spei.*

Fol. 274. *post lin.* 12.

OROBUS *Virginianus*, foliis fulvâ lanugine incanis, foliorum nervo in spinulam abeunte.

Ibid. post lin. 15.

Orobus *Syriacus* hirsutus, magno flore *Morison*; *Hist.* 98. Astragalus *Syriacus* hirsutus, *CBP.* 351. Astragalus *Syriacus Lobelio Hist. Lugd.* 1348.

Orobus

Fol. 274. *post lin.* 15.

Orobus (fortè) Scolopendriæ foliis tomentosis, ex *Aleppo.* Sub titulo Pseudo-Lonchitis accepta fuit; & fortè tantùm præcedentis varietas.

Orobus sylvaticus & *Boeticus*, lanuginosus, radice amplissimâ. *Morison.* Astragalus *Boeticus*, *Clus. Hist.* & *Cur. Poster.* Astragalus *Bœticus* lanuginosus, radice amplissimâ, *CBP.*

Ibid. ad lin. 17.

An Trifolium *Busambarense* minus; spicâ oblongâ, eleganter purputo-rubro flore cochleariformi; *Hort. Cathol.*

Ibid. ad lin. antepenult.

Aliam videtur sub eodem nomine describere herbam *Franciscus Hernandez apud Recc. fol.* 306. iisdem tamèn viribus, ad vulnera sananda præditam.

Ibid. post lin. antepenult.

OXYS corniculata minima villosa, ex *Terrâ Marianâ.* Hæc reverâ est Herba *Joannis Infantis Monardi.*

P.

Fol. 275. *ad lin.* 3.

POonnacai *Malabarorum*, magnum est ad *Venerem* Incentivum.

Ibid. ad lin. 7.

Hujus fructus petasoides, est bacca capsularis tricoccos.

Ibid. ad lin. 26.

Hallucinatum fuisse *Sloanum* in *Cat.* suo *Jamaic.* conjicio, dùm hanc Arborem, quæ nucem prægrandem lacteo succo turgentem profert, cujus nuclei cavitas continet aquæ suavissimæ pintam *Hollandicam*, aut amplius, inter Arbores fructu sicco disponit, tàm egregius fuit Ille diribitor Exoticarum, ut à cæteris suæ sortis; viz. Palmis nuciferis, nobilissimam Arborem sejungere mallet, quàm Aridarum Classi huic non dare Primatum, Iis autem Palmis vel mediocriter in arte *Botanicâ* versato, annumerari debere apparet, quarùm nux tegumento exteriore crasso, & carnoso, undique obducitur, & includitur; à reliquis hujus generis abundè distinguitur, tùm fructus magnitudine, tum exterioris ejus corticis crassitie, duritieque.

Ibid. ad lin. 30.

Post. 361. *add.* Cujus fructus à *Sinensibus Pin lâm*, & ejus exterior cortex. sive integumentum *Tá fó pí*, ab iisdem nuncupatur, *Cleyer. de Medic. Simpl. Chinens. usitat. pag.* 45.

Ibid. ad lin. 34.

Post 75. *add.* Columnia arbor Principis *Cæsij*; *Fab. Column. Not. in Recc. fol.* 869. Pauckmaraum *Malabarorum*.

Fol. 275. ad lin. 35. add.

Pauckmaraum *Malabarorum. fructu turbinato.*

PALMA Arecifera, fructu compresso non turbinato; Nuci moschatæ, & Fausel similis nucleus, *JB. Tom. 1. fol. 392.*

Fol. 276. ad lin. 9.

Item Arbor farinifera, *JB. Tom. 1. lib. 4. fol. 504.*

Ibid. ad lin. 16.

An *Libby* arbor ab *Indigenis Insulæ Mindanao* dicta, *Dampier Circumnavig. pag.* 310. Palma altissima non spinosa, fructu pruniformi minore, racemoso, sparso, *Cat. Jam.* 176. Item Palma non spinosa humilis, fructu racemoso, pruniformi minimo, Pisi magnitudine, *ejusd.* 177. Arbor farinifera *Ternatensium, Roberti Lovel. Enchirid. Bot.* 517.

Ibid. ad lin. 23. add.

Aumanamaram *Malabarorum.*

Ibid. post lin. 28.

Palma Polygonati angustis, longioribus foliis, pediculis spinosis, ex *Insulâ Johannâ* An Palma *Brasiliana* parva, foliis Polygonati longioribus, magis spinosis, trunco spinosissimo, *Breyn. Prodr.* 2. 81. An Palma spinosa minor, caudice gracili, fructu pruniformi minimo, rubro, *Cat. Jam.* 178.

Ibid. ad lin. 32.

Palma prunifera humilis, non spinosa, *Insulæ Hispaniolæ*, fructu Jujubino simili, ossiculo triangulo, *Hort. Med. Amstelod.* cum *Icone.*

Ibid. ad lin. 37.

Perrepanchedde *Malabarorum.* Ex quo *Almagestum* nostrum edidimus, certiores reddimur de hujus arboris fructu, qui ad speciem *Rotang* spectare videtur; Nihilominùs ad Palmarum nuciferarum genus, quam Arundineum, hanc arborem magìs accedere censemus & ab Arundine nucifera *Rotang.* dicta *Pisonis, Mantiss. Aromat.* 188. maximè diversam habemus; quanquàm à similitudine hujus fructus, licèt multò minoris, cum illo Rotang dicto, Rotang etiam nominari meruisse videatur; dicaturque Palma nucifera s. Phœnico-Scorpiuros spinosa, fructu parvo, Rotang instàr tessulato, An fortè Arundo *Indica*, arborea, maxima, cortice spinoso. D. *Hermans* in *Mss.* ubi additur quòd *Cingalensibus* vocatur Nuayhas, (i. e.) Arbor febrilis, quia febre corripiuntur ij, qui se lavant ex aquis, in quas arboris hujus folia decidêre.

Ibid. ad lin. penult.

Post 369. *add.* An Palma Ady, *Insulæ Sancti Thomæ*, & fructus Abanga, & Caryoces *ejusd. JB. Tom.* 1. 386. Palma foliorum pediculis spinosis, fructu pruniformi luteo, oleoso, *Cat. Jam.* 174. Veremur autem hoc in loco, hujus Catalogi Autorem, de Incognitis sibi scripsisse, quasdam inter se Arbores planè distinctas confudisse, aut saltèm aliqua intempestivè repetiisse.

Fol. 277. ad lin. 11.

Palma tota spinosa major, fructu pruniformi, *Cat. Jam.* 177. Item Palma spinosa minor, fructu pruniformi, *ejusd. ibid.* An Quauh-Coyolli, *Nov. Hispan. Terentij apud Recc.* 401.

Fol.

Fol. 277. *ad lin.* 13.

Hujus fructus Nucis Juglandis magnitudine, tribus foraminibus ad extremum caput insignitus, Cercopithecæ faciem aliquomodò exprimit, & nì fallor idem est, quem sub titulo Nucis *Indicæ* velùt larvam ostendentis, & alterius ei similis, si non eadem describit & depingit *Johan. Bauhinus, Tom.* 1. 387. ex *Angola* allatus est, & à nostratibus Monkey-face, ibi dictus. An Palma non spinosa humillima, *Cat. Jam.* 177. Quod observatu dignum fuit, intrà medullam albicantem, ad sedem fructûs in medio, oculus rotundiolus conspicitur, hic germen est prolificum, quod radicum fibras per foramina corticis exterioris edit, & in terram demittit, per quas alimentum, suæ naturæ conveniens, attrahat.

Ibid. ad lin. 28.

An Palma non spinosa, foliis minoribus, fructu pruniformi minimo, *Cat. Jam.* 177.

Ibid. ad lin. 30.

Palma *Brasiliensis* prunifera, folio plicatili, f. flabelliformi, caudice squammato, *Raij. Cat. Jam.* 178.

Ibid. ad lin. 36.

An Melapolange *Ludovic. Barthemæ rerum Indicarum, lib.* 2, *cap.* 14.

Ibid. ad lin. ult.

Post *Pag.* 1. An potius Kaida-Taddi *ejusd. Hort. Malab. Part.* 2. *fig.* 6. *fol.* 3.

Fol. 278. *ad lin.* 6.

An Arbor Manicongo nucifera, *ejusd. JB. Tom.* 1. 385.

Ibid. ad lin. 8.

Post vocem tecto *add. Vid. Phytogr. Tab.* 323. *fig.* 3.

Ibid. ad lin. 20.

Post *Barbadens. add. Vid. Phytogr. Tab.* 324. *fig.* 4.

Ibid. ad lin. 24.

Add. Phytogr. Tab. 323. *fig.* 5.

Fol. 278. *post lin.* 29.

PANACIS carpimos folio triphyllos, nervo medio transcurrentibus venis ad intervalla constricto, ex *Insula Johanna.*

Ibid. post lin. 31.

PANICUM *Indicum,* spicâ longâ gracili. Cujus granis pascuntur Aves Indigenæ; Tenne *Malabarorum.*

Fol. 279. *ad lin.* 31.

Quærendum proponit *Cl. Rajus*, An hæc sit cujus meminit *D. Whêler* circà *Trojam* à se observatæ, flore nigro in fundo, superiùs rubro, paulatim in auream languente circà margines; hanc etiam ex *Insulâ Cypriorum,* & ad Territorium circà *Alexandriam* collectam, nos aliquandò accepimus; & nonnisi Varietatem præcedentis habemus.

Fol. 280. *ad lin.* 18.

Trifolium siliquosum corniculatum, flore albo, tetrapetalo ephemero, cristæ pavonis æmulo, *D. Ciassi. Paul. Amann. Charact. Plantar.* 375.

Fol. 280. *ad lin.* 24.

Naiwalle *Malabarorum.*

Ibid. ad lin. 30.

Voufſchecauchedde *Malabarorum.*

Ibid. ad lin. 33.

Kaukaupoondoo *Malabarorum.*

Ibid. ad lin. ult.

Hujus flos eſt dipetalos. An fortè Tlolchipillin *Hœxotzincenſis*, *Hernandez apud Recc.* 255.

Fol. 281. *ad lin.* 16.

Poſt vocem *communicatum*, *add.* ſub Thlaſpeôs cujuſdam ſpecie, à *Bobarto* fuit tranſmiſſa.

Ibid. poſt lin. 28.

PASSERINÆ minoris folio, Polygoni facie, planta *Mariana*, ſummo caule ramoſiſſima.

Paſſerinæ foliis Planta *Æthiopica*, ſummis caulibus flore albo parvo ſingulari.

Fol. 282. *ad lin.* 9.

Balſamina altera *Indica* repens, Hederæ arboreæ foliis, flore ſubviridi, *Ambroſin. Phytolog.* 91. Flos Paſſionis minor, folio in tres lacinias non ſerratas, minùs profundas diviſo, *Cat. Jam.* 104. Clematitis *Indica*, flore minimo pallido, *Plumier. fol.* 73. *fig.* 88.

Ibid. ad lin. 22.

Flos Paſſionis minor, folio in tres lacinias non ſerratas profundiùs diviſo, flore luteo, *Cat. Jam.* 134. A Clematide tamèn *Indicâ*, folio hederaceo majore, fructu Olivæformi, *Plumier*, quam pro Synonymo indubitantèr ponit *Sloanus*, plurimùm eſt diverſa; Enimverò ſanè, ut quod res eſt fateamur liberè, Exiſtimamus eum non intellexiſſe quid commentaretur, alioquin diverſarum plantarum Nomina, non tàm fœdè confudiſſet.

Ibid. ad lin. 26.

Poſt vocem Paſſiflora *add.* Scaphoides ſ. foliis Naviformibus umbilicatis, *Americana*.

Ibid. ad lin. 28.

An Flos Paſſionis perfoliatus, ſive Periclymeni perfoliati folio, *Cat. Jam.* 104.

PASSIFLORA *Americana*, flore ſuaverubente, folio bicorni. Clematitis *Indica*, flore clavato ſuaverubente, fructu hexagono coccineo, folio bicorni, *Plumier. fol.* 68. Flos Paſſionis, folij mediâ laciniâ quaſi abſciſſâ, flore minore carneo, *Cat. Jam.* 104.

Ibid. ad lin. 33.

An Clematis *Americana*, Digitalis flore, ſiliquoſa, monophyllos major, *PBP.*

Ibid. ad lin 36.

An Clematis *Americana*, Digitalis flore, ſiliquoſa, monophyllos, minor, *PBP.* 304. Flos Paſſionis Guaivas folio, *Hort. Leydenſ.*

Fol.

Fol. 283. *ad lin.* 16.

Et in *Hort. Malab. Part.* 11. *Tab.* 49. Huic fortè referri debet Iztac Coanenepillis, f. Volubilis diuretica, *Hernandez apud Recc.* 119.

Ibid. post lin. 23.

PASTINACA fylvestris hirsuta, echinato fructu, *CBP.* 151. Daucus λασιόκαυλ☉ (i. e.) hirfuto caule, *Thalij Harcyn. pag.* 36.

Pastinaca fylvestris angustifolia hirsuta, radice foris & intùs atropurpureâ, ex *Smyrnià*; fortè Pastinaca fylvestr. *Hispanica*, angustifolia hirfuta, f. Tragofelini foliis, & facie *Breyn. Prodr.* 2. 82. Pastinaca *Lusitanica*, Tragofelini facie, *PBP. append.* in Horto D. *Samuëlis Reynardsoni* Exoticarum plantar. instructissimo, ex feminibus è *Smyrnia* allatis, enutritam observavimus.

Ibid. post lin. 30.

PEDICULARIS *Mariana* Agerati angustis ferratis foliis, fingulis ferris minutim denticulatis; floribus exalbidis amplis, in oblongam fpicam, fummo caule confertim nafcentibus. Huic proximè accedit Pedicularis major Alpina, *Hist. Lugd.* 1138. Item Oenanthe, five Filipendula altera montana, *Penæ* ejusd. 784. Alectorolophos Alpina, *Clusij Hist.* 2. *fol.* 210. Filipendula montana major albida, *Park. Theatr. Pl.* 436.

Ibid. ad lin. ult.

Huic & confpecies est Corofinam, *Hort. Malab. Part.* 9. *Tab.* 68.

Pedicularis *Virginiana*, Lyfimachiæ purpureæ lanuginofis, fubrotundis foliis, nervofis, flore oblongo purpureo, calyce altera parte altiùs elongato, & plurifariàm diffecto.

Fol. 284. *ad lin.* 15.

Hùc fortè fpectat Atenxihuitl, *Nov. Hispaniæ, Terentij apud Recc.* 355.

Ibid. ad lin. 22.

An Heptaphyllum alpinum, trifoliatum, *Sabaudum, Bocc. Mus. Plant. Tab.* 9.

Ibid. ad lin. 26.

Caryophyllata montana *Dalechampij*, *Hist. Lugd. lib.* 5. *fol.* 686.

Fol. 285. *post lin.* 33.

PENTAPHYLLUM *Virginianum* minus, villofum, flore parvo luteo, pallefcente.

Fol. 287. *post. lin.* 17.

PERICLYMENUM furrectum, Laurinis foliis, cujus cortex, ad rubrum colorem inficiendum *Tinctoribus* infervit, *Indiæ Orientalis.* Noonachedde *Malabarorum.*

Ibid. ad lin. 27.

De hujus Profapiâ fortè est Chichihoalxochitl, *Novæ Hispan. Terentij. apud Recc.* 365. Et nuncupari poteft, Periclymenum herbaceum *Mexiocanum*, foliis amplis Geranij divifuris, longis petiolis infidentibus. Cui & plurimùm convenit Hezmaytl, *Nov. Hispan. ejusd. Recc. fol.* 377. ut nos dijudicare licet.

Ibid. post lin. 27.

Periclymeno herbaceo quæ fub *Doctoris* Tinker nomine apud *Virginienses* noftrates paffim celebratur, haùd multùm impar, planta *Mariana*, teneriore folio, flore albo parvo, ex alis foliorum unico. U 2 *Fol.*

Fol. 287. *post lin.* 29.

Periclymenum rectum, Lysimachiæ luteæ folio & facie, ex *Insulâ Johannâ*.

Ibid. ad lin. 30.

Post vocem fructu add. rubro & nigro.

Fol. 288. *post lin.* 4.

Periclymenum *Indicum* elatius, cuspidato folio majori, glabro. Padavera, *Hort. Malab. Part.* 7. *Tab.* 27. *fol.* 51.

Ibid. ad lin. 27.

Persicaria Nerij folio procumbens, floribus candido purpurantibus, *Cupani Hort. Cath.* 166.

Ibid. post lin 33.

PERSICARIÆ affinis *Virginiana*, foliis parvis pallescentibus, spicâ albâ compactiore, brevi. An rectius sit de Blitorum genere.

Persicariæ similis. Planta aquatica, *Ind. Orientalis*, floribus summo caule in capitulum oblongum glomeratis; capsulis foliaceis; Nonducallacree *Malabarorum*. Hâc plantâ *Indigenæ* pro cibo utuntur. Huic fortè Pongati, *Hort. Malab. Part.* 11. *Tab.* 240 accenseri meretur.

Fol. 289. *post lin.* 6.

PHALANGIUM Liliflorum, *Africanum*, maximum, floribus albis, prælongis tubulis donatum.

Phalangium minus Liliflorum, floribus aureis, *Prom. Bon. Spei*.

Ibid. post lin. 10.

Phalangium *Africanum*, ramosius, floribus albis, *Promontorij Bon. Spei*.

Phalangium *Æthiopicum* ramosissimum, caule fistuloso glabro, floribus albis lineis fuscis externè striatis. An Phalangium ramosum *Africanum*, floribus albis, fuscis lineis insignitis, *PBP*. 363. Phalangium fortè *Æthiopicum*, ramosissimum, *Hort. Amstelodam.* cum *Icone*.

Phalangium (fortè) *Æthiopicum*, ramosissimum, caule fistuloso fungoso, & hirsutie ferrugineâ villoso, floribus amœnè purpureis. Orobanche similis *Æthiopica*, ramoso caule, floribus amœnè purpureis. Epidendron (fortè) *Æthiopicum*.

Phalangium *Africanum* ramosum, floribus purpureis, florum petalis reflexis.

Ibid. post lin. 14.

Phalangium *Marianum*, non ramosum, flore albo minimo, striis viridibus, spicâ longâ gracili. Idem (fortè) cum præcedente in *Almagesto*.

Ibid. post lin. 22.

PHAODENDROS sive Arbor *Ind. Orient.* tædifera. Torch-Tree nostratibus dicta. Ex hujus enim ramulis, Tædæ & Faces parantur, quæ semel accensæ, Viatoribus iter nocte suscipientibus, optimum lumen præbent. Nicoone *Malabarorum*. Santali citrini speciei alteri, haud multùm impar.

Fol. 290. *post lin.* 10.

PHASCOLUS *Indicus*, siliquâ Fœnugræci. Turkeyau verrekaichedee *Malabarorum*.

Fol. 290. *ad lin.* 12.

Phaseolus *Indicus* hirsutus, flore luteo, siliquâ angustâ, parvâ, hispidâ, *Breyn. Prodr.* 1. 82.

Ibid. post lin. 15.

Phasaolus *Indianus* minor, Lathyri siliquis pubescentibus, fructu parvo, subfusco.

Ibid. post lin. 17.

Phaseolus *Indicus*, flore flavo, caule, & siliquâ tereti, pilis rarioribus obsitis. Katu-Ulinu, *Hort. Malab. Part.* 8. *Tab.* 50.

Ibid. ad lin. 18.

Post *Americanus lege* Βιαρπακτος sive.

Ibid. ad lin. 20.

An fortè hæc sit Herba à Militibus ad Civitatem *Philippi* evulsa, & gustata, eos propè ad furorem, & insaniam redegit, qui tamen affectus paulo post mitior redditur, *CBP.* 166. ex *Part.* 9. *Ind. Orient.* addit (quærens demùm) Quid sit?

Ibid. ad lin. 26.

Surrupierra *Malabarorum.*

Ibid. ad lin. 35.

Phaseolus *Indicus* Lotoides, sivè Loto affinis vesicaria, triphylla *Indica*: Aut Melilotus vesicaria *Indica* inodora.

Ibid. post lin. 39.

Phaseolus parvus spicatus, divaricato caule, folio subrotundo, glabro, ex *Terrâ Marianâ.*

Ibid. ad lin. ult.

Coodetoeree *Malabarorum.* Radicem habet tuberosam.

Fol. 291. *ad lin.* 2.

Phaseolôdes *Americanum* ἀγκυλον, pediculis angulosis, striatis, ex radicibus variè intortis, sursùm rigentibus, folliculum sub terrâ condens. Junsa (fortè) planta quæ in *Angra* instàr Frumenti seritur, ad cujus radices grana rotunda, Pisi magnitudine, Pistachiorum sapore; *Linschot. Part.* 8. *Ind. Orient. cap.* 6. *CBP.* 346; (nisi hæc potiori jure sit Arachidna *Indiæ* utriusque, tetraphylla, quæ sub titulo Senæ tetraphyllæ, &c. nostro *Almagesto fol.* 371. exhibetur.) An Pisa *Indica*, foliis longiusculis, *JB. Tom.* 2. 301. Legumen trifolium, sub terrâ fructum edens, *Raij. Hist. Plantar.* 919.

Ibid. post lin. 2.

Phaseolôdes *Mariana* procumbens, angustiori folio triphyllos, flore gemello.

Ibid. ad lin. 38.

Siliquâ longâ, fimbriis quadripinnatis ornata: fortè Tetragonolobo Loto simili s, Siliqua peregrina, *JB. Tom.* 2. *lib.* 17. *fol.* 359.

Fol. 292. *ad lin.* 6.

Hæc est reverâ Katabaramareca, *Hort. Malab.* & quæ proximè subsequitur in *Almagesto*, est Katu-tsjandi, *ejusd. Hort. Malab. Part.* 8. *Tab.* 43.

Ibid. ad lin. 8.

Mooelie *Malabarorum.* Radicem habet tuberosam rotundam.

Fol.

Fol. 292. *ad lin.* 12.

An Orobus Phaseolôdes *Americanus*, folio angulosô, subtùs hirsuto, *PBP.* 359. At noster est omninò glaber.

Ibid. ad lin. 25.

Phaseolus maximus, siliquâ ensiformi, nervis insignitâ, & semine albo, membranulâ inclusa, *Cat. Jam.* 68. Ubi varia miscentur nomina, & inter se valdè discrepantia.

Ibid. ad lin. 40.

Phaseolus *Brasiliensis* frutescens, lobis villosis pungentibus, maximus *Hermanni*, *Cat. Jam.* 68. Ubi plurima, specie admodùm diversa, planè confunduntur.

Fol. 293. *ad lin.* 15.

Comanda-guira *Marcgr. fol.* 62. An Varvatte *Flacurtij Descript. Madagasc.* 118. Laburnum humilius, siliquâ inter grana & grana juncta, semine esculento. *Cat. Jam.* 139. Arbor fabifera trifolia, Salviæ foliis, floribus luteis elegantissimis, *Hort. Bosiani.* A similitudine, fortè hujùs plantæ cum Tangaraca prima *Brasiliensium Pison.* in trifoliaturâ foliorum, hæc quoque à *Lusitanis Orientalibus*, Tangaraca nuncupatur.

Ibid. post lin. 21.

Phaseolus *Americanus*, incanis foliis, caule Genistæ angulosô, siliquis lentiformibus, dispermis, ex *Terrâ Marianâ*.

Ibid. ad lin. 34.

An Arbor Coralli *Americana*, semine oblongiori & tenuiore rubicundissimo, minùs spinosa, foliis lætè viridantibus, *Breyn. Prodr.* 2. 19.

Ibid. ad lin. 35.

Pro *tenuiore* lege graciliore.

Fol. 294. *ad lin.* 2.

An Arbori Coral affinis, non spinosa, Fraxini folio rotundiore, foliis & ramulis pubescentibus, *Cat. Jam.* 244. Ubi movetur dubium, an sit Quinquina *d' Oexmelin, pag.* 74.

Phaseolis accedens, Arbor piscipula, Coral dicta polyphyllos, non spinosa, orbiculatis ferè foliis amplioribus, sericeâ hirsutie villosis; à *Barbadensibus Colonis*, Dogwood-Tree, nuncupatur, atque ob pisces necandi, aut venandi vim Ἰχθυόθηρον dici mereatur. An fortè Coral arbor polyphylla non spinosa, Fraxini folio, siliquâ alis foliaceis extantibus, rotæ molendinariæ fluviatilis, vel seminum Laserpitij instàr auctâ, *Cat. Jam.* 143. Ubi Arbor venenata in nominata tertia in *Orellana* pisces soporans *Jonston. Dendrograph.* 467. sumitur pro Synonymo.

Fol. 294. *ad lin.* 19.

An fortè Caxumba in *Bantam*, *Floërs* quo in cibis condiendis, & vestibus gossypinis tingendis utuntur, *Part.* 4. *Ind. Orient.* 7. *CBP.* 37. Vellecacuanha s. Vellacaucanau *Malabarorum*.

Ibid. ad lin. 27.

Pœonia *Indica*, malè tribuitur Abro *Alpini*, *Hist. Oxon.* 72. Phaseolus Glycyrrhizites folio alato, pisô coccineo atrâ maculâ notato, *Cat. Jam.* 70. Cujus Autor

ut

ut in Arte doctior sibi videretur, dubium movet, An sit eadem illi quæ in *Almag. nostro* proximè subsequitur; Cum tamen ex *Iconibus*, vel ipsis nudis Nominibus ediſceret, Plantarum eſſe duo diverſa admodùm genera.

Fol. 294. *ad lin.* 31.

An Cocecpatlis *Acatlinensis*, Glycyrrhizæ æmula, *Hernandez. apud Recc. fol.* 241. *L'Bois de Coral* D. *Rochfort. Histoire des Antilles* 93.

Ibid. ad lin. 41.

Post 265. *add.* Oxyacanthæ colore fructus peregrinus durus, *ejusd. JB. Tom.* 1. *Part.* 2. 425.

Ibid. ad lin. 43.

Fructus peregrinus decimus *Mates* nomine, *Clusij exot. lib.* 2. *cap.* 30.

Fol. 295. *ad lin.* 4.

Tandemaram *Malabarorum*. Cujus ſiliquæ ſunt magnæ, & diverſimodè tortuoſæ.

Fol. 296. *ad lin.* 9.

Veronica frutecoſa, ſurrecta, dulcis, hexangulari caule, florè dilutè cæruleo, *Cat. Jam.* 81. Itèm Veronica hexangulari caule, foliis Satureiæ ternis, ſerratis, *ejusd. ibid.* Hanc autem non eſſe de Veronicarum Sorte, ex αὐτοψία didicimus. An hujus farinæ ſit Tzonpetrìc-Xihuitl *Mexic.* ſ. Nectarea, *Hernandez apud Recc.* 240. inquirendum propono.

Ibid. ad lin. 11.

An Piloſella major non repens, monoflora, in *Montibus Nebroidibus*, copioſè luxurians, *Cupani. Cat. Hort. Catholic.* 167.

Ibid. post lin. 15.

PIMPINELLA auriculata, *Sabauda*, rigida, *Boccon. Muſ. Plantar. Tab.* 9.

Ibid. ad lin. 33.

Cucullata quibuſdam, Crias *Apuleij*, *Hist. Lugd. lib.* 10. *fol.* 1206. Pinguicula vel ἰονυγερν Viola humida, aut paluſtris Dodecatheon, *Plinij*, *Geſnero*, *Camerarij Hort. Med.* 125.

Fol. 297. *ad lin.* 20.

Molago-Codi, *Hort. Malab. Part.* 7. *Tab.* 12.

Ibid. ad lin. 22.

Post 412. *add.* Piper abortivum, *ejusd.* Itèm Piper racemoſum caudatum, ex *Guinea*, *ejusd. CBP. ibid.* Piper abortivum Braſma, *JB. Tom.* 2. 184. Itèm Piper caudatum, *ejuſdem JB. ibid.* 185. An Cattu-Molago, *Hort. Malab. Part.* 7. *Tab.* 13.

Ibid. post lin. 23.

PIPER LONGUM *Orientale*, foliis amplioribus quinquenerviis, petiolis oblongis inſidentibus. Cattu-tirpali, *Hort. Malab. Part.* 7. *Tab.* 14.

Ibid. ad lin. 28.

Sipplelee *Malabarorum*, hoc eſt Piper nigrum præſtantiſſimum.

Ibid. ad lin. 39.

Piper longum arboreum altius, folio nervoſo minori, ſpicâ graciliori & breviori, *Cat. Jam.* 44. Itèm Piper longum, folio nervoſo, pallidè viridi, humilius, *ejusd.*

ejusd. ibid. Item Piper longum folio nervoso, latiori, & tenuiori, atroviridi, *Cat. Jam.* 45.

Fol. 297. *post lin.* 28.

Piper *Æthiopicum* siliquosum, *JB. Tom.* 2. *fol.* 187. Siliquæ nigræ quas pro Carpesio *Paulus Hessus* ad *Matthiolum* misit. Piper oblongum nigrum, *CBP.* 412. Habzeli, & Piper *Nigritarum, Serapioni.* Piper *Antropophagorum. Hieronym. Cardani. de rer. variet.* 108.

Fol. 298. *ad lin.* 17.

Opuntioïdes tetragonium baccatum, capreolis gaudens, Epidendron. An Viscum Opuntioïdes, ramulis compressis, *Cat. Jam.* 168.

PLANTA *Indiana*, Dictamni *Cretici* foliis, capsularis, floribus in verticillas sitis. Carvautlackeree *Malabarorum.*

Planta Convolvulacea baccifera, Aristolochiæ foliis, radice tuberosâ, Cheende *Malabarorum.* Hujus foliorum & caulium Chymico more Extractum, ardorem Urinæ tollit, & Gonorhææ medetur, attamen Secessum non movet.

Planta *Mariana*, Solidaginis foliis mucronatis, ex adverso binis, floribus in spicam racemosis, ex purpureo colore, Lilach æmulis.

Ibid. post lin. 17.

Eadem *Carolinienfis*, latioribus Melissæ *Romanæ* foliis, Lilach *nostratibus* dicta.

Ibid. ad lin. 30.

Plantago alpina, folio nigricante, *Bocc. Mus. Plant. rarior. Tab.* 5.

Ibid. post lin. 37.

PLANTAGO Lagopoides quinquenervia, caulescens. Hanc in *Hort. Medicin. Chelsciano*, auspitiis *D. Doodij*, ex seminibus sibi à *Parisiâ* transmissis, enutritam conspeximus *Anno* 1698.

Ibid. post lin. 40.

Plantago myosotis *Marilandica*, spicâ rarâ *D. Krieg.*

Ibid. post lin. 42.

Plantago omnium minima, hirsutis foliis *Marilandica*, spicâ compactâ brevi.

Fol. 299. *post lin.* 19.

Plantago montana Holosteum dicta, Leontopodium *Cretense*, sivè Catanance *Cortuso*, *Clus. Hist. Pl.* 2. 111. Holosteum s. Leontopodium *Creticum*, *CBP.* 190.

Ibid. post lin. 38.

Plantaginellæ aureæ Alopecuroidi *Brasilianæ* similis, *Zeylanica*, *Breyn. Prodr.* 2. 84. An rectius sunt alicujus Graminis *Indici* capitula, quæ in penu nostro cum suis pediculis ex eodem loco nobis advecta; invenienda sunt.

Ibid ad lin. 42.

Huic quoque spectare videtur Plantaginis aquaticæ folio Anomala, flore tripetalo purpureo, semine pulverulento, *Cat. Jam.* 76. Simùl ac Nymphææ affinis palustris, Plantaginis aquaticæ folio, flore hexapetalo stellari cæruleo, *Cat. Jam.* 121.

Plantaginis aquaticæ quodammodo accedens, foliorum auriculis amplioribus retusis, floribus cæruleis Hyacinthi spicatis. In *Provinciâ nostrâ Marianâ apud Americanos*, collegit laudatus vir *D. Krieg*, & nobis impertivit.

Fol. 300. *post lin.* 3.

PLATANUS *Orientalis* & *Occidentalis* mediam faciem obtinens, *Americanus*, globulis grandioribus, foliis splendentibus atris.

Ibid. ad lin. 5.

An Anonyma decima *Hernandez apud Recc.* 353. Fortè etiam Chilmecatl, seu Ycha, *Nov. Hispan. Hernandez apud Recc. fol.* 140. An Dentellaria Lychnioides, sylvatica, scandens, flore albo, *Cat. Jam.* 91.

Ibid. ad lin. 7.

Huic Arbori Beénel, *Hort. Malab. Part.* 5. *Tab.* 4. proximè accedere videtur, aut potiùs Sundari, *ejusd. Hort. Malab. Part.* 5. *Tab.* 40.

Ibid. post lin. 21.

POLIUM *Hispanicum* angustifolium, flore vario *Turnefortij*, ab Ornatiss. viro *D. D. Preston* accepimus.

Ibid. post lin. 23.

Polium tomentosum Chamædryoides, *Monomotapense*, floribus purpureis.

Ibid. ad lin. 27.

An Polium Rorismarini foliis, quorum comæ nequaquam canescunt, *Turnefortij Epist. ad Sherard.* 14. In regni *Granatensis* maritimis, invenit hoc genus *Turnefortius*.

Ibid. ad lin. 29.

Polygala foliis lanceolatis, brevibus, *Bocc. Mus. Plant. pag.* 141. *Tab.* 99.

Ibid. post lin. 33.

POLYGALA *Mariana*, angustiori folio, flore purpureo.

Ibid. ad lin. penult.

An Coztic-Xihuitl *Mexicensium*, *Hernandez apud Recc.* 303.

Ibid. post lin. ult.

Polygala *Æthiopica*, angustis hirsutis foliis, floribus obsoletè purpureis.
Polygala *Æthiopica*, angusto folio glabro, flore obsoleto.
Polygala *Æthiopica*, strictissimis glabris foliis, flore phœnicco.
Polygala arborea, Myrtilli subrotundis foliis, fructu magno Tordylij, *Prom. Bon. Spei.* An Chamæmyrsine *quorundam Dalechampij*, *Hist. Lugd.* 1175. Sit hujus loci inquirendum propono.

Fol. 301. *ad. lin.* 2.

Nostræ tamen caput, in globum ferè compactum est. An Polygala lutea, *CBP.* 215. Onobrychis quarta lutea *Dalechampij*, *Hist. Lugd.* 491. Chilpatli (fortè) *Nov. Hispan. Terentij apud Recc.* 367. An Leucoium luteum, sive Keiri minimum, Polygalæ facie, *Cat. Jam.* 97.

Ibid. post lin. 5.

Polygala *Mariana*, quadrifolia, minor, spicâ parvâ albicante, à Doctore *Krieg.* accepimus.

Ibid. ad lin. 12.

An Genistæ affinis, Anonyma arbor flore Colutææ, Buxifolio, *Cat. Jam.* 141.

Ibid. post lin. 17.

POLYGONATUM minus angustifolium, ramosum, flore ad geniculum singulari, longo, gracili pendente, *Virginianum*.

Fol. 302. *post lin.* 6.

POLYGONUM lignosum *Boeticum*, flore albo, apicibus petalorum croceis.

Polygonum *Orientale*, parvis & creberrimis foliis, humum sternens. Nechetta-poondoo *Malabarorum*. Longè lateque se diffundit super terram.

Ibid. ad lin. 13.

An Hernaria lucida aquatica, *Cat. Jam.* 50.

Polygonum Serpylli foliis, ex adverso binis, ex *Insulâ Palmâ*, sericeâ comâ candicante. Idem fortè Cruciatæ Marinæ simili Plantæ *Indiæ Orientalis*. *Phytograph. Tab.* 277. *fig.* 3. & *nostr. Almagest. fol.* 122. *pl. penult.*

Ibid. ad lin. 20.

Fortè Polygonum montanum, niveum, roseum minus, compactioribus foliolis, *Boccon. Mus. Pl. rat. Tab.* 7.

Ibid. post lin. 20.

Polygonum ex *Insulâ Palmâ*, Serpylli foliis ad genicula confertis, argenteâ comâ paleaceâ.

Polygonum sericeum Thymi angustioribus foliis, ad genicula binis, ex *India Orientali*.

Polygonum sericeum ramosius *Indicum*, foliolis Gallij instar caulem cingentibus. Chaipoondoo *Malabarorum*. Amaranthus foliis acutis incanis, Molluginis facie *Zeylanica*, *Boccon. Mus. Pl. pag.* 44. *Tab.* 39. Sed de his duabus novissimè recensitis plantulis, plura vid. sub alienò titulo *Almagesti nostri fol.* 134. *plant.* 9, & 10.

Ibid. ad lin. 32.

An Rubeola minima alba, *HRB.* Hoc etiam minùs aptè nominatur, Sedum minimum muscosum, tenuissimo folio rubens, apud *Hort. Cathol. Francisc. Cupani.*

Ibid. post lin. 34.

Polygonum Selinoides, Sedi minimi foliis, ex *Prom. Bon. Spei.* An forsan rectius, Valerianella polycarpos, Sedi minimi foliis *Æthiopica*.

Polygonum Selinoides, Spergulæ folio *Indianum*. Pulandee *Malabarorum*.

Ibid. ad lin. penult.

Alchimilla gramineo folio, majori flore, *Raij. Turnefortii Elem. Bot.* 409.

Fol. 303. *ad lin.* 9.

Fortè Osteocollum *Hierozlis*, & *Absyrti*, *Hist. Lugd. lib.* 10. *fol.* 1205.

Ibid ad lin 32.

Portulaca *Curassavica* procumbens, folio subrotundo, *PBP. append.*

Ibid. ad lin. 34.

Post *Part. add.* 10. *Ibid. ad lin.* 38. Nonochto *Novæ Hispan. Terentij apud Recc. fol.* 392.

Ibid. ad lin. 42.

Portulaca erecta, Sedi minoris facie, capitulo tomentoso, *Cat. Jam.* 88.

Fol. 304. *ad lin.* 2.

Caaponga *Brasiliana* secunda *Pisonis fol.* 243. Herba innominata, caule Portulacæ; *Marcgr.* 39.

Fol. 304. *ad lin.* 4.

Malus *Americana* ſpinoſa, Portulacæ folio, fructu folioſo, ſemine reniformi ſplendente, *Hort. Medic. Amſtelod.* Ubi habetur *Icon* ad Arboris proceritatem ſatis faſtuoſa, ſed perperàm. Portulaca ſpinoſa, lanuginoſa, arboreſcens, *Americana, Catol. Plant. Paradiſ. Batav. Calci adnex.*

* PORTULACA fortè *Indiæ Orientalis* teretifolia, flore flavo tetrapetalo. Nela Tsjira, *Hort. Malab. Part.* 10. *Tab.* 31. Sedi folio *Indica*, flore tetrapetalo flavo colore; *Commel. ad locum.*

Ibid. ad lin. 7.

An Portulacæ affinis, folio ſubrotundo, ſucculento, flore pentapetalo dilutè purpureo, *Cat. Jam.* 89.

Ibid. ad lin. 9.

An Blitum Polygonoidès viride, ſ. ex viridi & albo variegatum, polyanthos, *Cat. Jam.* 48.

Ibid. ad lin. 16.

An Acetoſa *Braſilienſis Piſonis, fol.* 244. Acetoſa *Braſiliana*, flore dilutè purpureo, *Marcgr. fol.* 23. An fortè Portulaca *Curaſſavica*, procumbens, folio ſubrotundo, *PBP. append.*

Ibid. ad lin. 35.

An Oxylapathum aquaticum, *Hiſt. Lugd. fol.* 603.

POTAMOGEITON gramineum marinum, imo caule geniculatum. Alga anguſtifolia *Vitrariorum JB. Hiſt. CBP.*

Idem minus, Fucus marinus, ſ. Alga marina, graminea, minor, *Dalæi. Raj. Synopſ. Stirp. Brit. pag.* 7.

Potamogeiton marinum *Vitriariorum* æmulum, ſegmentis tubuloſis. **The Manatee-Graſs**, *Jamaicenſibus* dictum, Alga juncea, ſ. Juncus marinus radice albâ, geniculata; *Cat. Jam.* 5. Corallina, aut potiùs Alga nodoſa, *Vitriariorum* æmula, ſegmentis tubuloſis, *Almag. Bot.* 119.

Potamogeitum marinum *Vitriariorum* æmulum, ad foliorum planitiem folliculaceum, & ſeminiferum. Fucus ſ. Alga marina graminea, anguſtifolia, ſeminifera ramoſior, *Raij Synopſ. ibid.*

Potamegeiton marinum in Utriculis epiphylloſpermon minus, *Doodij. Raij. Synopſ. Stirp. Brit. noviſſimè edit. pag.* 346.

Potamogeiton fluviatile, longiſſimo gramineo folio noſtras, Alga graminea fluviatilis longiſſimo folio, *Turnefortij, Elem. Bot.* 444.

Fol. 305. *ad lin.* 9.

Ranunculus aquatilis, Millefolij folio pennato, *Cupan. Hort. Cathol. pag.* 186.

Potamogeiton *Indicum*, foliis variis, partim integris, partim pennatis. Yellapaſſhee *Malabarorum* (i. e.) Planta aquatica. Nir-valli-pullu, *Hort. Malab. Part.* 10. *Tab.* 12.

Potamogeiton *Indicum* minus, venis foliorum elegantiſſimis, pennas avium referentibus. Neerpaſhee *Malabarorum.*

Fol. 306. *ad lin.* 22.

An fortè Cacaxocotl *Nierembergij, Exotic. lib.* 14. *fol.* 318.

Ibid. ad lin. 37.

Haud aliter àc in fructu Adamaram, *Hort. Malab. Part.* 4. *Tab.* 3. Quo signo sibi invicem maximè assimilantur.

Fol. 307. *post lin.* 5.

PRUNIFERA arbor *Asiatica*, Laurocerasi fructu, officulo pyramidali compresso, summo apice bisulco. Hujus fructus ex *Asia minore*, ad D. *D. Uvedale*, fuit transmissus.

Ibid. ad lin. 8.

Hivouräe, *Lerij Descript. Brasil. cap.* 12. *Thevet. Singul. cap.* 50. vid. Hivourahe & Ibirace arbor, apud *Jonston, Dendrograph. fol.* 79. vid. *Laet. Ind. Occid. lib.* 15. *cap.* 9. *Clus. ad Monardem, cap.* 20. Arbor Hivourahe (i. e.) *Res rara*, nuncupata. Mala-Elengi, *Hort. Malab. Part.* 5. *Tab.* 55. quoàd picturam à nostrâ, haud multùm abludere videtur; Hivourahe *Americana* Prunifacie, *JB. Tom.* 1 *fol.* 200. Icon habetur in *Phytograph. Tab.* 327. *fig.* 5.

Ibid. ad lin. 26.

An *Arbore Indiano, que pendono Nidi d' Uccelli Giacom. Zanon. Istor. Botan.* 21. Fortè Ambalam, *Hort. Malab. Part.* 1. *fig.* 50. Mangæ affinis flore parvo stellato, nucleo majori osseo, *D. Seyn. Not. ad Hort. Malab. ubi suprà.* Myrobalanus folio Fraxini alato, fructu luteo, officulo magno fibroso, *Cat. Jam.* 181. Item Myrobalanus minor, folio Fraxini alato, fructu purpureo, officulo magno fibroso, *ejusd.* 182. Itèm Prunus *Brasiliensis*, fructu racemoso, ligno intùs pro officulo, *Raij. ejusd. Cat. Jam. pag.* 182.

Prunifera Arbor, foliis per siccitatem rugosis, floribus purpureis stamineis, fructu calyce eleganti coronato. Cara-Angolam (fortè) *Hort. Malab. Part.* 4 *Tab.* 26. Tùm flores, tum fructus optimè conveniunt. Odingee f. Odinjee *Malabarorum.* Cui & proximè accedit.

Prunifera Arbor *Maderaspatana*, Mali *Persicæ* foliis rugosis; *Almagest. Bot.* 307. *Phytogr. Tab.* 322. *fig.* 2.

Ibid. ad lin. 28.

An Prunus racemosa, caudice non ramoso, alato Fraxini folio, non crenato, fructu rubro subdulci, *Cat. Jam.* 184. Si non sit eadem cùm præcedentibus.

Ibid. ad lin. 33.

Post *inebriat*; Eandem esse Arborem nunc suspicari licet cùm Mamee *Indiæ Occid.* Juglandis folio viniferâ, cujus ramulus depingitur in *Phytograph. nostrâ. Tab.* 204. *fig.* 2. Fortè Cat-Ambalam sive Pee-Ambalam, linguâ *Bramanum*, Coduco-Ambado, *Hort. Malab. Part.* 1. *fol.* 93. Huic proximè accedit Courondi, *ejusd. Hort. Malab. Part.* 4. *Tab.* 50. Et Corundi *Zanon. Hist. Bot. cap.* 13. Umbu (fortè *Brasiliensium. Pison. Hist. Nat.* 167. An fortè Capalxochotl seu Arbor gummosa, Pruniformis, quæ à *Mechuacanensibus.* Pompoqua vocatur, *Hernandez apud Recc.* 82. *Sloanus* profectò si *Diis* placet, de hâc Arbore agit, sub nomine Myrobalani folio Fraxini alato, fructu luteo, officulo magno, fibroso, *Cat. Jam.* 181. Multa enim Synonymia ibi enumerat, quæ planè alteri erant attribuenda; Lectorem ignarum eò ducit, ut existimet; Pruno *Americano* no-

stro,

stro, Ossiculo magno ex filamentis lignosis reticulatim conflato, eam competere, quam ille confusè, & nullo judicio, Hobo seu Hovo *Indorum* subjecit.

Fol. 308. ad lin. 7.

Post 490. *add.* Spiræa Hyperici folio non crenato, floribus expansis albis, *Boccon. Mus. Pl. pag.* 173. *Tab.* 96.

Ibid. ad lin. 10.

An Ptarmica alpina, Millefolij folio; *Boccon. Mus. Plant. pag.* 144. *Tab.* 101.

Ibid. ad lin. 12.

An Mentha *Saracenica Myconi Hist. Lugd. lib.* 5. *fol.* 672. Ptarmica alpina, foliis angustis, partim serratis, partim integris, *Boccon. Mus. Plant. pag.* 107. *Tab.* 85.

PTARMICA sive Dracunculus pratensis, minor, viridis, foliis profundiùs & elegantèr incisis.

Ptarmica angustifolia, foliis integris *Caroliniana.* An Chiauxihuitl, *Nov. Hispan. Terentij apud Recc.* 364.

Ibid. post lin. 13.

Ptarmicæ similis, Planta angustissimis foliis, *Cap. Bon. Spei. Breyn. Cent.* 179.

Ibid. ad lin. 20.

Ptarmica alpina, Matricariæ foliis; *Boccon. Mus. Plant. pag.* 150. *Tab.* 110.

Ibid. ad lin. 28.

Huic nostræ aliquatenùs accedit, Cacalic *Nov. Hispan. Terent. apud. Recc.* 358.

Ibid. post lin, 32.

PULEGIUM tomentosum minimum, *Boccon. de Plant. Siculis.* 41. In *Horto D. du Bois* collegimus. An *Pó hò* Sinensium, *Cleyeri in Medic. Simplic. Chinensibus usitat. pag.* 37.

Pulegium spirans, Euphrosynes folio, & facie; *Marianum.*

Fol. 309. *post lin.* 2.

PYROLÆ foliis amplioribus, Planta *Æthiopica*, fortè ipsissima; *Breyn. Cent.* 178. ex *Prom. Bon. Spei.*

Ibid. post lin. 7.

Pyrola *Mariana*, Arbuti foliis angustioribus, trifoliata; ad medium nervum lineâ albâ utrinque per longitudinem discurrente.

Ibid. ad lin. 14.

Violæ folio baccifera, repens, flore albo pentapetaloide, fructu rubro dicocco; *Cat. Jam.* 115. An *Une sorte de Violier de la Guadeloupe du Tertre, pag.* 111.

Q.

Fol. 309. *ad lin.* 31.

POST tumentibus *add.* Glande majore compresso, The Red-Oak *Virginiensibus* nostratibus nuncupatur.

QUERCUS *Virginiana*, glande lato, compresso, calyce magno, squammis hiantibus lignosis, ornato. Hujus cognitionem humanissimo Viro, D. *Jacobo Marshal*, debemus.

Quercus *Mariana*, glande minore, locis uliginosis, gaudens, summis glandibus molli lanugine villosis.

Ibid. ad lin. 33.

Post 1916. *add.* Glande grandiori.

Fol. 310. *ad lin.* 2.

Post 157. *add.* An Quercus *Virginiana* pumila, *Banist. in Catalog. apud Raij. Hist. Plant.* An Quercus fruticosa *ejusd. Catalog. apud eund. ibid.*

Ibid. ad lin. 4.

Instàr glandium Arboris Tamalapatra, apud *Gerard. emac. fol.* 1534. An fortè Malabathrum & Folium *Indum Officinarum*, *JB. Tom.* 1. *lib.* 4. 430.

Ibid. post lin. 6.

Quercus *Mariana*, Oleæ folio, glande parvo compresso, ad apiculam elegantèr radiato.

QUERCINIS foliis parvis, subrotundis Arbuscula, *Angolensis*, elegantissima.

R.

Fol. 310. *ad lin.* 14.

AN hæc potius sit de Pulsatillarum genere, incompertum habeo.

RANUNCULUS Anemone nemorosæ affinis, trifoliatus, seu potius enneaphyllos. Anemone trifolia, *CB. Phytopin.* 317. *Dod. lat. edit. in fol.* 433. *Tabernæm. Icon.* 27. Alabastrites, s. Dentaria alba, D. *Brancion. Lobelij Obs. fol.* 143. & *Icon.* 281. Idem fortè cum Cacapatli, *Novæ Hispan. Terentij, apud Recc. fol.* 359. Ubi pictura (ut nobis conjicere licet) nimis imperfecta exhibetur.

Fol.

Fol. 310. *ad lin.* 25.

Proinde & *Boccon. in Muſ. Plant. rarior. pag.* 84. Hanc plantam denominat, Thalictrum Batrachioïdes minus, flore albo, *Ital.* & ſub eodem nomine depinxit, *Tab.* 79.

Fol. 311. *ad lin.* 12.

Ranunculus ſurrectis cauliculis, *Ger. emac.* 951. Ranunculus dulcis, *ſive* Batrachium ſalutiferum, *Tabernæm. Icon.* 51. Ranunculus pratenſis, *ſive primus Trag.*

Ibid. ad lin. 17.

Ranunculus oleraceus, *Tabern. Icon.* 52.

Fol. 312. *ad lin.* 7.

Ad hoc genus Plantarum, fortè referri poteſt Ytzenimpatli, *ſive* Canis interfector, vel Hordeolum, *Hernandez apud Recc.* 307. Et nominari mereatur, Ranunculus flammeus *Novi Orbis*, lanceatis foliis, ſeminibus in ſpicam prælongam adactis.

Fol. 314. *ad lin.* 14.

Hùc fortè ſpectat Cacamilxochitl, vel Thlacamilxochitl Quauhquiculle, *Novæ Hiſpan. Terentij apud Recc. fol.* 358.

Ibid. ad lin. 23.

Valerianella paluſtris Cotyledonis folio, *Hermanni*, monente *Sherardo. Parad. Batav.* 239.

Ibid. ad lin. 26.

Valerianella *Curaſſavica*, Nymphææ minoris folio, *Hermanni Paradiſ. Batav.* 239.

Ibid. ad lin. 30.

Valerianella *Zeylanica*, paluſtris, repens, Hederæ terreſtris folio, ad radicem florida, *Herman. Parad. Bat.* 238.

Fol. 315. *poſt. lin.* 14.

RAPHANISTRUM diſpermon *Knanth Enumer. Plantar. D. Bobart.*

Ibid. ad lin. 17.

Rapiſtrum arvenſe, folio auriculato acuto, *Turnefortij Elem. Bot.* 179.

Ibid. ad lin. 21.

Eruca marina latifolia, Jacobææ foliis, ſiliquâ lanceolatâ, *Cupani.* & *Hort. Catholic.* 69.

Ibid. ad lin. 29.

Veruntamèn hæc planta, ex ſiliculis ſuis ſeſe declarat potiùs ad Lepidij claſſem pertinere.

Ibid. ad lin. 34.

Hùc fortè ſpectat Pongolam, *Hort. Malab. Part.* 7. *Tab.* 59. *fol.* 111.

Ibid. ad lin. 38.

Pro Iconraphani pone Icon Raphani.

Ibid. poſt lin. ult.

RAPHANUS ſylveſtris ſ. Eruca *Virginiana* Drabæ foliis, ſiliquâ craſſiuſculâ. An Barbarea Drabæ foliis *Virginiana*.

RAPISTRUM *Gaditanum*, flore purpureo.

Fol. 316. *ad lin.* 4.

Cupitri fortè, *Nov. Hispaniæ Terentij apud Recc.* 375.

Ibid. ad lin. 13.

RAPUNCULUS ramoſus corniculatus, capite globoſo, Polygalæ foliis, ex *Terrâ Marianâ*.

Ibid. poſt lin. 31.

Rapunculus ſ. Rapuntium alterum minus, *Solonienſi* ſimile, *Virginianum*, *Baniſteri*.
Rapunculus ſ. Rapuntium *Solonienſi* ſimile, minus alterum, glabrum, ex *Virginiâ*. *ejuſdem Baniſteri*.
Idem caule & foliis hirſutum, ex *Terrâ Marianâ*.

Ibid. ad lin 38.

Huc forte ſpectat Rapunculus folio oblongo, ſerrato, flore galeato, integro, pallidè luteo, *Cat. Jam.* 58.

Ibid. ad lin. 39.

An Rapunculus galeatus minimus, flore cæruleo elegantiſſimo, ſeu cæleſtino, foliolis dentatis minimis, *Breyn. Prodr.* 2. 87.

Ibid. poſt lin. ult.

Rapunculus *Virginianus*, Hyſſopi folio, floribus immaculatis.
Rapunculus ſ. Rapuntium *Virginianum* veluti perfoliatum, floribus cæruleis, Valerianæ *Indicæ* folio & facie.

Fol. 317. *ad lin.* 2. *caule ramoſo.*

Rapunculus Coronopi foliis *Æthiopicus*, caule villoſo, non ramoſus.
Rapunculus Papaveris Rhæadis folio, *Æthiopicus*.
Rapunculus Valerianæ annuæ ſeu Æſtivæ Cluſ. foliis, *Africanus*.

Ibid. poſt lin. 6.

Rapunculus *Æthiopicus*, Polygalæ facie, floribus argenteis, non galeatis.

Ibid. ad lin. 15.

Reſeda vulgaris major, flore candido, foliis criſpis latioribus; *Cupani Hort. Catholic.* 189.

Ibid. poſt lin. 24.

ESEDA *Mariana* Luteola dicta, foliis ſupernis integris, criſpatis, infimis autem liliaceis planis.

Ibid. ad lin. 39.

Rhamnus *Americana*, *Monſpeliacæ* ſimilis, flore, & fructu majore, *PBP. append.*

Ibid. ad lin. 41.

Vid. *Phytogr. Tab.* 322. *fig.* 2. ex *Prom. Bon. Spei.* monente *D. Doody*. Ab hâc vero, Rhamni primi altera ſpecies, *Cluſ. Hiſt.* 109, haud prorſus abhorret.

Fol. 318. *poſt lin.* 6.

RHAMNUS foliofis aculeis, Berberidis folio, *Chalepenſis*.

Ibid. ad lin. 20.

Fortè etiam Zaccon *Hierichuntea*, foliis Oleæ, *Caſt. Durant. JB. Tom.* 1. *lib.* 6. *fol.* 29.

Ibid. ad lin. 21.

Paliuro adfinis Arbor ſpinoſa, flore racemoſo, herbaceo, pentapetaloide, fructu ſicco, nudo, cannulato lappaceo; *Cat. Jam.* 137.

Fol

Fol. 318. *ad lin.* 27.

Hæc fortè est de Capparum censu; & fortè idem cùm Cappari *Maderaspatensi*, Euonymi pallentibus foliis, spinis brevibus duplicatis, *Almag. Bot. fol.* 80, quæ proximè cognata videtur Maladundee *Malabarorum*, quæ inter hujus *Mantissæ* Icones, apud cæteras suæ Sortis exhiberi curavimus.

Ibid. ad lin. 30.

Great Flowring Dog-Wood nostratibus dicta, ex seminibus natam vidimus quoque in *Horto Comptoniano Fulhamiæ*, curâ & Industriâ *Joannis Adams Episcopi Londinensis*, hortulani diligentissimi.

Fol. 319. *ad lin.* 10.

Molle *J. Bauh. Tom.* 1. *lib.* 5. *fol.* 522.

Ibid. ad lin. 25.

An Sena spuria arborea, spinosa, foliis alatis, ramosis sive decompositis, flore luteo, siliquis brevibus, sulcatis nigris, Sabinæ odore, Indian Savin-Tree, *Cat. Jam.* 149.

Ibid. ad lin. 30.

Vitex trifolia minor, *Indica*, serrata, *Breyn. Prodr.* 2. Bemnosi, *Hort. Malab. Part.* 2. Negunda mas *Acostæ, Hort. Med. Amst. sed perperàm.*

Ibid. ad lin. 34.

Post *fig.* 9. *add.* Vitex trifolia minor *Indica*, rotundi folia, *Breynij.* Cara-nosi, *Hort. Malab.* Negunda fœm. *Acostæ, Hort. Med. Amst. sed nimis erroneè.* Non magis enim Negunda fœm. denominatio huic competit, quàm Negundæ maris plantæ præcedenti; Sunt utræque de Rhoidum trifoliatorum genere, Plantæ *Africanæ. Ibid.* post quorundam *add.* Lentiscus humilis trifolia *Africana*, *PBP.* 346.

Ibid. ad lin. 37.

Mexico Seeds D. *Marloë* ad necandos Vermes in corpore humano, insigne remedium, *Observ.* fortè Pã téu *Sinensium*, *Cleyeri de Medic Simplic. Chinens.* 46.

Ibid. ad lin. 42.

Cici arbor in Ægypto cõpiosa, *Plinij lib.* 15. *cap.* 7. Cujus semen nulla animans attingit, *lib.* 23. *cap.* 4. Ex quo Oleum elicitur ad purgationes Ventris, & lucernis utile.

Ibid. ad lin. ult.

An Avellana purgatrix Novi Orbis, *JB. Tom.* 1. 322. Fortè etiam Nux trifida exotica, *ejusd. ibid. fol.* 328. *Clus. exot. lib.* 2. *cap.* 25. An Castanea purgatrix, *ejusd. JB. fol.* 129. *CBP.* 419. Avellanæ purgatrices, *Hist. Lugd.* 1789.

Fol. 320. *post lin.* 7.

RICINUS farinifera heptaphyllos, ex cujus radice venenatâ, placentas & panem conficiunt *Americani*. Vid. Manilior *Indorum fol.* 241.

Ibid. ad lin. 11.

A similitudine foliorum, Wild-Cassada *Jamaicensibus* dicta, hujus enim foliorum varietate, mirè se oblectat ludibunda Natura.

Ibid. ad lin. 16.

Hæ tres novissimè recensitæ plantæ, plurimùm inter se diversæ confundi non debent, quanquàm fœdè commiscentur in *Cat. Jam.* Ubi ad Ricinum minorem

Staphys-agriæ folio, flore pentapetalo purpureo, nimìs oscitantèr quæstio movetur, an sit Ricinus *Indicus* pilosus, trifidus, vel quinquifidus, flosculis atropurpureis in Umbellâ aggregatis; *Plukenet. Tab.* 56. *fig.* 2. An Ricinus *Maderaspatanus* quinquifidus, durioribus foliis in margine spinosis, *ejusd. Tab.* 108. *fig.* 3. Ricinus *Maderaspatanus*, flore purpureo trilobato folio, mitibus denticellis crenato, *ejusd. Tab.* 220. *fig.* 4. Hoc perindè est tanquàm si dixerit, has tres inter se planè diversas plantas esse unum & idem, sed si æquè mecum hæc scivisset Autor, alitèr omni proculdubio sentiret. Hujus autem Catalogo uudique non est adhibenda fides; turpitèr enim in plurimis Synonymia confundit: Ut ut hujus *Catalogi* Scriptorem multa studiosissimè collegisse videtur, dedisseque operam ut ipse (si quà posset) posteris aliquando prodesset, non assecutum fortasse; sed nec sic quidem contemnendum, immò vero (quod sæpè quoque usurpari convenit) *Aristolelico* more, gratiam illi habendum censeo, quod aliquot vera cùm scripserit, veris etiam inveniendis viam (vel perperàm scribendo) monstravit, & docuit.

Fol. 320. *post lin.* 23.

Ricinus *Orientalis* fructu villoso, pruritum excitans hirsutie capsularum. Couhage-Put nuncupari meretur.

Ricinus Tithymaloides lactifluus, Arbor *Malabarica*, Cammetti *Hort. Malab. Part.* 5. *Tab.* 45.

Ibid. ad lin. 34.

Pinei nuclei *Malucani Acostæ*, *Aromat. cap.* 57. *apud Clus.* 292. *Hist. Lugd. fol* 1874. Lignum *Moluccense* ab *Indigenis* Panava, *ejusd. Acostæ Aromat. cap.* 34. *apud eund. Clus. fol.* 277. Lignum *Moluccense* Pavana dictum, fructu Avellanæ, *JB. Hist. Plant. Christophorus Acosta* (inquit *Ammannus Charact. Plant. pag.* 346.) Hanc arborem & fructus non vidit conjunctim, sed seorsim, hinc nucleos pineos *Malucenses* pro hujus Arboris fructu non reputat, tam facilè decipimur in *Simplicium* cognitione.

Ibid. ad lin. 42.

An Bodaglam, Fructus exoticus *Paludano*, *JB. Tom.* 2. 188.

Ricinus arborescens *Æthiopicus*, fructu calyculato, triangulari, parvo, ternis spinulis duris, lignosis, aculeatis, (ad singulos angulos singulâ) munito, granis atronitentibus apud laudatum virum *D. D. Robertum Uvedale* conspeximus.

Fol. 321. *ad lin.* 4.

Pinei Cathartici, & Purgativa de *Santo Domingo Mexicensium Hispanorum*. *Fol. Columnæ. Notis in Recc. fol.* 870. Pinus *Indica Occidentalis Recco. Jonston. Dendrolog.* 323. Juba fortè planta *Insularum Philippicarum Nierembergij fol.* 342. Hæc autem Quauhayo huatlis tertia f. semen arboris Cucurbitinæ nuclei, Pinûs formâ purgans, *Hernand.* in *Cat. Jam.* pro Ricino *Americano* Curcas dicto, & Fabâ pugatrice *Indiæ Occiduæ. JB.* meâ quidèm sententiâ, perperàm habetur, sæpius enim hujus Autor de Plantis satis confusè loquitur, & plura genera sub uno nomine nimìs frequens comprehendit.

Ibid. ad lin. 6.

An Tithymalus *Americanus* incanus, Halimi folio, *Hort. Fagelian. Brey Prodr.* 2. 99.

Fol. 321. *ad lin.* 9.

Vellacanjerree *Malabarorum*.

Ibid. ad lin. 10.

An Welia Cupameni, *Hort. Malab. Part.* 10. *Tab.* 83.

Ibid. post lin. 13.

Ricinus (fortè) *Jamaicensis*, ramosior, lignoso caule, Urticæ foliis angustioribus. An Urtica caule lignoso, foliis tenuioribus, atrovirentibus; *Cat. Jam.* 38. Ubi quæritur, an sit Urtica urens ramosa, *Lusitanica*, *Commel. Cat. Amst.* 369. Urtica (fortè) urens arborea, foliis oblongis angustis, *ejusd. Cat. Jam. ibid.* Item Urtica racemosa, fruticosa, angustifolia, fructu tricocco; *ejusd. ibidem.*

Ibid. ad lin. 19.

Post vocem *nuncupatur*, *add.* Okcepenauk radix rotunda, capitis humani magnitudine, quam cum carnibus, & piscibus, in panis penuriâ, comedunt Virginiani, *Hariot. CBP.* 91.

Ibid. ad lin. 31.

An Yca *Peruviana* cum viticulis spinosis; *CBP.* 90.

Ibid. ad lin. 40.

An Pentaphyllum *Indicum*, *Clus. exot. lib.* 4. *cap.* 18.

Fol. 323. *post lin.* 29.

RORELLA maxima longiori folio, Saniculæ Alpinæ floribus, caule nudo *Monomotapensis*.

Rorella major oblongo folio *Monomotapensis*, flore albo, caule folioso. Utræque fortè rectius ad Sanicularum alpinarum classem annumerandæ merentur.

Ibid. ad lin. 32.

Ad hoc genus Plantarum accenseri meretur, Acarapuda, *Hort. Malab. Part.* 10. *Tab.* 20. Quamquàm ad species Alsinæ referendam putat *Commelin. Not. in loc.* Ubi nuncupatur Alsine Myriophylli folio, flore carneo.

Fol. 324. *ad lin.* 4.

Huic fortè accenseri meretur, Tlalaco, *Novæ Hispaniæ Terentij apud Recc. fol.* 423.

Ibid. post lin. 16.

RUBIA stellaris, sive Asperula minor humisparsa, flosculis albis *Æthiopica. Vid. inter Alsines.*

Ibid. ad lin. 27.

An Rubeola saxatilis, Alpina, tenuifolia, *Boccon. Mus. Plantar. rarior. pag.* 145. *Tab.* 101.

Rubia stellaris, f. Asperula surrecta, nodoso caule *Gaditana*, foliis parvis lanceatis. *Sub hoc enim titulo tam diù proponere placuit, donèc quis aptius nomen inveniet.*

Ibid. ad lin. 30.

Pro *PBP.* lege *CBP.*

Ibid. post lin 38.

Rubiæ facie quadrifolia, Saniculæ alpinæ flore majore, ex *Prom. Bon. Spei.* An Sanicula *Æthiopica* cruciata.

Fol. 324. *ad lin.* 39.

Post vocem *flore*, *add.* cæruleo, & post *Banist. ejusd. lin. add.* An Chamæjasme inodora Alsines facie, dispermos, tetrapetaloides, quadrato caule, Virginiana, *Alm. Bot.* 97. & *Phytogr. Tab.* 97. *fig.* 9.

Ibid. post lin. 40.

Rubia *Mariana* Alsines majoris folio, ad caulem binato, flore purpuro-rubente Rubiæ parvæ latifol. foliis, ad geniculum binis, flore rubenti, *Banist. Cat. Stirp. Virgin.* plurimùm accedit. An Tsjeru-talu-dama, *Hort. Malab. Part.* 10. *Tab.* 25. Veronicæ similis *Malabarica*, flore purpureo, *Commelin. Not. in locum.* Fortè etiam Chichec-Tzonpatonic de Ocopetlayue, *Hernandez apud Rec.* 366. Huic etiam accenseri debet Aocoxochitl, *Nov. Hispan. Terentij apud Recc.* 353.

Eadem angustiori folio, ex *Terrâ Marianâ.*

Ibid. ad lin. ult.

Erythrodanum marinum, *Dalechamp. Hist. Lugd.* 1386.

Fol. 325. *ad lin.* 13.

An Rubus foliis longioribus, subtus molli lanugine obductis, & incanis, flore & fructu minoribus, *Cat. Jam.* 173.

S.

Fol. 326. *ad lin.* 11.

AN Teucroides siliculosum foliis laurinis, floribus, galeatis, & labiatis, *Cat. Jam.* 64.

Ibid. ad lin. 17.

Huic autèm refragari videtur *Cardanus de rer. Variet.* 114. nec iniquè, ubi animadvertitur in *Bellonium*; Hæc (inquit) *Bellonius* de *Coniferis*, observavit diligentiùs, quàm commodè tradiderit: Nam quomodo Sabinam coniferam vocet, Juniperum autem non, haùd edocuit; Utræque sanè sunt Arbores, sicut aliæ quammultæ, Juliferæ simul & bacciferæ, quarum Nucamenta (quæ pro conis malè à quibusdam habentur) illarum fructus antecedunt.

Ibid. ad lin. 19.

An *Pien pe Sinensium Andr. Cleyer. Medic. Simpl. Chinensib. usitat. pag.* 43. Hæc autem est reverâ Cupressi species, ut ex propriâ Observatione nos commonefecit Reverendus admodùm in Deo Pater *Henricus Londinensis Episcopus*, Stirpium Exoticarum Insignis Æstimator.

Ibid. ad lin. 29.

Cooletteyella *Malabarorum.*

Ibid. post lin. 35.

SAGITTÆ affinis *Malabarica* Inhame nervosis foliis, flore albo tripetalo, ex thecâ foliaceâ quinis extantibus crispatis alis pinnatâ, summo caule irrumpente Idem fortè cum præcedenti.

Fol

Fol. 327. ad lin. 36.

An Salix alpina, minima, lucida, repens, Alni rotundo folio; *Boccon. Muf. Plantar. pag.* 19. *Tab.* 1.

Ibid. ad lin. 38.

Salix alpina, minima, repens, retuso Serpylli folio lucido, *Bocc. Muf. Pl. rarior. pag.* 18. *Tab.* 1.

Fol. 328. post lin. 2.

SALIX pumila *Groenlandica,* folio magno Styracis, aut potius Xylostei *Dodonæo.*

Ibid. post lin. 4.

Salix caprea *Mariana,* angustissimo folio brevi.

Ibid. ad lin. 16.

Ab hujus specie Calaf f. Ban Alpini *de Pl. Ægypt.* 61. (i. e.) Salix *Ægyptiaca* in humidis nascens odorata, haud multùm abludere videtur. Calaf. f. Ban *Alpini, JB. Tom.* 1. *lib.* 8. *fol.* 220.

Ibid. post lin. 16.

Salicis folio, sive Euonymi, an Vitis Idæa *Americana,* ex *Provinciâ Marianâ.*

Ibid. ad lin. 24.

Ad hanc Salicem folliculiferam nostram malè refertur Ceratoniæ affinis arbor siliquosa, Oleæ folio, flore tetrapetalo albido, siliquâ tereti ventriosâ, cujus interior tunica est mucosa; & elegantèr miniata, *Cat. Jam.* 153. Quæ ad Ceratiam cariosam *Caribearum,* hujus *Mantissæ* arcenda potius, & fortè species est à Cynophallophoro nostro, non multùm aliena: Verùm quoniam hujus Catalogi Author, istius Ceratoniæ affinem Arborem, Salicem nostram folliculiferam esse putavit, ex ipso satis prodit, sibi Salicem nostram incognitam fuisse; nec minùs incognitum (fortè) Cynophallophoron nostrum, quanquàm in Catalogo suo, Acaciis affinis arbor siliquosa, folio subrotundo singulari, flore stamineo albido, siliquâ tereti ventriosâ, cujus interior tunica est mucosa, & elegantèr miniata, non minùs audactèr ab ipso pro hujus Synonymo ponitur; Ita ludit nostram diligentiam Catalogus *Jamaicensis,* & rarò doctiores, sæpissimè autèm magis confusi ac hæsitabundi ab eo redimus.

Ibid. ad lin. 27.

Vid. Iconem in *Phytogr. Tab.* 327. *fig.* 6.

Ibid. ad lin. 31.

An Salicis folio lato, splendente, Arbor, floribus parvis, pallidè luteis pentapetalis, è ramulorum lateribus confertim exeuntibus, *Cat. Jam.* 170.

Ibid. ad lin. 37.

Apancholoa (fortè) sive Herba lymphis insiliens *Nieremberg. de Exotic. fol.* 351.

SALVIA major *Hispanica,* folio & flore amplissimo. Exsiccatam inter Collectaneas Doctoris *Preston.* & in *Horto Medicinæ Chelseiano,* crescentem observavimus.

Ibid. ad lin. 39.

Salvia major, folio glauco, serrato, *Cat. Jam.* 64.

Fol.

Fol. 329. *ad lin.* 16.

An Salvia *Hispanica*, Lavandulæ folio, quàm inter *Madritium*, & *Burgos*, invenit *Turnefortius Epist. ad Sherard. pag.* 14.

Ibid. ad lin. 37.

A formâ Capsulæ seminalis, quæ exsicata & aperta Scutellam exprimit, ad Scutellariarmm novum genus à *Morisono* revocatur, ut videsis in *Prælud. Bot. part. alterâ* 384, & 445.

Ibid. ad lin. 41.

Hæc est Viburni *Americani*, spicata species. Periclymenum rectum, Salviæ folio rugoso, majore, oblongo, bullato, flore albo, fructu longiore, *Cat. Jam.* 163. Itèm Periclymenum rectum; Salviæ folio rugoso, longo, & angustissimo, *ejusd. pag.* 164. In hujus enim plantæ foliorum figurâ, variè se ludit Natura.

Fol. 330. *ad lin.* 2. *add.*

De hâc autem videsis, *fol.* 237. Ubi adjicienda sit Synonymia viz. Loti arboris folio angustissimo, Arbor baccifera racemosa, fructu minimo, croceo, monopyreno, *Cat. Jam.* 163. Manlapoo *Malabarorum*.

Ibid. ad lin. 6.

Cui folia sunt Fraxini *Alepensis* fermè accedentia. Variat etiam aliquando baccis niveis venâ sanguineâ, striatis.

Ibid. ad lin. 8.

Huic folia sunt longiora, Ebuli nostratis æmula.

Ibid. ad lin. 22.

Grossulariæ fructu, non spinosa, Malabathri foliis oblongis, floribus herbaceis recemosis, fructu nigro, *Cat. Jam.* 165. Item Grossulariæ fructu, non spinosa, Malabathri foliis subtùs niveis, fructu racemoso, in Umbellæ modum disposito, *ejusdem ibid.*

Ibid. ad lin. 24.

Caryophyllata, s. Geum alpinum, *Penæ Hist. Lugd. lib.* 5. *fol.* 687.

Ibid. post lin. 37.

SANICULA aizoïdes serratifolia minor, *Cap. Bon. Spei.* ad Dominum *Stonestreet*, à fratre suo allata est.

Fol. 331. *post lin.* 26.

Sanicula alpina, Alsines Holostij foliis glabris, flore albo, *Prom. Bon. Spei.*

Ibid. post lin. 33.

Sanicula aizoïdes alpina, multifido folio, flore majore albo. Præcedentis fortè in *Almagesto*, varietas tantùm.

Ibid. post lin. antepenult. viz. 44.

Sanicula alpina aizoïdes, *Africana*, folio & caule hirsutis.

Fol. 332. *post lin.* 15.

Sanicula alpina aizoïdes, foliolis orbiculatis pilosis, Rotellæ in modum ad oras fimbriatis, flore purpureo. An Sedum saxatile hirsutum purpureum, *CBP.* 284. quod s. in *P. odr.* 132. Plantula hæc perelegans, humistrata, cespitis muscique instar, Saxa exornat; & *Angliæ* nostræ *Septentrionalium*, alumna est. In *Horto Medicinæ*, apud *Chelseiam*, enutritam conspeximus.

Fol.

Fol. 332. *post lin.* 35.

Saniculæ f. Cortusæ facie, Herba *Africana*, folio teneriori.

Saniculæ facie *Æthiopica*, foliis rigidioribus. An Geranium *Æthiopicum*, Saniculæ folio.

SANTALUM rubrum *Ind.-Orientalis*, Chummaraum *Mlabarorum*. fol. subrotundis. Santalum rubrum *Matthioli*, *CBP*. 393.

Santali rubri species altera. præcedenti admodum diversa. Chammaraum *Malabarorum* secunda species, foliis mucronatis; Phaodendro nostro haud absimilis. Fructum fert nigrum, Myrtillis similem.

Santalum Citrinum *Orientale*; Chaudenamaram *Malabarorum*. Santalum pallidum *Matthioli*, *CBP*. 392. & fortè Santalum album *Matthioli*, *ejusd. CBP. ibid.* An Santalum verum ligno citrino & albo, foliis laurinis, *Breyn. Prodr.* 2. 88. Qui siccum à Cl. *Wilhelmo ten Rhine* accepit. Makassari forte *Avicennæ*, sive Sandal citrinum alterum, vergens ad albedinem.

Santalum nigrum, Davadarre *Malabarorum*. vid. inter *Arbores*.

Ibid. post lin. 39.

SATUREIA durior *Monomotapensis*, radice perenni.

Satureia *Alexandrina* foliis variis, ad surculorum summum longioribus, ad imum vero brevioribus Thymi foliis, ad intervalla confertis. An Satureia Thymifolio, *CBP*. 219. quam ex *Horto* Cl. *Contareni* Thymbræ nomine, habuit Excellentiss. Autor. Propè *Alexandriam* collegit *d'Avissonus* & Domino suo Doctori *Patricio Adair* attulit, qui nobis amicè communicavit. An Marum tenuifolium, Thymifacie *Hispanicum*; *Bocc. Mus. Plant. Tab.* 13.

Fol. 333. *post lin.* 2.

Satureia hirsuta, imis subrotundis Clinopodij *Austriacæ* foliis, subtùs purpureis, ex *Sicilià Hort. Uvedalens.*

SAURURUS repens, folio orbiculari Nummulariæ facie; *Plumier.* vid. *Serpentaria Almagest. fol.* 343. *pl. penult.*

Ibid. ad lin. 21.

In *Hort. Medic. Chelseiano* crescentem invenimus, bis autem repetitur, *hoc loco*, & *fol.* 344. sub hoc titulo, viz. Seseli petræum minus, sive Saxifragiæ tenuifoliæ affinis, Caucalis falso dicta.

Fol. 334. *post lin.* 11.

SCABIOSA minor, elegans, Cotulæ fœtidæ folio, capite globoso, hispido, *Alexandrina*.

Scabiosa minor *Alexandrina*, cum pulchro stellato capite, Myrrhidis folio angustissimo.

Fol. 335. *ad lin.* 19.

Ad hoc forte genus Plantarum accenseri meretur, Xoxotlato, *Novæ Hispan. Terentij apud Recc. fol.* 441.

Ibid. ad lin. 21.

An Chrysanthemum Conyzoides nodiflorum, semine rostrato bidente, *Cat. Jam.* 126.

Fol.

Fol. 335. *ad lin.* 23. *add.* floribus albis.

Scabiosa conyzoides *Americana*, Clinopodij foliis, floribus purpureis parvis. Nocheztic forsan, *Novæ Hispaniæ Terentij apud Recc. fol.* 392.

Ibid. ad lin. 29. *add.*

Coatacorundeé *Malabarorum*.

Fol. 336. *post lin.* 5.

Scabiosa globularia frutex, lætè virentibus Serpylli foliis; Alypum f. Herba terribilis *Asiaticorum* à Doctore *Preston* accepimus.

Scabiosa globularia frutex, Ericæ foliis, Alypum f. Herba terribilis, *Prom. Bon. Spei.* An Sanamùnda *Africana*, foliis Serpylli minoribus, asperiusculis, capitulis Thymi, *Breyn. Fasc. rarior.* 25.

Ibid. ad lin. 7.

An Alypum, f. Arbor terribilis procerior, corticè cinereo scabro, folio acuminato, longiore, *Cat. Jam.* 124.

Ibid. ad lin. 11.

Pulegium fruticosum, erectum, verticillis densissimis, *Cat. Jam.* 64.

Ibid. ad lin. 14.

Hæc autem nova & spectabilis Arbuscula, à *quodam* è Nostratibus in re Herbariâ *Neophyto*, Valerianoides *Americana*, flore globoso, Pishaminis folio agnominatur. Sed quâ causâ, ignoro. A Katou Tsjaka, *Hort. Malab. Part.* 3. *Tab.* 33. Haùd multùm abludere videtur.

Scabiosa montana, globoso flore albo, f. Statice *Lusitanica*, Scorzoneræ folio maxima. An Statiche maxima *Americana*, *Cornuti de Pl. Canad. pag.* 213. Hujus exemplar acceptum referimus humanissimo viro D. *D. Preston*.

Ibid. post lin. 26.

Scabiosæ nudicaulis, f. Statice minimæ *Maderaspatensis* specie, Planta *Mariana*, capitulis argenteis duris.

Ibid. ad lin 39.

An Polypodium *Africanum* minimum, facie Ceterach, *PBP. append.*

Ibid. post lin. 39.

Scolymodendros *Africán.* ex *Monte Tabulari.* Hujus exemplar ab amico suo collectum, & ad se nuperrimè transmissum, nobis ostendit Insignis Botanicus, *D. D. Joan. Woodward.*

Ibid. post lin. 41.

SCORDIUM spinosum odoratum, *Cornut. de Plant. Canadens.* 113. *Park. Theatr. Plant. append.* 1676. In Horto *D. Uvedale* stirpium exoticarum amœnissimè instructo, luxuriantem conspeximus.

Fol. 337. *post lin.* 11.

SCORPIOIDES arbor, Biti folio singulari, siliquâ nodosâ intortâ. Muddemaermoodde *Malabarorum*. Fructum fert Scorpioïdem, variè involutum, ceu Capitis Medusæ æmulum. An Biti *Malabaricæ* accedens, Arbor *Maderaspatana*, flore peculiari, *Almag. Bot.* 68. Cujus *Icon* absque fructu habetur in *Phytogr. Tab.* 18. Nisi quis malit Biti, *Hort. Malab. Part.* 5. *Tab.* 58. Idem esse cum Mantsjadi, *ejusd. Hort. Malab. Part.* 6. *Tab.* 14. Flores tamen non conveniunt; quanquam enim in icone & flores & fructus desiderantur, in descriptione dicitur:

Flores

Flores papilionacei flavescentes, racemis oblongis numerosi proveniunt; quibus siliquæ succedunt. Plura non licet, nostri autem flores purpurascunt, nec in racemis proveniunt.

Fol. 337. *ad lin.* 25.

Add. Catanance flore luteo, *Turnefortij Elem. Bot.* 380.

Ibid. ad lin. 32.

Fortè *Me muen tum Sinensibus Cleyeri de Medicam. Simplic. Chinens. pag.* 26.

Fol. 338. *post lin.* 13.

SCROPHULARIA *Mariana*, Ebuli folio singulari.

Scrophularia *Americana*, densiori scabro folio, denticulis magis extantibus asperata. Fortè Ahuapatlis, Chamædrys *Mexicana*, *Hernandez apud Recc.* 133.

Ibid. ad lin. 38.

An Lysimachia cærulea galericulata, foliis angustis, longis, serratis, fætidis, *Cat. Jam.* 66. Nostra tamen folia minimè sunt serrata. Huic nostræ Huapahuizpatlis altera, *Nov. Hispan. Terentij apud Recc.* Si non floris color obstaret, maximè conveniret.

Fol. 339. *ad lin.* 15.

Cassida alpina supina, magno flore, *Turnefortii.*

Ibid. post lin. 15.

SCUTELLARIA (an Teucrium) Ocimi folio, ramosissimum, ex *Terrâ Marianâ.*

Scutellaria Chamædryoides, floribus amplis, purpureis, in verticillas positis; ex *Terrâ Marianâ.*

Fol. 340. *ad. lin.* 3.

Sedum majus Soboliferum, flore albicante ἀειζωον.

Ibid. ad lin. 8.

Post *fimbriatum add.* floribus ex flavo pallescentibus, per ramos numerosissimos recurvatos eleganti serie dispositis.

Ibid. post lin. 10.

SEDUM *Africanum*, angustis longioribus foliis, Jasmini floribus umbellatis.

Ibid. ad lin. 23.

An Sedum flore rubro pendulo, *Breyn. Cent.* 180.

Fol. 341. *post lin.* 5.

Sedum minus *Arabicum*, flore luteo, foliis planis mucronatis.

Ibid. ad lin. 14.

Avaree *Malabarorum.* Tepehoaxin, *Nov. Hispan. apud. Recc.* 410. Huic nostræ quodammodo affinis videtur, cujus *Icon* (fortè) à *pictore* minùs diligentèr expressa est, cum alas ad caulem, nimis laxè disposuerit, & auriculos, ad exortus alarum, planè omiserit.

Ibid. ad lin. 23.

Chamæcrista pavonis major, *Hort. Med. Amst. cap.* 27.

Ibid. ad lin. 42.

Post c. 31. *add.* Nasturtij *Indici* putata siliqua *Peruviana*, *ejusd. JB. Tom.* 2. *lib.* 15. 176. Tuberibus similis, Fructus *Indicus*, *CBP.* 376. Pistachiæ *Indicæ* Fructus, *Bas. Besler. Fascic.*

Fol. 342. *ad lin.* 1.

An Quadrifolium erectum, flore luteo, *Cat. Jam.* 74. quod sub Arachidnæ tetraphyllæ titulo repetitur, *pag.* 72.

Ibid. ad lin. 5.

Cassiæ & Herbæ castæ medius *Ind. Orientalis* Frutex, *Breyn. Cent.* 57.

Ibid. ad lin. 13.

Propter harum cum spinis similitudinem fortè deceptus, in magnum errorem incidit D. *Sloane*, qui in suo *Cat. Jam. pag.* 144. Hanc Senæ spuriæ speciem, cum Lobo echinato *Clusij*, s. Inimboy *Brasiliens. Marcgravij* malè miscuisse, & confudisse videtur. Admonitum ergo te velim eosque qui in hosce libros incident, ne in verbis Facultatem nostram æstimatis, sed potiùs adhibitam rebus cum peritiâ curam; *Etenim hæc omnia visu nos exactissimè cognovimus.*

Ibid. ad lin. 19.

An Ecapatli, s. parva Sambucus, *Hernandez apud Recc. fol.* 112. Aut potiùs Huazium, *Nov. Hispaniæ Terentij apud eund. Recc.* 380. Cherucunnai *Malabarorum.*

Ibid. post lin. 31.

SENÆ spuriæ, s. Chamæcassiæ *Orientalis* species perelegans, Manmerrellemaram *Malabarorum.*

Ibid. ad lin. 35.

Tachara *Malabarorum.*

Ibid. ad lin. antepenult.

Post vocem *Similis add. folio pingui & incano.*

Ibid. ad lin. penult.

Deleatur Periodus sequens, viz. Senecio incanus pinguis, *CBP.* 131. & ejus loco ponitur, Senecio Ambrosiæ odore, *CBP.* 131. Senecio flore odorato, Camerarij, *Hort. Medic.* 158.

Fol. 343. *ad lin.* 2.

An Senecio major, florum calyce purpureo, *Cat. Jam.* 124.

Ibid. ad lin. 8.

An Senecio minor, Bellidis majoris folio, *Cat. Jam.* 125. Jacobæa humilis, Senecionis folio (flore) *Boccon. in Mus. Plant. Tab.* 100.

Ibid. post lin. 8.

SENECIO Myosotidis, sive Pilosellæ foliis, *Marilandicus.*

Ibid. ad lin. 11.

Est reverâ species Jacobææ; & fortè Jacobæa *Æthiopica*, flore purpureo, *Breyn. Prodr.* 2. 58.

Ibid. ad lin. 13.

Ad hoc genus Plantarum adnumerari licet, Senecio ille *Mexicanus*, Anethinis foliis, s. Tlalahoacatl, *Novæ Hispan. Terentij apud Recc. fol.* 420.

Ibid. post lin. 20.

Senecio, Erini majoris folio, flore oblongo singulari.

Ibid. ad lin. 22.

Post *fig.* 4. *add. Breyn. Cent.* 1. 180.

Ibid. ad lin. 39.

Piper longum, racemosum, Malvaceum, *Cat. Jam.* 45.

Fol.

Fol. 343. *post lin.* 39.

SERPENTARIA trifoliata, s. Saururus *Indiæ Orientalis* triphyllos, foliis subtùs lanatis, spicis ex alis summo apice compressiusculis, & tridentatis. Shalamaram *Malabarorum*. Inter hanc nostram & Molago-maram, *Hort. Malab. Part.* 5. *Tab.* 25. magna intercedit similitudo.

Ibid. ad lin. 42.

Piper longum minimum, herbaceum, scandens, rotundifolium, *Cat. Jam.* 45.

Fol. 344. *ad lin.* 21.

An Thymbra *Hispanica*, Coridis folio, *Turnefortij Elem. Bot. pag.* 166.

SERPYLLI hirsutis foliis, inodorus Suffrutex, *Æthiopicus*, flosculis albis umbellatis.

SESAMOIDES parvum *Coromandeliense*, Bliti minoris folio, capsulis bullatis.
Sesamoides parvum spicatum, Linariæ strictissimis foliis, ad unum latus vergentibus; ex *Virginia*.

Ibid ad lin 31.

An Arbor mirabilis ex *Insulâ Ferro* aquam stillans, *JB. Tom.* 1. 463. ex quâ fortè Sagapenum *Officinarum*. Sagapenum enim Ferulaceæ Plantæ gummi esse *Dioscorides* tradit, *lib.* 3. *cap.* 95. Quam *Galenus*, Panaci similem esse ait, in *libr. de Antidotis*. At vero *Mesue* ex Arbore Oleandrum montanum æmulante, prodire scribit, *lib.* 2. *de Simplicibus*, *cap.* 19. & secundùm Versionem *Jacobi Sylvij* Sagapenum est liquor Fruticis ferulacei, Oleandro montano similis. Ideòque fortè sit hujus nostri Seselios fruticosi Lachryma; Verùm hæc ambigendo potius quàm decernendo dicta sint. An Ferulæ in *Ombrio Insulâ* unâ ex *Fortunatis* quam hodiè nostro *Ferream* dicunt, quæ ad Arboris magnitudinem surgunt, uti habet *Solinus*, *cap.* 58. & *Plinius lib.* 6. *cap.* 32. Quæ aquam cunctis *Insulanis* sufficientem suppeditare dicuntur; Arbores enim ex quibus ingens Aquarum scaturigo in *Insulâ Ferro* & *Sancti Thomæ*, Ferulæ sunt arborescentes, asserente *Vossio*, *Not. in Pompon. Melam.*

Fol. 345. *post lin.* 25.

SIDERITIS hirsuta procumbens, *CBP.* Tetrahit Herbariorum, *Lobelij*.

Ibid. ad lin. 33.

Tarepeni (fortè) *Nov. Hispan. Hernandez apud Recc.* 407.

Ibid. ad lin. 40.

Sideritis Salviæ folio *Donati*, *Boccon. Mus. Plant. pag.* 164. *Tab.* 127.

Fol. 346. *post. lin.* 9.

Sideritis Bugulæ foliis *Mariana*, floribus purpureis, longo tubulo donatis.

Ibid. post lin. 11.

Sideritis hirsuta, Napifoliis, ex *Terrâ Marianâ*. An Hormini species?
Sideritis *Americana*, Clinopodij *Virginiani* lutei folio, & facie, Camphoram acutè spirans, *D. Uvedale*.

Ibid. ad lin. 18.

Hæc est planta baccifera, & ad Lyciorum genus releganda.

Fol. 346. *ad lin.* 35.

An Malifolio subtùs albicante, Arbor baccifera, ligno durissimo, fructu monopyreno rubro, officulo cannulato, Iron-Wood, *Cat. Jam.* 170.

SIDEROXYLUM *Surinamense*, Lentiscinis minoribus foliis, rachi medio appendicibus aucto. An Lauro affinis, Jasmini folio alato, costâ mediâ membranulis utrinque extantibus alatâ, ligni duritie, ferro vix cedens, *Cat. Jam.* 137.

Fol. 347. *ad lin.* 2. *add.*

Seseli *Æthiopicum* alterum, *Camerarij Hort. Medic.*

SILER *Virginianum*, Aquilegiæ folio minus, semine breviori. Fortè Coztiepatli secunda, *Novæ Hispan. Hernandez apud Recc.* 236.

Ibid. ad lin. 4.

Respectu seminis binatim junctis, ad calcem Umbelliferarum averruncari debet.

Ibid. post lin. 20.

SISARUM *Syriacum*, *CBP.* 155. Secacul *Arabum*, & *Maurorum*, s. Pastinaca Syriaca. *Rawolfij Hist. Lugd. app.* 24. Cujus datur & varietas angustiori folio; quod aliquandò ex *Aleppo* nobis allatum, habuimus.

Ibid. post lin. 42.

SISYNRICHIUM *Marianum*, gramineis foliis, flore cæruleo parvo. Idem fortè cùm præcedenti, *Almagesto.*

Idem alterum *Americanum*, hirsutie ex omni parte pubescens.

Fol. 348. *post lin.* 8.

Sisynrichium *Marianum* monanthos, flore atropurpureo. Helleborine *Virginiana* bulbosa, flore atrorubente, D. *Banister. Almag. huic* plurimis convenit.

Ibid. ad lin. 15.

An Coalquiltic, seu Olus Colubri, quam alij Tzatzayanatquiltic vocant, *Hernandez apud Recc. fol.* 187.

Ibid. ad lin. 20.

Apium palustre *Fuchsij, Hist. Lugd. lib.* 6. *fol.* 701. Quod à *Casparo Bauhino* malè confunditur cum Paludapio, s. Apio *Officinar.* ut *videsis in Pinace pag.* 154.

SIUM Umbelliferum *Marianum*, integris ad imum Violæ Martiæ foliis, floribus ad alas in umbellam exeuntibus.

Fol. 349. *ad lin.* 8.

Cocalmecatl, sive Cunarum funis, quam alij Olcacatzan vocant, *Nieremberg.* 320. An altera Olcacatzan *Pahuatlanica*, *ejusd. ibid.*

Ibid. ad lin. 11.

An Smilax aspera, fructu nigro, radice nodosâ, magnâ, lævi, farinaceâ, China dicta, *Cat. Jam.* 105.

Ibid. ad lin. 19.

Post D. *Byrd. add.* An Planta fruticosa scandens, ex cujus caule Scipiones cinerei flexiles, striati, & tuberculati, nervis & tuberculis spiralitèr dispositis, Supple Jacks dicti, *Cat. Jam.* 214. Quia scilicèt hujus Stipites, ratione tuberculorum, & eorum lentoris etiam ad verbera inferenda, idonei sunt.

Fol. 349. *ad lin.* 22.

Baccis quoque nigris invenitur.

Ibid. post lin. 22.

SMYRNIUM aureum, lobis ternis quinisve *Marianum*. Zayolpatli (forsan) *Mexicensium*, sive Muscarum Medicina, *Hernandez apud Recc.* 199.

Ibid. ad lin. 23.

Post simile *add.* sed procerius.

Ibid. ad lin. 25.

An Solanum vulgare, *Americanum*, lanuginosum, baccis nigris, *Breyn. Prodr.* 2. 92. Nostri autem folia sunt omninò glabra, in *Horto Regio Aulæ Hamptoniens.* per plures annos vigebat.

Ibid. ad lin. 38.

Fortè Totocapollin, *Novæ Hispan. Terentij apud Recc.* 432. Arbor racemosa *Brasiliana*, foliis Apocyni, *Jacob. Breyn. Cent.* 1 *fol.* 7. Ab hâc nostrâ haùd admodùm abludere videtur.

Ibid. ad lin. 40.

Valerianellæ *Americanæ* genus, facit *Cat. Jam.* 91. Sed quàm rectè aliis judicandum relinquo; sub hoc autem titulo illic habetur, Valerianella Alsines folio scandens, floribus pallidè luteis pyxidatis, in Umbellæ modum dispositis, semine aspero, *Cat. Jam.* 91.

Fol. 350. *ad lin.* 2.

Post 12. *add.* Fortè Tzopelic-Quahuitl, *Nov. Hispan. apud Recc.* 437.

Ibid. ad lin. 4.

Frutex baccifer, folio oblongo integro, flore pentapetalo pallidè luteo, odoratissimo; **Cloven-Berries**, *Cat. Jam.* 173.

Ibid. ad lin. 6.

The Mustachoe-Tree-Night-shade of *Malabar*; Nomen trahit à *Modira*, ob similitudinem mystacum, quos ad ramusculos producit, nam Vocabulum *Modira* in linguâ *Malabaricâ*, denotat mystaces.

Ibid. ad lin. 8.

An Solani fructu fruticosa, foliis laurinis oblongis, integris, subtus hirsutis, flore minore purpureo, *Cat. Jam* 173. Fortè Xaltomatl, f. Tomatl arenosum, *Nard. Antonij Recc.* 297.

Ibid. ad lin. 14.

Post 208. *add.* (i. e.) Spinachia frutescens, *Americana*, *Muntingij*.

Ibid. ad lin. 20.

An fortè Planta Cachos vocata, *Hernandez apud Recc.* 85. apud *Monardem* multa habes, *cap.* 30. de Insignibus hujus Viribus in ciendâ urinâ, propellendâ arenâ, & calculo dissolvendo; Est pomum (ait) alterâ parte sessile, alterâ turbinatum, cinereique coloris, acrimoniæ expers. Semen tritum ex aquâ aliquâ idoneâ, suâ vi lithontripticâ, calculum (ferunt) in lutum dissolvere. Cachos, *Hist. Lugd. lib.* 18. *fol.* 1876.

Ibid. ad lin. 29.

Et fortè Batleschain *Æthiopibus*.

Fol.

Fol. 351. *ad lin.* 2.

Huic fortè congener eſt, Hyoſciamus peregrinus *Dalechampij, Hiſt. Lugd.* 1718. Solanum peregrinum, fructu rotundo, *CBP.* 167.

Ibid. ad lin. 6.

Poſt *fig.* 1. *add.* Fructu majore aureo.

Ibid. ad lin. 7.

An Solanum *Cajanenſe*, ſpinoſum, hirſutum, *Icon. Robertin.*

Ibid. ad lin. 11.

Poſt *Spinoſum, add.* ſtaminibus florum majoribus luteis falcatis.

Ibid. ad lin. 38.

Yllamàtlanti, ſive Dentes Vetulæ, *Hernandez apud eundem Recc. fol.* 128.

Ibid. ad lin. 41.

Hùc fortè ſpectat Cocauhcapatli, *Novæ Hiſpan. Terentij apud Recc. fol.* 372. Capſicum rotundum *Dalechampij, Hiſt. Lugd. lib.* 5. *fol.* 633.

Ibid. ad lin. 44.

An Mandragora cauleſcens, foliis laciniatis, radice fibroſâ, *Turnefortij Elem. Bot.* 67.

Fol. 352. *ad lin.* 27.

Fortè etiam Alſine-bacciferæ ſimilis, ſuis acinis, *CBP.* 250. Herbæ adverſùs hæmorrhoides, admirabiles acini, *Cluſ. Hiſtor. append. alt. ad lib.* 6. Almorranera Yerva, D. *Joan. Caſtanedæ Medic. Hiſpalenſis.*

Ibid. ad lin. 35.

An Solanum lethale, fructu rubro, ſemine copioſiori minutiſſimo, *Cat. Jam.* 60. Aumaucaraunca langa *Malabarorum.*

Ibid. ad lin. 41.

Solanum ſcandens bacciferum, foliis & flore Ocymoidis, *Cupan. Hort. Cath. pag.* 204. Huic quodammodò convenit Ychcaxochitl, *Novæ Hiſpan. Terentii apud Recc.* 442.

Fol. 353. *ad lin.* 15.

Amaranthus baccifer, *Indicus*, minor, Circææ foliis & facie, *Hort. Beaum. pag.* 7. Hujus baccæ ſunt quales Ribium, ut plurimùm monopyrenæ. Amaranthus baccifer, Circææ foliis, *Hort. Medic. Amſt. cap.* 66. cum *Icone grandioribus lineis in ære inciſâ.*

Ibid. ad lin. 39.

Capſicum fructu aculeato, *Turnefortij Elem. Bot.* 127.

Fol. 354. *ad lin.* 4.

Piper ſiliquoſum, magnitudinis baccarum aſparagi, *JB. Tom.* 2. 944. An Capſicum minus, fructu rotundo, erecto, parvo, acerrimo; Axi rotundum ære, quod *Caribe* ab *Indis* nuncupatur, *Cat. Jam.* 111. Cujus *Catalogi Autor*, de Solanis cujuſcunque generis, adeò ſuperficiariè & confuſè tradit, quemadmodùm inter Aloctica Plantarum genera; Ubi ſub unius titulo adeò diverſarum miſcet nomina, ut noſtram planè ludit diligentiam, & quid ſtatuendum neſciamus: Hoc Chaos quomodo Componendum ipſe viderit, cui otium datur, & ad opus emaculandum horæ ſubſecivæ magìs abundè ſuppetunt.

Fol. 355. *ad lin.* 7. *add.*

Quoad descriptionem, Icone enim exhibetur Hieracium majus erectum latifolium, *CBP.* ut velit ipse *Bauhinus Pinac.* 127.

Ibid. ad lin. 11.

Lege elatus.

Ibid. ad lin. 13. *add.*

An Cyclaminos altera, hederaceis foliis Planta, *Lobelij Obs. & Icon.* quodammodò enim huic convenit. Pezoetiam *Mexicana, Hernandez apud Recc. fol.* 190 nobis videtur inter harum species militari; ut & Huapa-Quiltic, *Novæ Hisp. apud eund. Recc.* 380. Atque, forsan eadem est cum Soncho alato *Virginiens.* caule pilis duriusculis hispido, *Banisteri.*

Ibid. post lin. 13.

SONCHUS *Marianus*, Atriplicis folio.

Ibid. ad lin. 26.

An fortè Perin-Kara, *Hort. Malab. Part.* 4. *Tab.* 24. Foliis enim sibi invicem valdè assimilantur.

Fol. 357. *ad lin.* 2. *add.*

Variat quamplurimùm suis foliis.

Ibid. post lin. 2.

STACHYS Scordioides peregrina, sive Sideritidi affinis, ex *India Orientali.*

Ibid. ad lin. 6. *add.*

Oatepemarutte *Malabarorum.*

Ibid. post lin. 28.

STOEBE foliis Cichoraceis asperiusculis, *Mauritanica*, flore purpureo, *PBP.* 378. Stoebe *Barbarica*, foliis Cichoraceis rigidioribus, floribus purpurascentibus, *Hort. Beaum.* 38.

Ibid. post lin. 36.

Stoebe spinosa maritima, *CBP.* 273. Stoebe peregrina, *Clus. Hist. append. alt. auct.* Stoebe ex *Codice Cæsareo Dodon.* Cyanus spinosus, *Creticus, Ponæ Ital.*

Fol. 358. *ad lin.* 8.

Post 46. *add. Hispanis & Lusitanis* Burlatora sive Burladora (i. e.) ludicra, aut ludificans dicta, ut enim hâc Adulteræ maritis dementandis, atque consopiendis utuntur, ita & fures, ac Pyratæ, emungendis per soporationem incautiorum loculis, eâdem sæpius abutuntur, omnibus ferè totius *Orientis* regionibus, & *Insulis Indiæ.* An Planta illa, pyratica inebrians, & dementans, quam Insulæ *Mamboni* acceptam in *India Orientali*, *Casp. Bauhinus* refert, ex *Part.* 7. *cap.* 20. Qui dubium movet, an Nicotianæ sit species? *Pinac.* 170. An fuit hoc Nepenthes quod *Jovius* scribit *Selinum Turcarum Imperatorem* comedisse, ut animo voluptatem afferret, & memoriam tolleret rerum molestarum, quærit, & credit *Excellent. Casp. Hofmannus de Medicam. Offic. lib.* 2. *pag.* 421. Quanquàm *Bellonius lib.* 2. *Obs.* inclinat in Rutam *Syriacam* Harmala dictam, cujus semine palàm vesci *Turcas* ait.

Fol. 358. *ad lin.* 26.

An Nacaẑcul, ſive Toloatzin ab aliis dicta, Datura altera *Mexicana*, *Hernandez apud Recc.* 113.

Ibid. poſt lin. 31.

STRAMONIA *Indica*, fructu oblongo glabro. Nilahummatu, *Hort. Malab. Part.* 2. *fig.* 29. variat aliquandò triplici florum ſerie; undè Mudela-nila-hummatu, *ejuſd. Hort. Malab. ibid. fig.* 30. An fortè Leum-Alrachaha, (i. e.) Nux Mechil *Serapionis*, *JB. Tom.* 1. *lib.* 3. 339.

Ibid. poſt lin. 32.

STYRACIS folio, flore roſeo, Arbor *Æthiopica*, fortè de Ciſtorum genere; àn Arbor roſea Styracis folio, *ten Rhine Breyn. Faſc.* 19. ſub Arboris nomine generico, in præcedentibus exhibetur.

STYRAX Aceris folio *Virginiana*; *Raij*. Dignum conſideratione eſt (inquit *Caſp. Hofman. de Medic. Offic.* 449. ſitnè omnis Styrax ex unâ arbore, an verò ex diverſis. Nobis etiam compertum eſt non unam eſſe Styraciferam arborem, nec hujus Lachrymam unicæ Speciei propriam ſed communem quoque plurimis Arboribus.

Ibid. poſt lin. 36.

SYMPHYTUM *Marianum*, anguſtifolium, trinervium, flore pallidè luteo, ſeminibus duris, ſplendentibus Lithoſpermi æmulis.

Fol. 359. *ad lin.* 5.

Pulmonaria alpina, anguſto folio *Italica*; *Boccon. Muſ. Plantar. pag.* 110. *Tab.* 86.

Ibid. poſt lin. 9.

Symphytum ſ. Pulmonaria *Indica*, aſperifolia, punctulis lacteis aſperſa, floribus tripetalis rubris. Soneri-Ila, *Hort. Malab. Part.* 9. *Tab.* 65. Pulmonariæ maculato folio ſimilis, floribus tripetalis, roſaceo ſaturis, *Commel. Not. in locum.*

Ibid. poſt lin. 14.

SYRINGÆ cæruleæ foliis, Planta ſpinoſa, ex *Oris Coromandel.*

Ibid. ad lin. 18.

Jaſminum laurinis foliis, flore pallidè luteo, fructu atrocæruleo, polypyreno, venenato, *Cat. Jam.* 169.

Ibid. ad lin. 33.

Eſt planta baccifera, cujus fructus ſunt binati, & quaſi teſticulati. Cautmullee *Malabarorum.*

Syringa baccifera ſcandens *Myrtifolia*, fructu gemello, Pecala *Malabarorum*, & Coodewoolacneka *Gentilium Indorum.*

T.

T.

Fol. 360. *ad lin.* 8.

CUI flores sunt oblongi, ex carneo purpurei monopetali, ad oras inæqualiter incisi.

Ibid. ad lin. 13.

Thurifera (fortè) Arbor *Arabica*, quam *Antigonus Rex*, allato sibi ramulo Terebinthum esse putavit, *Plin. lib.* 12. *cap.* 14. Cortice Lauri esse constat, quidam & folium simile dixêre; Talis certè fuit Arbor *Sardibus*; nam & *Asiæ* reges, serendi curam habuêrunt. *Idem ibid.* Accedit quod idem *Plin.* scribit, Virgam Thuream *Romani* allatam à *Legatis Arabicis*, folia habuisse laurina, ex *Casp. Hofman. de Medic. Offic. pag.* 453. Nunc enim compertum habeo non unam esse Thuriferam arborem, immò verò non esse hanc Lachrymam ut de Styrace diximus unicæ speciei propriam, sed communem quoque plurimis Arboribus, At nihil subest certi. Non semper nobiscum loquitur *Natura* sine velo; potius latere vult multa, ut major sit eorum ex occulto Autoritas, & Veneratio.

Fol. 361. *ad lin.* 4.

An Frutex *Æthiopicus*, Portulacæ folio, flore exalbido virescente, *Hort. Med. Amst. cap.* 91. cum *Icone*.

Ibid. post lin. 12.

TAMARINDUS monococcos minor, pruniformis, pulpâ intùs officulum ambiente, Aurantiæ coloris esculentâ, Carandas, *Garciæ lib.* 11. *cap.* 6. Carandje *Malaiis*, *Bontij lib.* 6. *cap.* 4. 93. Hujus pulpa propter gratissimum ejus saporem, & refrigerandi Sanguinis efficaciam, delicatioribus ventriculis valdè expetita est. The Tamarind-plumme nostratibus dicta. An Tamarindo similis Frutex, *CBP.* 403. Quaillos Frutex, fol. Tamarindi, fructu ut Fabæ *Romanæ* subduplo longiore, quo in cibis utuntur, *Part.* 4. *Ind. Orient.* 8. Ceratiæ & Tamarindo mediæ affinis, *Indiæ Orientalis*.

Ibid. post lin. 15.

TAMARISCUS *Ind. Orient. Belgarum* æmula, ramulis Cupressi. Autacoree *Malabarorum*.

Ibid. ad lin. 19.

Tamariscus *Ægyptia*, gallifera, *JB. Tom.* 1. *lib.* 10. 352.

Ibid. ad lin. 25.

Deleantur hæc verba viz. An Sanamunda *Africana* Ericoides minor, ramulis admodùm lanuginosis, *Breyn. Fasc.*

Ibid. post lin. 38.

Tamariscus *Æthiopicus*, Sabinæ foliis incanis, flore phœniceo, Jaceæ capitulis inter ramulos sparsis.

Fol. 361. *post lin.* 38.

Tamariscus *Monomotapensis*, longioribus reflexis Ericæ foliis incanis, summo ramuli fastigio, spicâ spadiceâ, gnaphaloide, ornatus.

Tamariscus Ericoides foliolis incanis. *Æthiopicus*, capitulis purpureis in summitate globosis. Idem fortè cum præcedenti.

Tamariscus *Æthiopicus*, Coridis folio incano, Jaceæ capitulis parvis tomentosis ad ramulos dispersis.

Tamariscus *Æthiopicus*, Coridis folio glabro, *Herbæ Impiæ* capitulis in spicam sessilibus. *Vid. Almagest. Botan.* 159.

Fol. 362. *ad lin.* 5.

Indè fortasse dictum, quòd frequens crescat in *Hispaniâ Tarraconensi*. Hujus quadammodò convenit Chipequa sive Herba firma, *Hernandez apud Recc. fol.* 203.

Ibid. ad lin. 20.

An Portulaca *Africana* procumbens, polyanthos, flore luteo? *Cat. Plant.* ad calcem *Paradis. Batav. edit.*

Ibid. ad lin. 33.

Lege *Indica.*

Ibid. ad lin. 39. *add.*

Hort. Medic. Amst. cap. 77. cum *Icone.*

Ibid. ad lin. ult.

Hùc fortè spectat Gonandima *Brasiliensium*, *Marcgr. lib.* 3. *cap.* 7. An Arbor *Indica* dormiens, *Theophrasti apud Libavium*, *JB. Tom.* 1. *lib.* 4. 501.

Fol. 363. *ad lin.* 11.

Chamædrys alpina frutescens, folio splendente, *Turnefortii Elem. Bot.* 174.

Ibid. ad lin. 27.

Verbena *Americana* procumbens, Veronicæ aquaticæ folio subrotundo, flosculis ad foliorum alas, *Breyn. Prodr.* 2. *pag.* 103. Hanc non diversam esse à Pee Tsjanga-Puspam, *Hort. Malab. Part.* 9. *Tab.* 59. Nullus dubitaret *Commelinus*, excepto quod flores aliquomodò colore differant; sed minùs rectè ut mecum existimo.

Ibid. ad lin. 29.

An Ricino affinis odorifera, fruticosa, minor, Teucrij folio, fructu tricocco dilutè purpureo, *Cat. Jam.* 44.

TEUCRIOIDES *Æthiopicum*, floribus parvis fistulosis, summo margine profundiùs incisis.

Fol. 364. *ad lin.* 14.

An Thapsia quædam latiori folio; *Park. Theatr. Plant. append.* 1683.

Ibid. post lin. 34.

THEKA, *Hort. Malab. Part.* 4. *fol.* 57. Kyati, sive Quercus *Indica*, *Bonti* ex *Insulâ Johannâ.*

Fol. 365. *ad lin.* 10.

Qui folio Centinodij, in *Horto Medicinæ Chelseiano*, ex seminibus è capsulis suis per maturitatem spontè decidentibus, annuatim progerminat.

Ibid. post lin. 14.

THLASPI aureum *Lusitanicum*, Leucoij foliis, asperis, fruticosius.

Fol.

Fol. 365. *post lin.* 34.

Thlaſpi ſpicatum *Perſicum*, perfoliatum, maximum, foliis inferioribus tenuitèr inciſis Hypecoi ritu, ſuperioribus à caule Perfoliatæ modo penetratis, *Moriſ. Hiſt.* 2. 294. Thlaſpi verum primum *Dioſcoridis*, *Zanon. Hiſt. Not.* 191. Thlaſpi *Alexandrinum Cortuſi*, *Joanne Bauhino*, *JB. Tom.* 2. 933. Thlaſpi *Alexandrinum*, *CBP.* 208. *Park. Theatr.* 849.

Fol. 366. *ad lin.* 1.

Poſt *CBP.* *add.* 106. Itèm Thlaſpi montanum ſempervirens, *ejuſd.*

Ibid. ad lin. 2.

Poſt 217. *add. Hiſt. Lugd.* Item Thlaſpi montanum candidum, *ejuſd. Hiſt. Lugd. fol.* 1180.

Ibid. ad lin. 4.

Deleantur quæ ſequuntur verba, viz. Thlaſpi montanum ſempervirens, *CBP.* 106. Thlaſpi montanum candidum, *Hiſt. Lugd.* 1180.

Ibid. poſt lin. 21.

Thlaſpi Umbellatum frutefcens; *Luſitanicum*; Iberidis anguſto folio, floribus incarnatis, *PBP.* 380.

Ibid. ad lin. 22.

An de hoc genere Plantarum ſit Linum arboreum, *Proſp. Alpin. de exot. pag.* 18. Doctiorum judiciis relinquimus.

Ibid. ad lin 27.

An Thymelæa humilior, foliis acutis atrovirentibus, *Cat. Jam.* 168. Huic fortè ſpectat Yztacpatlis Atotonilci ſive Herba *Franciſci Zimbren*, *Hernandez apud Recc.* 152.

Ibid. ad lin. 35.

Add. Planta ſurrecta & elatior.

THYMELÆA *Capenſis* ſpinoſa, Nepæ effigie anguſtiori folio humilis, & procumbens.

Fol. 367. *poſt lin.* 5.

Thymelæa *Alexandrina*, Oleæ folio ſubtùs incano.
Eadem foliis utrinque virentibus, ex eodem circà *Alexandriam* Territorio.

Ibid. poſt lin. 13.

Thymelææ affinis quadricapſularis, *Æthiopica*, Criſtæ galli foliis villoſis, pericarpio magno pyramidali.

Ibid poſt lin. 15.

Thymelæa *Africana*, Polij anguſtioribus foliis, floribus in capitulo, ſummo caule glomeratis. Sanamundæ tertiæ *Cluſij* affinis, foliis Polij, *Cap. Bon. Spei.*
Thymelææ affinis puſilla planta, villoſis & crenatis foliis acuminatis, *Prom. Bon. Spei.*
Thymelææ affinis, Valerianæ alpinæ minimæ facie, Planta utplurimùm uncialis, ex *Promont. Bon. Spei.*

Ibid. poſt lin. 19.

Thymelæa *Æthiopica*, Paſſerinæ foliis, *Breyn. Cent.* 1. 10. A proximo ſequenti in *Almageſto* maximè diverſa; Hæc vero ad *D. Stoneſtreet*, à *Prom. Bon. Spei.* nuperrimè allata eſt.

Fol. 367. *post lin.* 19.

Thymelæa *Æthiopica* glabra, Passerinæ foliis minor. An Thymelæa *Æthiopica*, foliis Passerinæ minor, *Cap. Bon. Spei. Breyn. Fasc.*

Ibid. ad lin. 21.

Deleantur illa verba, viz. An Thymelæa *Æthiopica*, Passerinæ foliis, *Breyn. Cent.* 1. 10.

Ibid. ad lin. 25.

Thymelæa *Hispanica*, foliis Myrti incanis, *Elem. Bot.* 468.

Thymelæa *Africana*, Myrti *Tarentini* foliis, & floribus sericeâ lanugine argentatis.

Thymelæa *Æthiopica* frutex, Polygoni angustiore folio glabro, floribus cum tubulis, ex uno calyculo plurimis.

Ibid. ad lin. 35.

Hujus itidèm prosapiæ, si ex habitu plantæ dijudicare liceat, est Illa quæ *in Mus. Plant. rarior.* à *Boccone* pingitur sub hoc titulo; viz. Chamæstæchas *Hispanica, pag.* 35. & 63. *Tab.* 27.

Ibid. ad lin. 37.

Deleanter hæc verba, viz. An Thymelæa *Æthiopica*, foliis Passerinæ minor, *Cap. Bon. Spei. ejusd. Breyn. Fasc. rarior. Pl.* et eorum loco inserantur. An Sanamunda *Africana* Ericoides minor, ramulis admodùm lanuginosis, *Breyn. Fasc.* Hæc enim non est de Tamariscorum genere, ut semèl putavimus.

Thymelæa fruticosa, Serpylli foliis hirsuta, *Prom. Bon. Spei.* An Sanamunda *Africana*, foliis Serpylli majoribus incanis, *Breyn. Fasc.* 25.

Thymelæa Gnaphaloides *Africana*, foliis & floribus sericeâ lanugine maximè tomentosis. An Thymelæâ foliis Serpylli candicantibus, Serici instàr mollibus, *Breyn. Prodr.* 2. 99.

Thymelæa *Æthiopica* fruticosa, foliolis in longum striatis, surculis valdè tomentosis.

Thymelæa *Æthiopica* Passerinæ liratis foliis, ad caulem sibi invicèm incumbentibus, margine tomentosis.

Thymelæa Scaphoïdes *Monomotapensis*, f. foliolis glabris, triquetris, cavis, cymbæformibus, floribus solitariis amplis, summo caule villosis.

Ibid. post lin. 44.

Thymelæa *Æthiopica* frutescens, angustis Passerinæ foliis, densâ serie caulem Vestientibus glabris, ad oras autem lanugine fimbriatis, flosculis in spicam purpureis.

Thymelæa *Æthiopica*, spicata, glabra, foliis longioribus angustis.

Thymelæa (fortè) frutescens, Juniperi latioribus foliis, Paralij modo densiùs stipatis, *Prom. Bon. Spei.* An Thymelæa *Pyrenaica* Juniperi folia, ramulis surrectis, *Elem. Bot.* 468.

Thymelæa fruticosa, Pinastri brevioribus foliis, floribus villosis, ex *Prom. Bon. Spei.*

Thymelæa *Æthiopica*, Abietiformis, floribus phœniceis.

Thymelæa *Syriaca*, Ericæ maritimæ nostrati similis planta, summo caule floribus coronata, ex *Insula Cypro.*

Thymelæa

Fol. 367. *post lin.* 44.

Thymelæa capitata minor *Africana*, Serpylli foliis aculeatis. An Sanamunda *Africana*, foliis Serpylli min. asperiusculis, capitulis Thymi, *Breyn. Fasc.* 25.

Thymelæa capitata, Lycopodij foliis reflexis, mucrone pungentibus; s. Alypum *Æthiopicum*, spinosum, capitulo Succisæ.

Thymelæa capitata s. Julifera, angusto Salicis folio, *Prom. Bon. Spei. Phytogr. Tab.* 229. *fig.* 6.

Thymelæa capitata s. Julifera, longioribus & acutis foliis glabris, *Æthiopica*. Huic multùm convenit Thymelæa *Capensis*, sericeis longioribus, & acutis foliis, caule geniculato, piloso, *Phytogr. Tab.* 229. *fig.* 4.

Thymelæa capitata Rapunculoides, *Æthiopica*, Saligneis foliis, perianthio magno coniformi, squammoso. Frutex *Æthiopicus* conifer, *Breyn. Cent.* 1. Salix conophora *Africana* major, conis grandioribus, *Almag. Bot.* 328.

Thymelæa capitata Rapunculoides, Nerij crassioribus foliis, summo apice tridentatis, *Æthiopica*, coniformi calyce squammato. An Salix Conophora *Africana*, rigido crassoque folio, *PBP.* 373.

Fol. 368. *ad lin.* 18.

Post vocem *Bauhinus*, *add.* Hyssopus fortè montana, *Fuchsij Hist. Lugd.* 934. *ad eand. lin.* deleantur hæc verba; viz. Item fortè & Libanotidis species *Rondeletij*, *ejusd. JB. Tom.* 2. 25. (i.e.) Tragoriganum nothum *Dalechampij Hist. Lugd.* & quæ sequuntur hoc loco expungantur; & ad *Fol.* 30. Nostri *Almag.* inter *lin.* 17, & 18. transferantur, & sic emendabitur error. Eandem autem hanc existimamus, Tragorigano Dictamni capite, *Hispanico*, *Bocc. Mus. Pl. pag.* 50. *Tab.* 43.

Ibid. post lin. 31.

TILIA amplissimis glabris foliis, nostrati similis, ex *Terrâ Marianâ*. Cui folia quemadmodùm omnis generis Ulmorum, uno latere latiori, ac ad petiolum versùs inferiora, longius exporrecto, ac rotundiori ambitu insignita, suntque in oris crenata; Fructus sunt Nostratibus idem.

Ibid. ad lin. 35.

Tilia maximo folio, *JB. Tom.* 1. *lib.* 8. *fol.* 137. & satis propriè dicatur Tilia hirsuta, Coryli foliorum æmula, fructu anguloso.

Ibid. ad lin. 36.

Et magis propriè dici possit, Tilia Betulæ nostratis folio, fructu hexagono.

Fol. 369. *ad lin.* 6.

Tithymalus dendroides aphyllos, *Cap. Bon. Spei. ten Rhine*, *Breyn. Cent.* 179.

Ibid. ad lin. 15.

An Tithymalus perennis, & procerior, Lini folio acuto, *Cat. Jam.* 82. in Insulâ *Maderâ* collegit *Autor*.

Ibid. ad lin. 21.

Fortè etiam Anti-Euphorbium *Dodonæi*, *Hist. Lugd. lib.* 16. 1692. Videbatur tamen *Dodonæo* hanc plantam ad Telephij genus esse referendam.

Ibid. ad lin. 42.

An Arbor foliis & ligno venenatis in *Hispaniola*, *Jonst. Dendrogr.* 467. Laurifolia venenata, folio leviter serrato, oblongo, obtuso, copiosum lac præbens, *Cat. Jam.* 136.

Fol. 370. *ad lin.* 3.

An Spina apud *Indos*, laurino folio, cujus liquor aspersus oculis, cæcitatem infert omnibus Animalibus, *Plin. lib.* 12. *cap.* 8.

Ibid. ad lin. 16.

De hujus præconio conscriptus est libellus à primo ejus Inventore *Jubâ Mauritanico* rege, qui medici sui, *Antonij Musæ* fratris (qui & ipse *Augusti Cæsaris fuit* Archiater) nomine, illam insignivit. Nobilitatum laude inquit *Rolfincius*, (*Guerner. Rolfinc. lib. de Purgant. Vegetab.* 180.) inventionis singularis hoc naturæ miraculum est. Duo erant fratres *Antonius Musa* & *Euphorbus* ille *Augusti Cæsaris*: Hic *Jubæ Mauritaniæ* regis Medicus. Ille *Augustus* jecinore vitiato ad desperationem redactus, contrariam & ancipitem medendi rationem subjit, & frigidis exterius & interius Lactucâ nempè, eodem medico, subire coactus fuit. Re feliciter peractâ Medico statua decreta. Hic, *Jubas* arborem ipsam consecravit, & dono dedit *Euphorbo*. *Antonius Musa* à Statuâ: *Euphorbus* ab Arbore, felix duorum fratrum Copula, Nominis immortalitatem sunt consequuti.

Ibid. ad lin. 23.

Euphorbio similis, Sadricalli *Indorum*; *Breyn. Prodr.* 2. 44.

Ibid. ad lin. 27.

Euphorbium *Indicum*, Opuntiæ facie, caule geniculato, triangulari; *Breyn. Prodr.* 2. 44.

Ibid. ad lin. 35.

Huic fortè pertinet Chucungariqua prima, *Novæ Hispan Terentij apud Recc.* 368.

Fol. 371. *post lin.* 11.

Tithymalus *Virginianus*, è Lio *Venetorum* similis, flore albo singulari, petalorum limbis crenaturâ donatis.

Ibid. post lin. 20.

TITHYMALUS humilis Anagallidis tertiæ *Lobelij* foliis rarioribus, altè radicans, ex *Terrâ Marianâ*. Ejusdem prosapiæ videtur Chichilticpatli, *Novæ Hispan. Terentij apud Recc.* 366.

Tithymalus parvus dichotomos, Cochleariæ minimæ foliis, *Marilandicus*.

Ibid. post lin. 27.

Tithymalus *Æthiopicus* arboreus, Myrti angustioribus foliis, in aculeum abeuntibus, *Prom. Bon. Spei.*

Ibid. post lin. 32.

Tithymalus fruticosus, *Æthiopicus*, Taxifolius, ex *Prom. Bon. Spei.*

Ibid. ad lin. 34.

Peplis fruticosa maritima, geniculata, *Cat. Jam.* 82. An Tecoceqùi, *Novæ Hispaniæ Hernandez apud Rec.* 408.

Ibid. ad lin. 41.

Galactivida altera, s. Tithymali genus spinosum, *JB. Tom.* 2. *lib.* 11. *fol.* 411.

Fol. 372. *post lin.* 6.

Tithymalus *Marianus*, angustis rigidis foliis, summo caule ramosus, foliis atque ramulis ad divaricationem ternis, & quaternis, Planta perelegans. Cujus radix *Medica*. nostratibus dicta.

Fol.

Fol. 372. *post lin.* 13.

Tithymalus foliis Pini hirsutis, f. Pityusa *Æthiopica*, & Humi-pinus, *Prom. Bon. Spei.*

Ibid. post lin. 35.

Tithymalus *Persicus*, exiguis circinatis foliis, non crenatis, lignosis viticulis, fructu grandiore tricocco.

Tithymalus frutescens, Nummulariæ minoris folio; sivè Peplis ex *Rhodiorum Insulâ*, fructu parvo striato, à *D. d'Avisson* accepimus. An Peplis montana Nummulariæ folio, *CBP.* 293. Fortè Peplis I. Peplus minor, *Tabernæm. Icon.* 597. Hujus enim folia superiora, quemadmodum illius in pictura, sunt apicibus parùm elongata, & in mucronem desinunt. Est præcedentis fortè varietas fructu minore.

Fol. 373. *ad lin.* 1.

Fortè etiam Hoacaltlaiotl, *Nov. Hispan. Terentij apud Recc.* 377.

Ibid. ad lin. 3.

Tithymalus Botryoïdes, majoribus serratis foliis, cauliculis rubentibus, ex *Terrâ Marianâ.*

Ibid. post lin. 3.

Tithymalus botryoides *Marianus* major, procumbens, caule sanguineo splendente glabro, foliis hirsutis, purpureâ maculâ magnâ, notatis.

Ibid. ad lin. 10.

Tithymalus dulcis Parietariæ foliis hirsutis, floribus ad caulium nodos conglomeratis, *Cat. Jam.* 82.

Ibid. ad lin. 14.

Huic fortè spectat Chilpatlis *Mexicensium*, *Hernandez apud Recc.* 139.

Ibid. post lin. 17.

Tithymalus Hypericoides *Virginianus*, subrotundis foliis glabris, floribus summo caule glomeratis fortè idem præcedenti.

Idem alter, longioribus foliis, & caule hirtutie pubescentibus, ex eâdem *Provinciâ*.

Tithymali Myrsinites specie, Arbuscula *Æthiopica*, subrotundis foliis, è Stæchadis *Arabicæ* squammato capitulo duro, Lachrymam fundens. An fortè Sarcocolla Arbor *Orientalis*: Hujus enim Lachrymæ fragminibus admista reperiuntur sæpenumerò folia ex candido flavescentia Tithymali Myrsinitis folia sicca egregiè referentia, ut ex *Cæsalpino*, notavit *JB. Hist. Pl. lib.* 9. *Part.* 2. *fol.* 309. An hujus sit Species minor, iste Frutex *Africanus*, Fruticis terribilis *Narbonensium* folio, capitulis oblongis, squammosis, *Breyn. Fasc. Rarior.*

Tithymali Myrsinites specie, Arbuscula *Æthiopica*, folio parvo è lato basi in acutissimam mucronem subitò desinente, capitulis Origani. An Planta quæ Tithymali folia refert, è cujus radice *Assæ* secunda species longè fœcundior, *Malaicè Hin* dicta, exprimitur; *Bontî Animadvers. in Garc. ab Orto* initio, *lib.* 4. *de Medic. Indor. Oriental.*

Ibid. ad lin. 31.

Seseli *Siculum* candidum, *Cretico* minori affine, folio rotundiori, multò minore gracilius, *Cupani Hort. Cathol. pag.* 200.

Fol.

Fol. 373. *ad lin.* 40.

Ab Arbore Margaritifera, quæ aliquando à nostratibus Colonis Shag-Barke, quoque nuncupatur, maximè est diversa planta.

Fol. 374. *ad lin.* 9.

Deleantur hæc verba viz. Thymum *Creticum* frutescens, Marum forte; Et loco eorum inserantur, *Teucrium minus frutescens.* Et *ad lin.* 10. Addatur, Chamædrys maritima incana frutescens, foliis lanceolatis, *Turnefortij Elem. Bot.* 174.

Ibid. ad lin. 26.

An Tribulus terrestris major, flore maxime odorato, *Cat. Jam.* 90.

Ibid. ad lin. 28.

Post vocem *aculeato*, *add.* Tribulus terrestris fruticosus, *Creticus* spinosus, foliis binatis, trifidis, flore purpureo, fructu lævi, seu non spinoso dissolubili, *Breyn. Prodr.* 2. 101. Cistus spinosus trifoliatus, *Moris. Hist.* 2.

Fol. 375. *post. lin.* 4.

Trifolium siliquosum, Loto affine *Indicum*, quadratis longioribus siliquis, caule anguloso, pallido, Genistæ fungoso.

Ibid. post lin. 9.

TRIFOLIUM fruticosum argenteum, canulato caule, flosculis parvis in orbem glomeratis, ad alas foliorum pediculis innixis, siliquis strictissimis duris. Chetamucan *Malabarorum.*

Trifolium siliquosum Loto affine *Indicum*, punctante caule, rotundo, lignoso, siliquis ad exortum foliorum plurimis. Cautauverree, f. Caleauverree *Malabarorum.* Ad Rheumatismum valdè efficax remedium, ideoque nominari licet Trifolium siliquosum Antirheumaticum.

Trifolium Lotoides non ramosum angustiore Bituminosi folio, flore parvo luteo singulari ex *Terrâ Marianâ.*

Idem ramoso caule *Marilandicum.*

Trifolium *Marianum* Bituminosi facie, floribus spicatis, parvis ochroleucis.

Trifolium erectum *Americanum*, angustissimo venoso folio, hirsuto caule, floribus spicatis luteis.

Trifolium spicatum luteum, venosis subrotundis foliis, aversâ parte canescentibus, huic accedere videtur Tlalamatl, Morbi *Gallici* sedans dolores, & Herba *Joannis Infantis* quoad *Iconem*, *apud Recc.* 306. Trifolium (fortè) ex *Americâ*, *Dodon. fol.* 566. Trifolium *Americum*, *Lob. Icon. Tom.* 2. *pag.* 31. Trifolium *Americanum*, *JB. Tom.* 2. *fol.* 368.

Trifolium spicatum luteum, venosis subrotundis foliis, apicibus sinuatis, sericeâ lanugine, subtùs argenteis. An Loto affinis Lagopoides.

Trifolium siliquosum rotundifolium glabrum, floribus purpureis *Marylandicum.*

Ibid. post lin 18.

Trifolium Cochleati (i.e.) Fœni *Burgundiaci* folio, & floribus purpureis, frutescens, ex *Terrâ Marianâ.*

Idem foliis angustissimis.

Trifolium *Marianum* frutescens, angustiori folio, albâ lineâ notato, floribus cæruleis, ex alis foliorum racematim prodeuntibus.

Idem foliis angustissimis.

Fol.

Fol. 375. *ad lin.* 26.

Re verâ hoc est Cytisi *Rivini* exemplar imperfectum, ex *Prom. Bon. Spei.*

Ibid. post lin. 29.

Trifolium pratense album, flosculis magis patulis, *Marianum.*

Fol. 376. *post lin.* 7.

Trifolium montano simile *Virginianum*, floribus amœnè purpureis, amplioribus, & magis patulis, summo caule glomerulis per maturitatem reflexis.

Ibid. post lin. 26.

Trifolium Lagopoides *Africanum*, Dorychnij facie argenteum, capitulo glomerato molli.

Fol. 377. *ad lin.* 3.

Trifolium nodiflorum turbinatum, *Boccon. Mus. Plant. rar. pag.* 142. *Tab.* 104.

Ibid. post lin. 37.

TRIOPTERIS *Indiæ Orientalis*, Chamænerij splendentibus foliis; Veraüllee *Malabarorum.* An fortè Idem proximè subsequenti in *Almagesto.*

Ibid. ad lin. 38.

Sub harum vexillo militari debet, Arbuscula viscosa, Ælæagni foliis lætè virentibus, *Americana*, tricoccos, *Phytogr. Tab.* 141. *fig.* 1. & dici mereatur, Triopteris Ælæagni foliis viscosis lætè virentibus, *Americana.*

Ibid. post lin. 38.

Triopteris *Americana* scandens, fructu fulgente, majore, aureo. An Aceri aut Paliuro affinis, Arbor caudice non ramoso, folio Sorbi sylvestris, floribus pentapetalis, racemosis, speciosis, purpureis, fructu sicco, tribus membranulis extantibus alato, *Cat. Jam.* 138. Ex Insulâ *Barbados* ad nos fuit asportata. Ad Triopteridum Scandentium genera spectat, Katu-Katsjil, *Hort. Malab. Part.* 7 *Tab.* 36. Quæ pratèr verrucosos fructus illos spurios, cauliculis suprà exortum foliorum insidentes, habet etiam fructus genuinos plures congregatim provenientes, triangulares, ternis, amplioribus, extantibus alis præditos, in quorum singulis bina in se invicèm decumbentia semina, sine ullo interseptimento reperiuntur.

V.

Fol. 379. *post lin.* 34.

VALERIANOIDES Cortusæ *Matthioli* facie, planta *Æthiopica*, foliorum ad lacinias supernâ parte, spinis stelliformiter echinata, & ad oras pilis longioribus fimbriata. De hac *vid. Almagest. Bot. fol.* 62. *pl.* 2. & *Phytogr. Tab.* 271. *fig.* 5. Ubi foliorum pictura habetur absque floribus; est Valerianæ genuina species, ut existimo. Et Valeriana spinosa dici mereatur.

Ibid. ad lin. 13.

Fortè Tala-dama, *Hort. Malab. Part.* 7. *Tab.* 56. An Valerianella, folio subrotundo, flore purpureo, semine oblongo striato aspero, *Cat. Jam.* 91.

Fol. 381. *post lin.* 37.

Valerianæ Græcæ folio & facie, floribus albis tetrapetalis, planta bicapsularis, ex *Virginiâ*. Matlalxochitl fortè, *Nov. Hispan. Hernandez apud Recc.* 383.

Fol. 382. *post lin.* 6.

VERBASCUM foliis incanis mas latifolium, floribus luteis, arctè caulibus adhærentibus, sine foliis angustis inter flores emanantibus; *Morison. Hist.* 2.

Ibid. ad lin. 28.

Huc fortè spectat, Apitzalpatli, Adstrictoria prima, *Hernandez apud Recc.* 285.

Ibid. ad lin. 31.

An Verbena *Americana*, Urticæ folio minore, floribus dilutè purpureis, minoribus, *Breyn. Prodr.* 2. 102.

Ibid. post lin. 35.

VERBENA nodiflora incana minor, *Indiæ Orientalis*, Poordela *Malabarorum*.

Fol. 383. *post lin.* 7.

Verbenæ foliis, Planta *Æthiopica*, quadricapsularis, flore parvo calathoide, cæruleo.

Ibid. ad lin. 26.

An Phyteumodes *Americanum*, flore albo tetrapetalo, staminibus referto, foliis & ramulis per intervalla ternis, *Almag. Bot. fol.* 296. cujus *Icon* habetur in *Phytograph. Tab.* 215. *fig.* 1. Neutiquàm autem hæc planta, Veronica dici meretur.

VERONICA procumbens, Verbenæ foliis, *Prom. Bon. Spei*. An Verbena minima, Chamædryos folio, *Cat. Jam.* 64.

Fol. 384. *ad lin.* 14.

An Veronica minima, Clinopodij minoris folio glabro, *Romana*, *Boccon. Mus. Plant. rarior. pag.* 19. *Tab.* 9.

Ibid. ad lin. 21.

Veronica alpina pumila, caule aphyllo, *Boccon. Museo di Piant. rar. pag.* 17. *Tab.* 9.

Ibid. ad lin. 30.

An Veronica alpina glabra, rotundo Alsines Plantaginis folio, *Boccon. Mus. Plant. pag.* 18. *Tab.* 7.

Ibid. ad lin. 33.

Anagallis supina minima, Polygoni folio, *Boccon. Mus. Plant. rarior. pag.* 161. *Tab.* 108.

Ibid. post lin. 35.

Veronicæ Polygoni folio & facie accedens, Planta *Virginiana*, ex alis foliorum fructu utrinque ad caulem sessili.

Fol. 385. *ad lin.* 30.

Sea-blobber, of *Grew*, *Mus. Reg. Societ. fol.* 250.

Ibid. ad lin. 36.

Post *fig.* 4. *add.* Viburnum *Americanum* odoratum, foliis Urticæ, floribus miniatis, *D. Herman. Cat. Hort. Leyd. Breyn. Prodr.* 2. 103. Viburnum *Americanum*, Urticæ foliis, Lamij odore, floribus miniatis, *Hort. Med. Amst. cap.* 78. cum *Icone* pereleganti.

Fol.

Fol. 385. *ad lin.* 42.

Post 397. *add.* nec non Axihuitlapapatlactli, *ejusd. Recc. fol.* 356.

Ibid. ad lin. ult.

Periclymenum rectum, Urticæ folio hirsuto, majore flore flavo; *Cat. Jam.* 163. Item Periclymenum rectum, Urticæ folio; flore coccineo amplo, *ejusd.* 164.

Fol. 386. *ad lin.* 4.

Periclymenum rectum humilius, Salviæ folio rugoso, majore, flore purpureo, fructu oblongo, esculento purpureo, *Cat. Jam.* 164.

Ibid. ad lin. 6.

Periclymenum rectum, Salviæ folio rugoso, minore, bullato, flore albo, *Cat. Jam.* 163.

Ibid. ad lin. 8.

Periclymenum rectum, Salviæ folio rugoso, minore, subrotundo; *Catalog. Jamaic.* 164.

Fol. 386. *post lin. ult.*

VICIA s. Cracca minima, *Indiana*, graveolens, flosculis perexiguis, coccineo colore, ex alis foliorum spicatim prodeuntibus. In *Horto Episcopali Fulhamiæ*, ex seminibus à *Ceylonensi Insulâ* allatis, oriunda.

Fol. 388. *ad. lin.* 1.

An Viola rubra striata, *Eboracensis*, *Park. Theatr. Pl.* 755. Fortè etiam, Viola alpina minima, Nummulariæ folio; *Boccon. pag.* 163. *Tab.* 127.

Ibid. post lin. 4.

VIOLA *Virginiana*, Platani fere foliis, parvis, & incanis. An Viola *Americana* foliis variis *Quorundam*.

Ibid. ad lin. 10.

An Viola lutea *Virginiana*, *Park. Theatr. Pl.* 755.

Ibid. post lin. 13.

Violæ surrectæ similis, Planta *Mariana*, pediculis foliorum hirsutie pubescentibus.

Ibid. ad lin. 18.

Ab Autore non descripta, sed depicta tantùm; at à *Joanne Terentio* in *Notis* exposita. Ab *Hermanno* tamèn appellatur Veronicæ similis, fruticosa, *Curassavica*, Teucrij foliis, flore galericulato, tùm in *Prodromo*, tùm in *Paradiso Batavo* 240. Ubi ambigit, an sit Verbena fruticosa, Teucrij foliis? Et secum reputat Loquiltic, *Hernandez fol.* 382. Huic non prorsùs alienum esse, ut videsis *ubi supra*.

Fol. 389. *ad lin.* 13.

An eadem cum Illâ, quæ in secundo loco enumeratur ab *Hermanno in Parad. Bat.* 243. eandem facere, & ipse videtur.

Fol. 389. *ad lin.* 28.

Hoc autem à *Sloano* pro *Bryoniæ* cujusdam specie intrepidè ponitur. Idemque esse putat, cum Frutice *Americano* Pyrifoliis, subhirsutis, floribus exiguis viridantibus, Heliotropij in modum incurvatis, baccis niveis nigrâ maculâ insignitis; *Hort. Beaum. pag.* 21. & ab *ipso* Bryonia nigra fruticosa, racemi ramulis variè implicitis, atque caudæ Scorpionis instar, in se contortis, baccis albis, unâ

vel alterâ, nigrâ maculâ notatis, denominatur. Tlachichinoa Patlahoal, sive Herba usta tertia *Hernandez*, Huic plantæ, ex nostrâ sententia, rectius adscribenda sit; cum in *Recchi*. Exemplar. pictor baccas quasdam virides, alias nigras depinxerit, florem vero ex albo ad castaneam tendentem: At nostri quidem flores sunt impensè flavi, & fortasse ad Heliotropiorum potius Cohortem sit averruncanda, perelegans hæc peregrina planta.

Fol. 389. *post lin.* 39.

VIRGA AUREA *Indiæ Orientalis*. flosculis albis lanuginosa. Pukerandee *Malabarorum*. An fortè rectius sit de Eupatorij censu.

Fol. 390. *ad lin.* 5.

Virga aurea *Americana* serrata, floribus ad foliorum alas conglobatis, *Breyn. Prodr.* 2. 104. quam in *Hort. Lugd. Batavo*, nomine Virgæ aureæ *Novæ Angliæ* Asterisci folio legit. Virga aurea *Canadensis* Asterisci folio, *Parad. Batav. pag.* 244.

Ibid. ad lin. 31.

Viscum Delphinij flore minus, petalis è viridi albicantibus, angustioribus, radice fibrosa, *Cat. Jam.* 120. Nostri autem floris petala, sunt immaculati candoris.

Ibid. ad lin. 34.

Hujus est fructus capsularis, quatuor semina in se complectens.

Ibid. ad lin. 37.

Nuchulee *Malabarorum*. *Gentilibus Indis* Vaindechettoo nuncupatur.

Ibid. ad lin. ult.

Piperi similis fructus striatus, *CBP.* 412. Caryophyllus *Plinianus*, sive Negundo *Imperati*, *fol.* 676.

Fol. 391. *ad lin.* 24.

Viti *Idææ* similis, Frutex *Africanus*, *PBP.* 384.

Ibid. post lin. 24.

VITIS IDÆA *Malabarica*, fructu majori; Perin-Nirouri, seu Ma-Nirouri, *Hort. Malab. Part.* 5. *Tab.* 43.

Vitis Idæa *Malabarica*, fructu minore, Katou-Nirouri, *Hort. Malab. Part.* 5. *Tab.* 44.

Ibid. ad lin. 26.

An Vitis *Idæa Æthiopica*, Buxi minoris folio, floribus albidis, *Hort. Medicinæ Amst. fol.* 125. Ubi habetur *Icon*.

Ibid. post lin. 30.

Vitis *Idæa Mariana*, Vincæ pervincæ minoris folio, Jasmini flore gemello fructu nigricante, claviculis donata.

Ibid. post lin. 39.

Vitis Idæa *Mariana*. bullatis floribus amplis, uno versu in spicam dependentibus. Idem est cùm Arbusculâ *Marianâ* brevioribus Euonymi foliis, pallidè virentibus, floribus arbuteis ex eodem nodo plurimis, spicatim uno versu prorumpentibus; in præcedentibus memorata.

Vitis *Idæa Virginiana*, longiore mucronato, & crenato folio, floribus pentapetalis, staminibus plurimis refertis.

Fol.

Fol. 391. *post lin.* 39.

Vitis Idæa *Mariana*, brevioribus obtusis foliis, floribus albis inter ramulos sparsis.

Ibid. post lin. ult.

Vitis Idæa *Mariana*, Salicis pumilæ foliis firmioribus. Huic etiam aliquatenùs accedit Tlacozaçali, *Novæ Hispan. Terentij apud Recc.* 418.

Vitis Idæa, Oleæ sativæ foliis, *Marilandica*.

Fol. 392. *ad lin.* 15.

Huic fortè accedit Curviri *Brasiliensium*, *Marcgr. lib.* 3. *cap.* 9.

Ibid. post lin. 19.

Vitis *Idæa* (forsàn) parvis subrotundis elegantissimè crenatis foliis, Fruticulus ex *Groënlandia*.

Vitis *Idæa* (forsàn) sive Myrtillus maritima, foliis & fructu grandioribus. Sempervivum marinum bacciferum, *Marcgr. fol.* 13. An Portulacæ facie maritima, fruticosa, erecta, amaricans; *Cat. Jam* 88.

Vitis Idæa *Mariana*, Amelanchier lanato folio, floribus albis ad Umbilicum ferè laciniatis.

Vitis Idæa *Mariana*, lanatis foliis, Sassafras in modum tripartitò divisis, floribus comosis. Hujus enim folium, quemadmodum & Cotoneæ veluti *gausape*, densâ lanugine tegitur, est quoque oblongum, & utrinque habet incisuras duas latas & profundas, instàr *Ancilium*, quæ hodièque in nummis *Romanis* visuntur apùd *Goltzium in Fastis. fol.* 206. & aliis. Vid. *Lips.* 5. *Antiq. lect.* 16.

Ibid. ad lin. 38.

Vitis fructu minore rubro acerbo, folio subrotundo, minùs laciniato, subtùs albâ lanugine tecto, *Cat. Jam.* 171. Fortè Cevalchichiltic f. Vitis sylvestris *Hernandez apud Recc.* 128.

Fol. 393. *post lin.* 19.

ULMIFOLIA, Arbor baccifera *Ind. Orient.* antirheumatica. An fortè hujus sit cortex Arboris Ulmo similis ad Catarrhos, *Monardes cap.* 43. *Park. Theatr. Plant.* 1663. Rheumatick-Barke. Penainchedde *Malabarorum.* An Pacal *Indis* arbor jam descriptâ minor, *Monardes Hist. Lugd.* 1876. *Monard. cap.* 58. *apud Clus. fol.* 342. Quanquàm ad Ulmifoliam Arborem *Africanam*, bacciferam, floribus purpureis, *Phytogr. Tab.* 237. viz. Arborem huic lineæ in *Almagesto nostro* proximè præcedentem, hæc Synonymia dubitantèr retulimus.

Ibid. post lin. 22.

UNJALA *Hort. Malab. Part.* 7. *Tab.* 28. sive Frutex *Indicus*, foliis rigidioribus ternis, quaternis, immò quinis, fructu orbiculari, compresso, fungoso, unicum semen complectente. Hujusmodi ramulum ante annos aliquot ære redemi proprio, non à *Naturâ*, sed à *Medico*, qui dono acceperat; nomini ejus parco, ne videar in eum concitatior.

Fol. 393. *post lin. penult.*

URTICA major iners *Virginiana*, Malabathri folio trinervis, à Mercuriali *Virginiana* majori, haùd multùm abludit.

Fol. 394. *ad lin.* 4.

An Urtica major racemosa, humilior, pungens, sed non urens, *Cat. Jam.* 38. Urtica racemosa humilior, iners, *ejusd. ibid.* Verbenæ botryoides major, *Canadensis*, *Munting. libr. ampliss.* nupèr edit. *fol.* 784.

Ibid. ad lin. 8.

An Urtica minor iners spicata, folio subrotundo, serrato, fructu tricocco, *Cat. Jam.* 38. si hæc planta non sit de numero Mercurialium.

Urtica minor iners *Mariana*, seminibus ex alis foliorum racemosis, non ramosis.

Ibid. ad lin. 11.

Post *Eph. Germ* add *Miscellan. Curiosor. Anni undecimi.*

Ibid. ad lin. antepenult.

Post 1850. *add.* An Arbor papyrifera *Japonina*, ficulneo folio, *Breyn. Prodr.* 2. 19. Fortè etiam Pacocaatinga *Brasiliensibus* arbor, *Marcgr. fol.* 102. Copeia *Americanorum*, è cujus Arbore legitur Pix, ut è Pinû *Jonston. Dendrograph.* 79. Quære àn Tarre-Tre, (i. e.) Pixygradendros *Insulæ Condore*, *Dampier. Circumnavig.* 391. An Aloes similis succus Iraituch & Ajawee gravis odoris ad picandum, *JB. Tom.* 1. 346. Quem Musæfoliis involutum accipiebat, *Cl. Clusius*. An [illegible]jeru *Marcgr.* 77. minùs aptè quæritur à *Sloano*. Prunus maritima racemosa, folio rotundo glabro, fructu minore purpureo, *Cat. Jam.* 183. De hujus autem Synonymiis ex *Phytographiâ nostrâ* plurima exscripsit Autor, ac si sua essent, non dignatus *Illam* citationis honore, adeò nimirùm omnia voluit scire, aut scisse putari, *Botanicus* ille sine æmulo maximus, ut vel in eo seipso fretus, noluerit alieni nominis subsidio, gradum sibi facere ad gloriam suam.

Fol. 395. *ad lin.* 3.

An Quamochitl, s. Arbor fructus crepitantis tertia, Maizio similis, *Hernandez apud Recc. fol.* 94.

X.

Fol. 395. *ad lin.* 6.

POST Sesamoides *add.* Coronopi folio.

Ibid. post lin. 8.

XERANTHEMUM Sesamoides amœnè purpureum, Stæchadis citrinæ foliis inferioribus, supernis autem Ericæformibus, cauli appressis, flore longiore completo, ex *Promont. Bon. Spei.*

Ibid. post lin. 11.

Xeranthemum Stæchadis Citrinæ foliis rigidis mucrone pungentibus, flore albo duriusculo, ex plurimis flosculis immarcescentibus parvis, summo ramulo glomeratis,

tis, conflato. An rectius, Agerato affinis *Africana*, Stœchadis citrinæ foliis aculeatis. Fortè Polium *Africanum*, fruticosum, cinericeum, *Amman Charact. Plantar.* 362.

Ibid. ad lin. 23.

An Arbores quibus versicolor est Materies, *de Laet. fol.* 328. An Jecuiba *Brasiliensium, Marcgr.* 127. Cujus lignum egregium est ad varia sculpenda. An Nerio affinis Arbor versicolorâ materie, laurifolio lucido, flore pentapetaloide, sulphureo, amplo, *Cat. Jam.* 155.

Fol. 396. *ad lin.* 7.

Add. Vid. Almagest. Bot. fol. 19. *Pl.* 20.

Ibid. ad lin. 12.

Morus fructu viridi, ligno sulphureo tinctorio, *Cat. Jam.* 128. An Lignum croceo tingens, *JB. Tom.* 1. *lib.* 4. 493. An *Americæ* lignum luteum, ex quo Aliqui suos parant enses, *Thevet.* Considerandum (inquit *J. Bauhinus.*) An tale quid insinuet *Serapio*, quando ex autoritate *Aben Mesuai* tradit Virtz afferri ex Provinciâ *Jaiemen*, esse Corticem Arboris, ex quo paratur color similis Croco, sub Virtz nomine eodem loco, meminit aliarum Plantarum, ex variorum autoritate, de *quibus suo loco.*

Ibid. ad lin. 15.

An fortè hujus Arboris fructus, sint Fagaræ minores *Imperati, Hist. Nat.* 676. Fagara minor, *JB. Tom.* 1. 350. Cujus ramuli exemplar ab *Orientalibus* quoque *Indis* nobis aliquando adfertur. Huic etiam Mouli-Ili, *Hort. Malab. Part.* 5. *Tab.* 34. Rectè referendam esse putamus, quanquàm baccæ hujus minùs convenire videntur.

Ibid. ad lin. 17.

Euonymo affinis, Arbor spinosa, folio alato, fructu sicco pentagono, & pentacocco, ligno flavo, Santali odore. *La primiere sorte de bois espineaux jaune du Tertre*, 156. *Cat. Jam.* 38. Ubi plurima intèr se maximè diversa, malè confunduntur. Fortè etiam Paliuro affinis, Ligustri folia, spinosa, flore monopetalo difformi, fructu sicco, subrotundo; *ejusd. Cat. Jam.* 137.

Fol. 397. *ad lin.* 12.

An Pacocaatinga herba *Brasiliensium, Marcgr. fol.* 48.

Ibid. ad lin. 29. *& ult.*

Ad hoc genus Plantarum referendam esse putamus, Zedoariam radice luteâ, *Hort. Amstelodamens. Breyn. Prodr.* 2. 105. Quam itidem eandem esse suspicamur cum Cassummuniar radice *Indicâ*, aliàs Rysagone dictâ, & aliquando sub titulo Bangalee ex *Orientalibus* nos habuimus; cujus usus in curandis plurimis morbis, & ad Corticis *Peruviani* correctionem (ut dicitur) maximè valet; graviter at quibusdam non ingratè olet hujus Radix, & colore croceo tingit.

APPEN-

APPENDICE.

Fol. 398. *ad lin.* 7. *add.*

BEta aculeata *Cretica*; sub hoc titulo à multis jamdudum accipiebatur.

Ibid. ad lin. 17.

Variat interdùm flore ex cæruleo & candido, elegantissimè striato.

Ibid. ad lin. 56. *post Lusit. add.*

Anonis fortè non spinosa, procumbens, *Lusitanica*, flore purpureo, spicato, *Breyn. Prodr.* Ononis non spinosa, rotundifolia, spicata, purpurea, *Hispan. Bocc. Mus. Plant.* 60. *Tab.* 48. An Anonis non spinosa, purpureo flore, *JB. Tom.* 2. *lib.* 17. *fol.* 393.

Fol. 399. *ad lin.* 8.

Samaca (fortè) *JB. Tom.* 1. 111. An Baobab, *Prosp. Alp. de Plant. Ægypt. pag.* 66.

Ibid. ad lin. 52.

An Rapunculus aquaticus, foliis Cichorei, flore albo, tubulo longissimo, *Cat. Jam.* 58.

Ibid. ad lin. 53. *post loco.*

An Cichorio affinis *Americana*, Floris Cardinalis folio, floribus villosis, rubris, *PBP.* 323. *Cat. Jam.* 58.

Ibid. ad lin. 58. *post Virginiâ add.*

Clematis *Virgin.* Pannonicæ haud absimilis, foliis amplioribus subrotundis, flore ochroleuco. *Nobis.*

Fol. 400. *ad lin.* 10. *post fig.* 4.

An Convolvulus rectus minor, folio angusto, candicante, *Cat. Jam.* 58. Noster autem non omninò surrigit.

Ibid. ad lin. 14.

An potius Elichrysson minus *Africanum*, flore aureo, *ejusd. Breyn. Fascic. Rarior.* 22. Fortè etiam Chrysanthemum frutescens, *Æthiopic.* Rosmarini foliis, flore aureo, amplo; *ejusd. Breyn. Prodr.* 2. 32.

Ibid. ad lin. ult.

Fumaria amplexicaulis, Vesicaria; *Act.* Hafn. *Anni* 1673. Obs. 24.

Fol. 401. *ad lin.* 23.

Deleantur *add.* & quæ sequuntur verba viz. An Hypericum frutescens luteum, Phillyreæ foliis, *Ban.*

Ibid. ad lin. 47.

An Malva minor Supina, Betonicæ folio, flore coccineo, seminibus asperis, *Cat. Jam.* 96.

Ibid. ad lin. 49. *post fig.* 5.

Huic (fortè) congener est Katu-Kurka, *Hort. Malab. Part.* 10. *Tab.* 90. Quoad flores saltem, & eorum dispositionem; Hi enim in Vertice caulium in spicam compactiorem Congregati proveniunt, folio viridi, cuspidato, reflexo, succincti, persico aureo pallidi, odoris grati, &c.

Fol. 402. *ad lin. post Comptonian. add.*

Clematis Passiflora trifolia, flore purpureo, *Munting. libr. ampliss. noviter edit. fol.* 584. Ubi depictum invenies.

Laudate Deum *qui facit ut germinet foenum ad Jumentum; & herba ad Hominis usum.* Psal. 104. Vers. 14.

FINIS.

ADMONITIO.

OMisimus in hâc Opellâ ex Plantis exoticis quamplurimas alias, quæ in *Herbario nostro Vivo* inseruntur; quia nondùm exactiùs Observare & eas Denominare nobis licuit.

INDEX Totius Operis.

Numerus Folium, *Literæ* Librum *deſignant.* A. *quidem* Almageſtum, M. *vero* Mantiſſam.

A

AAtenarchedde *Malabaror.* M. 125.
Abanga & Caryoces fructus. M. 144.
Abelicea *Cretica,* M. 40.
Abelmoſch ſ. Moſch. *Arabum.* A. 14.
Aberas *Ambroſini,* M. 13.
Abhel *Guilandino.* A. 125.
Abiegna *Cluſii.* A. 125.
Abies. A. 1. 2.
  maritima A. 118. 119.
  Scotica. A. 297.
Abrotanoides arbor M. 1.
  planta ſaxea, A. 118.
Abrotanum A. 2. 103. 362. M. 1. 130.
Abrus *Alpini.* A. 294.
Abs, Abes, aut Guſen *Arabum.* A. 368.
Abſinthium, A. 2. 73. 308. M. 1.
Abſinthio Seriphio ſimilis A. 58.
Abſus *Veſlingii* A. 341.
Abutilon *quibuſd.* A. 17.
Abutilo affinis M. 100.
Acacalis *Dioſcoridis* A. 361.
Acacia A. 3. 4. 5. 6. M. 1. 2. 131.
Acaciæ accedens. A. 96.
Acaciæ cognata planta. A. 43. M. 2.
Acacoyotl *Mexic* A. 80.
Acaja *Braſilianor.* A. 307.
Acajaiba cujus fructus Acaju *Piſon.* A. 29.
Acanthium & Acanthioïdes. A. 84. 85.
Acanthus. A. 6. 82.
Acapatlis *Mexic.* A. 12.
Acarapuda H. *Mal.* M. 163.
Acarizoba. *Braſilienſ.* A. 314.
Acarna. A. 85. 86.
Acatsjavalli H. *Mal.* A. 126.
Acaxaxon *Mexic.* A. 135.
Acaxochitl *Mex.* A. 314.
Acer. A. 7. 224. M. 26.
Aceris cognata. A. 7. M. 3.
Acetoſa A. 8. 15. 304. 398. M. 3. 6. 155.
Acetoſa arboreſcentis folio. M. 3.
Achaovan *Alpin.* accedens. A. 2.
Achillæa *Dioſcoridis* A. 250.
  Millefolia odorata. *Ibid.*
  montana. A. 103.
  Syriaca. Ibid.
Achiotl *Hernandez.* A. 272.
Acinaria marina. A. 161.
Acinodendron, M. 4.
Acocotlis *Mexicana.* A. 144.
Acomas *Caribeorum* A. 164. 306.
Aconitum A. 100. 267. 303. 357. 398. M. 63
Acorus *Aſiaticus,* A. 8.
Acriviola *Italorum* A. 388.
Acrochordodendros. M. 4.
Acrocorion *Plinii* A. 212.
Acuilotl *Mexic.* A. 196. M. 108.
Aculeoſa *Gazæ.* A. 83.
  Mauritanica. A. 8.
Adamaram H. *Mal.* A. 28. M. 12. 156.
Adamböe H. *Mal.* A. 16. 115.
Addeeweepaula *Gentilium.* A. 16.
Adel-Odagam H. *Mal.* A. 33. 245.
Adenes *Canadenſium* A. 99.
Adhatode *Zeylanenſium.* A. 9.
Adianthum. A. 9. 10. 11. 150. 152. 155. M. 5. 77. 78. 81. 82. 83.
Adianthum aureum. A. 256.
Adianthi capitulis Muſcus in Ericetis *IB.* A. 255.
Adonia puſilla Alopecuroides. A. 11.
  puſilla Myoſuros. A. 12.
Adrachne *Theophraſti.* A. 49.
Aduca-manjen H. *Mal.* A. 335.
Adundee *Malabaror.* M. 36.
Ady Palmæ ſpecies. M. 144.
Adypſon *Plinii,* M. 133.
Ægilops ſ. Cerrus mas. A. 309.
Æleagnus. A. 260.
Æſchynomene A. 251. 252. M. 131.
Æthiopis. A. 184.
Aga *Cretenſium* A. 84.
Agallochum *Officinar.* M. 133.
Agallochi fortè genus. A. 138.
Agaricus ex Larice fungus. A. 162.
Agaty. H. *Mal.* M. 87.
Agavanus *Creticus.* A. 84.
Agem Lilag *Perſarum* A. 359.
Ageratum A. 12. 103. 237.
Agerato affinis. A. 12. M. 191.
Agihalid Lycio affinis. A. 234.
Agnacat *Scaligeri.* A. 38. M. 18.
Agnus caſtus. A. 390.
Agouti-treva de *Laët.* M. 99.
Agria, ſ. Agrifolia glandifera. A. 197.
Agrifolium folio tenuiore. M. 108.
Agrimonia, ſ. Eupatorium. A. 206. M. 112
Agriomelodendros *Americana.* A. 43.
Aguacata Pyrus. A. 38. M. 18.
Aguapam *Laetii.* M. 23.
Aguape *Braſilienſium,* A. 266.
Aguara Quinha *Braſil.* M. 100.
Aguara-Quiya *Piſonis.* A. 349.
Aguaxima *Braſilianor.* A. 343.
Agul *Arabibus,* A. 166.
Agutiguepo-Obi *Braſilianor.* A. 79.
Ahate vel Ate *Panucenſis.* A. 32.
Ahilo-porro Salvages Hiſpanorum A. 114.
Ahoaton ſ. Quercus parva. *Hern.* A. 237.
Ahoehoetl *Mexic.* A. 2. 125.
Ahuacaquauhitl *Hernand.* M. 18.
Ahuapatlis ſ. Chamædrys *Mexic.* M. 169.
Ahuapatlis *Tiliacenſis.* A. 43. 198.
Ainpariti H. *Mal.* A. 14.
Ajuga ſ. Chamæpitys altera *Matth.* M. 123.
Aizoon minus *Matthioli.* A. 341.
  peregrinum *Camerarii.* A. 340.
Aizoi majoris ortu perſimilis M. 13.
Aizoides fuſiforme. A. 170.
Akara-patsjotti. H. *Mal.* A. 43.
Alabaſtrites ſ. Dentaria alba. M. 158.
Alaternus. A. 12. 13.
Albará *Piſonis.* A. 80.
Albatzapotl *Mexic.* M. 19.
Alcanna *Bontii.* A. 217.
Alcea A. 13. 14. 15. 16. 17. 206. M. 6. 7.
Alcharad *Arabum.* A. 3.
Alchimelech *Pr. Alpini.* A. 246.
Alchimilla A. 18. M. 7.
  gramineo folio. A. 302. M. 154.
Alchimillæ vel *Perchepier* affinis. A. 314.
Alcyonium. A. 385.
Alectorolophos alpina *Cluſii.* M. 147.
Alepoo *Malabaror.* M. 137.
Alga marina. A. 119. 161. 162. M. 155.
Algodon *Luſitanis.* A. 172.
Alhagi *Arabum.* A. 166.
Alhaut. A. 51. 304.
Alhu arbor *Zanon.* A. 144.
Aliſma *Matthioli.* A. 131.
  Monſpelienſium. A. 389.
  Toſſani Caroli, IB. A. 166.
Alkekengi. A. 352.
Allabuch *Avicen.* A. 388.
Allium Sphæriceo capite. A. 303.
  Amboinenſe. A. 18.
  Juncifolium moſchatum. A. 253.
  Urſinum bifolium. *Ibid.*
Allium ſ. Moly *Virginianum.* A. 134.
Almendras del Peru, A. 28.
Almorranere Yerva Joannis Caſtanedæ. M. 174.
Alnus, Alnifolia, fructu, & Alno affinis. A. 8. M. 7.
Alnus nigra ſ. Frangula. A. 157.
  polycarpos, A. 95.
Alni effigie lanato folio. A. 288.
Aloës. A. 18. 398. M. 8.
  Americana fructu dulci. M. 13.
Alopecuros tomentoſa. A. 177.
Alpam H. *Mal.* M. 115.
Alſine. A. 20. 21. 22. 23. 24. M. 8. 9.
  alpina junceo folio. *CBP.* A. 303.

INDEX.

aquis innatans. *A.* 357.
bacciferæ similis suis acinis. *M.* 174.
Myriophylli folio. *M.* 163.
Scandens baccifera *A.* 352.
Verna glabra, flosculis albis. *A.* 223.
Alsines facie planta nova *Fab. Column.* *A.* 280.
Alsine folia 2. *Hernandez.* *A.* 142.
Alsine affinis Androsace major. *A.* 62.
Alsine spuria. *A.* 23. 24. *M.* 44.
Alsines aliæ, at rectius Veronicæ. *A.* 384. 385.
Alspice *A.* 88.
Althæa. *A.* 24. 25. 26. 266. *M.* 9. 10. 11. 113.
Alypum f. Herba Terribilis. *A.* 336. *M.* 168.
Alysson dictum *A.* 365.
Discoridis *A.* 215.
Dioscoridis montanum. *A.* 384.
Galeni Clusio. *A.* 242.
Germanicum echioïdes. *A.* 71.
Alyssoides fruticosum *M.* 117.
Amacoztic *Hernandez.* *A.* 92.
Amalago *H. Mal.* *A.* 297.
Amamaxtla expurgans *Hernand.* *A.* 204.
Amaranthus & Amaranthoides. *A.* 26. 27. *M.* 11.
Americanus Baccifer. *A.* 353.
baccifer minor. *M.* 174.
luteus primus *Tabern.* *A.* 133.
Molluginis folio. *M.* 154.
Amatzquitl *Nieremberg.* *A.* 92.
Amaxquiliel *Nov. Hisp.* *M.* 25. 117.
Ambaiba de *Laët.* *A.* 146. *M.* 76.
Ambaibæ altera species. *A.* 146.
Ambaigtinga de *Laët.* *M.* 61.
Ambaigtinga *Brasil. Pison.* *A.* 146.
Ambalam *H. Mal.* *M.* 156.
Ambapaja *H. Mal.* *A.* 145.
Ambel. *H. Mal.* *A.* 267.
Ambela *Persis.* *M.* 45.
Ambo, & Amba *quibusd.* *A.* 43.
Ambrosia. *A.* 27. 28. *M.* 11.
campestris repens. *A.* 262.
Ambulon *Scaligeri.* *A.* 260.
Ambuyaembo *Pisonis.* *A.* 391.
Amelpodi *H. Mal.* *M.* 24.
Ameri *H. Mal.* *A.* 112.
Amerina rubens & nigra. *A.* 327.
Aminiju *Brasilianor.* *A.* 172.
Amfieon *Bengalensium* *A.* 278.
Amithon ligni genus *M.* 41.
Ammi. *A.* 28.
perpusillum *Lob.* *M.* 11.
perenne *Moris.* *A.* 121.
Ammioides *C B P.* *M.* 11.
Amomum *Dioscoridis.* *M.* 27.
genuinum *Penæ* *A.* 28. *M.* 12.
legitimum *Plinii.* *M.* 26.
Quorundam. *A.* 88.
Verum *Antiquorum* *A.* 394.
Amomum *Virginianum.* *A.* 28. 121.
Euonymo simile. *A.* 12.
Novæ Angliæ Quorund. *A.* 121.
Amourettes. *A.* 176. *M.* 95.
Amozotl *Nov. Hisp.* *A.* 329.
Ampousoutchy *Ins. Madagascar.* *A.* 228.
Amygdala *Guianensis*; *A.* 278.
Peruviana *M.* 12.
Amygdalæ *Indica I. Nieheusf.* *M.* 12.
Amygdali *Brasiliani* nomine missa *A.* 296.
Amygdalis similis *Guatimalensis.* *A.* 40.
Amygdalum referens Fructus hirsutus. *A.* 241.
Amygdalus & Amygdalo-*Persica.* *A.* 28.
Amygdaloides serrata *Hernand.* *A.* 180.
Anacampseros, vulgo Faba crassa *A.* 362.
Anacardium *Orientale* *A.* 28.
Occidentale Cajous dict. *Ibid.*
Anachecariri *Brasilianor.* *A.* 277.
Ana-Coluppa *H. Mal.* *M.* 11.
Anachunda *H. Mal.* *A.* 351.
Anacock *Virginiensium* *A.* 294.
Anagallis & Anagallidis facie. *A.* 29.
aquatica *A.* 20. 385. *M.* 186.
Mexicana Hernandez. *M.* 123.
Anagyris *A.* 29. 293. 398.
Ana-Mullu. *H. Mal.* *A.* 295.
Ananas. *A.* 29. *M.* 13.
Ana-parna *H. Mal.* *M.* 13.
Anapodophyllon *Canadense* Morini. *A.* 267.
Ana-Schorigenam *H. Mal.* *A.* 393.
Ana-Schovadi *H. Mal.* *A.* 133.
Ana-Vinga *H. Mal.* ....
Anchöa *Mex. Hern.* *A.* 397.
Anchovie-Peat *A.* 32.
Anchusa. *A.* 29. 258. *M.* 13. 66.
Andi-Malleri *H. Mal.* *A.* 252.
St. Andrews-wort *M.* 104.
Androsace *Matthioli.* *A.* 62.
Androsæmum. *A.* 188, 189, 190. *M.* 104.
Anemone *A.* 30. 310. *M.* 158.
Anemonæ affinis *Æthiopica.* *A.* 195.
Anemospermos *Africana.* *M.* 108.
Angelica *A.* 30, 31. 98. 348.
Angolam *H. Mal.* *A.* 31.
Angsana vel Angsava *Javanica.* *A.* 7. *M.* 120.
Anhuiba *Brasiliensium.* *A.* 120.
Anhuiba-miri *A.* 88.
Anil f. Nil *Indorum* *A.* 165.
Guadelupensium Francor. *A.* 122.
Animifera arbor *Brasiliana.* *A.* 96.
Aninga-iba & Aninga altera *Pison.* *A.* 50.
Aninga-peri *Brasilianor.* *A.* 320. *M.* 4.
Aniseed-Robin *M.* 141.
Aniso-Marathrum. *A.* 336.
Anisum. *A.* 31. 140. 144.
Annil f. Indigo; Gali *Linschot.* *A.* 165.
Anninchil *Hottentottorum.* *A.* 307.
Anoda *Zeylanensium.* *A.* 17.
Anon *Oviedi* *A.* 32.
Anona *Indorum.* *A.* 31, 32. *M.* 14.
Anona-maram *H. Mal.* *A.* 32.
Anonis. *A.* 32, 33. 398. *M.* 14, 15.
maritima lenis. *A.* 60. *M.* 30.
Natrix dicta frutesc. annua. *A.* 122.
Anonyma. *A* 14. 33. *M.* 15.
tertia *Hernand.* *A.* 381.
decima *Hernand.* *M.* 153.
Anonymos flore Coluteæ *Clusii.* *A.* 301.
fruticosa *Matthioli* *M.* 49.
Linifolio *Clusii.* *A.* 223
radice Dentariæ *Fab. Column.* *A.* 142.
Anramatico *Flacurtii* *A.* 394.
Anserina vulgo, *A.* 284.
Anthalium *Plinii*, *A.* 127.
Antholysthos, *A.* 33.
Anthriscus, *A.* 91.
Anthyllis, *A.* 20, 21. 79. 236. 302. *M.* 143.
Chamæpityides frutescens. *A.* 69.
leguminosa. *A.* 227. 228.
Ulmifolia *quibusdam*, *A.* 227.
Anti-Euphorbium *Dodonæi.* *M.* 181.
Anti-nuba *Brasiliensium*, *A.* 92.
Antirrhinum, *A.* 33, 34. 283. *M.* 15.
arvense minus, *A.* 223.
triornithophorum, *A.* 222.
Antirrhino affinis pusilla planta, *M.* 73.
Antirrhino similis, *M.* 16.
Antophyllos *Medicorum*, *A* 88.
Antriscus *Casauboni*, *A.* 336.
Aocoxochitl *Nov. Hisp*, *A.* 22. *M.* 164.
Aovai *Americanis*, *M.* 12.
Apanchaloa *Nierembergii*, *M.* 165.
Apanxaloa *Nov. Hisp. Recc.* *M.* 121.
Aparine major *Plinii*, *A.* 72.
Aparines minoris folio glabra. *M.* 16.
Aphaca *Park.* *A.* 208.
Aphatzipuntzumati, *M.* 134.
Aphyllantes & Aphyllanti affinis, *A.* 335, 336.
Monspeliensium, *A.* 87.
Aphyllon aquaticum *Virginianum*, *A.* 399. *M.* 16.
Apios *I B.* *A.* 371.
Apios *Americana* Cornuti, *A.* 58.
Apioscorodon, *A.* 34.
Apitzalpatlis adstrictoria prima *Hern* *M.* 186.
Apitzalpatlis-Tzontololotlis (*i.e.*) Fimatrix *Hernand.* *A.* 386.
Apium, *A.* 34. 129.
montanum nigrum, *A.* 215.
palustre minus, *A.* 348.
Scoticum maritimum, *A.* 217.
Apocynum, *A.* 34, 35, 36, 37. *M.* 16, 17.
Apocynum Spurium, *A.* 109.
Apocynum trifolium *Indicum* Bod. à Stap. *A.* 181.
Apoyomatlis *Mexicanor.* *A.* 127.
Appel. f. Nalla-Appella *H. Mal.* *A.* 38.
Aquifolium, *A.* 38.
Aquilegia, *Ibid.*
Aquitzli *Nov. Hisp. Recc.* *A.* 120.
Araboutan vel Pseudo-santal. rubr. *M.* 57
Araboutan f. Pseudo santalo rubr. affinis, *M.* 136.
Araca-guacu *Brasiliens.* *A.* 181.
Arach-Symmaron *A.* 34.
Arachidna *Cretica.* *A.* 387.
Indiarum, *A.* 341.
Phaseolôdes, *A.* 291.
Arachus aromaticus *Hernand.* *A.* 381.
Indicus f. *Africanus* Park. *A.* 294.
palustris siliquâ radiatâ. *A.* 60.
Aracus f. Cracca major. *A.* 386.
Fabaceus. *Ibid.*
major *Bætica Boëlii*, *A.* 386.
minor *Lusitanicus*, *A.* 387.
sub terrâ siliquifera *A.* 208.
Araco similis, planta ex *Hispaniâ*, *Ibid.*
Aracynappil Aurantiis parvis similis, *M.* 16.
Aratacou fructus Clusii *A.* 31.
Araticu-ape *Brasiliens.* *Ibid.*
Araticu-pana, *Pisonis.* *A.* 32.
Araticu-ponhe *Maregr.* *Ibid.*
Arbor, *A.* 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48. *M.* 18, 19, 20, 21, 22, 23, 24, 25, 26, 27.
Arbor Acajou vulgo Cajou dicta *Pisonis*, *A.* 29.

INDEX.

Africana myrrham fundens, *M.* 74.
amara, *A.* 395.
Americana reſinoſa, *A.* 360, 361.
Americana Sindophoros *A.* 144.
Aromatica *Magellanica*, *A.* 89.
Braſilian cujus ramor. extremitatibus, Veſpæ nidificant *Piſon.* *A.* 44.
Camphorifera *Japonica*, *A.* 79.
Canellifera *Indica.* *A.* 88. *M.* 39. 40.
ſylv. fol. prægrandi. *M.* 19.
Cardiaca *Hernandez.* *M.* 84.
Caſſiam ſolutivam ferens *Bontii* *A.* 89.
Chiapenſis Styracem fundens *Laët.* *A.* 24.
Cochenille. *A.* 146.
Contrariis facultatibus donata, *M.* 86.
Coralli *Americana*, *M.* 150.
Cucurbitifera Raj. *A.* 124.
Tabacenſium de *Laët.* *Ibid.*
Ficus *Nigritar.* *I B.* 146.
Dei Park. *A.* 124.
Diaboli *Chriſtianorum.* *A.* 144.
Dyſenteriæ, *M.* 123.
ex *Floridâ* ficulneo folio. *A.* 120.
exotica foliis umbilicatis, *A.* 266.
exot. fructu Dactylis ſimili, *A.* 276.
exot. fructu racemoſo Charameis dict. *A.* 98.
exot. Lentiſci folio, *A.* 253.
exot. ſpinoſa foliis Lentiſci, *A.* 4.
ex quâ Aſſa fætida, *M.* 23.
ex quâ Gummi Almeſiga deſtillat in *Angolâ.* *A.* 44.
Fabifera Boa-Tſjinking dicta, *A.* 293.
Fabifera trifoliata Salviæ folio. *M.* 150
Fago ſimilis in *Cathagenâ*, *A.* 143.
farinifera, *M.* 144.
farinifera venenati ſucci. *M.* 126.
febrifuga *Peruviana* *Jonſt.* *M.* 115.
febrilis, *M.* 144.
ferens folia argentea *Zan.* *A.* 212. 269.
ferens Sirifoles *Nieremberg.* *M.* 60.
finium *Regundorum.* *A.* 272. *M.* 141.
flagellifera. *A.* 395.
foliis ampliſſ. fructu Cucumeris, *A.* 145.
foliis laurinis *Morillie* vulgo *A.* 48.
fructum Melonis facie proferens. *A.* 125.
Guaiacana. *A.* 180.
Javanenſis fol. Fraxini. *A.* 373.
Ignea *Hernand.* *A.* 263.
Indica anonymos tertia *Theophr.* *A.* 295.
Indica dormiens. *M.* 178.
Indica florib. & fructu in globum aggregat. *A.* 203.
Indica Fraxino ſimilis Oleæ fructu. *A.* 269.
Indica Juglandis fol. *A.* 63.
Indica Nerii foliis ſplendentibus, *A.* 210. 263.
Indiæ Orientalis tædifera, *M.* 148.
Juda, *A.* 95.
lanigera ſpinoſa, *A.* 172.
Lavendulæ folio *Cluſii*, *A.* 223.
leproſa fundens Copalli, *A.* 166.
lucens fructibus Halicacabi, *A.* 298.
lucens *Jamaicenſis*, *A.* 228.
Malabarenſium fructu Lentiſci, *A.* 41. 283.
Mangifera *Bontii*, *A.* 43. 241.
Manicongo nucifera, *M.* 145.
Melonifera, Papaya vulgo, *A.* 145.
Mexicana fructu Caſtaneæ, *A.* 272.
Miſtecæ-Provinciæ, *A.* 266.
Muſcarum ſplendentium *A.* 228.
Myrti laureæ folio, Elemi fundens, *M.* 25.
Naldivienſis Candou *Purcheſii*, *A.* 228.
Papyrifera *Japonina*, *M.* 190.
Peponifera *Braſil.* ſpinoſa, *A.* 146.
peregrina ex *Guineâ*, *A.* 124.
peregrina *Romæ* *Andr. Cæſalp.* *M.* 24.
Pergamenifera, *A.* 275.
pictæ *Hernand.* *A.* 393.
piſcipula, *M.* 150.
Platani folio fructu Peponis, *A.* 145.
Populo ſimilis reſinoſa, *A.* 228. 360.
racemoſa *Braſiliana* fol Malabathri, *A.* 40. *M.* 4.
a' Raiz Linſchotani, *A.* 241.
reſinifera *Tabacenſis*, *A.* 144. *M.* 42.
rupturas conſolidans, *A.* 147.
Saccharifera *Canadenſium Ind.* *A.* 7.
Salvifolia ſericea, *A.* 326.
Sancti Thomæ Zanon, *A.* 240.
Saponaria *Piſonis*, *A.* 92.
Scientiæ, *M.* 125.
ſiliquoſa *African.* Geniſtæ ſemine, *A.* 122.
ſiliquoſ. *Braſil.* ſiliq. tortuoſâ, *A.* 96.
ſiliquoſ. ex quâ gummi Anime elicitur, *A.* 96.
ſiliquoſ. Juglandis folio, *A.* 295.
ſiliquoſa *Malabar.* cordato fol. *A.* 109.
Sinenſis pinguedinem Sebi inſtar ferens, *M.* 39.
ſpinoſa ex *Java* undè *Cate*, *A.* 160.
ſpinoſa Fraxini fol. *Virginiana.* *A.* 98.
ſpinoſa *Indica* muricatis ſiliquis, *A.* 4.
Sycophora *Jamaicenſis*, *A.* 42. 145.
Tacamachaccam liquidam fundens, *A.* 360.
Thurifera, *A.* 297, *M.* 3. 119.
Tigridis *Nierembergii*, *A.* 393.
tinctoria *I B.* *A.* 306.
tinctoria *Virginiana Multis*, *A.* 181.
trifolia *Indica I B.* *A.* 293.
triſtis *Acoſtæ*, *M.* 46.
venenata laurifolio *Strabonis*, *M.* 86.
venenata *quorundam*, *A.* 181.
Veſpertilionis *Indica* Lentiſci fol. *A.* 202.
Veſpertilionis maxima *A.* 294.
viminalis ex *Antegò.* *A.* 240.
Violarum *Indica.* *A.* 261.
Vomitoria *Hernandez.* *A.* 293.
Arbori *Braſilianæ* affinis, *M* 136.
Arbore Indiano que pendouo Nidi d'Uccelli, *M.* 156.
Arbores quibus verſicolor eſt *Materies*, *M.* 191.
Arbutus, *A.* 49.
Archam arbor *Indiana*, *M.* 116.
Archangel *Barbadenſib.* *Anglis*, *A.* 141. 335. *M.* 129.
Archangelica *Park.* *A.* 203.
Archol and Corke *Noſtratibus*, *A.* 255.
Arctium *Dioſcoridis*, *A.* 305.
Arcturus *Creticus* Belli, *A.* 382.
Ardanapalle *Malabaror.* *M.* 27.
Arealù *H. Mal.* *A.* 144.
Areca ſ. Fauſel. *A.* 275.
Arenaria *I B.* *A.* 23.
Argan ſ. Erguen. nux. *A.* 306.
Argemone, *A.* 279.
Argentea Proſp. *Alpini*, *A.* 194.
Argyrocome Guaphaloidi affinis, *A.* 395.
Aria *Theophraſti*, *A.* 248.
Aria-bepou ſ. Nimbo *Acoſtæ* *H. Mal.* *A.* 269.
Ari-veela *H. Mal.* *A.* 280.
Ariſarum, *A.* 51, 52.
Ariſtolochia *A.* 49, 50. 114. *M.* 27.
Arkaſondi, ſ. Akaſond. *Zanon.* *A.* 241.
Armeria, *A.* 87.
Arnacorea *Malabaror.* *M.* 98.
Arna-Ouero Anavarecca *Zanon.* *A.* 390.
Aroeira *Luſitanis*, *A.* 319.
Arpus *Moſcovitis*, *A.* 247.
Arraveenam poondo *Malabaror.* *M.* 9.
Arrow-Root *A.* 80.
Artemiſia, *A.* 50. *M.* 1.
Arti, ſ. Ada arbor. in *Inſulâ Solor.* *M.* 86.
Artiſi vulgo, *A.* 373.
'Αγλωαγροτοροφος *M.* 124.
Arvida ſalva Canarienſibus Hiſpanis, *A.* 329.
Arum, *A.* 50, 51, 52. *M.* 27, 28. 36.
Arundo, *A.* 52, 53, 79, 80. 177. *M.* 28.
Aſarina, *A.* 131. 283. 314.
Aſarum, *A.* 53.
Aſari folio, planta *Æthiopica*, *M.* 138.
Aſclepias, *A.* 35. *M.* 16, 17.
Aſcyrum, & Aſcyroides, *A.* 189, 190. *M.* 104.
Aſjogam *H. Mal.* *M.* 21.
Aſpalathus, *A.* 129. 166. *M.* 66. 89. 139.
Aſparagus, *A.* 53. *M.* 28.
Aſperula & Aſperulæ congener, *A.* 54. 324. *M.* 29. 163.
Aſphodelus. *A.* 54, 55. 289. *M.* 29. 142.
Aſpris *Theophraſti.* putata. *A.* 309.
Aſſhogamaram *Malabaror.* *M.* 21.
Aſſitra *Zanoni.* *A.* 240.
Aſter. *A.* 55, 56, 57, 58. 65. 99. 100, 101. 117. 149. 336. *M.* 29, 30. 65.
Aſtergir *Rhaſis*, *A.* 396.
Aſtragalus & Aſtragaloides, *A.* 58, 59, 60. 112. 227. 269. 273, 274. 301. *M.* 30. 142, 143.
Aſtrantia, *A.* 198.
Atamaram, *H. Mal.* *A.* 32.
Atamuſco, *A.* 220.
Atapaulum *Malabaror.* *M.* 14.
Atatapalatl *Mexicenſium* .....
Atehuapatlis *Hernandez.* *M.* 98.
Atenxihuitl *Nov. Hiſp.* *M.* 147.
Atepocapatlis *Hernand.* *A.* 101.
Atexca'quahoitl. *Nov. Hiſp.* *M.* 85.
Atitara *Margravii*, *A.* 276.
Atlas-Tree, *A.* 212.
Atlatonocthli *Hernand.* *A.* 147.
Atlatzopillin, ſ. aquoſa herba appenſa. *Hern.* *A.* 14. *M.* 6.
Atlinam *Mexicanor.* *M.* 35.
Atochietl. 3. *Nierembergii*, *M.* 52.
Atragene *quibuſdam*, *A.* 109.
Atriplex, *A.* 60, 61. 68.
Attractylis, *A.* 82. 86. *M.* 38.
Atzoyotl-Coztic-Yni Roderilyo *Hern.* *A.* 93.

INDEX.

Avacari fortè *Indorum Garciæ*, *M.* 134.
Avanacú, ſ. Citavanacú *H. Mal. A.* 319.
Avaramo-Temo *Braſilianor. A.* 95.
Avaree *Malabaror. M.* 169.
Aucaſhdammaree *Malabaror. A.* 267.
Avellana, *A.* 121. *M.* 57.
Americana quadrifida, *A.* 139.
Indiana verſicolor, *A.* 275.
Indica Cluſii, *A.* 39.
Indica minor, *I B. Ibid.*
Mexicana Guilandini, *A.* 40.
purgatrix, *A.* 326. *M.* 161.
Avellanæ *Indicæ* genus oblongum Clus. *A.* 265.
Avena, *M.* 30.
Avenqua *Luſitanis*, *A.* 11. 150.
Avevetl. *A.* 2.
Avicularia *Sylvii*, *A.* 78.
Aumanamaram *Malabaror. M.* 144.
Aumaunadundoo *Malabaror. A.* 47.
Aureoles Allobrogum, *A.* 86.
Auricula leporis, *A.* 73.
Auriculæ leporis affinis, Odontitis lutea, *A.* 287.
Auricula marina, *A.* 162.
Auricula muris pulchro flore, *A.* 23.
Auricularia *Indorum*, D. *Marloë. M.* 129.
Auverrechedde *Malabaror. M.* 52.
Auzuba *Oviedi*, *A.* 45.
Axi ſiliquæ in *Hiſpaniolâ*, *A.* 353.
Axihuitlapapat lactlis *Hern. M.* 187.
Axixpatlis *Hernandez. M.* 72.
Axixzoca-Huilizpatli-Yanguitlanenſis *Mex. Herr. M.* 62.
Axochiatl de Colan. *Hernand. A.* 235.
Ayacachquahoitl *Nov. Hiſp. Recc. A.* 15.
Ayaquicuramo Tlacuilolquahuitl *Hern. A.* 393.
Aypi radix, *M.* 126.
Ayri, uel Hayri *Braſilianor. A.* 277.
Azederacth & Azederach. *A.* 62.
Azadirachta *Indica* foliis Fraxini. *A.* 269

B.

BAccharis *Africana*, *M.* 71.
Americana ſuaveolens, *A.* 140.
Dioſcoridis, Rauwolf, *M.* 91.
Fab. Columnæ, *A.* 117.
floribus purpureis nudis, *M.* 71.
Baccifera arbor calyculata *Jamaicæ*, *M.* 119.
oſſiculo compreſſo lunato, *M.* 59.
Badjany *Siberiæ*, *M.* 70.
Badu-karanſe *Bengalenſium*, *A.* 294.
Badukka, *H. Mal. M.* 36.
Bahei-Coyolli, *Mexic. A.* 275.
Bala, ſ. Muſa *Serapionis*, *A.* 145.
Balam pulli, ſ. Maderam-pulli *H. Mal. A.* 361.
Balangas arbor Sycophora, *M.* 21.
Balanus Myrepſiica, *A.* 45. 253.
Balauſtia flore pleno, *A.* 240.
Balſamifera arbor, *A.* 63.
Balſami *Peruviani* fructus *Ibid.*
Balſamina Cucumerina, *A.* 71. 123. *M.* 59.
Balſamina fæm. *A.* 62, 63.
Indica repens, *A.* 282. *M.* 146.
Balſamum alpinum, *A.* 106.
Cap arium *Antegoanis*, *A.* 321.
Balſam-Apple *A.* 92.
Baltracan in *Tartariâ* naſcens, *M.* 135.
Bamia *I B. A.* 16.
Æthiopica, ſiliqua decagonâ *Ibid.*
Bamiæ aliguatenus affinis Sabdariffa, *A.* 15.
Banam fructus in regno *Congiano*, *A.* 145.
Banana & Bananeira, *Ibid.*
Bandura *Cingalenſibus*, *A.* 394.
Bangalee *Orientalium*, *M.* 191.
Bangue *Indorum*, *A.* 80.
Bankaretti *H. Mal*, *A.* 294.
Baramareca *H. Mal. A.* 192.
Barba Capri, *A.* 392.
Barba *Jovis* arbor. *A.* 227.
Lagopoides *Cretica Ibid.*
minor *Luſitanica*, *M.* 120.
pumila, *A.* 227.
Barba *Neptuni* Neutono, *A.* 120.
Barbarea minor perennis, *M.* 69.
minima, *A.* 137.
muralis, *A.* 70.
Bardana, *A.* 205.
Baruce fructus è pluribus nucibus arboris Huræ, *A.* 266.
Baſella *H. Mal. A.* 253.
Baſila *Zanoni*, *Ibid.*
Baſilicum *Indicum* ſyveſtre *Zanon. A.* 268.
Baſium monile *Hernand. A.* 166. *M.* 89.
Baſonrinha *Luſitanis Braſilienſibus*, *A.* 25. 296.
Baſſe-Tree, *A.* 41. *M.* 75.
Baſtard-Cedar, *A.* 92.
Baſtard-Locus *Barbadenſibus Anglis A.* 225.
Batata purgativa *Hernand. M.* 53.
di purga Piſonis, *A.* 114.
Batatas Camotes *Hiſpanorum Ibid.*
Capenſis, *A.* 292.
Batta-Valli, *H. Mal. A.* 181.
Batti-Schorigenam *H. Mal. A.* 394.
Baxana arbor, *M.* 23.
Bdellifera arbor in *Americâ*, *A.* 43.
Bdellii fructus *Lobelii*, *A.* 92.
Bead-Tree, *M.* 30.
Bean-Tree *A.* 292.
Bearded-Fig-Tree, *A.* 144.
Becabunga dicta, *A.* 385.
Beech-wheat *M.* 74.
Beedchamerca *Zingienſibus*, *A.* 13.
Beef-wood, *A.* 395.
Been album vulgo, *A.* 231, 232.
Beenel *H. Mal. A.* 64. *M.* 153.
Beeſha *H. Mal. A.* 53.
Behen album *Rauwolfii*, *A.* 141.
rubrum *quibuſdam*, *A.* 220.
Beideſſar *Alpini*, & Beidel-Oſſar, *A.* 34, 35.
Bel-adambu-walli, *H. Mal. A.* 13.
Bela-Schora *H. Mal. A.* 286.
Beldroga *Luſitanis*, *A.* 303.
Bel Ericu *H. Mal. A.* 35.
Beli *Bengalenſium*, *A.* 125.
Belilam *H. Mal. M.* 49.
Belingela *Luſitanis*, *A.* 350.
Beli-Tsjira *H. M. A.* 373.
Bella-Donna, *A.* 220, 332.
Bellamodagam, *H. Mal. A.* 361.
Bellvidere, *A.* 68.
Bellis, *A.* 64, 65, 66. *M.* 31.
Africana Coronopi fol. *A.* 100.
Canadenſ. purpurea *Claſſ.* Nutio, *A.* 99.
Cærulea. *A.* 335.
leucanthema conyzoid. Ptarmicæ facie, *A.* 56.
lutea *Dalechamp. A.* 57.
folio ſubrotundo. C B P. *A.* 192.
montana-fruteſcens, *A.* 335.
Belluta-Kanneli *H. Mal. M.* 39.
Belmoſchus *Ægyptia Hon. Belli. A.* 14.
Beloëre *H. Mal. A.* 17.
Belutta-adeca-manjeu, *H. Mal. A.* 33.
Belutta-Areli *H. Mal. A.* 262.
Belutta-Modela-muccu *H. Mal. A.* 288.
Belutta-pola-taly H. *Mal. A.* 219.
Belutta-Tsjampacam H. *Mal. A.* 90.
Bem-moenja H. *Mal. A.* 66.
Bem-noſi H. *Mal. A.* 390. *M.* 161.
Bem-Schetti H. *Mal. A.* 196.
Bem-Tamara H. *Mal. A.* 267.
Bena-patsja *H. Mal. A.* 182.
Bengieiri H. *Mal. A.* 320.
Ben-kara H. *Mal. M.* 57.
Benka-lesjam H. *Mal. A.* 66.
Ben-pala H. *Mal. A.* 369.
Benzoenil fructus, *A.* 381.
Benzoinifera aut Arbor Benevifera, *A.* 42.
Ber *Indian* fructu Jujubino, *A.* 199.
Ber *Indicæ* affinis Laccifera *M.* 85.
Berberis & Berberidi affinis, *A.* 66, 67. *M.* 31.
alpina *Cretica*, *A.* 234.
Berberidis facie ſpinoſa, *A.* 234.
Berbery-Pepper, *A.* 354.
Beretinus fructus *Cluſ. A.* 211.
Berula *Tabern. A.* 385.
Beta, *A.* 67.
Betæ folio *Malabarica* ſemine lappaceo, *M.* 113.
Beta baccifera *Breyn. A.* 253.
Betonica, *A.* 67. *M.* 31.
Betonica coronaria ſ. Tunica minima, *A.* 233.
Beton, ſ. Tunicæ minim. ſimilis planta, *A.* 22. 233.
Betonica *Pauli*, *A.* 384.
Betre, ſ. Betelle, *I B. A.* 67.
Betula, *A.* 67.
Betys vel Betre *Piſonis*, *Ibid.*
Betys fæmina *Piſonis*, *A.* 297.
Beuk-Wheat *Skinneri*, *M.* 74.
Bexudo *del Peru. I B. A.* 109. *M.* 51.
Bezoar-Nut, *M.* 2.
Bezucus *Nieremborgy*, *A.* 391.
The Bichy-Tree, *M.* 44.
Bidens *Indica* Hieracii folio, *M.* 47.
Americana Apii folio, *M.* 47.
Canadenſis latifolia, *Ibid.*
Bidsjam-Hitem *Malacenſium*, *A.* 344.
Bidsjam-Poeteh *Malacenſ. Ibid.*
Bifolium, *A.* 270.
Bignonia *Americana*, *M.* 50.
Bilimbi H. *Mal. A.* 238. *M.* 36.
altera minor H. *Mal. A.* 45.
Billingbing *Bontii*, *A.* 238. *M.* 36.
Bintal *Zeylanenſium*, *A.* 253.
Bintamburú *Zeylanenſibus*, *A.* 114.
Birao *Indorum*, *M.* 12.
Birli *Luſitanis Zanoni*, *A.* 276.
Biſermas *Camerar. A.* 185.
Biſtorta. *A.* 67. 68.
Biti *Malabaricæ* accedens. *A.* 67.

Bitoncus *Hernandez*, *A.* 108. 363.
Bitterwood, *A.* 395.
Black-bud, *Barbadensibus Anglis*, *A.* 246.
Black-Snake-root, *A.* 63.
Blackwood of *St. Helena*, *M.* 6.
Blattaria, *M.* 32.
Blatterloss *Hollandis*, *M.* 132.
Blitum, *A.* 68, 69. *M.* 32.
Blitum angustifol. verticillatum *Bocc.* *M.* 112.
Boa-keloor *ten Rhine*, *A.* 253.
Bodaglam *Paludano*, *M.* 162.
Bo-gahah *Cingalensibus*, *A.* 144.
Bois de Coral. Rochfort. *M.* 151.
Bois de Rose Rochfort. *M.* 140.
Bon, vel Ban, item Buna, *A.* 69.
Bonana-Tree, *A.* 145.
Bonavische, *A.* 290, 291.
Bonduch *Ponæ* & *Zanoni*, *M.* 1.
Bonifacia, f. Bislingua, *A.* 209.
Bonnet-Pepper, *A.* 353.
Bonus *Henricus* vulgo *M.* 32.
Borago, *A.* 72.
Borri Borri *Indorum*, *A.* 397.
Botia-etta, *A.* 106.
Botrys, *A.* 68. 97.
Botrys Cypri *Canticorum*, *M.* 117.
Brabalegitima *Dioscoridis Zanon*, *A.* 315.
Brami *H. Mal.* *A.* 304. *M.* 9.
Brancamos *Lusitanis*, *A.* 320.
Branca-Ursina *Germanorum*, *A.* 355.
Brasma Piperis genus, *M.* 151.
Brassica, *A.* 69, 70. *M.* 32, 33.
sylvestris minor, *A.* 261.
folio Nymphææ Cajou-a, IB. *M.* 138.
marina, f. Soldanella, *A.* 113.
Bread-Fruit, *M.* 124.
Bread and Cheese, *A.* 294.
Brindones, *M.* 43.
Britannica Antiquorum *Munting.* *A.* 205.
Conyzoides, *A.* 57.
Quorund. & *Fracastorii*, *A.* 185.
Broad-leaf *Nostratibus*, *M.* 26.
Broad-leaf Mangrove, *A.* 144. *M.* 75.
Brotho-Condolo *Cochinensibus*, *A.* 253.
Brown Jolly, Nostratibus dict. *A.* 350.
Brunella, *A.* 70. *M.* 33.
Bruta arbor *Plinii*, *A.* 261.
Bryonia, *A.* 70, 71. *M.* 33. 187.
Bryonoides, *A.* 71. 96.
Bryopteris, *Prom. Bon. Spei.* *A.* 257.
scandens *Jamaicensis*, *A.* 156.
Bucane phyllon, *A.* 71, 72.
Buck-Thorn, *Barbadensibus Anglis*, *A.* 139.
Buck-wheat, *M.* 74.
Buebenda *Zanoni*, *A.* 45.
Buenas Noches Hispanorum, *A.* 114.
Buglossum, *A.* 72. 126. *M.* 33, 34.
Echioides *Indicum*, *A.* 142.
marinum incanum, &c. *A.* 106.
Bugula, *A.* 73. *M.* 34.
Bula *H. Mal.* *A.* 27.
Bulbocastanum, *A.* 73.
Coniophyllon *Camerar.* *A.* 259.
Bulbus eriophoros *Orientalis*, *A.* 186.
oblongus *Æthiopicus*, *A.* 220.
Bully-Bay, *A.* 306.
Bunium *Dalechampii*, *A.* 129.
Bupariti *H. Mal.* *A.* 17.
Bupaulemaram, *Malabarer.* *A.* 88. *M.* 16.
Buphthalmum, *A.* 73.
Abrotani fol. *Cap. Bon. Sp.* *A.* 194.
African. tenuifol. *Boelii.* *A.* 102.
Cotulæ folio, *A.* 103.
Dioscoridis, *A.* 102.
lanuginof. fol. Millefolii, *A.* 103.
majus *Loniceri*, *A.* 64.
peregrin. *Pr. Alpini.* *A.* 102.
verum *Dalechampii*, *A.* 103.
Bupleurum & Bupleuri similis, *A.* 73. *M.* 34.
Bursa pastoris alpina rosea, *M.* 102.
Bursæ pastoris similis, *A.* 70.
Buttonwood, *Jamaicensibus Anglis* *A.* 182.
Buxus & Buxifoliis frutex, *A.* 74. *M.* 34.
Byssini aurei herba *Sinensium*, *A.* 203.

C.

Caa-apia *Brasilianis*, *A.* 53.
Caa-apiæ altera species *Pison. Ibid.*
Caa-ataya *Brasil.* Marcgr. *A.* 237. 338.
Caachira undè fit *Anil.* *A.* 112.
Caacica *Brasil.* 372.
Caaeo *Marcgr.* *A.* 251.
Caaghiyayo *Pisonis*, *A.* 40. 98.
Caa-opia *Brasil. Pisonis*, *A.* 108.
Caapamonga tertia *Pisonis*, *A.* 270.
Caapeba *Brasiliensium*, *A.* 114.
Caaponga prima *Pison.* *A.* 27.
secunda *Pison.* *M.* 154.
tertia *Pisonis*, *A.* 304.
Caapotiragoa *Brasilianor.* *A.* 336.
Caara-Veela *H. Mal.* *A.* 280.
Cabbage-Tree, *A.* 276.
Cabinet-wood, *A.* 395.
Cabu-Iba *Marcgrav.* *A.* 63.
Cabure-iba *Pisonis*, *Ibid.*
Cabureizica *Brasiliensium*, *Ibid.*
Cacalia, *A.* 74.
Americana Park. *A.* 140.
Virgin.fol.ad caulem sessilibus, *A.* 142
Cacalic *Nov. Hisp.* *M.* 157.
Cacamilxochitl *Hernandez*, *M.* 159.
Cacamotic-Tlanoquiloni *Mex.* *M.* 53.
Cacamullu *H. Mal.* *A.* 353.
Cacanocthli *Mex. Hern.* *A.* 147.
Cacao *Acostæ*, *A.* 40.
Cacao affinis frutex, *M.* 122.
Cacapatlis *Hernand.* *M.* 158.
Cacapolton *Nov. Hisp.* *M.* 26.
Cacava-Quahuitl f. Arbor Cacavi *Hern.* *A.* 40.
Cacavaxochitl f. Flos Cacavatl. *Hern.* *A.* 78.
Cacaxocotl *Nierembergii*, *M.* 156.
Cachakaillille *Gentilibus Indis*, *M.* 2.
Cachima pomum in *Insulis Caribeis*, *A.* 32
Cachos *Hernandez.* *M.* 173.
Cachruiqua *Nov. Hisp. Recc.* *A.* 77.
Cachrys, *A.* 74.
Cacoxochitl *Nov. Hisp.* *A.* 243.
Cacubalus *Plinii*, *A.* 352.
Cadegi Indi. *M.* 39.
Cadelari, *H. Mal.* *M.* 11.
Cadel-Avanacu, *A. Mal.* *A.* 320.
Cafriconda *H. Mal.* *A.* 258.
Cajahaba & Cahajaba *quibusd.* *M.* 76.
Cajan arbor *Indica.* *A.* 293.
Caicotten-pala *H. Mal.* *A.* 373.
Cajous, *A.* 28.
Caipa-Schora *H. Mal.* *A.* 286.
Cakile, *A.* 315.
Calabura alba & rubra, *A.* 75.
Calaf. f. Ban *Alpini.* *M.* 165.
Calamintha, *A.* 75. *M.* 35.
Calamistrum herba aquatico-alpina, *A.* 170.
Calapecalunga *Malabaror.* *M.* 130.
Calceolus *D. Mariæ*, *A.* 182, 183. *M.* 101.
Calcitrapa, *A.* 86.
Calendula, & Calendulæ affinis. *A.* 75. 104. *M.* 35.
Chrysanthemoides *Breyn.* *A.* 195.
Cali *IB.* *A.* 202.
f. Vermiculari marinæ non dissimilis, *A.* 136.
Calibassier Rochforti. *A.* 125.
Callapillee *Malabaror.* *M.* 98.
Callavance, *A.* 289.
Callerellee *Malabaror.* *M.* 75.
Callitriche *Plinii*, *A.* 21. 357.
Calochierni *Cretensium*, *A.* 85.
Caltha. *A.* 75.
Camaçari *Brasiliensium.* *A.* 395.
Camanbaya *Marcgr.* *A.* 126.
Camara *Pisonis* & *Marcgravii.* *A.* 385. 386.
Camarinhas fructus, *A.* 306.
Camarinhas dictus frutex *Linschot.* *A.* 136
Camarú *Brasilianor.* *A.* 352.
Camatotoncopatlis *Hernand.* *M.* 75.
Cambeecheddé *Malabaror.* *M.* 23.
Cambui *Pernambucensis* arboresc. *A.* 95.
Cambuy tertia species *Pisonis*, *A.* 259.
Cametti *H. Mal.* *A.* 369. *M.* 162.
Cammaulmaram *Malabaror.* *M.* 23.
Camopaltic *Nov. Hisp. Recc.* *M.* 120.
Camoulrouive *Caribeorum* *A.* 113.
Campanilla *IB.* *A.* 187.
Campanula *A.* 75. 76. 77. 78. *M.* 35.
exotica *Aldini*, *A.* 113.
Indica IB. Ibid.
lutea Linifolia. *A.* 224.
Lychnidea. *A.* 117.
Camphorata & Camphoratæ similis. *A.* 79. 399.
Camphorifera arbor. *A.* 79.
Canambaya *Brasiliensium* Marcgr. *A.* 296.
Canari *Malabareis.* *A.* 297.
Càn-Caò *Sinensium*, *M.* 91.
Candle-Lotootree, *A.* 226.
Candle-Berry, *A.* 260.
Candle-Wood, & Candle-Tree *Ogilv.* *Ibid.*
Canella. 88. 89.
Caninga arbor *Hern.* *A.* 89.
Caniram *H. Mal.* *A.* 124.
Canis interfector f. Hordeolum *Hern.* *M.* 159.
Canna d' *Azuquare* Lusitanis *A.* 52.
Canna *Indica.* *A.* 79, 80.
Cannabila *Indica Stapelii*, *A.* 140.
Cannabina aquatica, *A.* 100.
Cannabis, *A.* 80.
lutea sterilis *Contareni*, *A.* 317.
spuria Urticæ facie, *A.* 203.
sylvestris *quorundam. Ibid.*
Canschena-pou *H. Mal.* *A.* 240.
Canschi *Malabaricæ* accedens *A.* 43.
Cansjan-Cora, *H. Mal.* *A.* 232.
Cantabrica *Plinii*, *A.* 116.
Caobà *Wormii*, *A.* 395.

INDEX.

Caoup Maragnanæ Insulæ de Laët, M. 99.
Capalxochotl f. Arbor gummosa Pruni formis, A. 94. M. 156.
Capillus fœtidus Hernandez. A. 140.
Capolin Nierembergii, A. 94.
Capo-Molago H. Mal. A. 353.
Capotes, f. Chicocapotes A. 125.
Capparis A. 80. M. 36.
Fabago, f. leguminosa A. 253.
Cappathiia Cingalensium, A. 320.
Capraria Curassavica Cabritta vulgo, A. 237.
Capreolata Bryoniæ nigr. fol. Marcgr. A. 115.
Caprificus, A. 144. M. 74.
Capu Carsboom, Belgarum, A. 94.
Capsicum, A. 353, 354.
Capu-puba Brasiliensium Marcgr. M. 94.
Caput senis Hernandez. M. 54.
Cara-Angolam H. Mal. A. 156.
Caracalla, A. 291.
Cara-Caniram H. Mal. A. 142. M. 73.
Caraguata & Caraguata-guazu, A. 19. 396. M. 8.
Caraguata-Acanga Marcgr. A. 29.
Cara-Kandel, H. Mal. M. 68.
Carambola, M. 36.
Carambolas Acostæ, A. 238.
Carambu H. Mal. A. 235.
Carana-iba Brasiliensium, A. 277.
Carandas Garciæ, A. 45.
Cara-nosi, H. Mal. A. 390. M. 61.
Carappa, A. 80.
Cara-Quiquoque Congo Brasilianor. A. 321.
Caraiú Brasiliensium, A. 68.
Cara-Schulli, H. Mal. A. 80.
Carcai Malabaror. M. 132.
Carcapuli Acostæ, A. 81.
Linschoten, M. 20.
Carchichec. Turcarum, A. 305.
Cardamindum, A. 388, 389.
Cardamine, A. 261, 262.
alpina insipida Fab. Columna. A. 70.
Cardamomi genus, M. 36.
Cardamomum, A. 81. M. 37.
Siberiense Patavinor, M. 70.
Cardiaca, A. 81. 399. M. 37.
Mulleriana. Stapelii, A. 260.
Cardon Lusitanis, A. 147.
Carduus, A. 81, 82, 83, 84, 85, 86. 104. M. 37, 38. 106.
Brasilianus foliis Aloës, A. 29.
Brasilianus sylvestris M. 13.
Tunes, A. 47.
Sphærocephalos, A. 333.
Carduus Pitahaya Americanor. M. 76.
spinosissimus ex Hispaniola Ibid.
Carelöe-Vengo H. Mal. A. 49.
Carelou-Vagou H. Mal, A. 114.
Car-Elu H. Mal. A. 344.
Caretti H. Mal. A. 4.
Carevailmaram Malabaror. A. 3.
Carilha Lusitanis, A. 391.
Carimpana H. Mal. A. 277.
Cari-vetti H. Mal. A. 269.
Cariwaopulle Malabaror. M. 25.
Carlina, A. 85, 86. M. 38.
Carlo-Santo Monardes, A. 71.
Caropi Indorum, M. 12.
Carpakelegelepee Malabaror. M. 58.
Carpamaram Malabaror. M. 66.
Carpesium Galeni, M. 97.
Carpet-Mosse, M. 132.
Carpinus Matthioli, A. 7.
Virginiana florescens Ibid.
Carua H. Mal. A. 88.
Carututee Malabaror. M. 137.
Caryophyllata, A. 8. M. 38.
f. Geum alpinum, M. 166.
montana Dalechamp. M. 147.
Caryophylleus Monomotapensis, A. 87. M. 91.
Caryophyllus, A. 87, 88.
alpinus Linifolius, M. 9.
montanus, A. 336.
pratensis, A. 233.
Saxatilis gramineis fol. A. 22.
Caryophyllus Indicus, A. 360.
aromaticus, A. 88. M. 38, 39. 188.
spurius Malabariensis, A. 235.
Cassavi radix. A. 241. M. 126.
Orubicum sylvestre, A. 71.
Cassia Cinamomea & lignea, A. 88. 89.
sylvestris des Antilles, A. 342.
Latinorum, A. 89.
Cassia Fistula, A. 89, 90. M. 40.
Cassiæ Fistulæ affinis Jonst. A. 96.
Cassiæ & Herbæ castæ medius, Frutex Ind. Or. M. 170.
Cassida, A. 339. M. 169.
Cassine vera, M. 40.
veræ similis, Ibid.
Cassioberry-Bush, M. 40.
Cassumuniar radix Indorum, M. 191.
Castanea & Castaneæ facie, A. 90. M. 40.
Castaneæ specie fructus peregrinus, M. 19.
Castanella, A. 90.
Cat-Ambalam f. Pee-Ambalam Bramanum, M. 156.
Catanance Cortuso, M. 152.
Dalechampii, A. 395.
flore luteo, M. 169.
leguminosa, A. 208.
Cataputia, A. 371.
Cataria Hispanica Betonicæ fol. M. 35.
Catarodú Zeylanensium, A. 294.
Cathalogan Philippinis, M. 60.
Caticaa Brasiliens. Pison. M. 81.
Catolongay, Indorum. M. 60.
Catou-Naregam H. Mal. A. 240.
Catsjan panel H. Mal. A. 90.
Catsipiring Indorum Breyn. M. 108.
Cattakai Malabaror. M. 23.
Cattu-Gasturi H. Mal. A. 14.
Cattu-Molago H. Mal. M. 151.
Cattu-Picinna H. Mal. A. 123.
Cattu-Schiragam H. Mal. A. 140.
Cattu-tirpali H. Mal. M. 151.
Cattu-tirtava H. Mal. A. 268.
Catulli-pola H. Mal. A. 220.
Catu-Pitsjegam Mulla H. Mal. A. 196.
Catu-Tagera H. Mal. A. 113.
Catu-Tsjambu H. Mal. A. 23.
Cava'am H. Mal. A. 266.
Cavara-pulli H. Mal. A. 175.
Cavaree coddor Malabaror. M. 94.
Caucalis, A. 90, 91. 333. 344. M. 167. A. 373
Cauda muris vulgo, A. 383.
Cauderepillepu Malabaror. M. 95.
Caudneupillee Malabaror. M. 96.
Caverrepille Malabaror. M. 94.
Caunampoondoo Malabaror. M. 66.
Caunga H. Mal. A. 275.
Caunumpalâe Malabaror. M. 11.
Cauraichedde Malabaror. M. 122.
Caushachedde & Cacian-chedde Malabaror. M. 25.
Cautacudde Malabaror. M. 52.
Cautauverree f. Caleauverree Malabaror. M. 184.
Cautmaunchedde Malabaror. M. 125.
Cautmogullamaram Malabaror. M. 21.
Cautmullee Malabaror. M. 176.
Cautwallee Malabaror. M. 2.
Cautyellendai Malabaror. M. 109.
Caxumba in Bantam nascens, M. 87. 150.
Cayolizan f. Tepozan Hernandez. A. 385.
Cayolpatlis Mex. Hern. M. 74.
Cecocpatlis Mex. M. 116.
Cedri species, sed rectius Juniperi, A. 201.
Cedrus Atlantis, & Montis Libani, A. 91
alba Pisonis, A. 92.
Barbadens. Fraxini fol. Ibid.
Cumanica Cardani, M. 111.
ex Goa. A. 326.
Spuria A. 92.
Ceibæ arbores max. altitudinis & crassitud. A. 228.
Cempoalxochitl f. Giulmaxochitl, A. 360
Cenanam de Quahuna-Hoac Nov. Hisp. M. 17. 99.
Cenanam Texcoquensis Hernand. A. 36. M. 17.
Cenchramidea, A. 92.
Centauroides, A. 92, 93.
Centaurium majus, ciliare & medium. A. 81. 92, 93. M. 42.
Centaurium Collinum Gesneri, A. 190.
Collinum flore luteo I B. A. 193.
marinum D. Doldi A. 191.
Centaur. minus A. 93, 94. M. 42, 43.
minus adulterinum, A. 231.
Centifolia spinoso frutice I B. A. 322.
Cepa sylvestris Amboinensis Rumphii, A. 18.
Cepæa Matthioli, A. 341.
Pancii, A. 362.
Cerasa amoris racemosa, A. 352.
Cerasus & Ceraso affinis, A. 94. M. 33. 108
Ceraso similis, M. 43.
Cerasorum figurâ in Temecene, A. 392.
Cerasus umbellata Pavonina, A. 196.
Ceratia, & Ceratiæ affinis, A. 95, 96. 399. M. 43, 44.
Ceratodendros Ind. Orient. M. 44.
Ceratonia, A. 95.
Cerefolium, M. 44.
Cereiba Brasilian. Pison. A. 241. M. 126.
Cereus, A. 147, 148. M. 76.
Cerrus Ægylops, A. 309.
Cervaria nigra, A. 216.
Cervicaria, A. 76.
Valerianoides, A. 379.
Cevalchichiltic Hernand. M. 189.
Ceyvas arbor grandis in India. A. 228.
Cha herba Japoniæ, A. 139.
Chachallacometl Hernand. A. 353.
Chachedde Malabaror. M. 122.
Chaddache Malabaror. M. 22.
Chaddailackaree Malabaror. M. 131.

Chaipoondoo

Chaipoondoo *Malabaror.* M. 154.
Challendenai *Malabaror.* M. 95.
Chamæbalanus laguminosa *I B.* A. 208.
Chamæbuxus, A. 301.
Chamæcassia, A. 342. M. 170.
Chamæcerasus, A. 287. 288.
Chamæcistus, A. 106, 107.
Chamæcrista Pavonis, A. 341. M. 169.
Chamæcyparissus *Africana*, M. 61.
Chamæcypariss. canescens, &c. *Br.* M. 56.
viridis *Indica* M. 47.
Chamædaphne *Fab. Columm.* A. 209.
Chamædaphnoides *Cretica* Pr. Alpin. A. 107.
Chamædrifolia, A. 96, 97. M. 44.
Chamædrys, A. 87. 96, 97. M. 45.
alpina lucida, A. 363. M. 178.
maritima incana frutesc. M. 184.
Chamædrys spuria, A. 383, 384.
Chamædry vulgari falsæ affinis, A. 110.
Chamæficus, A. 144.
Chamæfilix marina *Anglica*, A. 152.
Chamægenista, A. 165.
Chamæjasme alpina *I B.* A. 331.
inodora, M. 164.
inodora *Virginiana*, A. 97.
Chamæindigo sylv. trifoliata, A. 129.
Chamœiris Verna *Virginiana*, A. 198.
Chamæitea, A. 327.
Chamælæa, A. 97. 367. M. 45.
Chamælarix *Breyn.* M. 87.
Chamæleon, A. 85.
Chamæleontoides *Grislei*, A. 323.
Chamælinum, A. 223.
stellatum Park. A. 281.
flore luteo *Americanum*, M. 118.
Chamæmelum A. 97, 98. M. 45.
alpinum inodorum, A. 73.
leucanthemum, A. 65.
Lusitanicum Ibid.
maritimum *Dalechampii*, M. 126.
Chamæmelo affine, A. 65.
Chamæmespilus, A. 248.
Chamæmorus, A. 325.
Chamæmyrsine quorundam *Dalechampii*, A. 301. M. 153.
Chamænerion, A. 235. M. 122.
Chamæorchis latifolia *Zelandica*, A. 271.
Chamæpericlymenum, A. 288.
Brasilianum, A. 385.
Chamæpeuce *Plinii*, A. 79.
Prosp. Alpini, A. 190.
Chamæpitys folio non laciniato *I B.* A. 258.
Æthiopica Nobis, M. 45.
altera *Dioscoridis*, A. 69.
Austriaca Clusii, A. 70.
fruticosa *Cretica* Belli, A. 190.
incana exiguo folio, *C B P.* A. 336. M. 45. 123.
vermiculata *Advers.* A. 69.
Chamæpitys *Orientalis IB.* A. 367.
spuria Lamii flore, A. 317.
Chamærhododendron; A. 106, 107.
Chamæriphes, A. 277.
Chamærops *Plinii*, A. 346.
Chamærubus, A. 325.
Chamæspartium, A. 165.
Chamæstoechas *Aispanica* Boccon, M. 180.
Chamæsyce arbor, A. 144.
Chamæsyce *IB.* A. 372, 373.
Chamke *Linschotani*, A. 88.
Champe flores *C B P.* A. 394.
Charamei *Acostæ*, M. 45.
Charantia *Ind. Orientalis*, M. 59.
Charapeti *Mex. Hern.* A. 314.
Charapú arbor, A. 266.
Charitoblepharon *Jubæ* regis *Mauritaniæ*, M. 131.
Charungullee *Malabarer.* M. 48.
Chatalhuic *Mex. Hern.* A. 90.
Chatamaram *Malabaror.* M. 2.
Chate *Ægyptorum* Pr. Alpini, M. 58.
Chaudenamaram *Malabaror.* M. 167.
Checinquammins *Ogilv.* A. 90.
Checquer-Grape, A. 394.
Cheddecootan *Malabaror.* M. 31.
Cheddemeelchedde *Malabaror*, M. 68.
Cheereau *Malabaror.* M. 1.
Cheggapumellela *Malabaror.* M. 108.
Cheiri. A. 214.
Chelidonia minor, A. 314.
Chelidonium, A. 279, 280.
Capnites *Ætii*, A. 162.
Chenopoda *Monomotapensis*, M. 87.
Chenopodium, M. 32.
Chen-sú *Sinensibus* Cleyeri, M. 111.
Chera-Mandarree *Malabaror.* M. 125.
Cheremelas *Turcis*, M. 45.
Chermurree *Malabaror.* M. 22.
Cherucunnai *Malabaror.* M. 170.
Chetamucan *Malabaror.* M. 184.
Chetapaulum *Malabaror.* M. 14.
Cheugunnee *Malabaror.* M. 40.
Chiabe *Javanensium*, A. 297.
Chiantzolli alia *Hernandez*, A. 382. M. 99.
Chiauxihuitl *Nov. Hisp.* M. 157.
Chicallotl *Mexican.* A. 279.
Chichec-Tzonpatonic de Ocopetlayūe *Hern.* 164.
Chichica-Hoazton *Mex. Hern.* A. 137.
Chichica-quilitl *Nov. Hisp.* M. 98.
Chichihoalxochitl *Nov. Hisp.* M. 147.
Chichiltic-cihuapatlis *Hernand.* M. 45.
Chichilticpatlis, M. 182.
Chichiltic-Tepetbauchxochitl *Hernandez.* M. 33.
Chichimecapatlis, f. Chichimecæ Gentis Medicina *Hernandez*, A. 213.
Chichipiltic *Mexicensium*, A. 103.
Chilli *Mexican.* A. 353. 397.
Chilmecatl f. Ycha *Nov. Hisp.* Recc. M. 153.
Chilpatli *Nov. Hisp.* M. 153.
Chilpatlis *Mexican.* M. 183.
Chimalotl *Peruviana*, A. 98.
China radix *Mexicana* A. 349.
Chinquapin-Bush, A. 90.
Chipequa f. Herba firma *Hernandez.* M. 178.
Chittramullum *Malabaror.* M. 3.
Chivef *Theveto*, A. 124.
Chondrilla & Chondrillis affinis, A. 93. 104. 117. 130. 183, 184. 337. 395. M. 102.
Chovanna Mandarú *H. Mal.* A. 240.
Choyne *Americana I B.* A. 124.
Christianæ radix *Rauwolfii*, M. 30.
Christmass-Flower, M. 72.
Christophoriana, A. 98. 399.
Chrysanthemos *Hispanicus* Clusii A. 104
Chrysanthemum, A. 63. 98, 99, 100, 101, 102, 103. 194. 195. 399. M. 46, 47, 48. 107.
Chrysanthemulum Ericoides coronatum, A. 136.
Chrysanthemum aizoides *African.* A. 149. 150.
Chrysocome, A. 133, 134. M. 67. 91.
f. Argyrocome Ericoides, M. 131.
Conyzæ mediæ folio, M. 55.
Dioscoridis, A. 389.
Impia, M. 91.
peregrina *Clusii*, A. 193.
Syriaca Breynii, A. 171. M. 91.
f. Stoechas citrina *Grislei*, A. 171.
Chrysodendros *Americana*, A. 42.
Chrysogonum *Dioscoridis* Rauwolf, M. 116.
Chrysopappos *Almi Bot.* A. 179.
Chrysosplenion *Tabern.* A. 333.
Chucuncariqua *Mexicanorum*, A. 370. M. 182.
Chummaraum *Malabaror.* M. 167.
Cicer, A. 32. 59. 103.
Cicercula, A. 208.
Cichoriastrum *Gaditanum*, M. 48.
Cichorium & Cichorio affinis, A. 103, 104. 130. 395. 399. M. 103.
Cici arbor in *Ægypto*, M. 161.
Cicuta aquatica, A. 348.
arbor *Virginiana*, M. 49.
Cicutæ fatuæ similis *Maderensis*, A. 104.
Cicutaria, A. 104. 259. 364. M. 46.
Cicutariæ quodammodo similis *IB.* A. 258.
Cieuka *Boymii* Jonst. A. 181.
Cihoapatlis Axitzalpatlis *Nov. Hisp.* M. 7.
Tepoztemica *Nov. Hisp.* A. 142. M. 141.
Xantetelco, *Nov. Hisp.* M. 71.
Cinamomum A. 88. 89. 321.
Cinamomum putatum, ex *Sirinam* A. 40.
Cinara Sylvestris *Pyrenæa.* A. 81.
Cineraria. A. 194.
Circæa *Lutetiana.* A. 206.
Circææ foliis incanis ex *Ins. Johanna.* M. 49.
Cirsium. A. 83.
Cistoides frutex *Æthiopicus.* M. 50.
Cistus, A. 105. 106. 107. 108. 399. M. 49. 50. 184.
Cisti facie Arbuscula *Jamaic.* fol. trinerv. A. 105. M. 4.
Citharexylum arbor *Americana.* A. 108.
Citra *Indorum*, et Citrus arbor *Antiquor.* A. 91.
Citrago f. Melissa citrata *Brasiliens.* A. 247.
Citrullus *Ind. Orientalis.* A. 108.
Civapatli-Yaca pichtlensis, *Hernandez.* A. 93. M. 72.
Clammy-Cherry, of *Barbados.* A. 94.
Clava *Herculis* Grevii. A. 43.
Clematis daphnoides. A. 108. M. 50.
arborea *Indica* Breynii. A. 109.
baccifera glabra *Plumier.* M. 54.
Contareni. A. 108.
hederacea. A. 181.
hederacca Bucananthos A. 108.
Indica Persicæ fol. A. 187.
passiflora f. passionalis. A. 281, 282. M. 146.

pentaphylla

pentaphylla pediculis alatis *A.* 120.
Peruviana Digitalis flore. *A.* 108.
Clematitis facie H. *Leyd. A.* 181.
Clematitis anguloso Citrulli fol. Aceris fructu. *M.* 51.
Malabar. foliis Vitis colore Dracunculi. *M.* 28.
Clematitis Sylvestr. *A.* 109. 110. 399. *M.* 36.
Clinopodium *A.* 75. 110. 111. *M.* 34. 51. 52.
Cloven-Berries, *M.* 173.
Clymenum *Matthioli. A.* 208.
Cneoron *Matthioli. A.* 366.
Cneorum album. *A.* 117.
Cneoro albo affinis. *A.* 227.
Cnicus, *A.* 82. 86.
Coacivis patlis *Mexicens. Hernand. M.* 30.
Coadevalle *Gentilium Indor. M.* 3.
Coaghyuyo. *Brasiliens. Pisonis. A.* 40. 98. *M.* 4.
Coaguacuiba *Maregr. M.* 18.
Coahuilxochitl. *Hernandez. A.* 350.
Coalquiltic *Mexicana* Hernand. *M.* 172.
Coanenepilli f. Contra yerva *Hernand. A.* 282.
Coapatlis *Quaubnacens.* f. Coapatlis 4. *Hern. A.* 140.
Coatacorundee *Malabaror. M.* 168.
Coatlis *Mexic.* Hernand. *A.* 253.
Coaxihuitl. *Mexicanor. A.* 115.
Coca *Peruviana* Hernandez. *M.* 25.
Cocalmecatl f. Cunarum funis *Nieremb. M.* 172.
Cocanquahuitl *Nierembergii. M.* 93.
Cocauhcapatlis *Nov. Hisp. M.* 174.
Coccigria f. Cotinus putata. *A.* 121.
Cocculus *Officinarum, M.* 52.
Coccus *Indicus*, Hernandez. *A.* 146.
Coccus de *Maldiva. A.* 275.
Coccymelea arbor in *Ægypto. A.* 395.
Cocecpatlis *Acatlinensis. M.* 151.
Cochine. *A.* 124.
Cochitzapotl, f. Tzapotl somnifera *Hern. M.* 19.
Cochlearia *A.* 111. 262. *M.* 101.
Coccæiro *Pisonis. A.* 275.
Coco's vulgo. *Ibid.*
Cocotemecatl *Mexicensium. A.* 109.
Cocoztamatl f. Tamatli luteum *Hern. A.* 283.
Cocoz-Xochipatlis *Hernandez. M.* 47.
Cocuschaw *Virginiensium* Hariot. *M.* 126.
Cocus quahuitl *Vaxacensis* Hernand. *M.* 84.
Codaga-pala *H. Mal. A.* 35.
Codagen *H. Mal. A.* 314.
Codalcunge *Malabaror M.* 134.
Codasallee *Malabaror. M.* 73.
Coddam-pulli *H. Mal. A.* 81.
Coddanecoode *Malabaror. M.* 109.
Codda-panna *H. Mal. A.* 277.
Codeechittamutte *Malabaror. M.* 11.
Codemuttaugepillee *Malabaror. M.* 94.
Codeserupau'ada *Malabaror. M.* 120.
Coduca-Ambado *H. Mal. M.* 156.
Cody-Avanacu *H. Mal. A.* 321.
Coemburu *Zeylanensium. A.* 260. *M.* 12.
Coffee-Tree, *A.* 69.
Coffolo fructus Arechæ. *A.* 275.
Cohayelli *Mex. Hern. A.* 137.
Cohyne *Nierembergii. A.* 124.
Coiniqui-Cumanchuqua *Hernand. A.* 176.
Colchicum *Zeylanicum. A.* 397.
Colenarrunillu *Malabaror. M.* 95.
Coletta-Veetla *H. Mal. A.* 245.
Cole-seed, *A.* 69.
Colinil *H. Mal. A.* 112.
Colletreepillee *Malabaror. M.* 93.
Collotemecatl *Hernandez. A.* 109.
Colocasia *Clusii. A.* 56.
Ægyptiaca vera. *A.* 267.
Hederacea sterilis & laciniata. *M.* 28.
Colocynthis *A.* 286.
Colotzitzicatztli *Mexic.* Hernand. *A.* 332.
Colubrina *Virginiana. A.* 110.
Colubrinum lignum. *A.* 48. 124.
Colubrini genus triphyllum *Ind. Or. A.* 108.
Columnia arbor. *M.* 143.
Colüe nomine recepta, *A.* 290.
Coluppa *H. Mal. A.* 27.
Colutea. *A.* 111. 112. 399. *M.* 52. 53.
humilis Buxifoliis. *A.* 301.
Coma aurea *Æthiopica. M.* 107.
Gerardi. A. 103.
Parkinsoni A. 134.
Comacheepillee *Malabaror. M.* 94.
Comacum *Antiquorum. A.* 43.
Comanda-Guira *Marcgrav. M.* 150.
Comarus *Theophrasti. A.* 49.
Comatoton capatlis *Hernandez. M.* 43.
Commenterai *Malabaror. M.* 8.
Conambai-miri *Pisonis, A.* 11.
Conambaya *Brasiliensium* Marcgr. *A.* 154
Conar *Persarum, A.* 265.
Conferva aquatica, *A.* 113.
marina trichodes, *M.* 53.
Conifera nux minima *IB. A.* 91.
Conna *H. Mal. A.* 89.
Connarus *Alexandrinorum* Athenæi, *A.* 199.
Consolida aurea Nemorum *Ponæ, M.* 65.
major, *A.* 358.
media, *A.* 73.
media *Vulnerariorum, A.* 64.
regalis, *A.* 130.
Saracenica, *A.* 390.
Saracenica tertia *Tragi, A.* 57.
Contara *Phillippinis, M.* 60.
Contrayerva *Hispanorum* putatum *Ban. A.* 135.
Convolvulus, *A.* 113, 114, 115, 116. 117, 400. *M.* 53, 54, 55.
minor semine triangulo, *A.* 143.
perennis heteroclytus, *A.* 229.
rectus *Hispanicus* villosus, *A.* 77. *M.* 35.
Conyza, *A.* 117, 118. 400. *M.* 55. 56.
Africana arborescens, *A.* 234.
Afric. folio Stæchadis citrin. *M.* 107.
alpin *IB. A.* 194.
Americana Urticæ folio, *M.* 71.
capite nutante *IB. A.* 101.
inodora Helenii folio, *M.* 46.
Linariæ folio, *A.* 389.
major montana *Thalii, A.* 57.
marina *Hist. Lugd. Ibid.*
Mexicana Hernandez. *A.* 93.
palustris serratifolia, *A.* 390.
Senecionis flore, *A.* 343.
Conyza arbor *Helenioides, M.* 56.
Coodemoocatarre *Malabaror. M.* 27.
Coodepillepoo *Malabaror. M.* 95.
Coodetoëree *Malabaror. M.* 149.
Coodewengee *Malabaror. M.* 100.
Coodewoolacneka *Gentilium Indor. M.* 176
Coolacauvallee *Malabaror. M.* 142.
Coolaguttee *Malabaror. M.* 55.
Cooppucoräe *Malabaror. M.* 97.
Cootan *Malabarr. M.* 61.
Copaiba *Brasiliensium, A.* 63. *M.* 20.
Copalin *Mexican.* Hernand. *A.* 95.
Copalla florens, *A.* 140.
Copalli *Dei.* Hernandez. *A.* 144.
Copalli montana *Hernandez. A.* 45.
Copallifera leptiphylla alia *Hern. A.* 319.
Copalli-quahuitl Tepoztlani, *A.* 319.
Copal-Quauhxiotl *Mexicens. A.* 166.
Copalxochitl, *A.* 94.
Copeia, & Copey arbor, *A.* 394. *M.* 190.
Coquo Lusitanis, *A.* 275.
Cor *D. Thomæ, A.* 295.
Cor *Indum, A.* 126.
Cordis *Indi* folio *Ibid.*
Coracan *Cingalensibus. A.* 174.
Coral arbor, *A.* 293.
Corallina & Corallinæ affinis, *A.* 118, 119. *M.* 56.
Corallinum lignum, *A.* 120.
Corallium *Nautis* IB. *A.* 118.
foliatum, *Ibid.*
Coralloides, *A.* 160. *M.* 63.
Corchorus *Plinii* CBP. *A.* 17.
Coriandrum minus, *A.* 120.
* Cori simillimus frutex in maritimis *Cæsalp. A.* 107.
Coriaria arbor spinosa, *A.* 319.
Coridi similis planta, *M.* 35.
Corinti-panel *H. Mal. A.* 120.
Coriosmites, vel Coriophora. *Lobel. A.* 271.
Coris cærulea, *A.* 120.
Coris lutea, *A.* 189. *M.* 104.
Monspessulana, A. 142.
Coris f. Juniperi folio *Cap. Bon. Spei. M.* 103.
Corkipilli *Malabaror. M.* 28.
Cornelian-Cherry, *Virginiensibus Anglis. A.* 211.
Cornicar *Canariensium, A.* 35.
Cornus mas, *A.* 120.
odorata Sassafras dict. *Ibid.*
Cornus fœm. & *Malabarica, A.* 121.
Corollen-hout, *Belgarum, A.* 120.
Corona *Fratrum, A.* 84.
Corona Imperialis, *A.* 217.
Coronilla frutescens, *A.* 112.
Coronopus, *A.* 298, 299.
ex *Codice Cæsareo, A.* 226.
ex *Libro nostro*, Bod. à Stapel, *A.* 157.
Corosinam *H. Mal. M.* 147.
Corozone Celio Canariensibus Hispanis, *A.* 340.
Corruda *Clusii, A.* 54.
Coru arbor *Indiæ Orientalis, M.* 57.
Corutee *Malabaror. Ibid.*
Corydalis *Anguillaræ* Lobel, *A.* 162.
Corylus, *A.* 121. *M.* 57.
Guadelupana, A. 391.
maxima *Virginiana* Raii, *A.* 254.
Hæc autem re verâ est Morus *Virginiana*

niana. Et ut talis rectè denominatur in *Catalogo. Hort.* Boaumont. ut suo loco habetur.
Coryli folio Frutex convolvulaceus, *A.* 121.
Corymbifera Millefolii umbella, *A.* 308
Cosca *Canarinis*, *A.* 149.
Costic-Xihuitl *Nov. Hisp.* *A.* 159.
Costi quoddam genus, *M.* 92.
The Costive-Tree of *Parkinson*, *M.* 57.
Costus amara dicta, *A.* 207.
Arabicus, *A.* 397.
Iridem redolens, *M.* 93.
Cotoneaster. *A.* 248.
Cotinus, & Cotino affinis, *A.* 121.
Cottam species *H. Mal.* *A.* 268. *M.* 22.
Cotula, *A.* 97, 98.
Cotyledon altera *Clus.* *A.* 339, 340.
altera *Dioscoridis*, *A.* 362.
altera *Matthioli*, *A.* 330.
aquatica, *A.* 314. 331.
stellata, *A.* 340.
Covalam *H. Mal.* *A.* 125.
Couhage vulgo, *A.* 292.
Couhage-Nut, *M.* 162.
Courbary *Caribeorum*, *M.* 44.
Courondi *H. Mal.* & Corundi *Zanon.* *M.* 156.
Courou-Moelli *H. Mal.* *M.* 122.
Couron arbor Juglandi similis, *A.* 38.
Coxcocypote *Clusii*, *M.* 19.
Coyolli *Mexican.* *A.* 275.
Coyotomatl, f. Tomatl Coyoti *Hern.* *A.* 352.
Conochtlis *Mex. Hern.* *A.* 146.
Cozticacuilotl-Xochitl *Nov. Hisp.* *M.* 49.
Cozticpatlis *Acatlanensis* Hernand. *A.* 364
Cozticpatlis secunda *Hern.* *A.* 363. *M.* 172.
Coztic-Xihuitl *Mex.* Hern. *A.* 300, *M.* 153
Coztomatl *Hernandez.* *A.* 352.
Craneberries, *A.* 392.
Crassula major *A.* 362.
Cratægus *Theophrasti*. *A.* 249.
Cratæogonum, *A.* 245.
Vestmorlandicum, *A.* 142.
Cremenei *Istris IB.* *A.* 160.
Crepis *Dalechampii*, *A.* 183.
Crias *Apuleii*, *M.* 151.
Crista galli major *Italica.* *A.* 142.
spicata flore luteo, *A.* 283.
Crista pavonis, *A.* 202. 294.
Crithmum maritimum, *A.* 58. 121.
Crocodyliades *Africanum*, *A.* 86.
Crocodylium, *A.* 85.
Monspeliensium, *A.* 333.
Crocus *Æthiopicus*, *M.* 58.
Crocus *Indicus*, f. Curcuma, *A.* 125. 397.
Crop-grasse *Bermudensibus Anglis*, *A.* 174.
Crotalaria, *A.* 122, *M.* 58.
Cruciata, *A.* 324.
Cruciatæ marinæ similis, planta *Ind. Or.* *A.* 122. *M.* 154.
Crueck *Javanensium*, *A.* 294.
Crupina *Belgarum*, *A.* 93.
Crux St. *Andreæ*, *A.* 189. *M.* 104.
Cuacu-Mandiba *Pisonis*, *A.* 71.
Cuambu *Brasilianor.* *A.* 87.
Cubebifera arbor putata, *A.* 43. 122. *M.* 26
Cubebis affinis, *A.* 123.
Cubebis affinis Fagara maj. *CBP.* *A.* 143.
Cuchemilepillú *Malabaror.* *M.* 96.
Cucullata quibusdam. *M.* 151.
Cucumis, *A.* 123. *M.* 59.
Flos Passionis dictus, *A.* 281, 282.
Cucurbita, *A.* 286.
Cucurbitifera arbor, *A.* 123, 124, 125. *M.* 59.
Cucurbitiferæ trifoliatæ baccata similis, *M.* 60.
Cudu-pariti H. *Mal.* *A.* 172.
Cuechiliz-Tomatl *Hernand.* *A.* 353.
Cueyauh-Quilitl, *Nov. Hisp.* 303.
Cuguacu-curemia *Pisonis*, *A.* 71.
Cujeté *Marcgravii* & *Pisonis*, *A.* 124.
Cuipouna *Brasiliens.* Pison. *A.* 246.
Cuitlacopalli *Hernand.* *A.* 45.
Culcas f. Colocassia *Pr. Alpin.* *A.* 50.
Culitamara H. *Mal.* *A.* 326.
Cullecaucanai *Malabaror.* *M.* 54.
Cumana arbor *Laetii*, *M.* 22.
Cumandatia *Brasilianor.* *A.* 291.
Cumane nuci similis *IB.* *A.* 365.
Cumboopillee *Malabaror.* *M.* 94.
Cumbulam H. *Mal.* *A.* 286.
Cuminum sylv. capitulis globosis. *A.* 130.
sylv. alterum siliquos. *A.* 188.
Cummala *Malabaror.* *M.* 23.
Cû mô forte *Sinensium*, *M.* 2.
Cumuc *Javanensibus* modernis, *A.* 43.
Cungee *Malabaror.* *M.* 25.
Cunhet *Malaiis* Linschot. *A.* 397.
Cupameni H. *Mal.* *A.* 248.
Cupa-Veela H. *Mal.* *A.* 280.
Cupi Malabaricæ accedens, *A.* 125.
Cupitri *Mexic.* Hernand. *M.* 160.
Cupresso-pinulus, *A.* 136. 361. *M.* 69.
Cupressus, *A.* 125, *M.* 61.
Æthiopica coronata *Br.* *M.* 45.
Curaumchedde *Malabaror.* *M.* 19.
Curbisolanum, *A.* 350.
Curcas dictus, & Faba purgatrix, *A.* 319
Curcuma, *A.* 125.
Veteraniorum *Virginiensium*, *A.* 280.
Curini & Carim-Curini H. *Mal.* *A.* 126.
Currant Pepper, *A.* 354.
Curviri *Brasiliensium*, *M.* 189.
Curupicaiba *Brasiliana* Pisonis, *A.* 120.
Cururu-pala H. *Mal.* *A.* 43.
Curutzeti *Mexic.* Hernand. *M.* 134.
Cuscuta, *A.* 126. *M.* 61.
Cusermout *Turcarum*, *A.* 237.
Custard-Apple, *A.* 32.
Cuurdo *Brasilianor.* Pisonis, *A.* 88.
Cyanus, *A.* 126. *M.* 61.
alpinus capite pennato, *A.* 191.
arboresc. longifol. *Pr. Alpin.* *M.* 105.
arboresc. altera styracis fol. *Pr. Alp.* *A.* 141.
arboresc. Styracis folio *Africana* *M.* 58.
Centauroides fruticesc. *Cap. B. Spei*, *M.* 105.
Creticus spinosus *Belgarum*, *A.* 192.
Lini folius repens *IB.* *A.* 141.
peramarus repens fol. Lavendulæ, *A.* 192.
pulchro femine, *A.* 93.
repens latifolius, *CBP.* *A.* 592.
sylvestr. Κυνογλωσσόφυλλον, *Thalii*, *A.* 191.
spinosus *Creticus Ponæ* & *Pr. Alpin.* *A.* 400. *M.* 175.
Cydonia exotica *CBP.* *A.* 125.
è *Bengalâ*. Acostæ *Ibid.*
Cymbalaria, *A.* 223.
Cyminum sativum, *A.* 325.
feminibus villosis, *A.* 129.
Cynara *Indica.* *M.* 13.
Cynocrambe legitima *Ponæ.* *A.* 280.
Cynoglossæ affinis, *A.* 126.
Cynoglossum, *A.* 126. *M.* 61.
pusillum *Narbonense*, *A.* 206.
Cynophallophoros, *A.* 126, 127. *M.* 52.
Cynorinchium, *M.* 62.
Cynosbatos & Cynorrhodon *Officinar.* *A.* 322.
Cynosorchis, *A.* 271.
Cynoxylum, *A.* 127.
Cyperi genus ex *Indiâ* *CBP.* *A.* 125.
Cyperus gramineus, *A.* 127. 128. *M.* 62. 98
maritimus capitulis glomeratis, *M.* 109.
Cypote similis nuci Balsami *Peruvian* *IB.* *M.* 19.
Cyprus *Dioscoridis* & *Plinii*, *A.* 217.
Cytiso quodammodo affinis, *A.* 129.
Cytiso-Spartium aculeatum *Ibid.*
Cytisus. *A.* 128. 227. 243. 274. 375. *M.* 63. 87.
arboreus bituminosus, *M.* 120.

D.

Daburi folliculus, *A.* 272.
Dadus *Americanis*, *A.* 147.
Damar *Indorum*, resinæ genus, *M.* 42.
Damasonii species *quibusdam*, *A.* 182.
Damor *Sinensium*. f. Anisum *Indic.* *M.* 70.
Damozen Tree, *Barbadensibus Anglis*, *A.* 306.
Daphnoides *Plinii*, *M.* 26.
Dart-herb, *A.* 80.
Dartwood, *A.* 234.
Datura fætida, f. Tatura, *A.* 358.
Datura *Indica* Breyn. *A.* 106.
Davadarre *Malabaror.* *M.* 26. 167.
Daucus, *A.* 129, 130. 216. 333.
pratensis *Dalechampii*, *M.* 139.
Λαγόκαυλος *Thalii.* *M.* 147.
Delphinium, *A.* 130.
Dendrobryon geniculatum *Fab. Col.* *A.* 254.
Δενδρολυγος. *A.* 240.
Dentaria, *A.* 130, 131. 400. *M.* 63, 64.
Buguloides *Mentzelii*, *A.* 142.
monophyllos, *A.* 267.
Dentariæ affinis polymorphe, *A.* 131.
Dentellaria *Rondeletii*, *A.* 212.
Lychnoides scandens, *M.* 153.
Diapensia & Sanicula mas *Fuchs.* *A.* 206.
Dictamnum adulterinum *quibusdam*, *A.* 242.
Dictamnus albus vulgo, *A.* 157.
Æthiopicus, *M.* 64.
Creticus, *A.* 131.
Lydius è monte *Sipyli* *Ibid.*
secunda *Theophrasti* Ponæ, *A.* 242.
Virginianus, *A.* 110. *M.* 52.
Digitali affinis, *A.* 400. *M.* 99.
Digitalis, *A.* 131. *M.* 64, 65.
minima Gratiola dicta, *A.* 180.
Diiakudalu *Zeylanensibus*....
Dildo-Tree, *A.* 147.
Dils *Scotorum*, *A.* 162.

Diospyros *IB. A.* 248.
Dipcadi vulgo, *A.* 187.
Dipetalos *Virginiana* folio Gentianæ, *A.* 135.
Diuretice *Paul. Remalmi, A.* 131.
Diwipahura *Zeylanensibus, A.* 115.
Dodecatheon *Plinii, M.* 151.
Dogs-prick *Barbadensibus Anglis, A.* 126.
Dogs-Snout, *M.* 62.
Dog-wood Tree, *M.* 150.
Dora *IB. A.* 250.
Doronicum, *A.* 31. 99. 100.
Doronicis affinis, *M.* 65.
Dorychnio congener *Clusii, A.* 226.
Dorychnium *Casaboneæ* D. Rentzii, *A.* 226.
Dioscoridis, A. 367.
Dioscoridis Ponæ, *A.* 227.
Hispanicum Clusii, *A.* 226.
Imperati & *Pr. Alpini, A.* 117.
Monspessulan. fruticos. *A.* 226.
Draba, *A.* 132.
alba siliquosa, *CBP. A.* 213.
cærulea annua *Ibid.*
Erysimi foliis & siliquis *CBP. A.* 214.
lutea siliquis strictissimis, *A.* 137.
maritima repens, *M.* 101.
siliquosa repens *CBP. A.* 213.
Drabæ siliquosæ similis, *A.* 70.
Draba minima muralis discoides, *A.* 281
flore cæruleo galeato, *A.* 314.
Draco arbor *Clusii, A.* 277.
Draco arbor *Indica* siliquosa *Hort. Amst. A.* 7. *M.* 120.
Dracocephalon *Americanum, A.* 180.
Dracontium & Dracunculus, *A.* 51. 52.
Dracunculus pratensis, *A.* 308. *M.* 157.
Drakenæ radix, *A.* 127.
Indian Dreamer, *A.* 80.
Dryopteris candida *Dodonæi, A.* 150.
Chinensis, A. 11.
Dalechampii IB. A. 150.
Lobelii. A. 151.
Tragi, M. 78.
Drypis *Hist. Lugdunens. A.* 83.
Loniceri. Ibid.
Theophrasti, A. 54.
Theophrast. Tabernæmontan. *A.* 202.
Du Bois d' Inde Rochfort. *A.* 88.
Dudaim *Ludolphi. A.* 145.
Dudaim *in Sacris* quorundam, *M.* 125.
Dulesch *Hibernis, A.* 162.
The Dumb-Cane, *A.* 79.
Dutch-Grasse, *Barbadens. Anglis, A.* 175
Dyahibala *Cingalensibus, A.* 270.

E.

EAchedde *Malabaror. M.* 1.
Earwort *D. Marlöe M.* 129.
Ebenus, *A.* 132. *M.* 66.
Cretica, A. 227.
viridis ex *Insulâ St. Helenâ, M.* 6.
L'Ebene vert Rochforti. *Ibid.*
Ebulus, *A.* 330.
Ecapatli, s. parva Sambucus *Hernandez. M.* 170.
Ecapatlis altera *Hernandez. A.* 342.
Ecbolium *Hort. Leydens. A.* 9.
Ecbolii s. Adhatodæ floribus æmula, *A.* 132.
Echinomelocactos vulgo, *A.* 143.
Echinophora, *A.* 90, 91.
Indica & Echinophoræ affinis, *A.* 132. *M.* 66.
Echinopus major & minor *IB. A.* 333.
Echinopus *Plutarchi* putata, *A.* 91.
Echium, *A.* 133. *M.* 13.
Fuchsii, A. 72. *M.* 33.
marinum *Phytolog. Brit. A.* 126.
montanum *Dalechamp. A.* 76.
nigrum *Prosp. Alpin. A.* 72.
Virginianum trinervium, *M.* 66.
Echium Scorpioïdes. *A.* 258.
Eglentina & Eglenteria, *A.* 322.
Ekaweriia *Zeylanensium, A.* 287.
Elatine folio subrotundo *CBP. A.* 223.
acuminato *ejusd. Ibid.*
Elatines fæm. affinis *Virginiana, M.* 66.
Elatines folio pilosissima *Ind. Or. A.* 133.
Elaphroxylon, *A.* 228.
Elemnifera arbor, *A.* 133.
Elengi *H. Mal. A.* 203. *M.* 21.
Elenium *Indicum, A.* 99.
Elettari *H. Mal. A* 81.
Elhanne *Ægyptiorum, A.* 217.
Elichrysum & Elichryso affinis, *A.* 12. 133, 134. *M.* 67.
foliis Abrotani *CBP. A.* 103.
foliis Abrotani glabris *Br. M.* 12
foliis Absinthii *Pontici. M.* 107.
inodorum glabrum *Magnol. A.* 103.
minus *Africanum* Breyn. *M.* 56.
sylvestre, *A.* 193.
sylvestre latifolium, *A.* 171.
Elichryso sylvestri similis. *Ibid.*
Elippemaram *Malabaror. M.* 20.
Elleborus niger Saniculæ folio, *A.* 198.
Eloquiltic *Mexicensibus, A.* 233.
Eloxochitl *Hernandez. A.* 145. 379.
Eltaneecoondo *Malabaror. M.* 72.
Embira *Brasiliensium, M.* 73.
Embueyembo *Marcgravii, A.* 153.
Enguamba *Hernand. A.* 350.
Enfenda, Ficus Indicæ modo nascens, *A.* 41. *M.* 20.
Epazotl Mexicana, *A.* 68.
Ephemeron *Matthioli, A.* 236.
Ephemerum, *A.* 134, 135. *M.* 67.
Epidendron *Æthiopicum, M.* 148.
flore albo specioso, *A.* 390.
Indiæ Orient. floribus in spicam, *M.* 68.
Lychnidis flore *Africana. A.* 135.
Maderaspatanum, A. 298. *M.* 152.
Scillæ foliis, *A.* 390.
Epimedium *Anguillaræ, A.* 135.
Bodæi à Stapel, *A.* 181.
Equisetum, *A.* 135. *M.* 68.
montanum *Creticum, A.* 303.
Erabudu *Zeylanensium, A.* 293.
Eragrostis major, *CBP. A.* 176. *M.* 95.
Eraway *Clusii, A.* 320.
Ercachedde *Malabaror. M.* 16.
Erembille *Malabaror. M.* 26.
Eremmarre *Indorum, M.* 52.
Erewetamaram *Malabaror. M.* 131.
Ergen arbor *Africana, A.* 306.
Erica & Ericæformis, *A.* 136. 366. *M.* 68, 69.
marina humilis *Saccensis,* fol. mollibus, *M.* 123.
Ericæ facie Polygonoides *Africana, A.* 221.
Ericæ similis maritima *CBP. A.* 160.
Ericu *H. Mal. A.* 35.
Erigeron, *A.* 343.
Erima-Taly *H. Mal. A.* 395.
Erinacea *Hispanica Clusii, A.* 166.
Erinos, *A.* 78.
Eriocephalos *Bruniades* novum genus, *M.* 69.
Erva d'Amor Lusitanis, *A.* 270.
Erva di Bicho, s. *Erva Moura* vel *Piementa de Gallinha* Lusitanor. *A.* 349.
Erva do Bidscho Lusitanis, *A.* 342.
Erva do Capitam Lusitanis ....
Erva Cideira Lusitanis, *A.* 247.
Erva de Gobra Lusitan. *A.* 273.
Erva d' purga d' Juan. Paëz. A. 237. 338.
Erva d' Santâ Mariâ Pisonis, *A.* 52.
Eruca, *A.* 136, 137, 138. 314, 315. *M.* 69.
peregrina *Clusii, A.* 215.
peregrina *Italica, A.* 317.
purpurea, *IB. M.* 102.
sylvestris caule aspero, *A.* 347.
Ervilia sylvestris *Dodonæi IB. A.* 209.
Ervum s. Orobus arborescens, *A.* 112.
candidum, *A.* 386.
Monspeliensium CBP. A. 208.
Erygeron tomentosum, *M.* 103.
Eryngium, *A.* 137. *M.* 69.
arvense foliis serræ similibus, *A.* 121.
luteum, *A.* 104.
montanum minimum, *A.* 82.
Zeylanicum febrifugum, *A.* 245.
Erysathales *Plinii, A.* 83.
Erysimo similis hirsuta, *A.* 70.
herba *Sti. Alberti* IB. *A.* 138. *M.* 69.
Erysimum, *A.* 137, 138. *M.* 70.
Galeno & *Theophrasto. A.* 400.
Germanicum Trinciatellæ fol. *A.* 137.
Erysisceptrum *Plinii, M.* 89.
Erythrobulbus, *M.* 70.
Erythrodanum marinum, *M.* 164.
Erythroxylum *Americ.* Hydrolapathi-foliis, *A.* 138.
Barbadensium, A. 265. *M.* 136.
Curassav. pisces fustuarios olens, *A.* 129
Escharoxylum, *A.* 138.
Escorzonera, *A.* 337.
Esquine de *Laët, A.* 140.
Essac herba *Sinus Sti. Augustini, A.* 304.
Esta Hispanis. *A.* 128.
Esula *A.* 371. 372.
Ettalche *Afrorum. M.* 42.
Ettee *Malabaror. M.* 59.
Euonymus & Euonymo accedens. *A* 139. 140. *M.* 15. 70.
Euonymo affinis alatis foliis. *A.* 159.
Euonymo similis *Ægyptiaca. A.* 69.
Eupatorium, & Eupat. adfinis. *A.* 140, 141, 142. *M.* 71, 72.
Eupatorio affinis suffrutex Ericoid. *A.* 136. *M.* 103.
Eupatorium Cannabinum. *A.* 100.
Africanum. A. 400.
American. Park. *A.* 118.
Eupatorium *Veterum.* s. Agrimonia. *A* 205.
Euphorbium, *A.* 370.
Euphorbio & Tithymalo media affinis *A.* 369.
Euphrasia & Euphrasiæ affinis. *A.* 142. 283. *M.* 35. 73.

Euphrasiæ affinis *Brasiliana* filiquosa. *A.* 237.
Euphrosynes facie *Ind.Orientalis. M.*73.
Ezquahüitl (ie) Sanguinis arbor 1.a. *Hern. A.* 38.
Ezquahuitl. 2*a. Hernandez: A.* 38.125

F.

FAba Bengalensis. *M.* 133.
Ægyptia Bod. à Stapel. *A.* 267
Sti. Ignatii. M. 60.
Malaccana Linfchoten. *A.* 28.
purgatrix latiffima. *A.* 295.
Veterum fylveftris. *A.* 386.
Veterum Tragi. *Ibid.*
Fæmina candida *Hernandez. M.* 102.
Fagara, & Fagaræ minores. *M.* 73.191.
Fagaras *Abenfinæ. A.* 143.
Fagi foliis Arbufcula *Bifnagarica. A.* 143.
Fagonia. A. 374.
Fagotriticum Volubile. *A.* 143.
Fagotritico fimilis *Mariana. M.*74.
Fagus florefcens *Virginiana. A.* 7.
Fagus *Mariana. M.* 74.
Fagus fepium vulgo, Oftrys *Theophrafti. A.* 7.
Fanyaycu *Boymii. A.* 145.
Fat-porke *Barbadenfium. A.* 307.
Faufel *Indorum. A.* 275.
Fedagoza *Lufitanis* Marcgrav. *A.* 182.
Fegopyrum fcandens. *A.* 143. *M.* 74.
Felfel Tavil *Ægyptium* Vefling. *A.* 369.
Fence-flower, *M.* 2.
Ferrum equinum. *A.* 143. 270.
volubile *Muntingii. A.* 282.
Ferruminatrix *Indorum A.* 147.
Ferula. *A.* 143. 144.
Ferulago. *CBP. A.* 143.
Feftuca Avenacea fterilis. *A.*174.*M.*93.
junceo folio, fpicâ geminâ *CBP. A.* 175.
Ficoides. *A.* 147, 148, 149, 150. *M.*76. 77.
Ficui *Nigitarum* fimilis. *A.* 124.
Ficui fimilis Arbor, fructu oblongo. *A.* 146.
Ficus arbor. *A.* 144, 145, 146, 147. 394. *M.* 74, 75.
Aizoides. *A.* 148, 149. *M.* 77.
Hottentottorum vulgo. *A.* 148.
Indica & Oftreifera *Americana. A.*241.
Infernalis *Italorum, A.* 279.
Fiddlewood, *A.* 108.
Filago. *A.* 172. *M.* 92.
Germanica altera. *A.* 171.
Filipendula montan. maj. albida, *A.* 283. *M.*147.
Filix, Filicula & Filicifolia, *A.* 150, 151, 152, 153, 154, 155, 156. *M.* 77, 78, 79, 80, 81, 82, 83, 84.
Filicis & Lycopodii compos. *M.* 84.
Filum maritimum *Germanicum, A.*160.
Fingrego *Jamaicenfibus, A.* 318.
Fingrego & Sabina arbor *Americana, A.* 319.
Fire-sprig, *Barbadenfibus Anglis, A.*138.
Fitweed, *Barbadenfium, A.* 137.
Five-sprig-Tree, *A.* 284.
Flabellum marinum, *A.* 118.
Flammula furrecta, & fcandens, *A.* 109. 116. *M.* 50.
Floeur de May, A. 169.
Floers ad tincturam *IB. M.* 87. 150.
Flos *Africanus, A.* 360.
d'Alumo *Hifpanis, A.* 61.
amarus *Hernandez. A.* 389.
aquæ *Hernandez. A.* 235.
Capuccio 2. *Cæfalpini, A.* 130.
Cardinalis, *A.* 314.
Cuculi, Odontis *quibufdam IB. A.*233.
Divi Thomæ, A. 240.
Indicus caule alato, *A.* 101.
Indicus Champacca, *A.* 394.
Myfticarum vulgo, *A.* 262.
Offeus *Hernandez. M.* 70.
Paffionis, *A.*281, 282, 283. *M.*146.
Sanguineus *Monardes, A.* 388.
Solis, *A.* 98, 99, 100.
Spiritûs Sancti, A. 183. *M.* 70.
Sufannæ Rumphii, M. 141.
Tigridis *Hernandez. M.* 70.
Trinitatis, *A.* 388.
The Flower of the Moon, in *Ligon, M.* 132.
Fluvialis herba, *A.* 304.
Fockii Fockii *Javanenfium, A.* 350.
Foeniculum, *A.* 157.
Sinenfe Francifc. Redi. *M.* 70.
Foeniculus tortuofus & huic fimilis, *A.* 345.
Foenugræci flore, Parietariæ folio, *A.* 33. 157.
Foenugræco fylv. *Tragi* in quibufdam accedens, *A.* 60.
Foenum-græcum, *A.* 157.
fylveftre, f. Glycyrrhiza, *A.* 59.
Foglio dirimato Imperati, *A.* 254.
Folium *Indum, A.* 157. *M.* 39.
Fontalis media lucens, *A.* 304.
minor lucens *IB. A.* 257.
Foula Mogori Soprano *Lufitanis, A.*196.
The Fower-a-clock Flower, vulgo. *M.* 132.
Fragaria, & Fragariæ affinis, *A.* 284.
Frangula *Matthioli, A.* 157.
minima rupeftris, *Ibid.*
nigra *Narbonenfis, Ibid.*
The Frankincenfe Tree, *A.* 297.
Fraxinella, *A.* 157, 158.
Fraxinus, *A.* 158.
Frifoles, A. 116.
Fritillaria, *A.* 158.
craffa *Prom. Bonæ Spei, A.* 37.
Frog-Fritillary, *A.* 158.
Fructus Amygdaloides nitidus *IB.M.*19
Avellanæ magnitudine, *A.* 276.
Aurantii formâ, *A.* 124.
Cannæ de *Bengala, A.* 53.
tertius *Simonis Tavar,* Clufio, *A.*114.
Frago fimilis. *CBP. A.* 265.
Indicus granulofus minor *IB. A.* 92.
Indicus fphæricus granulatus, *Ibid.*
in Infulâ *St. Mariæ, M.* 125.
niger Coriandri fimilis, *A.* 290.
Orbicularis granis Cordis effigie, *A.* 124.
panificius, *M.* 124.
Pavon A. 196.
peregrinus orbiculatus cufpidatus, *A.* 92.
peregrin. 4. *Cluf.* & 5. *exot. lib.* 2. *c* 30. *A.* 199.
reticulato corio *Bafil.Befleri. M.* 19.
rotundus luteus non fplendens *IB. M.* 2.
rotund & orbicularis 5.f. flavus *CBP. Ibid.*
Frumentum *Indicum, A.* 158.
Indic. quod Milium *Indic.* vocant. *A.* 250.
Indic. fpicâ articulatâ perenne, *A.*174.
Saracenicum, A. 143.
Turcicum, M. 84.
Frutex *Americanus* Pyrifoliis, *M.* 187.
anoymos 5. *Marcgr. lib.* 2. *cap.* 15. *M.* 24.
Æthiopicus baccifer Myrtillifoliis, *A.* 391.
Æthiopicus conifer. *A.* 328. *M.* 116.
Æthiopicus foliis Alaterni *Br. A.* 94. *M.* 70.
ambram fpirans latiori folio, *A.*400
baccifer *Brafilian.* fructu racemos Myrtilli, *M.* 4.
baccifer *Indicus* fpinofus trifolius, *A.* 202.
convolvulaceus capreolatus, *A.*229.
corymbiferus *Africanus, A.* 361.
exiguis foliolis confertus *CBP.M.*104.
foliis Acaciæ *Mefopotamicus, A.* 3.
Indicus baccifer Vitis *Idææ* foliis *A.*391
Indicus Kaida dictus, *M.* 13.
Indicus filiquofus Alfines facie diphyllos, *A.* 202.
Ind. Orient. Lavendulæ folio. *CBP. A* 223.
innominatus inftar Salicis pumilæ, *A.* 7.
innominatus pungens & urens, *A.*32
Lufitanis Camarinhas dict. *Linfchot. A.* 136.
Malabaricus trifoliatus *Commel. A.*395.
marinus elegantiffimus. *A.* 118.
marinus pennatus. *A.* 119.
Myrtuofus, f. Amomum *Plinii. M.*26.
Palæftinus Bellonii. *M.* 3.
primus innominatus *Marcgr. A.* 112.
Virginianus floribus albis Spirææ. *M.*7.
Virginianus Tithymali fructu. *A.*139.
Frutex & Fruticulus. *A.* 158, 159, 160. *M.* 84, 85.
Fruticulus ad Scorbutum *Ind.Or. M.*132.
Fruticulus ex *Groenlandiâ M.* 189.
Frutilla in *Chile. A.* 392.
Fucus. *A.* 160, 161, 162. *M.* 85. 86. 155.
marinus, Lactuca marina dictus. *A.* 116.
f. Alga viridis capillaceo folio. *CBP. A.* 117.
folio rotundo *CBP. A.* 118.
radicibus arborum fibrofis, fimilis. *A.* 119.
telam ferićeam texturâ æmulans *Ibid.*
Fuddle-fifh, *A.* 290.
Fula de Golfon, Ogilv. *A.* 267.
Fula Miftica. *A.* 262.
Fula de Mogori & Muguri. *A.* 196.
Fula de Santo Antonio. Lufitanis. *A.* 197.
Fumaria. *A.* 162.
alba veficaria. *A.* 409.

Fungellus

Fungellus, *Mithridaticus. A.* 163.
Fungus, & Fungis affinis. *A.* 162, 163, 164. *M.* 86.
Fustick-wood, *A.* 396.

G.

GAcirma *Nierembergii.* *A.* 92. *M.* 22.
Gaidaro-Thymum *Creticum.* *A.* 346.
Galacorta *Wheleri.* *A.* 337.
Galactoxylon. *A.* 164.
Galangæ titulo accepta. *A.* 127.
Galeata & verticillata Persicæ folio, *A.* 180.
Galega *Ægyptiaca.* *A.* 339.
 nemorensis Verna. *A.* 273. 274.
Galegæ affinis *Malabarica.* *M.* 87.
 affinis Sophera dicta. *A.* 342.
 degener folio singulari. *M.* 87.
Galega unifolia flore herbaceo. *M.* 87.
Galeopsis. *A.* 203, 204. 338. 345.
 species lutea, viscida, odorata. *A.* 185.
Galli crus. *A.* 175.
Gallitrichum & Gallitricho affinis. *A.* 185. 186. 345.
Gallium, *A.* 324.
Gambodi titulo inscripta *ex Ind.Or.* *A.* 210.
Ganti radix *ex Chinâ*, *A.* 397.
Garab *Maurorum* Rauwolfii. *A.* 133. *M.* 66.
Garb *Arabum* Avicennæ. *A.* 133.
Garnitre fructus. *A.* 265.
Garyophyllon *Plinii.* putatum. *A.* 88.
 legitimum *Plinii.* *M.* 39.
Garyophyllus. *M.* 38. 39.
Gatchgachitta *Malabareis.* *M.* 2.
Gause-Tree, *A.* 41.
Gelakachittu *Gentilium Indorum.* *M.* 58.
Gelseminum. *A.* 108. 195. 196.
Gelseminum s. Jasminum *Virgin*, scandens. *A.* 359.
Gelsomoro arbor *Indica*, *A.* 41.
Genden *Bellunensis*, *M.* 135.
Genipat *Theveti.* *A.* 124. *M.* 99.
Genista & Genist. affin. *A.* 164, 165, 166. *M.* 58, 87. 88.
Genistella. *A.* 122. 165. 166. *M.* 85. 88.
Gentiana Gentianella & Gentianæ affinis. *A.* 166. 167. 394. *M.* 89. 142.
Gentianella *Indica* Bontii. *A.* 135.
Gentianis cognata paludosa. *M.* 128.
Geranium. *A.* 167. 168. 169. 170. 401. *M.* 89. 90.
Gerontopogon. *A.* 373.
Ghonkaduru *Zeylanensium.* *A.* 241.
Ghoraka Dulcis. *M.* 20.
Gieumez vocata *Prosp. Alpini.* *A.* 144.
Gim-sem, & Gin-sen *Sinensium.* *M.* 136.
Gingem. *M.* 62.
Gingidium. *A.* 170. 373.
Gladiolus & Gladiolo affinis, *A.* 170. 348. *M.* 38. 91. 98.
Glandi Iligneæ similis fructus *IB.* *A.* 138
Glans Unguentaria *Matthioli.* *A.* 45.
Glastifolia Cichoroides, *A.* 69.
Glastivida, *A.* 371. *M.* 88. 182.
Glasto affinis Rorismarini foliis, *A.* 165.
Glaux *Indica*, *A.* 304. *M.* 9.
Glaux major, *A.* 170. *M.* 91.
 supina viminosa *Lusitana*, *M.* 120.
 vulgaris leguminosa, *A.* 59.
 altera perennis *Raii.* & *Hispanic.* *IB.* *Ibid.*
Globularia *Monspeliensium.* *A.* 335.
Glycoxylum *American.* *A.* 307.
Glycypicros s. Amara dulcis *IB.* *A.* 349.
Glycyrrhiza, s. Glycyrrhizæ affinis, *A.* 59. 120. 170.
Glycyrrhiza s. Glycyrrhizæ affinis spinosa, *A.* 6.
 Dioscoridis echinata, *A.* 269.
 Indica seminibus coccineis, *A.* 294.
Gnaphalium, & Gnaphalio affinis, *A.* 171, 172. *M.* 91, 92.
 Alexandrinum, *A.* 133.
 Tragi. *A.* 179.
 Veterum IB. *A.* 242.
Gnaphaloides, *M.* 91, 92.
Goaconaz *Oviedi.* *A.* 63.
Goan herba, *M.* 92.
The God-Tree, *Park.* *A.* 124.
Goezonda planta marina ex *Insulâ Javâ*, *A.* 172.
Gonandima *Brasiliensium*, *M.* 178.
Gopher *Hebræorum*, *M.* 110.
Gossampinus *Plinio.* *A.* 172.
Gossypium, *A.* 172, 173. *M.* 2. 93.
Go-to-bed-at-Noon, *M.* 77.
Gramen, *A.* 173, 174, 175, 176, 177, 178, 179, 180. *M.* 93, 94, 95, 96, 97, 98.
Gramen Cyperoides, *A.* 127.
 Junceum foliis & spicâ Junci, *A.* 199.
 Juncoides lanatum alterum *Danicum* *A.* 201.
 Parnassi, *A.* 108.
 Parnassi, luteo flore, *A.* 388.
 Sparteum capitulis Equiseti, *A.* 200.
 Sparteum Setas equinas referens, *A.* 160.
Graminifolia aquatica Thlaspeos capitulis. *A.* 180.
Granadilla *Hispanis.* *A.* 281. 282.
Granata vulgo. *A.* 240.
Granatæ folio, Arbor *Curassavica.* *M.* 84.
Grana-Tilli *Officinarum.* *A.* 320.
Gratia Dei Germanorum. *A.* 169.
Gratiola, & Gratiolæ affinis. *A.* 180. 237. 338. *M.* 98. 99.
Gratiolæ affinis Digitalis æmula. *A.* 264.
Gratiolæ affinis Echioides *Zeylanica.* *A.* 142.
Grim the Collier. *A.* 184.
Grossulariæ fructu Arbor max. *American.* *M.* 4.
Guabipocacabiba *Brasiliens. Pison.* *A.* 4. 96.
Guajabara *Barbaris*, *A.* 394.
Guaiacana, *A.* 180.
Guaiaco Occidico similis arbor *Park.* *A.* 7. 42.
Guaiaco viribus similis *CBP.* *A.* 307.
Guaiacum, *A.* 180.
 alterum *Breynii*, *A.* 139.
 foliis Cerasi acidæ *Jonstoni*, *A.* 140.
Guaiana-Timbo *Brasiliens.* *A.* 290.
Guaiava, *A.* 181.
Guajeru *Brasilianor* Marcgravii, *A.* 138.
Guanabana *Nierembergii*, *A.* 31.
Guanabanus *Oviedi*, *A.* 31. 124.
Guandu *Brasilianor.* *A.* 290.
Guaparaiba *Pisonis*, *A.* 241.
Guarerva-Oba *Pisonis*, *A.* 123.
Guarumbee *Brasiliens.* *A.* 291.
Guchon *Nierembergii*, *M.* 23.
Guegela-etta *Zeylanensibus*, *A.* 143.
Guiraparibа *Brasiliens.* *A.* 132.
Guirapiriba *Brasiliens.* *A.* 328.
Guiti-iba cujus fructus Guiticoroya dicitur, *A.* 308.
Guititoraba *Brasiliens.* *A.* 42.
Gum-boom *Belgis Sirinamensibus*, *A.* 41.
Guvavirap: *Brasilianor.* Laëtii, *M.* 4.
Guyabo pomifera *Indica.* *A.* 181.

H.

HAba de *India muilarga*, *A.* 293.
Habbures *IB.* *A.* 298.
Habhel fructus *Clus.* *A.* 125. *M.* 61.
Habzeli *Nigritarum*, *M.* 152.
Haecchic *Indorum*, *A.* 160.
Hachal *Indorum*, *A.* 252.
Hacoyochitl *Nov. Hisp.* Recc. *M.* 7.
Hadhad *Arabibus*, *A.* 234.
Hæmanthus *Africanus*, *A.* 220.
Hæmorrhoidalis, *A.* 303.
Haj-alem-el-maovi *Prosp. Alpini.* *A.* 212 267.
Haitini s. Guao *Hernandez.* *A.* 369.
Halicacabum, *A.* 352.
 arborescens, *A.* 298.
 peregrinum, *A.* 120.
Halimus, *A.* 61.
 Nummulariæ madido folio, *M.* 111.
Hamamaligra *Caribeis* Plumier, *A.* 154.
Harankaha *Zeylanensium*, *A.* 397.
Harar *Arabum.* *M.* 42.
Harel *Arabibus* . . . . .
Hares-foot Plantain, *A.* 298.
Harmala *Syrorum*, *A.* 325.
Hatle radix in *Floridâ* . . . . .
Hayri *Parkinsono*, *A.* 277.
Hedera arborea, *A.* 181. *M.* 99, 100.
Hedera Murucuiæ species, *A.* 282.
Hederæ foliis *Guiniens.* scandens capreolis, *A.* 282.
Hedera saxatilis magno flore, *A.* 283.
Hederaceum Thlaspi *Lobelio*, *A.* 111.
Hedysarum majus, *A.* 339.
 argenteum *Pr. Alpin.* *A.* 112.
 minimum *Dalechampii*, *A.* 157.
 Clypeatum, *A.* 269.
 triphyllum *Canadense*, *A.* 270.
Helenium *Indicum*, *A.* 98. 100.
 Ægyptiacum Smetii à Ledâ, *M.* 50.
Helianthemum, *A.* 105. 107.
 Indicum tuberosum, *A.* 99.
Helianthes species rara, *A.* 21.
Helicteres arbor, *A.* 181, 182.
Heliocataphronetos *Americana*, *A.* 76.
Heliochryson *quorundam* fol. Abrotani, *A.* 103.
 Abrotani fœm. fol. *Boccon.* *Ibid.*
Heliochryso sylv. similis tota viridis *Bocc.* *M.* 106.
Heliochrysos *Tragi.* *A.* 389.
Heliotropium & Heliotropio affinis, *A.* 182, 353. *M.* 100.
 minus Lithospermi foliis, *M.* 119.

Heliotropium Palmites spinosum, *A.* 276.
Helleborine & Helleborines affinis, *A.* 182, 183. *M.* 100, 101.
Saniculæ folio, *A.* 198.
Helleborus albus, *M.* 101.
niger, *A.* 183.
niger Saniculæ folio, *A.* 198.
minim. alpin. Astrantiæ flore, *Ibid.*
Ranunculoides, *A.* 183. 312.
Helxine Cissampelos ramosa *Cretica*, *A.* 116.
fruticescens *Virginiana* *A.* 115.
semine triangulo, *A.* 143.
Hemeris quædam s. Quercus pumila, *A.* 309.
Hemerocallis *Chalcedonica*, *A.* 218.
Hemionitis & Hemionitidi affinis, *A.* 154, 155. *M.* 81, 82.
Hendem *Arabum*, *M.* 135.
Henio *Hispanis*, *A.* 37.
Hepatica fontana, *A.* 216.
nobilis, *A.* 314.
Stellaris, *A.* 324.
Hepaticus Flos *IB.* *A.* 108.
Heptaphyllum alpin trifoliat. *Sabaudum*, *M.* 147.
Herba amara *Hernandez.* *A.* 117.
Amatoriis efficax, *M.* 131.
amoris, *A.* 252.
Casta *Pisonis* *A.* 251, 252.
Cretica Tinctoribus Rubella dict. *A.* 161.
Doria, *A.* 389.
Francisc. Zimbren. Hernandez. *A.* 209. *M.* 179.
geniculata *Hernand.* *A.* 233.
Impia, *A.* 172.
Joannis Infantis, Monard. *A.* 274. *M.* 143.
Judaica Avicen. *A.* 273.
lanuginosa *Brasiliens.* Pison. *M.* 92.
lymphis insiliens *Nieremberg.* *M.* 165.
Malavarica Lusitanis, *A.* 121.
mari innatans foliis rutaceis, *A.* 161.
maxima IB. *A.* 98.
mimosa *Clusii*, *A.* 251, 252.
Mora *Italorum*, *M.* 70.
non nominata *Marcgravii*, *A.* 116.
papillaris vulgo, *A.* 104.
Paris, *A.* 352.
Paris *Brasiliana* polycoccos, *A.* 288.
de raiz. *A.* 154.
Sentiens & pudica *Bontii*, *M.* 131.
Sentiola, sensilis, & Sensifica, *Ibid.*
Serpentis *Hernandez.* *A.* 115.
Serrator. foliorum, *Hernand.* *A.* 137.
Sparto Hispanico non absimilis, *A.* 160.
trientalis, *IB.* *A.* 309.
Venti *Monspeliensium*, *A.* 242.
Verecunda *Hernandez.* *A.* 252.
Viva, *A.* 251, 252. *M.* 131.
Usta latifolia *Hernandez.* *A.* 182.
Vulneraria ad fluvium *Pfrim.* *A.* 57.
Wiapassa, *M.* 36.
Herbæ Paris affinis bifolia, *A.* 267.
Herbarum *Canadensium*, *A.* 98. 396.
Herculei arbor, *A.* 396.
Herniaria, *A.* 20. 27. 302. *M.* 101. 154.
Hesperis, *A.* 183. 214. *M.* 101.
alpina s. muralis min. repens, *A.* 213.
alpinæ affinis Draba succulenta, *Ibid.*
alp. murariævè affin. surrecta, *A.* 214.
sylv. latif. flore albo parvo, *A.* 213.
Hetich *Americum* Theveti ....
Hexapetala spicata Sisynrichii fol. *Indiana*, *M.* 102.
Hezmaytl *Nov. Hisp.* Recc. *A.* 15. *M.* 75. 147.
Hieracium, *A.* 164. 130. 183. 184. 355. 401. *M.* 102, 103.
Hierusalem Sage, *A.* 358.
Higuero *Oviedi*, *A.* 124.
Hina-paretti *H. Mal.* *A.* 14.
Hinduanes *Persarum* Olearii, *A.* 247.
Hin-Indi *Zeylanensibus*, *A.* 277.
Hippion *IB.* *A.* 167.
Hippoglossum, *A.* 209.
Hippoglosso fortè cognata, *A.* 154.
Hippolapathum, *A.* 204, 205.
Hippomarathrum *Creticum*, *A.* 74.
Hippophæstum vel Hippophaës, *A.* 86.
Hippophaës *Anguillaræ*, *A.* 318.
Cæsalpini Ponæ, *Boccon.* *M.* 88.
Hippuris, *A.* 135.
Hjuccas, & Hjucca, *A.* 241.
Hivoraë *Lerii*, *A.* 307. *M.* 156.
Hoacaltlaiotl *Nov. Hisp.* Recc. *M.* 183.
Hoaca-Xochitl *Nov. Hisp.* *A.* 52.
Hoauquitl *Nov. Hispaniæ*, *A.* 68.
Hoaxacan *Jonstoni*, *A.* 140.
Hobus s. Hovus *Benzoni*, *A.* 307.
Hochoctzontecomatl *Mexicens.* *M.* 54.
Hoeligo *Hottentottorum*, *A.* 307.
Hogweed, *A.* 116. 141.
Hogwood, *Barbadensibus Anglis*, *A.* 307.
Hoila-Capitz-Xochitl *Mexicanor.* *M.* 54.
Hoitmaxalli s. Arbor corniger *Hern.* *A.* 4.
Hoitziloxitl *Hernand.* *A.* 63.
Hoitzilziltenxochitl *Hernand.* *A.* 311.
Hoitzitxilxochitl *Mexic.* *M.* 51.
Hoitzochitl *Mex.* Hern. *A.* 32. 241.
Hololiuchi *Hort. Farnesian.* *A.* 115.
Holoquahuitl, s. Arbor Chilli *Hern.* *A.* 45. 260.
Holosteum graminifolium, *A.* 179, 180.
Plantagini simile, *A.* 298, 299. *M.* 152.
Holosteo affinis, Cauda muris, *A.* 12.
Hommottere *Hottentotorum*, *M.* 12.
Honewort, *A.* 347.
Honig-Apple *Belgarum*, *A.* 32.
Hooptwood, *A.* 240.
Hopweed, & Hopseed, *Barbad. Anglis*, *A.* 121.
Hordeum nudum s. Gymnocrithon, *A.* 396.
Horminum, *A.* 184, 185, 186, 345. 357. *M.* 103.
Hormino accedens angustiss. fol. *A.* 186.
Hoximo *Michuacanensium* Hern. *M.* 131.
Hoxocoquamoclit *Camerar.* *A.* 342.
Huapahuitzpatlis altera *Nov. Hisp.* *A.* 122 *M.* 15. 169.
Huazium *Nov. Hispan.* Recc. *A.* 140. *M.* 170.
Hucipochotl *Huaxacensis* Hern. *A.* 320.
Huitxiqua *Hernandez.* *A.* 268. *M.* 139.
Huitz-Tomatzin s. Tomal spinosa *Hern.* *A.* 350.
Humatú *H. Mal.* *A.* 358.
The humble Plant, *A.* 251.
Indian Hurt-heal ....
Hyacinthus & Huic affinis, *A.* 186, 187, 188. *M.* 102. 104.
Hyacinthus Orchioides *Breyn.* *A.* 271.
Hyacinthoides capillosa *Hernandez.* *M.* 142.
Hydrocotyle, *A.* 314.
Hydrolapathum, *A.* 205.
Hyosciamus, *A.* 188. 235.
Hypecoum legitimum *Clusii*, *A.* 188.
Hypericoides, *A.* 189. *M.* 104.
Hypericum, *A.* 188, 189, 190. 401. *M.* 104.
Hypoxylon *Mentzelii*, *A.* 165.
Hyssopifolia *Mariana*, *M.* 104.
aquatica IB. *A.* 236.
Hyssopum montanum *Cilicium*, *A.* 332.
montan. *Macedonicum*, *A.* 368.
Hyssopus montana *Fuchsii*, *M.* 181.
Anglica, *A.* 190.
Græcorum Prosp. Alpin. *M.* 141.
Hystrix Vegetabilis vulgo, *M.* 59.

I.

JAborandi species *Pisonis*, *A.* 343.
Jabotapita *Brasilianor.* *M.* 20.
Jaca, *M.* 42.
Jacea, *A.* 83. 86, 190, 191, 192, 193. 357. *M.* 105, 106.
Jaceæ Oleæ folio affinis, *A.* 227. 367.
Jaceæ & Serratulæ affinis capitulis Baccharidis, *M.* 72.
Jacea bicolor & tricolor. *A.* 388.
Jacerabudú *Zeylanensium*, *A.* 293.
Jack in a Box, *Barbadens. Anglis*, *A.* 266.
Jacobæa, *A.* 58. 193, 194, 195. 343. *M.* 106. 107, 108. 170.
Jactsa-vetluë *Gentilibus Indis*, *A.* 174.
Jacua-Acanga *Brasiliens.* Pison. *A.* 182.
Jaée *Pisonis*, *A.* 247.
St. Jago Flower of *Ligon*, *M.* 2.
Jalapiæ nomine receptus, *A.* 114.
Jalappa vera *Muntingii*, *M.* 132.
Jaloux *Paludano*, *A.* 171.
Jamacarú prima & quarta *Pisonis*. *A.* 147.
quinta *Pisonis*, *A.* 370.
Jamberzado *Persarum*, *M.* 39.
Jamboli *Acostæ*, *A.* 237.
Jambolonifera *Garciæ*, *A.* 307.
Jambos *Paludano* Linschoten, *A.* 237.
sylvat. fructu Cerasi, *A.* 262.
Jambos sylvestr. Samstravadi dictus alter, *A.* 266.
Jambu sylvestris minor, *M.* 23.
Janachidde *Malabaror.* *M.* 58.
Janapachidde *Malabaror.* *Ibid.*
Jangomas Prunis similis, *A.* 195.
Janipa *Rochfort.* *A.* 124.
Janipaba *Pisonis*, *M.* 59. 99.
Jansiat Indi *Avicennæ* ....
Jaracaba *Americana*, *A.* 38.
Jaracatia *Pisonis*, *A.* 146.
Jaruma *Martyris*, *M.* 75.
Jasme montana, *A.* 331.
Jasminum, *A.* 195, 196, 197. *M.* 108.
Mexicanum, IB. *A.* 252.
Millefolii folio CBP. *A.* 117.
Persicum, *A.* 359.
purpureum prælongis siliquis, *A.* 108
Virginiana Laurifolium, *A.* 359.
spinosum *Americanum*, *A.* 234.
Ibacuru-pari *Brasilianor.* Marcgravii, *A.* 40.
Ibametara *Marcgrav.* *A.* 307.
Ibaréem *Pisonis*, *A.* 170.

INDEX

Ibati *Brasilienfibus*, *A.* 37.
Ibera-Putteruna *Brasilianor: A.* 346.
Iberis Cardamantica, *A.* 197. 261.
Ibira *Brasiliensium*, *A.* 88, 394.
Ibiraba *Marcgrav. A.* 246.
Ibiraée *Brasilianor. A.* 307. *M.* 156.
Ibixuma *Pisonis*, *A.* 92.
Icicaraba *Brasilianor. A.* 306.
Ἰχθυοθήρον, *M.* 150.
Idu-Mulli *H. Mal. A.* 395. *M.* 133.
Iecape *Brasilienf.* Pison. *A.* 127.
Ient *Indorum*, *A.* 112.
Iequitinguacu *Laëti*, *A.* 265.
Jessemy Tree of *Barbados*, *A.* 109.
Ietaiba *Pisonis*, *A.* 96.
Ietica *Brasilienf.* Marcgr. *A.* 114.
Ieticucu *ejusd. Marcgravii. Ibid.*
Jews-Pease *Barbadensibus* nostris, *A.* 273.
Igasur *Philippinar.. Insular*, *M.* 69.
Igbucami *de Laët. M.* 99.
Igcica *Laëtii*, *A.* 306, 307.
Igli arbor *de Insulâ Solor. A.* 306.
Iito prior *Pisonis*, *A.* 394.
Ilanda *Zeylanenfibus*, *A.* 199.
Ilex, *A.* 197. *M.* 108.
Ilicis facie *Maderaspatana*, *A.* 198. *M.* 108.
Illecebra major, *A.* 340.
Ily *H. Mal. A.* 53. *M.* 28.
Imperatoria Ranunculoides, *A.* 198. *M.* 108.
Inaja *Brasiliensium* Pisonis, *A.* 275.
Inaja-Guacuiba *Marcgr. Ibid.*
Inalel. *H. Mal. M.* 39.
Indebus *Americanis*, *A.* 181.
Indian-Gunshot, *A.* 79.
Inhame. *A.* 78, 79. 114, 321.
Inimboy *Marcgravii*, *A.* 4.
Inke-berry & Inke-wood, *A.* 234. 246.
Inota Inodien *H. Mal. A.* 352.
Inschi vel Inschi-kua *H. Mal. A.* 397.
Intsia *Malabaror.* & Intsiæ accedens, *A.* 4.
Iondraba alyssoides *Apula spicata*, *A.* 215
Ionthlaspi, *A.* 365.
Ipecacuanhe, *A.* 65. 288.
Ipsroba *Marcgravii*, *M.* 26.
Iraiba *Pisonis*, *A.* 276.
Iraitruch & Ajawec succus similis Aloë, *M.* 190.
Irio *Æthiopicus*, *M.* 70.
Apulus alter. *A.* 137.
Iris, *A.* 198. 348. *M.* 109.
Irucaba de *Laët. A.* 38.
Isatis sylv. min. *Lusitanica*, *A.* 198.
Indica foliis Rorismarini, *A.* 165.
Ischas, *A.* 371.
Isjeru-valli-panna *H. Mal. M.* 83.
altera *ejusd. ibid.*
Isoca-murri *H. Mal. A.* 181. *M.* 100.
Isocinnamon *Plinii M.* 26.
Iricucú *Brasiliar.* Pison. *A.* 114.
Itti-alu *H. Mal. A.* 42. 145.
Itti-Canni *H. Mal. A.* 287.
Irubú *Sirinamenfibus*, *A.* 137.
Itzecunpatlis *Hernandez. A.* 110.
Ivapecanga *Pisonis*, *M.* 349.
Iucaiæ arbor, *Nierembergii*, *A.* 89.
Iudaica arbor, *A.* 95.
Iujuba & Iujube, *A.* 198, 199. *M.* 85. 109.
Iuncariæ affinis *Æthiopica. M.* 102.
Iuncellus, *A.* 201.
Iuncus, *A.* 199, 200, 201. *M.* 109.
Bombycinus *IB.*, *A.* 179.
Cyperoides *Cat. Jamaic. M.* 97.
Cyperoides maritimus *Lob. A.* 178.
maritimus *Narbonensis.* Park. *Ibid.*
odoratus aromaticus, *A.* 175.
proprie, aridi Soli in *Africa*, *A.* 164.
Iunipapeeywa *Brasilianor.* Clusii. *A.* 124. *M.* 99.
Iuniperus, *A.* 201. 326. *M.* 42. 109.
Iuniperifolia, *A.* 202. *M.* 111.
Iunsa *Ind. Orient. M.* 149.
Iupecai *Pisonis*, *A.* 170.
Iuqueri *Brasilienf.* Pison. *A.* 251.
Iuqueri Omnano *Marcgr. Ibid.*
Iuripeba *Pisonis*, *A.* 351.
Ivy-flowring-Wintergreen, *Virginiens. M.* 115.
Ivy-Nut of *America*. *A.* 282.
Izacariba *Brasiliana* Pison *A.* 42. 306.
Izontacpatlis, f. Volucrum Medicina *Hern. M.* 17.
Iztac-Coanenepillis, f. Volubilis diuretica *Hern. M.* 147.
Iztacpatlis-Quizasepin *Nov. Hisp. A.* 349. *M.* 27.

K.

Kaate, *M.* 85.
Kabliboet *Bengalensium*, *A.* 273.
Kadjang *Ogilv. A.* 293.
Kaha *Zeylanensium*, *A.* 125.
Kajan f. Katsjan *Zeylanensium*, *A.* 293.
Kajan Tacori-folia *Clusii. A.* 203.
Kaida *H. Mal. A.* 277, *M.* 13.
Kaida-Taddi *H. Mal. M.* 145.
Kainepú *Malabaror. M.* 73.
Kaipa-Tsjira *H. Mal. A.* 21.
Kaischucpenauk *Virginiensium*, *M.* 28.
Kaka-Mullu *H. Mal. A.* 202.
Kakapú *H. Mal. A.* 283.
Kaka-Toddali *H. Mal. A.* 202.
Kakoüsa *Javanis*, *A.* 306.
Kakuvalli *H. Mal. A.* 292.
Kali, *A.* 202. *M.* 111.
Crassulæ minoris folio *CBP. A.* 149.
floridum repens *Fab. Column. A.* 169.
fruticosum *Hispanicum*, *A.* 69.
genus *Americanum. A.* 33.
Kali hirsuto affinis Anthyllidis species, *A.* 368.
Kalli *Ægyptiacum* album *Prosp. Alp. A.* 149.
Kalpanna-Maravara *H. Mal. A.* 150.
Kal-Vetadagou *H. Mal. A.* 391.
Kalu-polapen *H. Mal. A.* 236. *M.* 73.
Kalureve *Malabaror. M.* 112.
Kamba *Afrorum* Ogilv. *A.* 342.
Kandel *H. Mal. A.* 241.
Kanna Ghoraka *Cingalensium*, *M.* 20.
Kanneli-Itti-Canni *H. Mal. M.* 25.
Kansjan-Cora *H. Mal. M.* 43.
Kapa-Mavo *H. Mal. A.* 28.
Kapa-tsjakka *H. Mal.* . . . .
Kappa Kelengu *H. Mal. A.* 114.
Kara-Tsjira *H. Mal. A.* 303.
Karil-pu-panna Maravara *H. Mal. A.* 151
Kari-Bepou f. Nimbo altera *H. Mal. A.* 269.
Kari-Kandel *H. Mal. A.* 241.
Karin-Tagera *H. Mal. A.* 44.
Karunde-poondoo *Malabaror. M.* 139.
Kary-Kandel & Kanil-Kandel *H. Mal. M.* 62
Karyl *H. Mal. A.* 306.
Katabaramareca *H. Mal. A.* 292. *M.* 149
Katan-belloueren *H. Mal. A.* 15.
Katapa *H. Mal. M.* 3.
Katapincka *Zanoni. A.* 106.
Katappers *Joan. Nieuhoeuf. M.* 12.
Kata-Schena *H. Mal. A.* 52.
Kathu-Karohiti *Cingalensibus. A.* 245.
Kathu tampala *Zeylanensium. A.* 26.
Katou Adamböe *H. Mal. A.* 16.
Katou-Alou *H. Mal. A.* 144.
Katou-Conna *H. Mal.* 95.
Katou Indel *H. Mal. A.* 276.
Katou Inschi-Kua *H. Mal. A.* 397.
Katou-Kadali. *H. Mal. A.* 106.
Katou-Kalesjam *H. Mal. A.* 355.
Katou-Mail-elou *H. Mal. A.* 48.
Katou-Nirouri. *H. Mal. M.* 84. 188.
Katou-pulcolli *H. Mal. A.* 202.
Katou-Tandale-Cotti. *H. Mal. A.* 121.
Katou-Tsjaka *H. Mal. A.* 203. *M.* 168.
Katou-Tsjerou, f. Cheru *H. Mal. A.* 306.
Katou-Uren *H. Mal. A.* 25.
Katsjil-Kelengu *H. Mal. A.* 321.
Kattu-Kalengu *H. Mal. A.* 113. *M.* 54.
Katubala *H. Mal. A.* 79.
Katu-Kapel. *H. Mal. M.* 29.
Katu-Karu-Walli *H. Mal. A.* 318.
Katu-Katsjil *H. Mal. M.* 185.
Katu-Kurka *H. Mal. M.* 128.
Katu-Mulla *H. Mal. A.* 196.
Katu-Murungha *Zeylanensium. A.* 253.
Katu-Naregam *H. Mal. M.* 115.
Katu-paëru *H. Mal. A.* 291.
Katu-palvalli *H. Mal. M.* 17.
Katu-pee-Tsjanga-puspam *H. Mal. A* 167. *M.* 44.
Katu-Tsjandi *H. Mal. A.* 291. *M.* 149.
Katu-Tsjetti-pú *H. Mal. A.* 27.
Katu-Tsjiregam-Mulla *H. Mal. A.* 196.
Katu-Tumba *H. Mal. M.* 139.
Katu-Ulinu *H. Mal. M.* 149.
Katkaupoondoo *Malabaror. M.* 146.
Kauki *Indorum* Breyn. *A.* 203.
Kawatuwa *Zeylanenfibus. A.* 142.
Kayan dictus. *A.* 293.
Kaye-Baka *Clusii. A.* 390.
Kayjang *Insulæ Formosæ. A.* 203.
Kedangu *H. Mal. A.* 112.
Keelanelle *Malabaror. M.* 84.
Keiri. *A.* 214.
Kenkerig *Wallorum. A.* 255.
Kepul *Indorum*, *A.* 297.
Kerande chidde *Malabarorum. M.* 139.
Kerbita vulgo *Brasiliensium. A.* 29.
Kerzeherch arbor venenata *Persarum. M.* 86.
Kethesnar *Arabum. A.* 240.
Ketmia *Syrorum. A.* 14.
Kiagiú f. Kagiú *Sinarum* Boym. *A.* 29.
Kiluké *Cingalensibus*, *A.* 43.
Kill-wench *Barbadensibus* nostris, *A.* 290.
Kimoy *Zeylanenfibus*, *A.* 166.
Kindici-valli *H. Mal. M.* 55.
Kinkanbaú *Sirinamenfibus*, *A.* 16.
Kinsú *Sinensium*, *A.* 203.
Kirganeli *H. Mal. A.* 159.

Kiscatan

INDEX.

Kiscatana *Nov. Anglicanis*, *M.* 136.
Kitra & Alkitra *Arabum*, *M.* 40.
Kittoel *Zeylanensibus*, *A.* 277.
Knawel *Germanorum*, *A.* 302.
Knippa *Americana*, *A.* 265.
Kodda-pail H. *Mal. M.* 137.
Konar, *Persarum* Thevenoti. *M.* 109.
Konni H. *Mal. A.* 294.
Kopalam *Zeylanensibus*, *A.* 71.
Kopang arbor, *A.* 42.
Kotsjilettipullu *H. Mal. A.* 170.
Kua H. *Mal. A.* 397.
Kudda-Mulla H. *Mal. A.* 196.
Kuikiu radix *Sinica*, *M.* 92.
Kupamenija *Zeylanensium*, *A.* 248.
Kurinti-Kali H. *Mal. A.* 235. 309.
Kurundoti H. *Mal. M.* 50.
Kurundu *Zeylanensibus*, *A.* 88.
Kuttanemmius *Virginiensium*, *A.* 51.
Kyati f. Quercus *Indica* Bontii, *M.* 178.
Kyckonophane *Japonensium*, *A.* 243.

L.

Lablab, *A.* 291.
Lablari arbor *Americana*, *A.* 38.
Laburnum *Zeylanicum*, *A.* 122.
humilius, *M.* 150.
Spinosum, *A.* 293.
Labrusca dicta, *A.* 392.
Lacberiza *Bengalensium*, *A.* 122.
Lace-Tree, *A.* 41. *M.* 75.
Lachryma *Jobi*. Multis, *A.* 250.
Lachryma *Moysis*, *A.* 80.
Lactuca agnina, *A.* 381.
Lactuca sylvestr. pumila. *Park. M.* 102.
Ladanum *Creticum*. Pr. Alpin. *A.* 106.
Ladanum *Segetum*, *A.* 345.
Ladschini *Bramannis*, *A.* 252.
Lagopus, *A.* 375, 376.
Lamium, *A.* 203, 204. 338. *M.* 112.
Astragaloides, *A.* 338, 339.
fœtidum *Lusitanicum* fol. Melissæ, *M.* 127.
Lamii *Tingitani* facie, Planta *Mariana*.
Lampsana, *A.* 104.
Apula Plinii, *A.* 314.
Lanaria, f. Struthium *Dioscoridis*, *A.* 232.
Langoas *Bod à Stapel*. *A.* 79.
Lanha *Indorum*, *A.* 275.
Lanifera arbor peregrina, *A.* 172.
Lanigera arbor *Bontii*, *Ibid.*
Lantana vulgo, *A.* 385.
Lantor arbor *Indica*, *A.* 276.
Lapas *IB*, *A.* 205.
Lapathum, *A.* 204, 205. *M.* 112.
Ægyptiacum lactescens *CBP.* *A.* 34.
hortense, f. Spinachia, *A.* 356.
maritimum fœtidum *CBP.* *A.* 8.
Lapatho Anthoxantho accedens plant. caustica, *M.* 112.
Lappa boaria *Plinii*, *A.* 90, 91.
major, *A.* 205.
strumaria f. minor, *Ibid.*
Lappula, ejusque species variæ, *A.* 206. *M.* 113, 114.
Canaria, *A.* 91.
Larix, *A.* 91.
Laserpitium, *A.* 207. *M.* 114.
Lata fructus exoticus *Clusii*, *A.* 249.
Latinier Rochforti, *A.* 277.
Lathyris, *A.* 371.
Lathyrus & Lathyroides, *A.* 208, 209. 387. *M.* 114.
Lathyro affinis *Mexiocana*, *A.* 382.
Lavandula & Lavendulæ foliis, *A.* 209. 223.
Lavapratas Lusitanis, *A.* 96.
Laureola, *A.* 209.
Cretica humilis *Prosp. Alpin.* *A.* 107. *M.* 49.
Lauro cerasus, *A.* 95.
Lauro serratæ *Stapelianæ* similis inodora, *A.* 139.
Laurotaxa, *A.* 209, 210. *M.* 114. 115.
Laurus & Lauri facie, *A.* 210, 211. *M.* 115
Alexandrina, *A.* 209, 210.
non odorata, fructu globoso *Africana*, *A.* 139.
odorata *Ligonis*, *A.* 88.
Laurifolia *Americana* pomo capitis magnitud. *A.* 124.
arbor venenata, &c. *M.* 86.
Guinensis CBP. *A.* 124.
Magellanica, *A.* 89.
Laurustinus & Laurustino similis, *A.* 211.
Laurus Tulipifera, *A.* 379.
Lazarola *Italorum*, *A.* 248.
Leather-coat-Tree, *A.* 38.
Le' Balisier. *M.* 36.
Ledum & Ledon, *A.* 106. *M.* 49.
palustre nostras Arbuti flore, *A.* 136.
Leguanaria arbor *Arabica* spinosa, *A.* 199.
Legumen pallidum *Ulyssiponense*, *A.* 387.
ex *Indiâ*, cujus siliquulæ Anil inscriptæ, *A.* 165.
trifolium sub terrâ fructum edens, *M.* 149.
Le herbe aus Fleches D. Rochfort, *A.* 79.
Lemma *Theophrasti*, *M.* 116.
Lens, *A.* 211. 387. *M.* 116.
Lens Phaseolodes maxim. *Indor.* *A.* 295.
Lens palustris & Lenticula, *A.* 211, 212. *M.* 116.
Lenticula marina, *A.* 161.
palustris, *A.* 401.
palustris bifolia, *A.* 21.
Lentiscus arbor, *A.* 212.
Barbadensium Ligonis, *A.* 307.
humilis trifolia, *A.* 319. *M.* 161.
Promonotorii Olindæ, *A.* 319.
Leontopetalon, *A.* 212.
Leontopetalo affinis, *M.* 116.
Leontopodium *Creticum*, *A.* 298. *M.* 152.
Leontopodium *Matthioli*, *A.* 171.
Leonuros *A.* 81. *M.* 37.
Lepidium, *A.* 132. *M.* 65.
Americanum, *A.* 197.
Dentellaria dictum, *A.* 212.
Pauli, *IB. Ibid.*
Leucacantha, *A.* 83, 84.
Leucadendros *Africana*, *A.* 212.
Leucanthemum, *A.* 65. 97, 98.
alpinum *Clusii*, *A.* 73.
Leucoium, *A.* 212, 213, 215. *M.* 116, 117.
Africanum cæruleo flore, *A.* 183.
fl. alb. siliquis uno versu reflexis, *A.* 69
Lusitanicum purpureum, *M.* 102.
luteum aizoides, *A.* 281. *M.* 102.
lut. f. Keiri minim. Polygalæ facie, *M.* 153.
maritimum, *A.* 183. *M.* 181.
Leucoiis affine Tripolium *Anguillaræ*, *A.* 213.
Lucoma *Parkinson*. *A.* 90.
Lucoxylon arbor *Americana*, *A.* 215.
Levisticum vulgare, *A.* 217.
Leum Alrachaha (i. e.) Nux Mechil *Serapion*, *M.* 176.
Libanotis, *A.* 207. 215, 216, 217. 346. *M.* 16. 114. 117.
Cachryophoros, *A.* 74.
Coronaria, *A.* 323.
Ferulæ folio & semine, *A.* 143. *M.* 74.
Fœniculi folio *CBP.* *A.* 143.
Rosmarinum herbaceum, *A.* 345.
Sept. ntrionalium IB. Ibid.
Libby arbor in *Insula Mindanao*, *M.* 144.
Lichen, *A.* 216.
arboreus *IB.* *A.* 254.
Dioscoridis & *Plinii*, *Ibid.*
marinus *Clus.* *A.* 118.
petræus purpur. *Derbiensis*. *A.* 255.
Lici arbor *Sinensis* Boymii, *M.* 20.
Lien *Sinensium*, *A.* 267.
Lienes *Rochforti*, *A.* 295.
Lightwood, *Barbadensibus Anglis*, *A.* 228.
Lignum Acanthinum *Arriani*, *M.* 2.
Aloës vel *Paradisi*. *M.* 133.
amarum, *A.* 395.
American. album *CBP*, *A.* 215.
aromaticum, *A.* 89.
Bovinum, *A.* 395.
Brasilianum, ut charta candidum, *A.* 215.
Colubrinum alterum *Acostæ*, *M.* 28.
Colubrin. *Barbadensium*, *A.* 270.
Colubrin. *Garciæ*, *A.* 287.
Colubrinum *Officinar.* *A.* 124.
Columbarium, *A.* 395.
croceo tingens *IB.* *M.* 192.
Desiderii f. exoptatum *Fragosi*, *A.* 228.
dulce f. Guajacum *Pisonis*, *A.* 307.
exoticum *Clus.* *M.* 42.
ferreum, *A.* 346.
focale *Americanum*, *A.* 138.
fomitis vicem præbens. *A.* 138.
levissimum *IB.* *A.* 228.
Molucense Panava dictum. *M.* 162.
Nepriticum *Hernandez*. *A.* 253.
odoratum *Americanum*. *A.* 138.
odore fragrans. *Ibid.*
Pavanum *IB.* *A.* 120.
purpureum ex *Africa*. *M.* 41.
Rhodium à quibusdam putatum. *A.* 166. 228.
sempervivum *Jonstoni*. *A.* 160.
Sambarane. *M.* 78.
Ligusticum. *A.* 346.
alterum *Matthioli*. *M.* 117.
Belgicum. *A.* 104.
humilius *Scoticum* à maritimis. *A.* 217.
quorundam foliis *Angelicæ*. *Ibid.*
vulgare. *A.* 216.
Ligustrifolia, baccifera *Americana*. *A.* 217.
Ligustrum. *Ibid.*
foliis laciniatis. *A.* 359.
Orientale. *Ibid.*
Zeylanic. arborescens *Br.* *A.* 259.
Lilach. *A.* 359.

Caroliniana

INDEX.

Caroliniana M. 152.
Liliasphodelus. A. 219.
Lilio-narcissus. A. 219. 220. M. 117.
Lilium. A. 217. 218. 219, 401. M. 117.
Lilium Alexandrinum, M. 142.
Zeylanic. seminibus ad Poeoniam accedentib. M. 130.
Zeylanicum Superbum vulgo, A. 249.
Lilium Convallium, A. 220.
Convallium Polygonati foliis, A. 301
Limas Coroado, Lusitanis, M. 115.
Limones sua specie pusilli, M. 125.
Limonium, A. 71. 220, 221. M. 117.
Limonio congener Clusii, A. 71, 72.
Linaria, A. 221, 222, 223. M. 117, 118.
argentea Mexicana Hernand. A. 141.
folioso capitulo luteo, A. 389.
Linariæ similis Arbuscula Canariensis, A. 223.
Lingua avis Dalechampii, A. 390.
Lingua cervina, A. 154. M. 81.
caulifera Brasiliana, A. 153.
Lini facie, M. 118.
Lini folia, f. Campanula lutea IB. A. 224
Linum, A. 223, 224. M. 118.
arboreum Prosp. Alpini, M. 179.
foliis asperis umbellatum, A. 281.
minimum stellatum, Ibid.
umbilicatum Park. A. 126.
Liquid-Ambari arbor, A. 224.
Liquorice-Tree, A. 294.
Lirio asphodelus quibusdam, A. 219.
Lithoreo-leucoium minim. Valvensium, A. 213.
Lithospermum, A. 30. 224, 225. M. 13. 119.
arvense minus Turnefort. A. 258.
arundinaceum, A. 79, 80. 250.
Indicum Bontii, A. 250.
Linariæ fol. Monspeliacum, A. 281.
Linariæ fol. Germanicum, Ibid.
Scorpioides floribus rostratis, A. 401.
Lithothlaspi, A. 365.
Loblolly, Barbadensibus Anglis.
Lobus Brasilianus ingens, A. 295.
aromaticus, A. 381.
Brasilian crassus Citrii fem. alter, IB. M. 44.
echinatus fructu cæsio fol. longioribus, A. 4.
Ἐχινώδης cum piso duro cinerei coloris, Ibid.
ex India Orientali, A. 225.
ex Wingandecaow, Clus. A. 96.
Locus spuria, arbor American. A. 225.
Locusta arbor, A. 96.
Locusta herba, A. 381.
Locust-Tree, A. 95, 96.
Logaro arbor, A. 41. 144.
Logwood, Battali Purchesio, M. 136.
Lonchitis & Lonchitidi affinis, A. 150. 152. 154. 156. M. 79, 80, 81.
Lonchitidi affinis Arbor anomala, M. 81.
Loquiltic Mex. Hernand. M. 187.
Lotus arbor fructu cerasi, A. 225.
Africana, A. 180.
Africanæ similis arbor CBP. Ibid.
Africanæ similis Indica CBP. A. 7.
Lybica Polybii Megalopolitani, A. 199.
Lotus fruticosus, A. 375.
herba & Loto affinis, A. 225, 226, 227, 228. M. 119, 120.
Ægyptia Prosp. Alpini, A. 267.
enneaphyllos Dalechampii, M. 74.
Nilotica Theophrasti, A. 267.
Sylvestris ex Codice Cæsareo, A. 280.
vulgo Marcgravii, M. 137.
Loto affinis Ægyptiaca, CBP. 341.
Lagopoides, M. 184.
Lotoides Æthiopicum, M. 120.
Lucinium arbor Americana, A. 228.
Luffa Arabum Veslingi, A. 286.
Lunala Zeylanensium, A. 220.
Lunaria botrytes, f. racemosa, A. 228. M. 120.
elatior Adianti albi folio, M. 38.
biscutata, A. 215.
major, A. 214, 215.
lutea Dalechampii, A. 215.
Magorum Arabum Pena, A. 8.
Oxalidis rotundæ folio, Ibid.
Quorundam Anguillaræ, A. 135.
peltata, A. 365.
radiata Robini, A. 60.
Lupinus & Lupini folio, A. 228, 229. M. 120.
Lupinus sylvestris Ægyptius, A. 280.
Lupulus mas & fœm. A. 229.
Mechiocanus, CBP. A. 71.
sylvestr. Americana claviculis, A. 121. 229.
Lupulo vulgari similis Ind. Or. A. 229.
Luriodendros materialis, A. 108.
Luteola, A. 317. M. 160.
Lychnidea, A. 233. M. 121, 122.
Lychnis, A. 229. 230. 231, 232, 233. M. 121
minima foliis Laricis Moris. A. 23.
sylvestr. Campanulæ flore CBP. A. 77.
sylvestris marina, A. 401.
Lychnidis rubræ alterum genus, A. 380.
Lychnocrodryophoros arbor American. A. 260.
Lycium, A. 233, 234, 235. M. 122.
African. Betulæ folio, A. 94.
African. non spinosum, A. 393.
Bontii, A. 160.
foliis Ericæ CBP. Ibid.
Lycium Indicum spinis quaternis, A. 245
Lycio similis frutex Indicus Buxifolius, M. 66.
Lycoperdon vesicarium, stellatum, A. 164.
Lycopersicon quibusdam, A. 351.
Lycopodium, A. 256, 257.
Lycopsis Dioscoridis, A. 133.
Lycopus Turneforti, A. 241.
Monspeliaca, Ibid.
Lysimachia & Lysimach. affinis, A. 235, 236, 237. M. 122, 123.
galericulata, A. 338. M. 169.
non papposa Melissophylla, A. 38.
spicata cærulea, A. 383.

M.

MAca[illegible] Arabum, A. 94.
Ma[illegible]millo de Laët. A. 44.
Macaxochotl f. Prun. Cervin. A. 306.
Macaycthi Mex. Hernand. A. 293.
Macer & Macir, M. 123.
Mackenbuoy Hibernis, A. 371.
Macock vulgo, A. 286.
Macoquer Virginiensium Clus. A. 124.
Macou arbor Barbadensis, A. 277.
Macouna Brasiliensium, A. 292.
Macpalxochitl Nov. Hisp. Recc. A. 14. M. 9.
Macuilxochitl f. Maon Hern. A. 360.
Macumba Congensibus, A. 350.
Madelvalladee Malabaror. M. 101.
Maga lignum durissimum, A. 80.
Magala Canariensium Insular. A. 73.
Magarga Lusitanis, A. 98.
Maggai Indorum, A. 307.
Magnei divinum Hernandez. A. 19.
Mahabothya Cingalensibus, A. 106.
Maha-Kaluwa Cingalensium, A. 397.
Mahaleb Matthioli, A. 94.
Mahaleb Arabum, A. 318.
Mahopola Canariensibus dict. A. 239.
Mahot arbor Caribana. A. 41, 138. M. 75.
Mail-Anschi H. Mal. A. 318.
Mail-conei Malabaror. M. 2.
Mail-elou H. Mal. A. 48. 391.
Majorana scutellata exotica, A. 237.
Maizio Hernandez. A. 158.
Maizium Nierembergii, M. 84.
Makassari Avicen. M. 167.
Mala Æthiopica Dodonæi, A. 351.
Mala Americana Pyri Specie, A. 32.
Mala aurea odore fœtido, A. 351.
Mala Cotonea f. Marmelacta, A. 125.
Mala Goensia. CBP. A. 238. M. 36.
Mala Guinensia, CBP. M. 13.
Mala insana Syriaca, A. 350.
Malabathrum Officinar. A. 88, 89. 157. M. 40. 158.
Malacca-Schambu H. Mal. A. 237. M. 23.
Malacka-pela H. Mal. A. 181.
Maladundee Malabaror. M. 161.
Mala-Ejengi H. Mal. A. 80.
Malago-maram H. Mal. A. 94.
Mala-intschi-kua H. Mal. M. 37.
Malam-Todda-Vaddi H. Mal. A. 251. M. 131.
Malankua H. Mal. A. 397.
Mala-poenna H. Mal. A. 237.
Malecungee Malabaror. M. 21.
Malinathalla Theophrasti, A. 127.
Mallam-Toddali H. Mal. A. 237. 330.
Mallam-Tsjulli H. Mal. M. 140.
Mallearresh Malabaror. M. 20.
Mallewamboo Malabaror. M. 30.
Mal-Naregam H. Mal. M. 57.
Malva, A. 24 237, 238. 401. M. 124.
Malva d' Isco Lusitanis, A. 343.
Malum Cydonium Indicum Bont. A. 125
Malus Americana spinosa, M. 155.
Indica Lusitanis Ber & Bor Acost. A. 199.
Indica fructu pentagono, A. 238.
Indica, pomo anguloso, Ibid.
Malabarica D. Seyn, A. 124.
Malacensis nonnihil Spinosa, A. 199.
Sylvestris Caroliniana, M. 124.
Malus Adami, CBP. A. 239.
Arantia, A. 238, 239.
Citria, A. 239.
Cydonia, Ibid.
Limonia, Ibid.
Limonia pumil. sylv. Zeylan. M. 57.
Punica f. Granata, A. 240.

rosea

rosea *Malabarita*, M. 124.
Mamanga *Marcgravii*, M. 26.
Mamanga frutex *Pisonis*. A. 96.
Mamatzlacotl *Nov. Hisp*. M. 46.
Mambu vel Bambu dicta. A. 53.
Mamee arbor. A. 39. 240. M. 18. 125.
The Mamee Momin, or Toddy-Tree, A. 240.
Mamee Sappota. A. 39.
Mamoera. A. 145.
Mamoztlacotl *Nov. Hisp*. A. 67.
Mananeog. M. 60.
The Manatee-Grasse, A. 119, 199. M. 155.
Mancinello arbor Americana. A. 43.
Mandaru ejusque species. A. 240.
Mandathia f. Marú *Mus. Zeyl*. A. 295.
Mandeoch Mandapore. M. 126.
Mandeoch-parpie. *Ibid*.
Mandioca radix. A. 241. M. 126.
Mandovi *de Laet*. A. 341.
Mandragora. A. 240.
Caulescens *Turnefortii*. M. 174.
Comatôdes *Plinii*. M. 135.
Mandsjadi H. *Mal*. A. 295.
Mandubi *de Angola*. A. 291.
Mandubi & Mandobi. *Brasil. Pison*. A. 341.
Mangæ affinis. M. 156.
Mangaiba *Brasilianor*. A. 32.
Mangestans foliis laurinis. A. 210.
Manghas & Mangha. A. 241.
Mangier blanco *Hispanis*. A. 32.
Mangili *Cingalensium*. A. 294.
Mangle. A. 241. M. 62. 126.
Mangostans perperàm. A. 217.
The Mango-Tree, A. 241.
Mango's Mali aurei facie, A. 124.
Mango's of the Water, M. 126.
Mangrove-Grape, A. 394.
Mangummenauck *Virginiens*. A. 309.
Manhûba & Mandûba *Brasilianor*. A. 241
Mani *Nierembergii*, A. 341.
Manja-adeca-Mangeu H. *Mal*. A. 141. M. 36.
Manja-kua H. *Mal*. A. 397.
Manja-Kurini, H. *Mal*. A. 125.
Manjapumaram H. *Mal*. M. 46.
Maniel foliis Poeoniæ, A. 321. M. 28. 126.
Manjella-Kua H. *Mal*. A. 397.
Manihot *Indorum*, A. 241.
Manlapoo *Malabaror*. M. 160.
Manmerrellemaram *Malabaror*. M. 170.
Mannæ arbor, A. 158.
Manneli H. *Mal*. A. 226. M. 119.
Manobi fructus *Lerio*, A. 341.
Mantionel *Ligonis*, A. 44.
Man-Todda-vaddi H. *Mal*. M. 53.
Mao Mau vel Mangas H. *Mal*. A. 43.
Maracoc & Maracot *Indicum*, A. 281, 282
Maragosa *Lusitanis*, A. 123.
Marajaiba *Brasilianor*. A. 276.
Maraka & Tamaraka, A. 124.
Maranda *Zeylanensibus*, A. 259.
Maratatabiba *Marcgravii*, A. 266.
Maravara Tsjembu H. *Mal*. A. 326.
Marby *Serafionis*.
Margaritæ Gingemicæ, M. 62.
Margaritifera arbor *Sirinamens*. A. 139.
Margosa de mato *Lusitanis Indis*....
Marloomatee *Malabaror*. M. 112.
Maror *Arabum*, A. 275.
Marrepundee *Malabaror*. M. 73.
Marrubium & Marrubio conger er, A. 281 241, 242. M. 126, 127.
Martagon, A. 217, 218. M. 117.
Marum *Ægyptiorum* Pr. Alpin. M. 103.
Marum *Cortusi*, A. 374.
Mastichen redolens, A. 110.
Masanas *Malabaror*. M. 109.
Masiapattree *Malabaror*, M. 27.
Masshecoräe *Malabaror*. M. 97.
Massingüe ex *Sinu Gangetico*, A. 199.
Massinilia arbor, M. 23.
The Mastick-Tree, A. 307.
Mates nomine *Clusio*, M. 151.
Matlalquauhitl *Jonston*, A. 140.
Matlalxochitl *Hernand*. A. 381. M. 186.
Matlalytztic *Mexican*. Hern. A. 134.
Matombe arbor *Æthiopica*, A. 41.
Matricaria, A. 242, 243. M. 126.
maritima, A. 98.
Pyrenaica Buphthalmi folio, M. 34.
Tanaceti folio, M. 31.
Matuni arbor in *Sofala*, A. 266.
Matzatli, f. Pinea *Indica* Hern. A. 29.
Maunalekai *Malabaror*. M. 9.
Maurelchedde *Malabaror*. M. 8.
Mauz, Musa *Pr. Alpini*, A. 145.
Mays dictum, A. 158.
Mearú *Brasiliensium*, A. 79.
Mecapatli f. Zarzaparilla *Hern*. A. 349.
Mecapatlis *Mecatlanensis* Hern. A. 113.
Mecaxochitl *Hernandez*. A. 297.
Mechoacanna *Curassavica*. A. 114.
Mecpalxochi-Quahuitl. A. 379.
Medica. A. 243, 244, 245. M. 127.
Medicago *Turnefortii*. M. 127.
Cret. ex Vulnerariæ facie. M. 120.
Medium. A. 76. 77.
Megasac *Syrorum*. A. 305.
Melampyrum & Melampyro affin. A. 243.
luteum minimum *CBP*. A. 11.
Melanacrodryon arbor *Americ*. A. 246.
Melandrium (fortè) *Plinii*. 232.
Melandryon *Plinii CBP*. A. 392.
Melanastrophorodendros. A. 42.
Melanomma, & Melanoxylon. A. 246.
Melanthium. A. 263.
Syriacum. A. 325.
Melanzana *Rauwolfii*. A. 350.
Melapolange *Indorum*, M. 145.
Meleagris. A. 158.
Melenken Fructus *IB*. M. 14.
Melianthos *Africana*. A. 246.
Melilotus. A. 246. 247. 374. M. 127.
pentaphyllos. A. 225.
quædam exotica *Prosp. Alpin*. A. 226.
quintus *Tragi*. A. 112.
Serapionis. M. 119.
Vesicaria *Cretica*. A. 227.
Melissa & Melissophyllon. A. 247. M. 127. 128.
adulterina quorundam. A. 203.
Boetica HRB. A. 70.
Canariensis triphylla A. 401. M. 128.
fruticosa *Sicula*. A. 203.
Pyrenaica caulescens. A. 186.
Melissophyllon *Fuchsii*. A. 203.
Mellakurui *Malabaror*. M. 111.
Melligette & Meleguera. M. 37.
Melobalsamum A. 92.
Melocactos *Ind. Occidentalis*. A. 148.
Melochia *Prosp. Alpin*. A. 17.
Melocorcopali *Scaligero*. M. 128.
Melo y arbor *Insulæ Nicobar*. M. 128.
Melo Saccharinus. A. 247.
Memeya *de Tepoztlan* Hernand. A. 280.
de Tepoztlan altera *Hernand*. A. 235.
Me-muen-tùm *Sinensibus*. M. 169.
Mendoni H. *Mal*. A. 249.
Menianthes trifoliata palustris. A. 247.
Mentastrum glabrum florib. Violac. A. 75.
fistulosum *Parkinsoni*. A. 111.
Mentha. A. 248. M 128. 129.
Cataria *Hispanica*, IB. M. 35.
Corymbifera. A. 362.
pilulifera Betonicæ formâ. M. 127.
Saracenica Myconi. M. 157.
Sylv. longiorib. nigriorib. & minùs incanis foliis, CBP. A. 75.
Mercurialis. A. 248. M. 129.
Mesembrianthemum. A. 111. 148, 149, 150. M. 77.
Mespila *Nicaraguæ* Laëtii. M. 14. 21.
Novi Orbis Sappadillas dicta. A. 42. 45.
Mespilboom *Belgis Sirinamensibus*, A. 40.
Mespilus. A. 248, 249. M. 129. 130.
Americana Coryli folio, M. 34.
Americ. Laurifolio glabro. M. 34.
folio laurino ex *Sirinamâ*. A. 40. M. 19. 21.
Mespilo similis, Fructus venenatus. M. 23.
Messamins *Virginiensium*. A. 394.
Metaguesunaux. M. 76.
Metapasto *Lusitanis*. A. 342.
Methonica *Malabaror*. A. 249.
Metl, et Metle *Mex*. Hern. A. 19. M. 8.
Mettaquusunnauks *Virgin. Ogilv*. A. 146.
Meum *Athamanticum*, A. 250.
alterum *Italicum*, *Ibid*.
Meutang *Chinensium Ogilv*. A. 14.
Mexico-seed D. Marloë, M. 161.
Mexixquitl *Mexic*. Nieremb. A. 197.
Mexocotl, f. Maguey Prunor, *Hern*. M. 13.
Mezereum *Germanicum*, A. 209.
Miaxihuitl *Nov. Hisp*. M. 57.
Micambe *Angolensibus*, A. 280.
Micatlach-Pahoatli *Nov. Hisp*. A. 136. M. 69.
Micatzonte-camimiaoatl *N. Hisp*. A. 43.
Mica-xoxo-coyollin *N Hisp*. Recc. A. 229.
Micui-Tlaxcolli *Hernand*. A. 388.
Mihui y Gilmoyoye-Cuitlatonpit-Zochitl, M. 35.
Milax arbor, A. 362.
Milecorea *Malabaror*. M. 62.
Milium, A. 250.
Milium *Curassivicum* minim. M. 95.
Milium Solis, A. 224.
Milk-wood Barbadensib. *Anglis*, A. 164. M. 115.
Millefolium, A. 250, 251. M. 130, 131.
alpinum IB. A. 243.
aquaticum, A. 311, 312.
aquatic. pennatum, A. 305.
aquaticum f. Stellaria, A. 357.
Syriacum Belluccii, A. 103.

Millegrana minima, *A.* 20.
Μίλος *Theophrasti*, *A.* 362.
Miltomamæ *Hernandez.* *A.* 352.
Milzatella *Italor.* Camerarii, *A.* 203.
Mimiyca-Huatzin *Nov. Hisp.* *M.* 35.
Mimosa, *A.* 4. 251, 252. 270. *M.* 3. 53. 131.
Mippi nonnullis *Indis*, *M.* 76.
Mirabilis Peruv. & Huic affin. *A.* 252. *M.* 132.
Mirasol. *M.* 77. nodosa. *M.* 111.
Mismaitl *Nov. Hisp.* Recc. *A.* 241.
Misophœbus *Americanus*, *M.* 76.
Mizquitl *Hernandez.* *A.* 4.
Mizquixochi-copalli *Hernand.* *A.* 96.
Mocanes *Canariensium*, *A.* 346.
Mocarix *Nieremberg.* *A.* 173.
Mock-climber, *Barbadens. Anglis*, *A.* 114
Modecca H. *Mal.* *A.* 283.
Modera-Canni H. *Mal.* *A.* 350.
Modira-Caniram H. *Mal.* *A.* 124.
Moebi *Barbadensium*, *A.* 96.
Moellecruetto *Malabaror.* *M.* 60.
Mogullamaram *Malabaror.* *M.* 111.
Mogullanchedde *eorundem*, *Ibid.*
Moho *Hispaniolensibus dict.* *A.* 14.
Mohuitlis *Mexic.* Hernand, *A.* 112.
Molagamaram H. *Mal.* *A.* 48.
Malago-Codi H. *Mal.* *M.* 151.
Molago-maram *H. Mal.* *M.* 171.
The Molkassin Flower, *M.* 101.
Molle dicta *Peruvianis*, *A.* 319. *M.* 161.
Moloncapatlis *Hernandez.* *M.* 141.
Molucca *IB.* *A.* 247.
Moly ejusque species variæ, *A.* 253.
Molybdæna *Plinii*, *A.* 212.
Mombina & Mommina, *A.* 307. *M.* 125.
Momin ou Corasol. Rochfort. *M.* 14.
Momordica, *A.* 123. *M.* 59.
min. *Indiæ Orientalis, &c. Breyn.* *A.* 71.
flore fistuloso *&c. ejusd. Br. Ibid.*
Monkey-berries, *A.* 294.
Monkey-face, *M.* 145.
Monophyllon, *A.* 220. *American.* *A.* 353.
Polygonati folio, *A.* 301.
Mooelle *Malabaror.* *M.* 149.
Moolepuncoodee *Malabaror.* *M.* 54.
Morgsani *Syrorum*, *A.* 253.
Moringa Lentisci folio, *Ibid.*
Moringeros *Lusitanis*, *Ibid.*
Morococks *Virginiensium*, *A.* 49. 95.
Morsus Ranæ, *A.* 211. 267.
Morus & Morifolia, *A.* 253, 254. *M.* 132.
Moruttanchidde *Malabaror.* *M.* 125.
Moscha'elina dicta, *A.* 131.
Mosse-crops *Septentrionalibus Anglis*, *A.* 101.
Mosuma arbor *Angolensis*, *A.* 228.
Motamba *Angolensibus*, *A.* 92.
Motta-modecca H. *Mal.* *A.* 283.
Motta-pullu *H. Mal.* *A.* 200.
Moubain *Caribeis*, *A.* 307.
Moul-Elavou *H. Mal.* *A.* 172.
Mouli-Ily H. *Mal.* 396. *M.* 191.
Moullava H. *Mal.* *A.* 254. *M.* 2.
Mouricou H. *Mal.* *A.* 293.
Mouringo H. *Mal.* *A.* 253.
Mouse-ear-Plantain, *A.* 298.
Moxa *Indorum Orientalium*, *A.* 50.
Myotliayacatli *Nov. Hisp.* *A.* 35.
Mucca-Piri H. *Mal.* *A.* 123.
Mucoorundee *Malabaror.* *M.* 73.
Mucotarre *Malabaror.* *M.* 36.
Mucuna-Guazu *Brasilianor.* *A.* 293.
Muddemaermoodde *Malabaror.* *M.* 166.
Mudela-nila-hummatu *H. Mal.* *M.* 176.
Muel-Schevii *H. Mal.* *A.* 354.
Muiva *Brasiliens.* Marcgr. *A.* 40. *M.* 4.
Mukelengu *H. Mal.* *A.* 321.
Muladundee *Malabaror.* *M.* 36.
Mulen-Schena *H. Mal.* *A.* 52.
Mullaowlamaram *Malabaror.* *M.* 1.
Mullembellem *H. Mal.* *A.* 123.
Mumu *Sinensibus dicta*, *A.* 287.
Mundui-Guazu *Brasilianor.* *A.* 340.
Mundu-Murungu *Zeylanens.* *A.* 112.
Mungel *Malabaror.* *M.* 28.
Mungo & Mungo affinis, *A.* 290.
Muracoottan *Malabaror.* *M.* 57.
Mureci *Pernambucensium*, *A.* 38.
Murigutti *H. Mal.*
Murtylla *Ogilveii*, *A.* 392.
Murucuia *Pisonis.* *A.* 281. 282.
Musa *Arabum.* *A.* 145.
Musæ affinis altera *CBP.* *Ibid.*
Muscari *IB.* *A.* 187.
Muscipula. *A.* 231.
Muscus. *A.* 254, 255, 256, 257, 258. *M.* 132.
alpinus Lychnidis flore. *A.* 233.
coralloides. *A.* 118. 119.
marinus Abrotanoides. *A.* 160.
marinus Lactucæ folio. *A.* 216.
montanus Adianthi fol. *Bocc.* *M.* 5.
Mustazi *Gomerensibus Hispanis.* *A.* 185.
Mutree-Chettu *Gentilibus Indis.* *M.* 59.
Muurlachedde *Malabaror.* *M.* 50.
Myagrum & Myagro affinis. *A.* 258. 313.
Myosotis scorpioides. *A.* 182. 258.
Myosot. fol. Herba *Ind. Oriental.* *A.* 258.
Myosures *IB.* *A.* 12.
Myriophyllum Pelagium *Cortusi.* *A.* 119.
Myrobalani species ab *Emblicis* diversa, *M.* 3.
Myrobalanus *M.* 132. 133.
Christianorum Malabareis. *M.* 45.
Myrrhæ arbor *Bellonio* credita. *A.* 1.
Myrrhis. *A.* 258, 259. *M.* 133, 134.
annua semine Villoso *Moris.* *A.* 129.
Myrtidanum *Hippocratis.* *A.* 43.
Myrtillus. *A.* 391.
Myrto-Genista *quibusdam.* *A.* 301.
Myrto-Genista *Cap. Bon. Spei.* *A.* 122. *M.* 88.
Myrtus & Myrtiformis baccifera. *A.* 259, 260. *M.* 134.
Myrtus arborea *Sloani*, *A.* 88.
tenuifolia Thalii, *A.* 136.
Myrtus *Brabantica*, *A.* 260.
Brabanticæ accedens *Africana Ibid.*
Brabant. affin. *Americ.* Asplenii fol. *Ibid*
Mysalva *Hispanorum*, *A.* 128.
Myxa domestica, *A.* 306.
Pyriformis officulo trispermo, *Ibid.*

M.

Naboca *Athenæi*, *A.* 198.
Nacazcul aliis Toloatzin *Hern.* *M.* 176.
Nachani *Indorum* Garciæ, *A.* 174.
Naga-dante H. *Mal.* *A.* 320.
Nagam H. *Mal.* *A.* 260. *M.* 12.
Naga-pu H. *Mal.* *A.* 18.
Naicorana H. *Mal.* *A.* 292.
Najurevee *Malabaror.* *M.* 11.
Naiwalle *Malabaror.* *M.* 146.
Nalagu H. *Mal.* *M.* 27. 40.
Nalaupæ *Gentilibus Indis*, *M.* 36.
Nana & *Nana brava* Marcgrav. *A.* 29. *M.* 13.
Nandi-Ervatam H. *Mal.* *A.* 197.
Nanschera-Canschabu H. *Mal.* *A.* 384 *M.* 44.
Napalli saxis innascens *Nieremb.* *A.* 146.
Napeca *Bellonii*, *A.* 199.
Narcaphtum s. Nascaphth. *Diosc.* *M.* 97.
Narcissus, *A.* 219, 220.
Amboinensis, *M.* 7.
quartus *Matthioli*, *M.* 141.
Nardus *Americana*, *A.* 261.
Celtica, *A.* 380. *Gretica*, *Ibid.*
Narhenzade *Indorum*, *A.* 389.
Narinam-pulli H. *Mal.* *A.* 15.
Nari-patsja H. *Mal.* *A.* 141.
Narracuchapille *Malabaror.* *M.* 95.
Narram *Theophrasti*, *M.* 97.
Narrecompree *Malabaror.* *M.* 43.
Narrecuchpillee *Malabaror.* *M.* 96.
Narrevilanca-lunga *Malabaror.* *M.* 117.
Naru-kila H. *Mal.* *A.* 299.
Narum-panel H. *Mal.* *M.* 139.
Narunindi H. *Mal.* *A.* 37.
Nasturtium, *A.* 261, 262. *M.* 134, 135
alpinum insipidum *CBP.* *A.* 70.
impatiens luteum, *A.* 315.
Indicum, *A.* 388.
maritimum, *A.* 356.
myosotis insipidum *Banist.* *A.* 281.
sylvestr. tenuissime divisum, *A.* 138.
Nati-Schambu H. *Mal.* *A.* 262. *M.* 23.
Natrix *IB.* *A.* 33. *M.* 15.
Frutescens *Zeylanica*, *A.* 122.
Natsjatam H. *Mal.* *A.* 349. *M.* 52.
Naunelpu *Malabaror.* *M.* 96.
Nauvelmaram *Malabaror.* *M.* 39.
Naviytepuzt *Mexican.* *A.* 99. *M.* 46.
Nealapoondo *Malabaror.* *M.* 9.
Nebo *Arabum*, *A.* 265.
Neboy *Americanis*, *A.* 71.
Nechettapoondoo *Malabaror.* 154.
Nedel-ambel H. *Mal.* *A.* 267.
Neelchaddai *Malabaror.* *M.* 140.
Neerallaree *Malabaror.* *M.* 30.
Neerchoutecorea *Malabaror.* *M.* 109
Neereaddumba *Malabaror.* *M.* 137.
Neerecorea *Malabaror.* *M.* 97.
Neerpashee *Malabaror.* *M.* 155.
Neerpundo *Gentilibus Indis*, *M.* 140.
Negunda mas & fœmina. *A.* 390. *M.* 161
Negundo perperam dicta. *A.* 7.
Nehoemeka H. *Mal.* *A.* 71. 115.
Nehu *Hort. Beaumontian.* *A.* 25.
Nejem-El-salib *Prosp. Alpini.* *A.* 175.
Nelam-Muri H. *Mal.* *M.* 140.
Nelam-pata H. *Mal.* *A.* 194.
Nelam pullu H. *Mal.* *A.* 135.
Nela-Naregam H. *Mal.* *A.* 195.
Nelapu *Malabaror.* *M.* 55.
Nela-Tsjira H. *Mal.* *M.* 155.
Nela-Vaga H. *Mal.* *A.* 16.
Nelempala H. *Mal.* *A.* 35. *M.* 16.
Nelen-Tsjunda, H. *Mal.* *A.* 349.
Neli-poulli H. *Mal.* *A.* 45.

Neli-Tali H. *Mal. A.* 270.
Nellacarumbac *Malabaror. M.* 4.
Nellacrandee *Malabaror*......
Nellamullee Malabareis, *M.* 75.
Nella-panna-Mararara H. *Mal. A.*154.
Nella-wattachedde *Malabaror. M.* 60.
Nellekai *Christianor.* Malabareis, *M.*45.
Nellemaram *Malabaror. M.* 133.
Nellematchepille *Malabaror. M.* 96.
Nellia-Tandale-Corti *H. Mal. A.* 122.
Nelumbo *Zeylanensium, A.* 267.
Nenuphar *Brunfelsii. A.* 266.
Nepa *Gazæ, A.* 166.
Nepalxoc-Cuez-Alticquizi *Hern. A.*296.
Nepenthes *Americanum, A.* 71.
Selini Turcar. Imperatoris. *M.* 175.
Zeylanicum. A. 394.
Nepeta maxima peregrina *Breyn. A.*357.
Mexicana, Hernandez. *A.* 247.
Nepetha montana purpurea. *A.* 75.
Nephel f. Nephal-Ibenbaithar, *&c. A.* 246.
Neptunes Beard, *A.* 120.
Nequameti *Mexicanorum, M.* 8.
Nerium alpinum, *A.* 106, 107.
Indicum, A. 262, 263.
Nerii facie arbor *Indica, M.* 117.
Nerii siliquæ effigie Kaye-Bake, *A.*390.
Nerucheddey *Malabaror. M.* 140.
Nettle-Tree vulgò, *A.* 225.
Barbadensibus Anglis, A. 98.
Nexhoautlis *Mexican. M.* 32.
Nexpayan *Mexican. A.* 206.
Nextalpe *Nov. Hisp. A.* 209.
Neycotlapatlis *Hernand. M.* 29.
Nhandir-Oba *Brasiliens. A.* 282.
Nhandû *Brasilianor. A.* 297.
Niaræ *H. Mal.* similis è *Maderasp. A.*263.
Nicadawula *Cingalensibus*....
The Nickar-Tree, *M.* 2.
Nicotiana, *A.* 263.
Nicoone *Malabaror. M.* 148.
Nieughala *Zeylanensium, A.* 249.
Nigella, *A.* 263. *M.* 135.
Nil. Anil f. Indigo *Indica, A.* 112.
Arabum, A. 113. Cynanchicæ fol. *A.* 263.
Nila-barudena *H. Mal. A.* 350.
Nila-chettu *Gentilium Indorum, M.* 52.
Nila-hummatû *H. Mal. M.* 176.
Nilavonanghu *Zeylanensium, A.* 17.
Nilacamaram *H. Mal. A.* 6. *M.* 133.
Nimbo fol. & fructu Oleæ. *A.* 269.
Nimbo *Javanensium, A.* 211.
Ninzin f. Zingin & Ginseng. *A.* 263.
Nipplewort, *A.* 104.
Nirabix fructus, *M.* 23.
Nir-Cottam-Pala H. *Mal. A.* 373.
Nirnotsjil H. *Mal. M.* 26.
Nirpulari H. *Mal. A.* 290.
Nir-pullu H. *Mal. A.* 135.
Nir-Schulli H. *Mal.* accedens. *A.* 264. *M.* 99.
Nir-tsjembu H. *Mal. M.* 27.
Nirvala H. *Mal. A.* 363.
Nirvalli-pullu H. *Mal. A.* 135. *M.* 155.
Nituri H. *Mal. A.* 391.
Niruri vel Nirpulla *H. Mal. A.* 159.
Nisi *Japonitrum, M.* 136.
Niti-Todda-Vaddi *H. Mal. A.* 252.
Niuren H. *Mal. A.* 25.
Nocheznopatlis *Hernandez, A.* 146.
Nocheztlic *Hernandez. M.* 168.
Noctiluca *Novi Orbis* vegetabilis. *M.*76.
Noela-Tali *H. Mal. A.* 67.
Noel-Valli, *H. Mal. A.* 264.
Noli me tangere, A. 62, 63.
Noly-Ila *H. Mal. M.* 28.
Nommenaumaram *Malabaror. M.* 44.
Nonducallacree *Malabaror. M.* 148.
Nonochto *Nov. Hisp. M.* 17. 154.
Noonachedde *Malabaror. M.* 147.
Nopalnocheztli *Hernand. A.* 146.
Nota & Anota vulgo, *A.* 272.
Notenga *H. Mal. A.* 62.
Núayhas *Cingalensium, M.* 144.
Nuces vomicæ *Officinar. A.* 124.
genuinæ *P. Camelli M.* 60.
Nuchulee *Malabaror. M.* 188.
Nuci-capsularis, & Nuci-pomifera, *A.* 266. *M.* 137.
Nuclei victoriosi *Philippinar. Insf. M.*60.
Nucula Taphet *Herculis Saxoniæ, M.*60.
Nufar *Ægyptium* Veslingii, *A.* 267.
Nummularia, *A.* 264. *M.* 136.
Nuren-Kelengu *H. Mal. A.* 321.
Nux, Nucifera, & Nuci prunifera, *A.* 264, 265, 266. 275. *M.* 136, 137.
Been *Zeylanica, A.* 253.
Igafur *M.* 60. *Metel. A.* 358.
Malabarica unctuosa *D. Sept. A.* 125.
moschata *Surinamensis, A.* 41.
trifida exotica *IB. M.* 161.
Nyalel H. *Mal. A.* 394.
Nymphæa & Nymphææ congener. *A.* 266, 267. *M.* 137, 138.
Nymphææ minoris folio *Africana,* Planta terrestris, *M.* 138.
Nyrvala H. *Mal. A.* 34. 181.

O.

OAbi *Sinensium* Ogilv. *A.* 350.
Oatepemarutte *Malabaror. M.*175
Obe vulgo, *A.* 394.
Occoembo *Lusitanis, A.* 153.
Ocelolqua huitl *Nieremberg. A.* 393.
Ochroa *Sirinamensibus, A.* 16.
Ochrus, *A.* 209.
Ocimastrum verrucarium *IB. A.* 206.
Ocoloxochitl *Mexicens. M.* 70.
Ocopoatzli *Mexicana. Hernand. A.*137.
Ocoughtanamins *Virginiensium, A.* 51.
Oculus *Christi* Parkinson. *M.* 103.
Ocymastrum vulgo, *A.* 230.
Valentinum, A. 242.
Ocymoides, *IB. A.* 230, 231. 233.
Ocymum, *A.* 268. *M.* 139.
Odallam H. *Mal. A.* 241.
Odel-Odagam H. *Mal. M.* 62.
Odingee f. Odinjee *Malabaror. M.* 156.
Odontidi f. Flori Cuculi affinis, *A.*231.
Oenanthe, *A.* 268.
f. Filipendula altera montan. *M.* 147.
Hederæ folio, *A.* 310.
Oenoplia spinosa, *A.* 198. non spinos. *A.* 199.
Oepata H. *Mal. A.* 281.
Ogeghe *Indica IB. A.* 407.
Okcepenauck radix *Virginiana, M.* 163.
Okindiger *Virginiensium, A.* 291.
Olcacatzan *Nieremb.* & *Hern. A.*349. *M.*172
The Oldmans Beard, *A.* 126.
Olea & Oleaster, *A.*268, 269. 317. *M.*139.
Oleander *Creticus, A.* 367.
Oloxihuitl *Hernandez. A.* 389.
Olus atrum *Africanum, M.* 74.
Colubri *Hernandez.* 172.
Judaicum quorundam, *A.* 17.
Omimeztli *Mexic.* Hernand. *M.* 136.
Omizochitl *Hernand. A.* 187.
Omphalôdes, *M.* 33. 61.
Onagra dicta siliquosa, *A.* 235.
Onobrychis, *A.* 269, 270. *M.* 139, 140.
prim, tertia & quarta *Clus. A.* 58, 59.
tertia *Hist. Lugd. A.* 300.
quarta lutea *Dalechampii, M.* 153.
quibusd. *IB. A.* 227. *Zeylanic. A.* 337.
Ononis, *A.* 33. 122. *M.* 14, 15.
Ononis Natrix dicta scandens, *A.* 290.
Onopordon, *A.* 85.
Onopyxus, *A.* 83, 84.
Onosma *Matthioli, M.* 13.
Openauck radices in *Virginia, A.* 352.
Ophioglossum moschatum, *A.* 51.
Ophioxylon *Americanum, A.* 270.
Ophrys bifolia, *A.* 270.
Opulus montanus *Hist. Lugd. A.* 7.
Opuntia, *A.* 146, 147, 148.
marina *Cortusi, A.* 118.
Opuntiæ affinis *Sirinamensis, A.* 296.
Opuntioides tetragonum baccatum, *M.* 152.
Oquichtli-Cocaxochitl *Hernand. A.* 360.
Orchis, *A.* 270, 271, 272. *M.* 141.
Oreoselinum *Morison. A.* 215.
Anisoides arborescens, *A.* 144.
Origanina *Hernandez. M.* 51.
Origanum, *A.* 272. *M.* 141.
fistulosum *Canadens.* Cornut. *A.* 111.
Indicum Parkinsoni, *M.* 124.
Virginianum, A. 110. *M.* 51.
Origioella fructus peregrin. *Clus. A.*288
Orleana f. Orellana, *A.* 272.
Ornithogalum & Ornithog. affinis, *A.* 272. *M.* 141. 142.
Indicum floriferum Sphoericum, *A.* 253.
Ornithopodium, *A.* 272, 273.
Ornithopodio affinis *&c. IB. A.* 143.
Ornithopodio affinis fructu stellato, *A.* 60.
Ornus *Galli Pressani, A.* 158.
Hispanica, A. 96.
Orobanche, *A.* 273. *M.* 142.
Orobanche similis *Æthiopica, M.* 148.
Oroboutan *Hist. Lugd. A.* 120.
Orobus, *A.* 273, 274. *M.* 142, 143.
Americanus Asari folio. *A.* 291.
Brasiliæ f. Tareroqui dict. *A.* 342.
Phaseolôdes *Americanus M.* 150.
Phaseolôdes *Zeylanicus. A.* 290.
Villosus, globosis floribus. *A.* 227.
Oryza, *A.* 274.
Os femoris *Hernandez. M.* 136.
Osmunda *Turnefort. M.* 120. *Americ. M.* 78.
Osrum *Persarum,* Rhamni species. *A.* 234.
Ossiculum sulcatum *IB. A.* 266.
Osteocollum *Hieroclis & Absyrti. M.* 154.
Ostreifera arbor *Purchesii. A.* 241.
Ostrya Ulmo similis, fructu in Umbilicis. *A.* 7.

Oftryæ f. Carpino adfinis *Zeylan.* A. 143.
Ofyris frutefcens baccifera. A. 89.
Othonna vera *Diofcorid.* Zanon. A. 279.
Ortel-Ambel H. *Mal.* A. 326.
Oulamaram *Malabaror.* M. 2.
Ouliem *Caribeis*, A. 394.
Ourari *CBP.* A. 79.
Oxalis, A. 8. M. 3.7.
Oxyacanthæ colore fruct. peregr. M. 151
Oxyacanthus & Oxyacantha, A. 249. M. 130.
Oxycedrus (melius autem) Juniperus A. 201.
Oxycedrus *Africana. Montis Atlantis*, A. 91.
Oxycoccos, A. 392.
Oxygeranium *Hernand.* A. 169. M. 90.
Oxylapathum *IB.* A. 205. aquatic. M. 155.
Oxymyrfine vulgo. A. 210. *Serapionis*, M. 26.
Oxytriphyllum *Scribonii Largi.* A. 226.
Oxys, A. 274. M. 143.
The Oyster-Tree. A. 241.
Ozeghes *Æthiopiæ* Ogilveii, A. 307.

P.

PAatchurchæ *Malabaror.* M. 27.
Pacal arbor. A. 393. M. 189.
Pacayes, f. Guavas *Ind. Occid.* A. 307.
Pacocaatinga arbor *Brafilian.* M. 190.
Pacocaatinga herba *Brafilian.* M. 191.
Pacoeira arbor. A. 145.
Pacozeroca *Brafilienf.* dicta, A. 80. M. 37.
Pada-Kelengú *H. Mal.* A. 71.
Padavalam *H. Mal.* A. 71. M. 59.
Pada-vara *H. Mal.* A. 287. M. 148.
Paenöe *H. Mal.* A. 28.
Paerou *H. Mal.* A. 290.
Paina-Schulli *H. Mal.* A. 38.
Pajmirioba *Brafilianor.* A. 342.
Pai-Paroëa f. Couradi *H. Mal.* A. 275.
Palamalatta. A. 302. 363.
Palaris herba. A. 116.
Palefoulatia *Lufitanis.* M. 137.
Palega-Pajaneli *H. Mal.* . . . . .
Paliurus Iujubinis foliis. A. 275.
alter peregrinus *Adv.* A. 233.
Africana IB. M. 70. filiquata. A. 139.
Palma & Palmo-pinus. A. 275, 276, 277, 278. M. 144. 145.
cujus fruct. oblong. Faufel fimilis. A. 265.
humilis longis latifque fol. *CBP.* A. 145.
Maria Dampier. M. 136.
Myrobalanifera *Plinii.* M. 14.
Palma aut Palum Sanctum *Adv.* A. 307.
Palmetto Royal, A. 276.
Palmi di Nettuno, A. 119.
Palmis affinis Malus *Perfica* max. M. 14.
Palmifte Franc. D. Rochfort. A. 275.
Pal-modecca *H. Mal.* A. 283.
The Palm-Myrtle, noftratibus. A. 259.
Paltifera arbor *Laetii*, M. 18.
Palv li *H. Mal.* A. 37.
Panaro na *Plucnetii.* A. 88.
Mali aurei facie. A. 124.
Panaces Κάρπιμον. A. 98.
Mofchatum *Canadenf.* Cornut. A. 396.
Panaci *Heraclio* fimilis *Ungarica*, M. 135.
Panax *Afclepium.* A. 143. Coloni. A. 345.
Carpinos folio, triphyllos. M. 145.
Paftinacæ folio, f. Coftinum. M. 145.
Siculum femine hirfuto. A. 74. M. 63.
Sphondylii folio. A. 356.
Pancratium *Monfpeffulanum*, A. 219.
Pandi-Avanacú H. *Mal.* A. 319.
Pandi-pavel *H. Mal.* A. 123.
Panel *H. Mal.* M. 139.
Panem-palka H. *Mal.* A. 265.
Pangepillee *Malabaror.* M. 95.
Panja-Panjala H. *Mal.* A. 172.
Panicum, A. 278. M. 145.
fylveftre, A. 174 peregrin. *Gefn.* M. 84.
Panis *Sancti Johannis*, A. 95.
Panitsjikamaram *Malabaror.* M. 75.
Panna-valli H. *Mal.* M. 80.
Panneermaram *Malabaror.* M. 75.
Panover-Tsjerava H. *Mal.* A. 374.
Pao d' arco Lufitanis, A. 328.
Pao de Lacra Lufitanis, A. 108.
Papajamaram H. *Mal.* A. 145.
Papas *Americanum*, A. 352.
Papaver, A. 278, 279, 280.
affin. montan. Aconitifolia &c. A. 167
Papaver fpumeum, A. 232.
Papaya *Hernandez.* A. 145.
Pappaichedde *Malabaror.* M. 75.
Papyracea arbor Copeia, A. 394.
Guajabara arbor *Ibid.*
arbor Tal, *IB.* A. 276.
Papyrus ex Arbore vaftâ, *Ibid.*
Param-Tulfcee *Malabaror.* M. 139.
Pararó *Brafilienf.* Marcgrav. M. 53.
Parencoruttee *Malabaror.* M. 57.
Paretuvier Rochfort. A. 241.
Pergiter Graffe, A. 174.
Pariatacu *Bramanum*, M. 46.
Parietaria & Parietariæ fimilis, A. 280, 281.
Paringee-Nellekai *Malabaror.* M. 45.
Pariti f. Tali-pariti H. *Mal.* A. 16.
Parizataco *Canarienfium*, M. 46.
Paronychia foliis incifis, A. 331.
altera *Matthioli*, A. 20.
Hifpanica Clufii, A. 302.
Myofotis, A. 281. Myofot. lutea, A. 281. M. 102.
Paróte *Mexican.* A. 68.
Parpadagam H. *Mal.* A. 21.
Parthenium alpin. *Clus.* A. 243.
marinum, A 98. maritim. minim. M. 126.
Parva-Kelangu H. *Mal.* A. 51.
Pafferina & Pafferinæ folio, A. 281. M. 146.
Paffiflora & Paffiflora fpuria, A. 281. 282, 283. M. 146.
Paftinaca marina, quibufd. Secacul. A. 121.
Echinophora *Apula* Columna, *Ibid.*
Oenanthes folio *Boccon.* A. 129.
Paftinac. fylv. tenuifolia. A. 283. M. 147.
tenuifolia *Sicula*, A. 121.
aquatica *Parkinfoni.* A. 348.
Patate de Mer Plumier, A. 113.
Pater-Nofter arbor *Americana.* M. 137
Pã-teu *Sinenfium* M. 161.
Pati *Hernandez.* A. 19.
Patientia Parkinfoni. A. 205.
Pavate *Acofta.* M. 26.
Pavate *Parkinfono.* A. 283.
Pauboom *Belgarum* A. 40.
Pauckmaraum *Malabaror.* M. 143.
fructu turbinato. M. 144.
Pavetta f. Malleamothe *H. Mal.* A. 41. 283.
Paulecooddee *Malabaror.* M. 17.
Paulemaram *Malabaror.* M. 20.
Paulpronee *Malabaror.* M. 36.
Pautanchedde *Malabaror.* M. 19.
Paxavac vel Poxavac *Nov. Hifp.* A. 268.
Shrub-Pea, A. 291.
Peacaramboopu *Malabaror.* M. 28.
Peapepingka *Malabaror.* M. 59.
Peapillee *Malabaror.* M. 94.
Pecala *Malabaror.* M. 176.
Pecten *Veneris*, A. 336.
Pedicularis, A. 283. M. 147.
Pee-Cupameni H. *Mal.* A. 248.
Pee-Inota-Inodien *H. Mal.* A. 352.
Pee-Kandel *H. Mal.* A. 241. M. 115.
Pee-lechellendenaicum *Malabar.* M. 130
Pee-Ponnagam *H. Mal.* A. 284.
Pee-Tandali-Cotti *H. Mal.* A. 122.
Pee-Tsjanga-pufpám *H. Mal.* A. 167. M. 73. 178.
Pee-Tumba *H. Mal.* A. 142.
Pee-vetti H. *Mal.* A. 352.
Pee-Ula *H. Mal.* A. 349.
Peganium *Narbonenfium*, A. 325.
Pela *H. Mal.* A. 181.
Pelecinus vulgaris, M. 30.
Pellitory of Spain Tree, A. 396.
Pelon-Mexixquiiitl f. Pelon Chilli *Hernandez*, A. 388.
Penainchedde *Malabaror.* M. 189.
Penitooröe *Zeylanenfium*, A. 139.
Pennachio delle Nymfe, A. 119.
Penna *Terræ* Hernand, A. 250.
Penoabfou arbor *Americana*, A. 124.
Pentablaftos arbor *Americ.* A. 284.
Pentaphylla filiquofa *Brafil.* A. 326.
Pentaphyllum & Pentaphylloides, A. 284, 285, 286. M. 147.
f. potius Heptaphyllum argent. M. 7.
Indicum Clufii, A. 52. M. 163.
peregrinum filiquofum, A. 280.
Pepingos *Lufitanis*, A. 341.
Pepitas de Byfayas, M. 60.
Peplis *Clufii*, A. 372. M. 182, 183.
Peplios altera fpecies *CBP.* A. 371.
Peplos *CBP.* A. 372.
Pepo, A. 286.
Pepper-Graffe, *Barbadenf. Anglis*, A. 197.
Pepper-Moffe, A. 256.
Pepper-Tree, *Virginianorum*, M. 85.
Peragú H. *Mal.* M. 19.
Peralú H. *Mal.* A. 144.
Perebecenuc *Hifpaniola*, M. 135.
Perencalla *Malabaror.* M. 57.
Perewoondel *Malabaror.* M. 26.
Perexil do Mar. Lufitanis, A. 27.
Perfoliata, A. 286, 287.
Perfoliato montano fimilis nova, M. 98.
Perfoliata filiquofa, A. 69.

Perfum'd.

Perfumd Hops, & Wild Hops. *M.* 129.
Pergulana, *A.* 392.
Periclymenum, *A.*287,288. *M.*147,187.
Periclymeni genus, *A.* 395.
Periclym. rect. herbac. Gentian, fol. *M.* 67.
Periclym. surrecti genus *Æthiop.A.*139
Perim-Kakuvalla *H. Mal. A.* 295.
Perin-Curigil *H. Mal. A.* 288.
Perin-kara H. *M.l. M.* 175.
Perin-Niara *H. Mal. M.* 39.
Perin-Nirouri *H. Mal. M.* 188.
Perin-panel *H. Mal. A.* 42. 288. *M.* 19.
Perin-Toddali H. *Mal. A.* 199.
Periploca latifolia *Ger. emac. A.* 37.
Permenton *Canariensium, A.* 351.
Perpauticum *Malabaror. M.* 9.
Perreaurulla *Malabaror. M.* 27.
Perrepanchedde *Malabaror. M.* 144.
Persea *Græcorum, A.* 288.
Perseæ arbori similis, *Ibid.*
Persicæ nuci simil. nucleo Venenat. *A.* 241.
Persicaria & Persicar. similis, *A.* 288. *M.* 148.
Personata, *A.* 205.
Pes Capræ *Lusitanis, A.* 114.
Pes Passerinus *Hernandez. A.* 116.
Pes Tigrinus, *A.* 115.
Pestis Coloni *Barbadensium, A.* 174.
Petasites, *A.*288. *African.A.*68. *Indic.Ibid.*
Petromarula *Cretensium, A.* 316.
Petroselinum, *A.* 34.
Peucedanum. *A.* 34. 288, 289.
Pannonicum Clusii, *A.* 345.
Peucedani folio Planta *Maderens.A.*289.
Phaco *Hernand. A.* 349.
Phalangium, *A.*134,135,289. *M.*67.148.
Phalaris, *A.* 176. 289.
Phaodendros, *M.* 148.
Phaseolus, Phaseoloides, & Phaseolis accedens, *A.*129.289,290,291,292, 293,294,295. *M.* 150.
Phaseolus *Brasil.* D. Chandelier, *A.* 96.
Indic. 4. qui Secamone *Alp.* dict. *Bontii, A.* 37.
Sylvaticus flore patulo, *M.* 84.
Phatzisiranda *Hernandez. M.* 127.
Phegus vel Esculus *IB. A.* 309.
Phellodrys candicans latifolia, *A.*197. foliis muricatis, *A.*197. nigra *IB.Ibid.*
Phehuame *Hernandez. M.* 27.
Philadelphus *Athenæi, A.* 359.
Phillyrea, *A.* 295.
Philyra *Guilandino, A.* 368.
Phlomos Lychnites *Dioscorid. A.* 329.
Phlom. Lychnit. altera *Syriaca, A.*229.
Phoenico-Scorpiuros, *A.* 276.
Phu majus, *A.* 380.
Phyllanthos *Americana, A.* 154, 296.
Phyllitis, *A.*154,155,156. *M.*81,82,84.
Phyllon marific. *A.*248. fæminific. *Ibid.*
Thelygonon *Dalechampii, A.* 281.
Phyllo *Delechamp.* similis *IB. A.* 332.
Phyteuma *IB. A.* 317.
minus *Fab. Column. A.* 334.
Phyteuodes *Americanum, A.* 296. *M.* 186.
Phyteuosmos *Americanus, A.* 140.
Picea Montis *Athos, A.* 297. minor. *A.* 1.
Picielt f. Tabacum *Hernand. A.* 263.
Picinna H. *Mal. A.* 123.
Pidgeon-Pea, *A.* 293.
Pidgeon-Wood, *A.* 395.
Pien-pe *Sinensium. M.* 164.
Piensjale *Cap. Bon. Spei. M.* 26.
Pie-po *Sinensium* Cleyeri, *M.* 31.
Pila marina ex ampullis constans. *A.* 385.
Pilæghas *Cingalensibus. A.* 113.
Pilosella major non repens. *M.* 151.
minima. *A.* 296.
Pilosel. *quibusd. aliis* Gnaphalii genus. *A.* 171.
Pilosella f. Pulmonaria lutea. *A.* 184.
Indica Cornuti. *A.* 184. *Syriac. Ibid.*
Pilsjegam-Mulla, H. *Mal. A.* 195.
Piltzin-Teuhxochitl, *Hernand. A.*385.
Pimienta dos Indios Lusitanis, *A.* 297.
Pimpilim *Bengalens. A.* 297.
Pimpinella. *A.* 296. *M.* 151.
saxifraga. *A.* 333. spinosa. *A.* 305.
Pinahuihuiztlis *Hernand. A.* 251.
Pindaiba *Pisonis M.* 73.
Pindoba *Brasiliens.* Marcgr. *A.* 275.
Pinei Cathartici. *M.* 162.
Pinei nuclei *Malucani. A.* 320. *M.* 162.
Pinguicula, *A.* 296.
Pinguin dicta. *A.* 29.
Pino *Brasilianorum, A.* 394.
The Pin-pillow, *A.* 147.
Pinus, *A.* 296. 297. tubulus *Hist. Lugd. A.* 1.
Pipal *Bengalensium, M.* 75.
Piper & Piperella. *A.*297. *M.*26.151,152.
Piperi similis Fructus striatus. *A.* 390.
Piper Siliquastrum. *A.* 353. Piperitis, *A.* 197.
Pishamin *Parkinson. A.* 180.
Pistachia. *A.* 297. 298. 362.
Pistolochia dicta. *A.* 56.
Pisum *Bengalense* minus. *A.* 298.
Columbarium, *A.* 293.
Indicum minus coccineum. *A.* 294.
Spontaneum *Virginian.* purp. *A.*298.
Vesicarium, *A.* 120.
Pisa nigra *Camerarii, A.* 386
Pit, Pita, & Piet *Indigenis, A.* 19.
Pitahaya *Nieremberg. M.* 76.
Pitoma de *Laet. A.* 395.
Pityusa, *A.* 35. 371, 372. *M.* 183.
Pixigradendros *Inf. Condore. M.* 190.
Planta *Æthiopic.* Geran. Robert. similis *M.* 89.
Æthiopica folio Rusci, *A.* 159.
baccifera scandens, *A.* 298.
Bantanica Clusii, *M.* 56.
Coesia *Fab. Columm.* apud *Recc. A.*153.
contortiva *Hernandez. M.* 53.
convolvulacea baccifera, *M.* 152.
Corios folio *Africana, A.* 79.
foliis Rusci minoribus *Breyn. A.* 159.
Humilis, *A.* 251.
Indiana Dictamni folio, *M.* 152.
innominata 1. *Marcgr.* Fol. 8. *M.*67.
innominata 1. *Marcgr.* Fol. 47. *A.*25.
Julifera aromatica, *A.* 297.
lactaria Pini fructuum facie, *A.*370.
lactaria Xabra & Camorronum, *A.*369
leguminosa *Brasiliana, Br.A.*157.291.
Mariana Solidaginis fol. mucronat. *M.* 152.
Mauritanica Imperati. *A.* 369.
Mirabilis destillatoria, *A.* 394.
muscosa & plumosa *Guianens. A.*257.
Or. Assam *Malaicè Hin.* dict. fundens, *M.* 183.
palustr Nummular facie, *A.* 20.
pappescens non lactesc. ejusd. *A.*109.
peregrina *Clus. exot.* lib. 4 c. 11. *A.*297.
Petasitidis folio, *Cap. Bon. Spei. M.*32.
pinnata arundinacea *Park. A.* 147.
Pyratica inebrians, *M.* 175.
rara Plantagini similis *A.* 298.
scandens hederac. fol. *Zeylan. A.* 71. 282.
sensitiva. *A.* 251.
Siliquosa bivalvis unicapsularis. *A.* 298.
spinosa incognita *Bontio. A.* 351.
Plantaginella palustris *CBP. A.* 20.
aurea. *A.* 336. aureæ similis *Zeyl. M.* 152.
Plantaginis alpinæ nomine missa *CBP A.* 131.
Plantaginis aquatic. foliis, *&c. A.*299 *M.* 152.
Plantago, *A.* 298. *M.* 152.
aquatic. minor. *A.* 312. aq. minim. *Clus. A.* 20.
candida *Americana. A.* 171.
montana *IB. A.* 131.
palustris monanthos. *A.* 180.
The Plantane-Tree, *A.* 145.
Platanaria. *A.* 355.
Platanus, *A.* 299. 300. *M.* 153.
Virginiana Styracem fundens, *A.*224.
Plicaria & Cingularia *Polonis, A.* 258.
Pluc'ne-Tea, vulgo, *M.* 128.
Plumbago *Clusii. A.* 212. *Americana: A.* 300.
Pneumatoxylon arbor *American. A.*300.
Pneumonanthe dicta *Park. A.* 167.
Poa del Cebra Lusitanis *Angolensibus,* A. 270.
Pocan *Virginiensium. A.* 280. 353.
Pocayo *Mexican.* Hernand: *A.* 349.
Pocholt *Nierembergii, M.* 93.
Pock-hout, *Belgarum. A.* 139.
Pock-hout, *Belgis Ind. Orient. A.* 349.
Poco-Sempie *D. Merret. M.* 111.
Podava-Kelengu *H. Mal. A.* 321.
Poerinsii *H. Mal. A.* 265.
Po ho *Sinensium. M.* 157.
Poinciana Turnefortii, *M.* 2.
Poita Camilo *Canariensib. Hispan. A.*202.
Polghaha *Zeylanensibus, A.* 275.
Polemonium *quibusdam. A.* 195.
Polihomons ex *Inf. Fortunatis. A.* 247. *M.* 127.
Polium. *A.* 300. *M.* 153.
African. fruticos. *M.* 191. Gnaphaloid, *A.* 171.
Polyacanthus, *A.* 84, 85.
Polygala. *A.* 300. 301. *M.* 153.
Astragaloides Thymbræ facie. *A.*366.
repens Nuperorum *Lobelii. A.* 302.
Polygala *Valentina* Clusii. *A.* 111. 112.
dumetorum. *A.* 112. *Indica Ibid.*
Polygalon *Gesneri. A.* 269.
minus Saxatile, *IB. M.* 140.
Polygonatum, *A.* 301. *M.* 153.
Polygonum, *A.* 301, 302, 303. *M.*154.

 angustifol.

INDEX.

angustiss. gramineo folio, &c. *A.* 22.
Caryophylli holostii flore *HRB. Ibid.*
Creticum Thymifolio *CBP. A.* 236.
lignosum à Maritimis *African. A.* 221.
Palmense Serpylli fol. sericeâ comâ. *M.* 58.
polyspermon, *A.* 20, 21.
pusillo vermiculato Serpylli fol. *A.* 136.
sericeum, &c. *A.* 134.
Polypodium, *A.* 152, 153, 154. *M.* 79. 80, 81.
Africanum facie Ceterach. *M.* 65. 168.
Polyrrhizos *Virginiana. Parkins. A.* 50.
Polytrichum aureum. *A.* 256.
Pomifera Brasil. fructu rotund, &c. *M.* 4.
Pomo similis Brasiliana *CBP. A.* 124.
Pompelmo's, *A.* 239.
Pompoqua *Mechuacanensibus, M.* 156.
Pompoqua *Tarascorum* Hern. *A.* 94.
Pomum amoris. *A.* 351. arenos. *Hern. A.* 181.
de Hjericho. A. 350. Maiale, *A.* 267.
spinosum *A.* 358.
Ponakai-verree *Malabaror. M.* 136.
Ponau verrepoondoo *Malabaror. M.* 140.
Ponckley *Bengalensium. A.* 123.
Ponelleechedde *Malabaror. M.* 27.
Pongati H. *Mal. M.* 148.
Pongolam *H. Mal. M.* 24.
Pongú *H. Mal. M.* 42.
Ponna s. Ponnamaram H. *Mal. A.* 41.
Ponnam-Tagera s. Ponna-Virem, *H. Mal. A.* 342.
Ponnepillee *Malabaror. M.* 93.
Ponnevaragupille *Malabaror. M.* 94.
Poonairepille *Malabaror. M.* 98.
Pooncheddai *Malabaror. M.* 131.
Poonnacai *Malabaror. M.* 143.
Poopillee *Malabaror. M.* 95.
Poordela *Malabaror. M.* 186.
Populus arbor. *A.* 303. *Americana. A.* 394.
nigra *Africana* & *American. A.* 228.
Populo similis Tocotgebit *IB. Ibid.*
Porke-physicke, *A.* 353.
Porrum radice Cepæ *Holmense. A.* 303.
Portulaca, *A.* 303. 304. *M.* 154 155.
Africar. M. 178. *Caraffae.* latif erect. *A.* 21.
exigua s. arvens. *Camer. A.* 21. marin. *A.* 61.
Porus cervinus *Imperati. A.* 119.
Potamogeiton, *A.* 304. 305. *M.* 155.
foliis bullatis *Commelin. A.* 135.
s. Fontalis Persicariæ fol. *A.* 288.
Mexicanum primum *Hern. A.* 135.
Potentilla s. Argentina *IB. A.* 284.
Peterion, *A.* 305.
Potinzoba *Brasilianor. A.* 288.
Potlitjon *Hortulanis* nostris. *A.* 350.
Poverella *Lusitanis. A.* 17.
Pou-kandle, H. *Mal. A.* 241.
Poulamulle *Malabaror. M.* 46.
Poutoletsja *Malabaror. A.* 305.
Poyson-Root, *Carolinensium. A.* 326.
Poyson-Werth, *A.* 71.
Pozahualizpatlis *Nov. Hisp. Recc. M.* 123.
Pratiodelamos. *A.* 242.
Priapeia *quibusdam. A.* 263.
Priapus Vegetabilis monorchis, *A.* 354.
Prick-louse *Nov. Angliæ. M.* 47.
Prickly-Apple, *A.* 32.
Prickly Yellow-Wood, *A.* 396.
Primula Veris, *A.* 305.
Prince-wood, *A.* 395.
Prunella, *A.* 70. *M.* 33.
Pruno Sylvestri affinis, *A.* 308.
Pruno similis foliis, Laccam ferens, *A.* 199.
similis spinosa *CBP. A.* 195.
Prunus & Prunifera, *A.* 306, 307, 308. *M.* 156.
Ægyptia circâ *Memphim* Plinii, *M.* 109
Ægypt. spinosa pomo Mespili *Plin. A.* 195.
maritimus racemosus *Americ. M.* 190.
Zeylanica spinosa, *A.* 199.
Pseudo-Anil. *Virginianum, A.* 129.
Pseudo-Apocynum *Virginianum, A.* 108
Myrtifolium *Virginianum, A.* 359.
Pseudo-Apocyni genus quinque foliat. *A.* 215.
Pseudo-Costus s. Anonymos Corymbifera, *A.* 308.
Pseudo-Cytisus *Park. A.* 129.
Pseudo-Dictamnus verticillatus, *A.* 242
Pseudo-Digitalis Persicæ foliis, *A.* 180.
Pseudo-Ebenus Buxifoliis, *M.* 66.
Pseudo-Lathyrus *Virginianus, M.* 58.
Pseudo-Linaria *Cupani, M.* 118.
Pseudo-Lonchitis nomine accepta, *M.* 143.
Pseudo-Melanthium, *A.* 232.
Pseudo-Myagrum, *A.* 258.
Pseudo-Narcus *IB. A.* 209.
Pseudo-Orchis bifolia palustris, *A.* 271.
Pseudo-Santalum album, *CBP. M.* 70.
Pseudo-Stachys alpina, *A.* 356, 357.
Pseudo-Valeriana, *A.* 381.
Psyllium, *A.* 299.
Ptarmica, *A.* 308. *M.* 157.
alpina Tanaceti fol. fl. purp. *A.* 250.
Austriaca Clusii, *A.* 193. *Imperat. Ibid.*
latifolia Virgin. *A.* 99. Xeranthemos. *M.* 106.
Puam Curundala *H. Mal. M.* 72.
Puchaminifera *Virginiæ* de Laet. *A.* 180.
Pukerandee *Malabaror. M.* 188.
Pulandee *Malabaror. M.* 154.
Pul-colli *H Mal. A.* 73.
Pulecheemaram *Malabaror. M.* 22.
Pulegium, *A.* 308. *M.* 157.
Virginianum, A. 110. *M.* 51.
Pulgera *Lusitanis, A.* 288.
Pulli-Schovadi *H. Mal. A.* 116.
Pulmonaria, *A.* 358, 359. *M.* 176.
arborea *IB. A.* 254.
minor *Dalechampii, A.* 224.
Pulsatilla, *A.* 308.
Punanchidde *Malabaror. M.* 26, 133.
Pungalú *Malabaror. M.* 25.
Pungám s. Minari *H. Mal. A.* 294.
Punnagunne *Malabaror. M.* 11.
Punnanganarre *Malabaror. M.* 19.
Punnemarám Malabareis, *M.* 20.
Pupal-valli *H. Mal A.* 206. *M.* 113.
Purging-C[illegible]ie, *A.* 279.
Purnaval *Malabaror. M.* 26. 133.
Pusilla incana Jacea altera, *Lob. A.* 193.
Pusvæl *Zeylanensium, A.* 295.
Puts, -p. ëru *H. Mal. A.* 290.
Puttenjoory *Hottentottorum, A.* 257.
Puwakghaha *Zeylanensium, A.* 275.
Pyaztlacotl *Mexican. A.* 332.
Pycnocomon *Dioscoridis, A.* 335.
Pyracantha *quibusdam, A.* 249.
Pyrethrum flore Bellidis, *A.* 73.
Umbelliferum, *A.* 308.
Pyrola, *A.* 309. *M.* 157.
Pyro similis ex *Guineâ*, CBP. *A.* 249.
Pyrus *Hispanica* Hughesii, *A.* 39. *M.* 18

Q.

Quadrifolium annuum *Persicum, A.* 236.
Quadrifolium phæum, *A.* 375
Quadrilatera *Hernand. A.* 99.
Quaillos frutex, *M.* 177.
Quamiovatl s. Spica arboris *Hern. A.* 25
Quamochiti, *M.* 190.
Quamoclit *Camerarii, A.* 117.
Quapopol *Mexican.* Hernand. *A.* 141.
Quaquahutzontic *Nov. Hisp. A.* 36.
Quauhayohuatlis *Hern. A.* 321. *M.* 162.
Quaucoyolli *Hernand. A.* 176. *M.* 144.
Quauhayohuatlis *Hern. A.* 321. *M.* 162.
Quauhayohuatlis 2. *Hernandez. A.* 89.
Quauh-chian *Nov. Hispan. A.* 268.
Quauh-chichec-patlis *Hernand. A.* 282.
Quauh-Cuetz-Placuitlapilli, *A.* 370.
Quauh-Eloxochitl *Hernandez. M.* 15.
Quauhietl *Nov. Hispaniæ, A.* 263.
Quauhiyac *Mexic.* Hernandez. *M.* 137.
Quauhmecapatlis. Zarzæ species, *A.* 348
Quaumecatl *Nov. Hisp.* Recc. *A.* 120.
Quauhte-copalli Pitzahuac. *Hern. A.* 319
Quauh-tezhoatl *Novæ Hispaniæ*....
Quauh-tlac-pavatzli *Nov. Hisp. M.* 114.
Quauhtlatzin s. Arbor crepitans, *A.* 254
Quauhtlepatles *Mexican. A.* 263.
Quauh-Ytzapoli *Mexic.* Hernand. *A.* 15.
Quautlayexochitl *Hernandez. M.* 99.
Quautlepatlis s. Arbor ignea *Hern. M.* 21
Quautzapotl *Hernandez. A.* 32.
Quauxiotl *Mexican.* Hernand. *A.* 395. *M.* 24.
Quauxiotl alba Galiopifera *Hern. M.* 31
Quauxocotl *Cullulensis* Hernand. *A.* 15.
Quaxoxouqui *Nov. Hisp. A.* 11. 141. *M.* 51. 71.
Queí pí *Sinensibus* Cleyeri, *M.* 39.
Quendám *Nigritarum, A.* 96.
Quercus & Quercinis fol. *A.* 43. 309. *M.* 158.
Hispanica, *Barbadensibus Anglis, A.* 45.
marina *Clusii, A.* 161.
marina tertia *Gerardi emac. M.* 85.
Querna *Lusitanis, A.* 4.
Quigombo prior *Pisonis, A.* 14, 15.
altera *Pisonis, A.* 16.
Quinjambo s. Quillobo *Marcgr. Ibid.*
Quinquefolium, *A.* 284, 285.
siliquosum, *A.* 280.
Quinquevirgula arbor *Americ. A.* 284.
Quinquina s. Arbor febrifuga falsò, *A.* 12
Quiti *Brasilianorum, A.* 265.
Quiya *Brasiliensium, A.* 353.

R.

Raba de *Caballo* Lusitanis, *A.* 234.
Rabih-barbarum & Oar *quibus*.. *A.* 392.

Radicula

Radicula paluſtris, *A.* 315.
Radix *Americ.* Iridis fragrantiâ, *M.* 92.
Caroli Sancti, *A.* 71.
contra venenatas ſagittas, *A.* 80.
Idæa Phytobaſan. *A.* 209.
Malaca toxicis ſagittis reſiſtens, *M.* 36
Medica *Marianorum*, *M.* 182.
Quimbaya *Petr. Cjecæ*, *M.* 51.
Sanctæ Helenæ, *A.* 127.
Urſina *IB. A.* 250.
Ragadiolus edulis, *A.* 104.
Ramacciam *H. Mal. A.* 200.
Rangiferi cornua referens, *A.* 370.
Ranmaniſſa *Cochinchinenſibus*, *A.* 280.
Ranunculus, *A.* 310, 311, 312, 313, 314. *M.* 158, 159.
Æthiopicus H. Med. Amſt. M. 108.
Alopecuroides, *A.* 11.
aquatil. Milleſ. fol. pennat. *M.* 155.
Nemorum Moſchatellina dict. *A.* 131
paluſtr. minim. Plantag. fol. *A.* 20.
perelegans *D. Franqueville*, *A.* 198.
Virginienſ. albus *Parkinſon*, *A.* 280.
Ranunculi facie Planta peregr. *A.* 267.
Raphani aquat ſpecies *Virginian. A.* 261
Raphaniſtrum, *A.* 314, 315. *M.* 159.
Raphanus, *A.* 314, 315. *M.* 159.
Rapiſtrum, *A.* 314, 315. 347. *M.* 159.
Italicum ſiliquis longiſſimis, *A.* 137.
Rapum *Americ. A.* 71. *Braſilian. A.* 321.
Rapuncul. & Rapuntium, *A.* 76, 77, 78. 316, 317. *M.* 35. 160.
Nemoroſus anguſtifol. parv. fl. *A.* 224
Rapuntium umbellatum, *A.* 379.
Rapuntio affinis Lini facie, *A.* 93.
Raſinier Rochforti, *A.* 394.
Ratambala *Zeylanenſium*, *A.* 196.
Ravanameſe *Malabaror. M.* 93.
Rawcomens *Virginienſium*, *A.* 391.
Red-buds, *M.* 43. **Red-bulb**, *M.* 70.
Redwood, *Barbadenſ. Anglis. A.* 138, 265. *M.* 136.
ex *Sanctâ Helenâ*, *M.* 6.
Reſeda, *A.* 317. *M.* 160.
Rettepemarette *Malabaror.*, *M.* 11.
Rha capitatum, *A.* 93.
Americanum Monardes, *A.* 204.
Monachorum Hernand. *A.* 105. *M.* 112.
verum *Parkinſon. A.* 204.
Rhamnus, *A.* 317, 318. *M.* 160.
Africanus Ceraſi fructu, *A.* 94.
folio ſubrot. fructu compreſſo, *A.* 275
Myrtifolius *Cornuti*, *A.* 342. *M.* 2.
Solutiv. *Pannonic.* 2. *IB. M.* 122.
Virginianus Prunifolius, *A.* 249.
Rhaponticum, *A.* 204.
folio Helenii incano, *A.* 93.
Rhaſut *Maurorum*, *A.* 50.
Rheumatick-Barke, *M.* 189.
Rhodia radix, *A.* 362.
Rhodium lignum, *quibuſd.* Agallochum *M.* 139.
Rhus, *A.* 318, 319.
The Riband-Tree, *A.* 41. *M.* 75.
Ricinus, *A.* 319, 320, 321, *M.* 161. 162. 163
farinifera heptaphyllos &c. *M.* 126.
parvus urens, *A.* 393.
Ricini fructu Juliferalactesc. fol. Myrt. *M.* 122.
Ricophora, *A.* 78, 79, 321.
Rihau *Ægyptiorum IB. A.* 268.
River-Pear, *A.* 32. Robur. *Cluſ. A.* 309.
Robus *Columel. A.* 377. Roſa, *A.* 321, 322, 323.
Roſa alpina altera *Adv. A.* 107.
Batavico-Indica inodora *Bont. A.* 14.
Hiericho IB. A. 258. marina, *A.* 161.
Sinenſis Ferrarii, *A.* 14.
Roſæ alpin. altera ſpecies *Geſneri M.* 49.
Roſmarinum Stoechadis facie, *A.* 300.
ſylveſtre noſtras, *A.* 136.
Roſmarinus, *A.* 323.
foliis Selino ſimilibus, *M.* 117.
ſylveſtris **Ledum** *Cluſii*, *A.* 106.
Ros Solis & Rorella. *A.* 323. *M.* 163.
Rotang dicta, *A.* 53. **Rot-Bean**, *A.* 96.
Rotenniſſade *Surinamenſibus* arbor, *A* 40
Rubia & Rubeola, *A.* 323, 324, 325. *M.* 163, 164.
parva *Virginiana*, *M.* 45.
Rubiæ ſylvatic. lævi ſimilis exot. *A.* 21.
Rubi facie ſenticoſa planta *Lob. A.* 4.
Rubus, *A.* 4. 325. *M.* 164.
Rumigi *Maurorum*, *A.* 50.
Ruſcus, *A.* 210. *M.* 114, 115.
Ruta, *A.* 325. canina, *A.* 338. Hypericoid. *A.* 189.
Ryſagone *Indorum*, *M.* 191.

S.

SAamouna *Piſonis*, *A.* 326.
Saamounæ *Braſil.* floribus æmula, *A.* 328.
Sabdariffa ſ. Alcea *Americana* Park. *A.* 15
Sabina, *A.* 326. Sylveſtr. *Tragi*, *A.* 258.
baccata altera *Hiſt. Lugd. A.* 201.
foliis Cupreſſi *CBP. Ibid.*
Sabſaf *Syrorum* Rauwolfii, *A.* 44.
Saccaravettum *Malabaror. M.* 32.
Sacquenummener baccæ *Americ. A.* 51.
Sacſanda *Zeylanenſibus*, *A.* 49.
Sadar-Adhal Serapioni, *A.* 198.
Sadar Affri Serapionis, *A.* 199.
Sadricalli *Indorum*, *M.* 182.
Sagapenifera arbor. *M.* 171.
Sagitta aquat & Sagittariæ ſimilis, *A.* 326. *M.* 164.
Sagittaria Cordialis *Marcgr.* 122.
Sagú *Pigafettæ*, *A.* 276.
Sainctfoyne vulgo, *A.* 269.
True Saintfoyne, *A.* 243.
Sair *Indorum* Triumfetti, *M.* 7.
Sal amarum *Hernand. M.* 1.
Salix 327, 328. *M.* 165.
Arabica foliis Atriplicis *CBP. A.* 133.
Braſilienſ. folliculifera *Jonſt. A.* 7.
Conophora *Africana*, *A.* 212. *M.* 181.
Salix marina *Parkinſoni*, *A.* 304.
Salvia, *A.* 328. 329. *M.* 165, 166.
alpina *Tabernæmontani*, *A.* 357.
Amaranthoides *Mich. Nutii*, *A.* 26.
arborea *Gomerenſium*, *A.* 185.
Salvifolia *Hernandez*, *A.* 140.
Saluſandra, *M.* 128.
Samandra *Bengalenſium*, *A.* 260. *M.* 12.
Sambac *Arabum*, *A.* 196.
Sambarana *Malabaric.* Garciæ, *A.* 138.
Sambarane *Acoſtæ*, *M.* 70.
Sambaucaje *Braſilienſium*, *M.* 19.
Sambucus, *A.* 330. *Indica* Bontii, *A.* 354.
Samolus *Valerandi IB. A.* 29.
Sam-pe pi radicis cortex *Sinenſ. M.* 132.
Samſtravadi *H. Mal. M.* 137.
Samudra-Tsjogam *H. Mal. A.* 113.
Sanamund. *Afric. A.* 366, 367. *M.* 168, 180, 181.
Africana Parkinſon *A.* 371.
tertiæ *Cluſio* affinis, *M.* 179.
Sandera-clandi *H. Mal. A.* 117.
Sandricalli *Zeylanenſ. PBP. A.* 370.
Sanga-Langheet *Gentilib. Indis*, *A.* 117.
Sanguis Draconis herba *IB. A.* 205.
Sanicula *Officinarum*, *A.* 206.
alpina, *A.* 330, 331, 332. *M.* 166.
alpina foliis Boraginis villoſa, *A.* 62.
alpinæ genus Ericoides *Br. A.* 136.
Æthiopica cruciata, *M.* 163.
Eboracenſis, *A.* 296.
Saniculæ affinis Androſace maj. *A.* 62.
Sanſanqua *Japonenſibus*, *A.* 15.
Santali (forte) genus, *A.* 138.
Santalo albo perſimile *Garciæ*, *M.* 70.
Santalum, *M.* 167.
Santalus adulterina *Cretica*, *M.* 40.
Santolina *Africana*, *M.* 48.
Santonicum *Alexandrinum*, *M.* 1.
Sapaoc *Cleyeri*, *M.* 2.
Saponaria, *A.* 230, 232, 233.
Saponar. arbor tricoccos, *A.* 265.
Sappa *quibuſdam*, *A.* 32.
Saprolobus, *A.* 96.
Sarcocolla arbor *Orientalis*, *M.* 183.
Sargazo *Hiſpanor*, *A.* 161.
Sarſa litoralis *Piſonis*, *A.* 114.
Sarſaparilla, *A.* 98.
Saſſafras arbor *Monardes*, *A.* 120.
Saſſifica *Italorum*, *A.* 373.
Sathar *Arabum*, *A.* 333.
Sattarel *Canarienſium*, *A.* 328.
Satureia, *A.* 332, 333. 368. *M.* 167.
floribus in ſummitate, *A.* 110.
lutea ſylveſtris *IB. A.* 245.
Savanna-Flower, *M.* 135.
Savin, or **Cypreſſe-Tree**, *Barbad. Anglis*, *A.* 201.
Saururus *Plumier. A.* 343. *M.* 167. 171.
arboreſcens fructu adunco, *A.* 297.
humilis folio carnoſo, *A.* 51.
Saxifraga, *A.* 23. 233. 330, 331, aurea, *A.* 333.
Saxifragia, *A.* 333. *Anglor. A.* 344. *Venetor. A.* 216.
Saxiphraga *Proſp. Alp. A.* 110. altera, *M.* 9.
Saxivolvula *Hernandez. A.* 71. 109.
Scabioſa, *A.* 333, 334, 335, 336. *M.* 167, 168.
Africana arboreſcens Cupreſſo-pinulus, *M.* 69.
Indica arborea *Raii*, *A.* 140. Ovina, *A.* 316.
major ſquammatis capitulis *CBP. A.* 190.
ſquamoſa argentea *IB. A.* 357.
Scabioſæ affinis Anomala Enulæ fol. *M.* 73
Scammonea *Monſpeliac.* & Huic affinis, *A.* 37.
Macro rhizos *Ibid*, Mexicana *Hern. ibid.*
rotundifol. *Virginian. M.* 54. *Syriac. A.* 115.
Scandix, *A.* 336.
Scandragora Σκανδιξ *Raſæi*, *M.* 135.

Schada,

INDEX.

Schada-Veli-Kelanga H. *Mal.* *A.* 53.
Schadida-calli H. *Mal.* *A.* 370.
Schakeri-Schora H. *Mal.* *A.* 286.
Schanga Cuspi *H. Mal.* *A.* 394.
Schanganam-pullu H. *Mal.* *A.* 22.
Schempariti H. *Mal.* *A.* 14.
Schena H. *Mal.* *A.* 52.
Scheru-bula *H. Mal.* *A.* 27.
Scheru-Cadelari *Malabarorum*.....
Scheru-catu-valli-Caniram *H.Mal.M.*60.
Scherunam-Cottam *H. Mal. M.* 21.
Scheru-Schunda *H. Mal.* *A.* 351.
Scheru-valli-Caniram *H. Mal.* *A.*395. *M.* 68.
Schetti *H. Mal.* *A.* 196.
Schetti-Codiveli *H. Mal.* *A.* 132.
Schine *Caribeorum*, *A.* 51.
Schit-Elu *H. Mal.* *A.* 344.
Schoenanthos, *A.* 175. *M.* 94.
Schoenolaguros *CBP.* *A.* 201.
Schorigeriam *H. Mal.* *A.* 393.
Schovanna Adamboe *H. Mal.* *A.* 114.
Schovanna-mudela muccu *H.Mal.A.*288
Schunda *H. Mal.* *A.* 350.
Schunda-pana *H. Mal.* *A.* 276.
Scilla, *A.*336. Scirpus maj. & med. *A.*200
Sclarea *Lusitanic.* glutinosa, *M.* 103.
Scolopendrium *Terterii*, *A.* 154.
Scolopendriæ facie *Æthiopica*, *M.* 336.
Scolymocephalos, *A.* 212.
Scolymodendros *Africana*, *M.* 168.
Scolymus Chrysanthemus, *A.* 82, 104.
Theophrasti, *A.* 104.
Scopa granula non dehiscentia habens, *A.* 136.
Scordium, *A.* 336 363. *M.* 168.
spinosum, *A.* 97. Scordotis *Pr. Alpin.* *M.* 45.
Scorodonia, *A.*329. Scorodotis *Plin.* *A.* 336.
Scorodo prassum dictum, *A.* 303.
Scorpidocorta *Wheleri*, *A.* 131.
Scorpii spina *Hernandez.* *A.* 137.
Scorpioides *A.* 336, 337. *M.* 168.
Galegæ foliis singularibus *Bocc.M.*87.
leguminosa, *A.* 273.
Solisequum flore minore *IB.* *A.*258.
Scorpius *Theophrasti*, *A.* 166.
spinosus *Veteribus IB.* *M.* 88.
Scortea arbor. *A.*38. Scorzonera, *A.*337
Scotch-Firr, *A.* 297.
Scrophularia, *A.* 314 337, 338. *M.*169.
Scutellaria, *A.* 118. 338, 339. *M.* 169.
Scylla alba parva, *A.* 219.
Sea-blobber, *M.* 186.
Sea-side-Grape, *A.* 394.
Sea-Lavander, *Barbadens. Anglis*, *A.* 182.
Sebesten, *A.*306. Secacul *Arabum*, *M.*172
Securidaca, *A.*339. *Ægyptiaca*, *A.*342.
minor, & altera minor *IB.* *A.* 59.
minor lutea, *A.* 273. peregrina *Clus.* *A.* 60.
peregr. fortè *Paresseaux* Gallic. *A.*252
Sicula siliquis foliaceis *Bocc.* *A* 60.
trifolia, flore patulo cæruleo, *A.*157
Securidaca clypeata *Zeylanica*, *A.* 269.
Securidaca dumetorum, *A.* 112.
Securidacæ genus triphyllon *IB.* *A.*157
Sedum, *A.* 339, 340, 341. *M.* 169.
alpinum, *A.* 330, 331, 332. hirsut. lut. *A.* 281.
vel potiùs Draba siliquosa, *A.* 183.
Indicum palustre *Commelin*; *M.* 137.
minus fruticosum, *A.* 68, 69.
minimum muscosum, *M.* 154.
tridactylites alpinum, *A.* 317.
Sedi folio *Indica*, *M.* 155.
Sedi marit. cordato & villoso fol. *A.*236
Segunda-pala *Malabaror.* *M.* 17.
Seitaragi *Arabum* *IB.* *A.* 45. *M.* 24.
Selaginis *Plinii* prima species *Thalii*, *A.* 258.
Selinum montan. pumilum *Clusii*, *A.*34
peregrin. *Clus.* *A.*129. Sii foliis, *A.*347
Semina arboris Cucurbit. purgantia, *A.* 321.
Sempervivum, *A.* 339, 340.
aquat. *A.*267. marin. baccifer. *M.*189.
Sempsem *Prosp. Alpini*, *A.* 344.
Sena & Sena spuria, *A.* 341. *M.* 170.
Senecio, *A.* 342, 343. *M.* 170.
African. Lamii fol. *A.* 141. *Canadens.* *M.* 56.
frutesc. *Virgin.* Atriplic. fol. *A.*134.
hirsutus *CBP.* *M.*103. incanus pinguis *M.* 106.
Senecio-carduus *Apulus* Column, *A.*93.
The Sensible Plant, *A.* 251.
Serifole *Bengalensium*, Garciæ, *A.* 125.
Seriphium *Germanicum*, *A.* 138.
Serpentaria, *A.* 343. *M.* 171.
Serpentaria *Virginian. Raii*, *A.*110. *M.*57
altera *Virginiana* vulgo, *A.* 50.
Serpentina omnium minima, *A.*299.
Serpyllum, *A.* 343, 344.
Serpylli hirsut. fol. Frutex *Æthiopic.* *M.* 171.
Serratula, *A.* 92, 93. *M.* 42.
Indica maj. latifolia mollis, *A.* 140.
Nov' Eboracens. fol. molli subincane. *Ibid.*
Nov' Eboracensis maxima, *M.* 72.
Virginiens. latioribus foliis, *A.* 141.
Sertolaria *Imperat.* *A.* 118.
Sesamoides, *A.* 317. 367. 395. *M.* 171.
Salamanticum magnum *Clusii*, *A.*231.
Sesamum perenne *Indicum* Zanon. *A.*174.
Sesamum, *A.*344 Sesban *Pr. Alpin.* *A.*339
Sesamum Anilliferum *Indicum*, *A.*212.
Seseli, *A.*344, 345. 364. 373. *M.*172, 183.
Æthiopicum, *A.* 207. 287.
Cretense nodosum, *A.* 259.
montanum Cicutæ fol. glabro, *A* 104.
montan. *Pannonicum*, Clus. *A.*216.
palustre lactescens, *A.* 368.
Peloponense Matthioli, *A.* 104.
Setaria pennata flabelliformis, *A.*119.
Cupressiformis minor, *Ibid.*
Sethim *Hebræorum*, *M.* 41.
Sewyri *Sirinamensium*, *M.* 18.
Sferro Cavallo Camerarii, *A.* 143.
Shaddocks, *A.* 239.
Shagbarke, *A.*373. *M.* 70. 184.
Shalamaram *Malabaror.* *M.* 171.
Shaneecoree *Malabaror.* *M.* 98.
Shegapucorea *Malabaror.* *M.* 96.
Shel-Peat, *A.* 39.
Sheranarshalunga *Malabaror.* *M.* 130.
Shevada *Malabaror.* *M.* 54.
Shittai arbor elegantiss. *Hebræor.* *M.*116.
Sjasmin H. *Mal.* *A.* 16.
Sicyoides *Canadense.* *M.* 59.
Sida *quibusdam.* *IB.* *A.* 16.
Sida-pou H. *Mal.*.....
Sideritis. *A.* 345. 346. *M.* 171.
Africana. *A.* 81. *Canadens.* altissima. *M.* 31.
Persica. odorata *Zanoni.* *A.* 242.
Sambuci folio *Prof. Alpin.* *A.* 338.
Sideritis arvensis aculeata. *A.* 204.
altera Cassidæ foliis. *A.* 186.
tertia *Dioscorid.* Fab. Column. *A.*206.
pratensis lutea *Hist. Lugd.* *A.* 142.
Sideroxylum. *A.* 346. 394. *M.* 172.
Africanum Cerasi folio. *M.* 139.
Sjeria Samstravadi H. *Mal.* *A.* 266.
Sigillum *Salamonis*, *A.* 301.
Signi arbor *Nierembergii*, *M.* 93.
Silaum quibusdam. *A.* 344.
Siler. *A.* 345, 346. *M.* 172.
Creticum à *quibusd.* sed perperàm. *M.* 117.
maritimum *Scoticum.* *A.* 217.
Silibum, *A.* 84. Siliqua arbor, *A.* 95.
Siliqua *Arabica*, *A.* 361.
sylvestr. rotundifol. *Indica*, *CBP.* *A.* 240.
sylvestr. spinosa *Indica*, *A.* 293.
Thymiamatis odore, *A.* 382.
Siliquæ nigræ, quæ pro Carpesio missæ, *M.* 152.
Siliquosa flore umbellato &c. *Raii*, *M.*12
Malabarica siliquis contortis, *A.*112.
Silk of Gold, *Ogilv.* *A.* 208.
Silverweed, *Bermudensib Anglis*, *A.*141
Sinfmeroucke *Curassaviensium*, *A.* 94.
Simnels, *A.*286. *Simpla-Nobla* Canar. *A.* 347.
Sinapi, *A.*347. agrest. album *Tragi*, *A.*314
echinat. *IB.* *A.*315. *Genuens.* sylv. *A.* 138.
marinum *Ægyptium*, *A.* 315.
Mons-pessulanum siliquâ asperâ, *A.*137
parvum siliquâ aspera *CBP.* *Ibid.*
pumilum alpinum &c. *Clusio IB.* *A.* 261.
sylvestr. *Monspessulan.* lato folio, *A.*138
Sinapi & Thlaspi media *Provincialis* planta *Lobelii*, *A.* 214.
Sinapistrum, *A.*280. Sindophoros altera, *A.* 92.
Singhaerhar *Bengalensium*, *M.* 46.
Sipplelee *Malabaror.* *M.* 151.
Sirrunarvelle *Malabaror.* *M.* 22.
Sisarum, *A.* 347. *M.* 172.
Sisembro Alpino palustre rot foglio, *A.*261.
Siser vulgare, *A.* 347.
Sison, *A.*347. Sisum *Pr. Alpini*, *A.* 344.
Sisymbrium Cardamine *IB.* *A.* 261.
Sisyrinchium, *A.* 347, 348. *M.* 172.
Sisyrinchii fortè species, *A.* 170.
Sisyrinchio affinis, *M.* 98.
Sium minimum *Prosp. Alpini.* *A.* 261.
alterum aquatic. luteum, *A.*261. 315.
umbelliferum, *A.* 348. *M.* 172.
Sleep-at-Noon, *M.* 77.
The Sloathful-Sensitive, *A.* 252.
Smilax arbor. *A.*362. aspera, *A.*348, 349. *M.* 172.
hortens. *A.* 289, 290. Polygonati fol. *A.* 301.
Theophrasti CBP. *A.* 197. unifolia *Turnef.* *A.* 220.

Smyrnium

Smyrnium aureum *American.* M. 173.
Snake-wood *Barbadens. Anglis*, A. 270.
Snap-Grass, A. 167. **Snap-Tree**, A. 44. 328.
Soladi-tirtavi *H. Mal.* A. 268.
Solanifolia Circæa dicta, A. 206.
Solanum, A. 349, 350, 351, 352, 353, 354. M. 173, 174.
Mexiocanum flore magno, A. 252.
pomiferum monophyllon, &c. A. 267
scandens *Malabricum* Betæ fol. *Ibid.*
Verticillat. baccis nudis *Virgin.* A. 33.
Solda *H. Mal.* A. 80. Soldæ similis, A. 354.
Soldanella alpin, A. 354. maritim. A. 113
Solfuga admirabilis *Americana*, M. 76.
Solidago, A. 389, 390.
Saracenica quarta *Luniceri*, A. 93.
Saracen. s. *Germanic.* siliquosa, A. 137.
Solis nuncius *Hernandez.* A. 294.
Sonchus, A. 184, 354, 355. M. 102. 175.
Sonchis affinis Terracrepola, A. 183.
Soncho affinis, A. 104.
Soneri-Ila, *H. Mal.* M. 176.
Sophera *Alpino*, A. 342.
Sophia *Chirurgorum*, A. 138.
Sorbus, A. 248, 249. 355.
Sorbi fortè species *Ind. Orient.* A. 44.
species *Javanica* Bontii, M. 21.
sylvestris, genus *Ind. Orient.* A. 38.
Sorghi *IB.* A. 250. Soteetsou *Japon.* A. 276
Spanish-Ashe, A. 96. Spargani. A. 355.
Spartium arborescens, A. 164.
spinosum *Pr. Alp.* M. 88. spinos. alt. A. 366
Spartum spicat. pungens *Oceanic.* A. 173
Speculum *Veneris*, A. 78.
Sphondylium, A. 355, 356.
Sphondyliifol. Planta *Afric.* caust. A. 198
Spica vulgo, A. 209. trifol. *Pr. Alp.* A. 374.
Spicæ Nardi genus *Africanum*, A. 101.
Spina alba, A. 84. lutea *IB.* A. 104.
Solstitialis, A. 86. umb. fol. viduâ, A. 54
Spina acuta Pyrifolia, A. 249.
Glassenburiensis, *Ibid.*
apud *Indos* cujus succus cæcos facit, M. 182.
Hernandez. A. 279.
Spinus albus *IB.* A. 249.
Spinachia, A. 356. frutesc. *Americ.* M. 173.
Spiræa Hyperici folio non crenato, A. 308. M. 157.
Opuli folio, M. 15.
Theophrasti Clusio, A. 356.
Spiræa similis Frutex *Indicus*, *Ibid.*
Spirit-wood, A. 300. Spongia, A. 356.
Split *Illyrica.* *Adv.* A. 162.
Stachys, A. 356, 357. M. 175.
exotica Lychnis coronariæ fol. A. 345
palustr. A. 345. spinosa *Clus.* A. 346.
Stacteflua arbor *Americana*, A. 43.
Staphis agria, A. 357.
Staphylodendron, A. 298.
Star of the Earth *Nostratib.* dict. A. 231
Star-weed, *Barbadensibus Anglis*, A. 137
Statice, A 336. M. 168.
Stein-Appel *Belgis*, A. 42.
Stella *Orientalis* fulgens, A. 339.
Stellaria aquatica, A. 357.
Stickweed, M. 46.
Stock-Fish-hout, A. 129.
Stœbe, A. 357. M. 175.
capitata Rosmarinæ fol. *Ponæ*, A. 190.
Plant. fol. A. 337. *Salam.* 3. *Clus.* A. 191.
squamis asperis *CBP.* A. 192.
Stœchas, A. 133, 134. 357, 358. M. 67.
citrina inodora, & Citrinæ affin. A. 193
Stœchadi citrinæ acced. s. Jaloux. A. 171
Stramonia s. Datura Cistoides, A. 106.
Stramonium, A. 358.
Stratiotes aq. fol. Sedo latiori maj. A. 212
Ægyptia Diosc. *Vestingi* A. 267.
Dioscorid. A. 212. Millefol. *Cretic.* A. 251
Strobilium s. Nux Pinea *Monardes*, A. 29.
Styrax arbor. A. 358. M. 176.
Styrax arbor *Virginian.* A. 224.
liquida *CBP.* *Ibid.*
Styraciflua Aceris folio, *Ibid.*
Styraci & Euonymo media affin. A. 139
Suber angustif. & latifolium, A. 197.
Suberi affin. lign. fomit. vic. præb. A 138
Subularia lacustris, A. 170.
Succisa & Morsus *Diaboli*, A. 335.
Sucudus *Avicennæ*, A. 358.
Sudis glutinosa Medicina *Hern.* A. 115.
Suendadi-pullu *H. Mal.* A. 247.
Sugar-Apple, A. 32.
Sulique *Persarum*, A. 252.
Sultan *Zambach.* A. 218.
Suluc *Arabum* & *Turcarum*, A. 252.
Sumach, A. 318. Sumtrapoone *Mal.* M. 22
Sundari *H. Mal.* M. 153.
Sunutperai *Malabaror.* M. 75.
Supim *Sinensium* Boymii, A. 32.
Supple-Jacks, M. 172.
Suraboom *Belgarum*, A. 275.
Sureechedde *Malabaror.* M. 109.
Suriiaghas, vel Arbor Solis *Zeylan.* A. 17.
Surrupierra *Malabaror.* M. 149.
Swamp-Mangrove-Tree, A. 241.
Sweet-Scabious, M. 129.
Sweet-Sop, A. 32. **Sweet-weed**, A. 140. 296.
Sweet-wood *Barbadens. Anglis*, A. 138.
Syalita *H. Mal.* M. 124.
Sycomorus *Alpino.* *IB.* A. 144.
Saxatilis *Mexicensium*, A. 92.
Symphonia *Dalechampii*, A. 27.
Symphytum, A. 358, 359. M. 176.
minus Borraginis facie, A. 72.
petræum *Lobelii*, A. 70.
petr. s. Gypsophyton maj. *Thalii.* A. 22
pumilum repens, A. 72.
radice rubrâ *Turnefortii*, M. 13.
Syringa & Syringæ simil. A. 359. M. 176.
Syringha *Arab.* Mali Aurant. fol. A. 196.
Malabarica lactescens, A. 197.

T.

TAbacco *Anglicum*, A. 263.
Tabaxir folio Oleæ, A. 53. M. 28.
Tacamahaca, A. 360.
Tac arbor ex quâ Taxa *Rauwolfii*, A. 215
Tachara *Malabaror.* M. 170.
Tack-boom, *Belgarum*, A. 265.
Tacomaree *Brasilianor.* Pisonis, A. 52.
Tacori & Tacorifolia, M. 8.
Tænidiophoros arbor. A. 138.
Tagari radix in *Naupon.* M. 92.
Tagatacoräe *Malabaror.* M. 96.
Tagera *H. Mal.* A. 342.
Tagetes *Indicus*, A. 360, 361. M. 106.
minimus *Prom. Bon. Spei.* M. 106.
Tajaoba *Brasilian.* Pisonis, A. 78, 79.
Takka *H. Mal.* A. 361.
Takkada frutex *Zeylanensium*, *Ibid.*
Tala *Zeylanensibus*, A. 342.
Tala-dama H. *Mal.* . . . .
Talagas Talagaija *Cingalensibus*, A. 277.
Talasse *Indorum*, A. 51.
Talictri-fol. pl. scand. *Portori.* A. 120. M. 85
Talisifar *Avicennæ*, M. 123.
Talipot *Cingalensium*, A. 277.
Talu-pullú *H. Mal.* 135.
Tamalapatra, A. 157. M. 158.
Tamara *H. Mal.* A. 267.
Tamaratonga *H. Mal.* A. 238.
Tamarhendi, vel Alcanna *Avicen*, A. 217
Tamarindus, A. 361. M. 177.
Tamariscus, A. 361. M. 177, 178.
Tamarisco similis maritima, A. 160.
Tamoxo suffrutex *Clus.* A 234. M. 104.
Tanacetum, A. 361. *Africanum*, A. 360.
album tenuifolium *Boccon.* M. 130.
album odore Camphoræ, A. 250.
odorat. Absinth. *Pontic.* fol. virid. M. 130
montanum inodorum, A. 66.
Tancapez *Nov. Hispan.* A. 153.
Tandale-Cotti *H. Mal.* A. 122.
Tangaraca dicta, M. 150.
secund. spec. *Pis.* A. 45. 3. spec. *ejusd.* A. (35.
Tani *H. Mal.* . . . . .
Tannemutancatunga *Malabaror.* M. 38.
Tapia *Marcgravii*, A. 34. 108.
Tapsus barbatus, A. 382.
Tapyracoaynana *Pisonis*, A. 90.
Tarchon & Taracon, A. 362.
Tarepeni *Mexic.* Hernand. M. 171.
Tareriaya *Brasilianor.* A. 280.
Tarr-Tree, M. 190.
Tartonraire *Galloprovinciæ*, A. 367.
Tarupara radix in *Guiana*, A. 80.
Tatama *Oviedi*, A. 29.
Tataria *Hungarica* Clusii, M. 135.
Tavercare *quibusdam*, A. 275.
Taunecai *Malabaror.* M. 133.
Tauzarghent radix odorata, M. 92.
Taxocoquamoclitl, A. 339.
Taxus, A. 362.
Tealtecomaxochitl *Nov. Hisp.* M. 90.
Tececequi *Nov. Hispan.* Recc. M. 182.
Techomaxochitl 1. *Hern.* A. 109.
secunda *Hernandez.* A. 108.
Teckus *Americanis*, A. 29.
Tecpatlis *Mexican.* Hernand. M. 46. 48.
Tebalo *Zeylanensium*, A. 266. M. 137.
Telephium legitimum *Imperato*, A. 20.
Temecatl expurgans *Hernand.* A. 115.
Temecatl-Yauc-tepecensis *Hern.* A. 96.
Tenga *H. Mal.* Tengamaram *Indor.* A. 275
Tenna *H. Mal.* A. 174. Tenne *Mal.* M. 145.
Tepeamatl *Mexicensium*, A. 92. M. 42.
Tepehoaxin *Mex.* Hernand. M. 169.
Tepehoila-Capitzxochitl A. 109. M. 54.
Tepenexcomitl *Nov. Hisp.* M. 76.
Tepetlachichix-Xihuitl *Mexic.* A. 65.
Tepezentlis *Mex.* Hernand. M. 16.
Tequa-Niytzoncal *Nov. Hisp.* A. 128.
Tequaumecatl *Mexican.* M. 51.
Terai *Malabaror.* M. 9.
Terebinthus & Therebinthus, A. 362, (363.
Terepeti vel Tzipalitziti *Hern.* A. 261.
Terfez *Afrorum*, A. 341.
Terra-crepola *Monspeliens.* A. 183.
Terræ glandes *Park.* A. 208.
Terra merita *Officinar.* A. 125.
Terrane *Malabaror.* M. 21.
Tertianaria, A. 338.

INDEX.

Testa aquis imposita *Nieremb. A.* 267.
Tetaiba *Brasilianor. A.* 396.
Tetlatia *Nieremberg.* & *Hernand. A.* 369.
Tetragonia fortè *Theophrasti, M.* 110.
Indica Raii, *A.* 38.
Tetragonolobo Loto similis, *M.* 149.
Tetrahit *Herbariorum, M.* 171.
Tetralix Ericæa *Plinii, M.* 4. 69.
Tetraphylla siliquifera glabra, *A.* 341.
Tetumecootan *Malabaror. M.* 122.
Tetypoteiba *Brasilian.* Pison. *A.* 109.
Tetzivaƈtlis *Mex.* Hernand. *A.* 147.
Teucrioïdes & Teucrium, *A.* 363. *M.* 178
Teucrioïdes siliculosum, *M.* 164. (184
Teucrium Astragaloides, *A.* 339.
pratense f. spurium, *A.* 384.
quartum *Clusii, A.* 383.
quarti tertia species *ejusd. A.* 384.
alpinum. *A.* 110. *Tingitan.* vulgo, *A.* 203
Texcalxihuitl *Nov. Hisp. A.* 130.
Texhuatl *Hernandez. A.* 40.
Texioquahoitl *Nov. Hisp.* Recc. . .
Tezcapatlis *Nov. Hisp. A.* 306. *M.* 86.
Tezompotonic f. Capilli fætidi, *A.* 140.
Tezonpatlis *Mex.* Hern. *M.* 30. (389.
Thalictrum, *A.* 363, 364. Batrachoid, *M.*
Thalli-Yetl *Nov. Hisp.* Recc. *A.* 93. (159
Thapsia, *A.* 364. *M.* 178. ferulacea. *A.* 143.
Thea *Sinens.* & Thee frutex *Bont. A.* 139.
Theka *H. Mal. M.* 178. Theometl *Hern. A.* 19
Therebinthus *Veracruc.* Arach vulgo. *A.*
Therionarcha *Cappad. Plin. M.* 63. (34.
Theu-Copalli *Mexicens. A.* 144. (159.
Thlacamilxochitl Quauhquiculle, *M.*
Thlaspi. *A.* 111. 132. 215. 262. 364 *M.* 178
Rosa de *Hierico* dict. *A.* 258. (179.
Veronicæ folio *Parkinson*, *A.* 281.
Thora-paërou *H. Mal. A.* 293.
Thora *Valdensium, A.* 313.
Thorow-leafe, *Nov'anglicanis, M.* 71.
Thuia *Massiliensium, A.* 201.
Theophr. vulg. *A.* 48. vera. *A.* 91. *M.* 41.
Thuiæ genus quartum *Hist. Lugd. A.* 201.
Thurifera arbor *Arab. R. Antigoni. M.* 177
Thuris limpidi folium, *A.* 71, 72.
Thymbra *Africana Bartholini, A.* 366.
Græca, IB. A. 332. *Hisp.* Turnef. *M.* 171.
legitima *Clusii, A.* 333.
Thymelæa, *A.* 366, 367. *M.* 179, 180, 181.
capitulo Succisæ *CBP. A.* 336.
Linariæ folio vulgaris, *A.* 281.
Sedi minoris perenni folio, *M.* 123.
Thymus & Thymum, *A.* 110. 368.
Thysselinum *quorundam, A.* 368.
Tibcadi *IB. A.* 187. Ticaxochitl *Hern. M.*
Tiguar *Garciæ, M.* 54. (125.
Til planta sylvatica *Ind. Orient. M.* 111.
Tilia, *A.* 368. *M.* 181.
Tilo-Onapú H. *Mal. A.* 62.
Tinctorius Flos. *IB. A.* 165.
Tinda-parva H. *Mal. A.* 368.
Tindæ-parvæ *H. Mal.* spec min. *M.* 22.
Tindelica *H. Mal.* . . Tinus *Clusii, A.* 211.
Dr. Tinkars-weed, *A.* 287. & Huic simi-
Tirastawalú *Zeylan. A.* 114. (lis, *M.* 147
Tiri-Itti-Canni H. *Mal. A.* 343.
Tirnamapollee *Malabaror. M.* 20.
Tiru-Calli H. *Mal. A.* 368.
Tiru-tali, H. *Mal. M.* 54.
Tithymalus, *A.* 368, 369, 370, 371, 372.
373. *M.* 181, 182, 183.
Lentifolius minimus, *A.* 21.
maritimus f. Esula rara, *A.* 35.
Portoricensis foliis crassis, *Ibid.*
Tithymali facie planta *Æthiop. A.* 373.
Tittawætha *Zeylanensium, A.* 286.
Tlacamazatcazqui y Papan *Mex. A.* 121
Tlac-cecec, vel Tlaliztic *Nov. Hisp. M.* 134
Tlachichinoa Patlahoac *Hern. A.* 182.
Tlachichinoa Patlahoal, *A.* 389. *M.* 188.
Tlacochichic *Hernandez. A.* 140.
Tlacochichit f. Virga amara *Hern. A.* 389
Tlacolcoatli f. Coatli humilis, *A.* 361.
Tlacotic prima *Hernandez. A.* 4
Tlacoxiloxochitl. *Mex. A.* 341. *M.* 2 131.
Tlacoxochitl *Nov. Hisp.* Recc. *A.* 142.
Tlacozacali *Nov. Hisp.* Recc. *M.* 189.
Tlacuitlapilli *Nov. Hisp. M.* 51.
Tlaelpatlis *Acatlanens.* Hern. *A.* 142.
Tlalaco *Mexic.* Hernand. *M.* 163.
Tlalahoacatl *Hernandez. M.* 170.
Tlalamatl *Mex. A.* 293. 350. 376. *M.* 184.
Tlalcacahuatl *Nov. Hisp.* Recc. *A.* 40.
Tlalchamallin *Mexic.* Hernand. *M.* 11.
Tlalchichicpatlis *Nov. Hisp. M.* 52.
Tlalchinol-Xochitl *Hernand. A.* 141.
Tlalchipillin *Hoexotzincens. M.* 146.
Tlalchipillin alia *Hernand. A.* 388.
Tlalhoaxin *Mex.* Hern. *A.* 342.
Tlalizta-patzin *Nov. Hisp. A.* 198.
Tlalizta-Quilitl, *Nov. Hisp. M.* 121.
Tlallaala *Nov. Hisp.* Recc. *M.* 35.
altera *Recchi, A.* 14.
Tlallantlaca-Cuitlapilli, *A.* 375.
Tlally-Yetl *Nov. Hisp.* Recc. *A.* 65.
Tlalmatzalin *Mex.* Hernand. *A.* 180.
Tlalocoloxochitl *Nov. Hisp.* Recc. *A.* 56
Tlaloquiloni *Huaxacensis* Hern. *M.* 11.
Tlalquequetzal, *Mex.* Hern. *A.* 250.
Tlalyxtomium f. Yztomium humile, *A.*
Tlanaotoa huizpatlis *Hern. A.* 93. (367
Tlanatoahuizpatlis *Nov. Hisp. A.* 29.
Tlanoquizpatlis *Hernd. A.* 209.
Tlanpanxihuitl *Nov. Hisp. M.* 29.
Tlaolli H. *rn. A.* 158. *Nieremb. M.* 84.
Tlapalcozatli-Coaxochitl *Hern. A.* 360.
Tlapaltic Cacolaxechitl *Hern. M.* 125.
Tlapatl *Mexicensibus, A.* 358.
Tlapolezpatlin f. Medic. Sanguin. *A.* 253
Tlaquilin *Mexican.* Hern. *A.* 252.
Tlatecomaxohuitl *Hernand. M.* 90.
Tlatlancuaye *Mexic.* Hern. *A.* 297.
Tlatlauh-Capatli *Mex. Hern. A.* 168. *M.* 90.
Tlatlauqui *Nov. Hisp.* Recc. *A.* 292.
Tlatlocotic *Tepoztlanensis, M.* 46.
Tlatzcan *Mexic.* Hern. *A.* 125.
Tlauhquichulxochitl *Nov. Hisp. M.* 125.
Tlayoyomochtli *Nov. Hisp. M.* 11.
Tlicoxochitl de Guastepec-Otequa-
Xochitl. *Hernandez. M.* 116.
Tlilto'lin *Nov. Hisp.* Recc. *A.* 51.
Tlilxochil f. Flos niger *Mexican. A.* 381.
Tobori *Gentilium Indorum, A.* 293.
Tocapotle *Mex.* Hern. *M.* 87.
Tochonxochitl, *A.* 339. (385.
Tocizquiuh f. Maizium torrid. *Hern. A.*
Tockahough *Virginiensium, M.* 126.
Tockaweugh *aliis* Tockahoe, *A.* 51.
Tocosguebit *IB. A.* 228.
Todalle *Malabaror. M.* 122.
Todda-panna H. *Mal. A.* 276.
Todda-Vaddi H. *Mal.* & Totta-Vad-
di *Malaiis, A.* 252.
Todwallewel *Zeylanensibus, M.* 55.
Tokaun *Brasiliens.* ex *Stadio, M.* 85.
Tolabo *Zeylanensium, A.* 219.
Tomatl f. Planta acinosa *Hern. A.* 352.
Tonalxochitl *Ocoitucensis* Hern. *A.* 204.
Tongu *Angolensibus, A.* 350.
Toona's Arbores ab *Hispanis, M.* 76.
Tora *Indor. A.* 342. Torepo *Malab. M.* 93.
Tordylium, *A.* 373. Tormentilla, *A.* 286
Tormentilla alpina, *M.* 7.
Tosunda f. Casunda Ind. *Zanon. A.* 342.
Tota Bona, *M.* 32. Tota-Piri *H. Mal. A.*
71. *M.* 59.
Totecy-Xochiuh *Mex. Hern. A.* 182.
Totocuit-Laxil *Nov. Hisp. A.* 36.
Totoncaxoxos Coyollin *Hern. A.* 77.
Totoncapatlis *Mex.* Hernand. *A.* 359.
Totoyoxitl *Mexicens. A.* 116.
Totta-Vari vel Totta-Pari *Mal. A.* 252.
Toucon herba apud *Brasilianos, A.* 160.
Toulcuttee *Malabaror. M.* 19.
Toxico dendron triphyllon, *M.* 99.
Tozcuitlapilxochitl *Mex.* Hern. *A.* 79.
Trachelium, *A.* 75, 76, 77, 78. (250.
Americ. A. 314 Umbelliferum, *A.* 379.
Trachylepos arbor *Americana, A.* 373.
Tragacantha, *A.* 60. quarta *Pr. Alp. A.* 366
Tragacanthæ 3 genus *Rauwolf. A.* 305.
Tragium *IB. A.* 189. alterum *Diosc. A.* 358
Tragopogon, *A.* 337. 373, 374.
Tragorchis, *A.* 271. (181.
Tragorigan. *A.* 374. Dictamn. capit. *M.*
Quauhuahuacense Hernand. *M.* 51.
Tragos f. Uva marina, *A.* 303.
Tragum *Matthioli, A.* 202.
Tragus spinosus, *Ibid.* Trasi *Italor. A.* 127
Tremâe *Pison.* vel Tremate *Brasil.*
Marcgr. A. 121, 134. *M.* 22.
Trevo *Brasiliensium, A.* 270.
Tribulus aquat. *A.* 304. 374.
terrestris, *A.* 374. *M.* 184.
Tridactylites, *A.* 331.
Trifoliata paludosa *Morisoni, A.* 247.
Portoricens. planta capreolata, *A.* 71.
Trifolii spica Crithm. marit. *Raj. A.* 27.
Trifolio affinis Xanthiifacie *Br. A.* 25.
Trifolium, *A.* 374, 375, 376, 377. *M.* 184.
acetosum, *A.* 274. argent. alpin. *A.* 284
alpinum argent. Persici flore, *Ibid.*
Americanum holosericeum, *A.* 247.
Americ. spicatum *Marcgr. A.* 270.
Busambarense minus, *M.* 143.
Corniculatum, *A.* 225, 226.
dendroides *Virginianum, A.* 129.
falcatum *Prosp. Alpin. A.* 228.
fibrinum *Germanorum, A.* 247.
Fragariæ foliis *Berardi, A.* 284.
frutex Genistæ folio *IB. M.* 88.
fruticans *quibusd.* Polemonium, *A.*
hæmorrhoidale, *A.* 226. (195.
halicacabum *IB. A.* 227.
Lusitanic. cornicul. fl. rubr. *A.* 280.
majus Genistæ facie *Barthol. A.* 165.
Norvegicum Bartholini, *A.* 284.
peltatum *Creticum, A.* 227.
purpur. Lagopod. frutesc. *Cretic. Ibid.*
rectum *Monspessulan. IB. A.* 226.
Scorpioïdes ex *Hispania* Boelii. *A.* 227.
Siliquos. fl. crist. pavon. æmulo. *M.* 145
Spicatum *Mexic.* Hernand. *A.* 280.
Vesicarium *Prosp. Alpin. A.* 227.
Trifolium cochleatum, scutellatum, &
echin.

INDEX.

echin. Medica dict. *A.*243, 244, 245.
folliculis coronæ similib. *A.*245.
Trifol. odor. Melilotus dict. *A.*246, 247.
fructu racemoso *Boccon. M.* 127.
Trinciatella *IB. A.*183. *Italorum, A.*136.
Triopteris, *A.* 377. *M.* 185.
Triorchis alba odorat. *A.* 271.
Mexicana Hernandez. *A.* 134.
Triticum, *A.*377. *Asiaticum* Tragi, *M.*84.
Bactrianum, Ibid. Indicum IB. Ibid.
Peruvian. A. 158. Vaccinium. *A.*245.
Trixago *Apula* unicaulis *Fab. Col. A.* 34.
Trompili Auizpatli *Nov. Hisp. A.*34. *M.*8
Trucaweampavee *Malabaror. M.* 30.
Trumpet-Flower, *Barbad. Angl. A.*215.
Trumpet-leafe, *A.* 71.
Tshjinka *Molucensium, A.* 88.
Tshinka-papova *Moluccanis, M.* 59.
Tsia *Japonensibus, A.* 139.
Tsjadaen *H. Mal. A.* 81.
Tsjadi-Bangi *Bramannis, A.* 80.
Tsjakelâm *H. Mal. A.* 144.
Tsjambou H. *Mal. A.* 137.
Tsjampaca *Indorum, A.* 394.
Tsjana-Kua H. *Mal. A.* 397. *M.* 12.
Tsjanga-pusparn H. *Mal. A.* 132.
Tsjangolam Parendi H. *Mal. A.* 298.
Tsjela H. *Mal. A.* 145. *M.* 75.
Tsjelli forte H. *Mal. A.* 200.
Tsjem-Tani H. *Mal. A.* 306.
Tsjeregam-Mulla H. *Mal. A.* 196.
Tsjeria-Kuren-pullu H. *Mal. A.* 177.
Tsjeria-manga-nari H. *Mal. M.* 44.
Tsjeriam-Cottam, H. *Mal. A.*378. *M.*22.
Tsjerii-Mulla H. *Mal. A.* 196.
Tsjeroca-Citambel H. *Mal. A* 266.
Tsjerou-Catou-Naregam *H. Mal. A.*239
Tsjerou-Kadali H. *Mal. M.* 49.
Tsjerou-Kanneli H. *Mal. A.*378. *M.*25.
Tsjerou-Kara H. *Mal. A.* 234.
Tsjerou-Mau Maravara H. *Mal. A.* 87.
Tsjerou-punna H. *Mal. A.* 120.
Tsjeru-Canirâm H. *Mal. A.* 395.
Tsjeru-Cansjava H. *Mal. A.* 80.
Tsjeru-Ionganan-pulla H. *Mal. A.* 22.
Tsjeru-Kirganeli H. *Mal. A.* 159.
Tsjeru-parna H. *Mal. A.* 14.
Tsjeru-talu-dama H. *Mal. M.* 164.
Tsjeru-Tardavel H. *Mal. A.* 111.
Tsjeru-Teka H. *Mal. M.* 26.
Tsjeru-Tsjurel, alio nomine Rottang dicta, *A.* 276.
Tsjeru-Veela H. *Mal. A.* 280.
Tsjeru-Uren H. *Mal. A.* 17. 25.
Tsjocatti H. *Mal. A.* 41. 378.
Tsjovanna-Areli H. *Mal. A* 263. (20.
Tsjola *H. Mal. A.*41. Tsjori-Valli *H. Mal.*
Tsjovanna-Amelpodi H. *Mal. A.*196. *M.*
Tsjovanna-Manneli H. *Mal. M.* 120.
Tsjudemarâm H. *Mal. A.* 287.
Tsjuria Cranti H. *Mal. A.* 117.
Tuberaria *Myconi, A.* 195.
Tucubia *Nierembergii, M.* 126.
Tuinamitube *Brasil.* Marcgr. *A.*293.
Tulipa, *A.*378. *Cat. e. f. Bod à Stap. A.*220.
Tulip-Flower, *Barbadens. Anglis, A.*215.
Tulipifera arbor, *A.* 379.
Tulipiferæ laurinis foliis facie, *Ibid.*
Tulipillee *Malabaror. M.* 95.
Tumba H. *Mal. A.* 81.
Tumba-Codiveli H. *Mal. A.* 132.
Tumbamaram *Malabaror. M.* 66.
Tuna dicta, *A.* 146.
Tune addepillee *Malabaror, M.* 96.
Tupaipi & Uracatu *Pison. A.* 390.
Tupeicava s. Scoparia *Pisonis, A.* 296.
Turara *American. CBP. A.* 79.
Turbith *Officinar. A.* 114.
nigrum *quibusd. A.*35. nigr. *Cley. M.*55.
Garganicum, A. 364.
Turcicum Frumentum, *M.* 84.
Turkeyau-uerrekaichedde *Mal. M.* 148.
Turks-Cap nostratibus dicta, *A.* 148.
Turnip-Tree, *A.* 292.
Turpethum *Indicum CBP. A.*114. *M.*53.
verum s. album *M.*53.
Turpeti altera species, *M.*54. (*A.*217
Turritis, *A.*69, 70. *M.*32. Tusai *quibusd.*
Tussilago alpina fol. oblongo, *A.* 131.
alpina rotundifolia canescens. *Ibid.*
Tympanum aqueum Hernand. *A.* 2.
Typha *Dodon.* Park. *A.*378. palust. *A.*379.
Tzaponochli *Mexic.* Hern. *A.* 146.
Tzatzayanat quiltic *Hernand. M.* 172.
Tzatzequa *Mexic.* Hern. *A.* 105. *M.* 49.
Tzazalicpatlis *Hernand. M.*72. (336.
Tzicatzon Tecomatl. s. Cap. formicæ, *A.*
Tzichichic vel Texichic *de Ocoinis, M.*8.
Tzinacanatlapatlis *Nov. Hisp. A.* 282.
Tzina-Concuitla-Quauhitl *Hern. M.*61.
Tziphatfiti & Tzipesi. *M.* 134.
Tzipipatlis *Nov. Hispaniæ, A.* 99.
Tzitzin *Nov. Hisp.* Recc. *A.* 7.
Tzitziqui *Mex.* Hernand. *A.* 56. *M.* 29.
Tzocuilpatlis altera *Hernand. A.* 140.
Tzompili-Huizpatli *Nov. Hisp. A.* 142.
Tzonpetic-Xihuitl s. Nect. *Hern. M.*151.
Tzonpotonic *Mexic.* Hernandez. *A.*184.

V.

Vacaune *Malabaror. M.*23. (391. 392.
Vaccaria *IB. A.*232. Vaccinia. *A.*
Vailumbash *Malabaror. M.* 68.
Vaindechetto *Gentilibus Indis. M.* 188.
Valanya *Malabaror. M.* 60.
Valdebonæ nomine missa. *A.* 216.
Valeriana, *A.*279. 280. 281. *M.* 185.
Atriplicis folio *Virginiana. A.* 261.
Clematites. *A.*109. Hyssopifol. *Virg. A.* 141.
Urticæ folio *American. A.* 140.
Valerianoides, *A.* 379. *M.* 185.
Valerianella, *A.* 381. *M.* 185.
palustr. *M.* 159, polycarpos. *M.* 154.
Vallia-capo-Molago H. *Mal. A.* 353.
Valli-panna *H. Mal. M.* 83.
Valli-Teregâm *H. Mal. A.* 394.
Valli-upudali H. *Mal. M.* 99.
Vanamairam *Malabaror. M.* 19.
Vanamallecoddee *Malabaror. M.* 98.
Vanamarâm *Malabaror. M.* 134.
Vanillia's. A. 381.
Varainchuddee *Malabaror. M.* 131.
Varanna-mullee *Malabaror. M.* 127.
Varvattee *Flacurtii. M.* 150.
Vasaveli arbor *quorund. A.* 41. 283.
Vasnapillee *Malabaror. M.* 97.
Vatakelugelepe *Malabaror. M.* 58.
Vaudemaulecode *Malabaror. M.* 97.
Veanaungoo *Malabaror. M.* 29.
Veetla-Caitu *H. Mal. A.* 135.
Velacaumboo *Malabaror. M.* 92.
Vella canjerree *Malabaror. M.* 163.
Vellecacuanha *Malabaror. M.* 150.
Vellia-Manga-nari *H. Mal. A.* 99.
Veloweba *Bengalensium, A.* 310.
Velutta-Amelpodi *H. Mal. A.* 196.
Velutta-Mandarû *H. Mal. A.* 240.
Venerea Medicina *Hernand. A.* 141.
Vensjerapatsja *H. Mal. M.* 17.
Verbascum. *A.* 382. *M.* 186. (329.
Lychnites *Syriac. A.*229 Salvifol. *A.*
Verbascu. *A.*305. Salvifol. *Pr. Alp. A.*345.
Verbena & Verbenac. *A.*382, 383. *M.*186.
American. procumb. *M.*178. (*M.*187.
botryoid. *M.*190. frutic. Teucr. fol.
Indica Bontii. M. 11.
Verbenæ foliis. *Æthiopica. M.* 186.
Verbesina. *A.* 100. 101.
Vercelli *Melitensibus. A.* 255. (341.
Vermicularis & Crassula min. *A.* 340.
Vermiculata exilior. *A.* 136.
montana nova *Column. A.* 302.
Vermutbock *Germanis, A.* 138.
Veronica. *A.*383, 384, 385. *M.* 151. 186.
aquat. fol. subrot. non crenato. *A.*20.
Indic. Teucrii folio *Commel. M.* 44.
Veronicæ similis frutic. *A.*339. *M.*187.
similis *Malabarica. M.* 164.
similis spicata *Indic.* repens. *A.* 26.
Vesicaria marina. *A.* 385.
Vetadâgou *H. Mal. A.* 45. 391.
Uhebebasou *Theveti. A.* 38.
Viba *Brasiliens. Pisonis. A.* 52.
Viburnum, *A.* 385, 386. *M.* 186.
Vicia. *A.* 386, 387. *M.* 187.
quæ Pityne *Anguillaræ A.* 208.
Sesamacea *Apula. A.* 60.
Vidimarâm *H. Mal. A.* 306.
Villevittree *Malabaror. M.* 60.
Vinegar-Pear, *A.* 282.
Viola. *A.* 387, 388. *M.* 187.
Lunaria major *A.* 214, 215.
Mariana. A. 76. pentagonia. *A.* 78.
petræa *D. Harderi,* apud *IB. M.* 102.
Virga amara *quibusd.* Hernand. *A.* 100.
Virga aurea. *A.* 389, 390. *M.* 30. 188.
folio Veronicæ. *A.* 141.
latissimo folio *Canadens.* glabr. *Ibid.*
magno flore *CBP. A.* 131.
Virginiana. A. 117, 118.
Viscago *Cretic.* Auric. Ursi facie. *A.*229.
Viscum, *A.* 390. *M.* 61. 188.
Visnaga, *A.* 170. minor *quorund. A.*129.
Visnecrantee *Malabaror. M.* 55.
Vistnu-Ilandi H. *Mal. A.* 116.
Vitex. *A.* 390. 391. *Indica. M.* 61.
trifolia. *M.* 161.
Vitis arbustina *Pisonis, A.* 109.
Hederacea *Indic.* Stapelii. *A.* 181.
Sylvestris trifolia, *Park. Ibid.*
Vitis *Idæa. A.* 391, 392. *M.*188. 189.
arboresc. *A.*248. affinis. *A.*159. *M.* 84.
Viti *Idææ* affinis Polifolia mont. *A.*136.
Vitis Vinifera, *A.* 392. *M* 189.
sylvestr. *Indica, &c. CBP. A.* 394.
Ulinja H. *Mal. A.* 120.
Ullarehan *Malabaror. M.* 102.
Ulmaria. *A.* 392, 393.
Ulmifolia. *A.*393. *M.*189 Ulmus. *A.*393.
Umari arbor *Pisonis, A.* 306.
Umbellifera *Alsatica.* magna. *A.* 216.
Umbellifera urens *Cap. Bon. Sp. A.* 198.
Unedo *Plinii* vulgo *A.* 49.
papyracea Nierembergii. *A.* 92.
Unguis Cati. *A.*96. Unjala H. *Mal. M.*189.

Uni-

Unifolium, A. 220. Unni Chilens. A. 392.
Volubilis, A. 393. aquat. Hern. A. 196. M.
Bisnagarica, A. 49. Gangetica, Ibid. (108
Vosacan Americanum, A. 99.
Vousschecauchedde Malabaror. M. 140.
Urakuciba lignum in Brasilia. A. 138.
Uren H. Mal. A. 25. M. 10.
Urinaria mirabilis Hernandez. A. 283.
Urtica, A. 393, 394. M. 190.
aculeata, A. 204. Arbor, A. 225.
caule lignoso Americana, M. 163.
fatua λευκόσικτ@ Thalii, A. 204.
Indica pentaphyllæa, A. 320.
iners, IB. A. 203, 204.
mortua maculis albis Columm. Ibid.
Urucú Brasilianor Pison, A. 272.
Uruparíba Brasilianor. A. 328.
Usnea Officinis Germanor. A. 254.
Chymistar. & Officinar. nostrat, A. 256.
Utricaria Vegetabilis, A. 394.
Uty Brasiliensium Marcgr. A. 3. 160.
Uva Insulæ Maragnanæ Ogilv. A. 247.
Uva crispa Americana Pison. M. 4.
marina quorundam, A. 161.
Uva Ursi, A. 391. Uvæ Gruinæ, A. 392.
Uvero Hispanis, A. 394.
Uvifera arbor in Maritimis, Ibid.
Vulerhir Malabaror. M. 89.
Vulneraria rustica, A. 227.
Vushacoodde Malabaror. M. 55.
Uxana Pauli Ammanni, A. 44.
Uzeg s. Lycium Indic. Alpino, A. 234.

W.

WAapamarám Malabaror. M. 139.
Wadapú H. Mal. M. 11.
Wadoukæ similis, A. 395.
Wælambilla Cingalensibus, A. 199.
Wænella Zeylanensibus, A. 377.
Wærellaghas Zeylanensium, A. 35.
Wæthakolu Zeylanens. A. 286.
Walæmbilla Zeylanens. A. 269.
Walgambú Cingalensium, A. 262.
Walinghura Zeylanens. A. 396.
Wamulæthya Cingalensib. D. Seyn. M. 1.
Waraghaha Zeylanensium, A. 35.
Warapoli H. Mal. M. 83.
Watta-Taly, H. Mal. A. 395.
Wattou Valli H. Mal. A. 37.
Weeping-Bower, Barbadens. Angl. A. 43
Wehopai Javanensibus, A. 240.
Welala Zeylanensium, A. 321.
Welia-Cupameni H. Mal. A. 25. M. 129.
We'i-ila H. Mal. A. 51. (163.
Wellia-Codiveli H. Mal. M. 113.
Wellia-Tandale-Cotti H. Mal. A. 122.
Wellia Tagera H. Mal. A. 342.
Whip-wood, A. 395.
White-Barke, Barbadensibus, M. 113.
White-Bead-Bandstring, Jamaic. A.
White-Mangrove, Barbadensib. A. 241
White-Plantain, Virg. A. 171. (118
White-Wood, Barbadensib. vulg. A. 215.
Wichsacan Americanum, A. 99.
Wild-Cassada, M. 161.
Wild-Hopseed, Barbadensib. A. 229.
Wild-Parseley, M. 57.
Wild-Potato-slip, M. 33.
Wild-Wormwood, Jamaicens. Angl. M. 1.
Wisanck Virginian. Ger. emac. M. 16.
W ssadulú Zeylanensibus, A. 17.
Wootarepillepú Malabaror. M. 94.

X.

XAgua Nieremberg. A. 276.
Xalquauhitl Hernandez. M. 28.
Xaltomatl s. Tomatl arenos. Hern. M. 173
Xalxochotl Mex. Hern. A. 181.
Xanthium Dioscorid. A. 205. M. 112.
majus Canadense, A. 205.
Spinosum Lusitanicum, A. 206.
Xantonica serotina Lob. A. 158.
Xarapisqua Mex. Hernand. A. 140.
Xararo Mexican. Hern. A. 142.
Xarpus Tartaror. & Turcarum, A. 247.
Xaxahoactlis Hern. A. 343. M. 115.
Xeranthemum, A. 193. 395. M. 106 190.
Sesamoides, A. 337. 395. M. 190.
Xicama Nov. Hisp. A. 292.
Xicoxihoitl Hernandez. A. 268.
Xiloxochitl Quaucocolanens. A. 215.
Xinchieu radix Sinica, M. 92.
Xitomama Hernand. A. 351.
Xiuh-cocolin Mex. Hern. M. 53.
Xiuh-quilitl-Pitzahac Hern. A. 112.
Xiyopatlis Nov. Hispan. A. 298.
Xochicopalli Mex. Hern. A. 140.
Xochicopal-Quauhitl Hernand. A. 96.
Xochicotzo-Quahuitl Hern. A. 224.
Xochipalli Artemisifolia Hern. M. 135.
Xochopalcentli Nov. Hispan. A. 158.
Xocoxochitl Hernand. A. 88.
Xoxocapatlis Mex. Hern. M. 139.
Xoxocoyol-Hoihoilan Mexican. A. 274.
Xoxonacatic Mex. Hern. M. 142.
Xoxonazatic Nov. Hisp. Recc. A. 280.
Xoxotlato Mex. Hern. A. 111. M. 167.
Xumatl Mexicensium, A. 330.
Xyloaloës, M. 133.
Xyloboëion arbor Americ. A. 395.
Xyloeiste arbor Americ. Ibid.
Xylomastix arbor Americana, A. 395.
Xylon, A. 172, 173.
Xyloperisteron Americ. A. 395.
Xylopicron, Americanum, Ibid.
Xylosteum Nonnullis, A. 287.

Y.

YAruma de Oviedo. M. 75.
Yata Malacensium Boymii. A. 32.
Yayama & Jajama quibusd. M. 13.
Yca Peruviana. M. 163.
Yccotli Nov. Hispan. A. 263.
Yceceltic, vel Yceceltzin Hern. A. 121.
Ycel-Acocotlis Chullulens. Hern. A. 74.
Ychcaxihuitl Mex. Hern. . . . . .
Ychcaxochitl Nov. Hisp. M. 174.
Yelanainreve Malabaror. 127.
Yellapashee Malabaror. M. 131. 155.
Yellechellendenai Malabaror. M. 99.
Yellecootan Malabaror. M. 123.
Yellendamaram Malabaror. M. 199.
Yellow-Hercules, A. 396.
Yerva Mora Hispanor, A. 42. M. 21.
Ygæ arboris cortex ad Navigia, A. 228.
Yllamatlanti Hern. A. 351. M. 174.
Yllamatzapotli Nov. Hispan. A. 32.
Yllomaxochitl Hernand. A. 223.
Yocolxochitl Nov. Hisp. A. 36.
Yolopatlis Irina Hernandez. M. 8.
Yoloxochitl-Aristocheya Hern. A. 379.
Yri Lerii, A. 276.
Ystacoloitzin Chullulense Hern. A. 115.
Ytzamatl Nierembergii, A. 92.
Ytzeculnpatlis Nov. Hisp. A. 50.
Ytzenimpatlis Hernand. M. 159.
Ytziperequa Mexican. A. 88.
Ytztacatzoyal Nov. Hisp. Recc. A. 269.
Yu herba Sinensium, M. 111.
Yuca foliis Cannabinis, A. 241.
Yucca & Yuccæfolia, A. 396.
Yuera Jo. Stadii, A. 228.
Yxiayahoal Chapaltepecens. A. 247. M. 129
Yxpatlis Nov. Hisp. A. 37.
Yxtomio-Xihuitl Hernand. M. 72.
Yxyaya-huatl vel Yxyayahoal Mex. M.
Yyau-centli Nov. Hispan. A. 158. (129
Yzquinchichioalli Hernand. M. 129.
Yzquixochitl Hern. A. 197.
Yztac-chiatl Hernand. M. 1.
Yztac-cihuatl Mexican. M. 102.
Yzatac-cococ-tlacotli, A. 41. M. 71.
Yztac-nochtli Mex. Hern. A. 146.
Yztacpatlis Atotonilci. A. 209. M. 179.
Sexta Hern. A. 36. septima, A. 329. 385
octava, A. 294. nona. M. 52. 120.
Yztacpatlis-Manalismi 10. Hern. A. 362.
Yztacpatlis Tepexicensis Hern. M. 131.
Yztacpatli Tepuz Cullulae Hern. A. 141
Yztac-Quauxiotl Hernand. M. 31.
Yztac-Quauxihotl alia Galiopis. A. 318
Yztactexcaltlacotl, Hern. A. 74.
Yztactlacochichic, Hern. 289.
Yztactlamatl Mex. Hern. A. 293.
Yztac-Xihuitl Mex. Hern. A. 166.
Yztac-Zazalic Mexicana, A. 71.
Yztlacatinipatlis Nov. Hisp. M. 125.

Z.

ZAcanal-Haotl Chullulens. Hern. M. 123.
Zaccon Hierichuntea fol. Oleæ, M. 160.
Zacintha, A. 104.
Zambal frutex Ind. Zanon. A. 351.
Zanthoxylum, A. 396. Zanzalac. Ibid.
Zanthoxyli aculeati fruct. genuin, M. 73
Zaroa Incolis Mont. Libani, A. 234.
Zarza & Zarzaparilla, A. 348, 349.
secunda Hern. A. 120. tertia, Ibid.
Zarzaparilla lobatis foliis, A. 396.
Zayolpatlis, s. Muscar. Medicina, M. 173
Zazachichit Mexicensium, A. 117.
Zazalic Coapitlanensis Hern. A. 28.
Zazalic-Tlacopatlis Hernand. A. 115.
Zazanaca forte Mex. Hern. M. 92.
Zazapilol-Xochitl Hernand. A. 287.
Zea Briza dicta, A. 396. Zea spelta, Ibid.
Zedoaria, A. 397. M. 191.
Zeopyrum, A. 396. Zerumbeth Arabum, A. 397.
Zezecpatlis Acatlanens. Hern. M. 2.
Zingi fructus stellatus, M. 70.
Zingiber & Zinziber, A. 397.
Zinziberis genus, M. 36.
Ziziforan Chalepensibus dict. M. 52.
Zizipha & Ziziphus, A. 198, 199.
alb. argent. Zeylanica, A. 269 M. 139.
Cappadocica quibusdam, A. 269.
Zucha flore luteo IB. A. 286.
Zufiniare, A. 218. Zygis Clusio, A. 344.

FINIS.


TAB.CCLI.
Fig: 1.
Fig: 2.
Fig: 3.
Fig: 4.
M. Vander Gucht sculp.


TAB. CCLII.
Fig: 1.
Fig: 2.
Fig: 3.
Fig: 4.
Fig: 5.
M. Vander Gucht sculp.

TAB. CCLIII.


TAB CCLIV
Fig: 1
Fig: 2
Fig: 3
Fig: 4
Fig: 5
M. Vander Gucht sculp.

TAB. CCLV.




TAB. CCLVI
Fig. 1
Fig. 2
Fig. 3
Fig. 4
Fig. 5
I Savage sculp.


TAB. CCLVII
Fig. 1
Fig. 2
Fig. 3
Fig. 4
Fig. 5
I. Savage sculp.

TAB. CCLVIII.




TAB CCLIX.
Fig: 6
Fig: 5
Fig: 2
Fig: 4
Fig: 3
Fig: 1
M. Vander Gucht sculp.

TAB. CCLX.

TAB. CCLXI.



TAB. CCLXII.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.


TAB. CCLXIII.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.

TAB. CCLXIV.



TAB. CCLXV.



TAB. CCLXVI.




TAB. CCLXVII
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.


TAB. CCLXVIII.
Fig: 1.
Fig: 2.
Fig: 3.
Fig: 4.
a.
a.
b.
b.
b.
M. Vander Gucht sculp.

TAB. CCLXIX.




TAB. CCLXX.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.


TAB. CCLXXI.
Fig: 1.
Fig: 2.
Fig: 3.
Fig: 4.
Fig: 5.
a.
a.
M. Vander Gucht. scul.


TAB. CCLXXII.
Fig: 1.
b
b.
Fig: 2.
Fig: 3.
Fig: 4.
Fig: 5.
Fig: 6.
a.
a
Fig: 7.
M. Vander Gucht sculp.


TAB. CCLXXIII
Fig. 4.
Fig. 5.
Fig. 3.
Fig. 1.
Fig. 2.
Fig. 6.


TAB CCLXXIV.
Fig: 6
Fig: 3
Fig: 2
Fig: 5
Fig: 4
Fig: 1
M. Vander Gucht scul:

TAB. CCLXXV.
Fig 7
Fig. 2
Fig. 1
Fig. 4
Fig. 5
Fig. 3
Fig. 6


TAB CCLXXVI.
Fig: 5
Fig: 1
Fig: 6
Fig: 2
Fig: 4
Fig: 3
M. Vander Gucht scul:

TAB. CCLXXVII.



TAB. CCLXXVIII.




TAB CCLXXIX.
Fig: 1
Fig: 7
Fig: 6
Fig: 2
Fig: 4
Fig: 5
Fig: 3
M. Vander Gucht sculp.


TAB CCLXXX
Fig: 1
Fig: 6
Fig: 5
Fig: 3
Fig: 2
Fig: 4
M. Vander Gucht sculp.

TAB. CCLXXXI


Fig. 3
Fol. 147 pl. 4
Almag
Fig. 2
Fol. 146. pl. 5
Almag.
Fig. 4
Fol. 150 pl. 4.
Almag.
Fig. 1
Fol. 144 pl. 5
Almag.


TAB. CCLXXXII
Fig. 1
Fol. 150. pl. 12.
Almag.
Fig. 2.
Fol. 150. pl. 13.
Almag.
Fig. 3.
Fol. 150 pl. 14
Almag.

TAB. CCLXXXIII



Fig: 1

M. Vander Gucht sculp


TAB CCLXXXIV
Fig: 1
Fig: 2
Fig: 3
Fig: 4
Fig: 5
M. Vander Gucht Sculp.


TAB. CCLXXXV
Fig:1
Fig:2
Fig:3
M. Vander Gucht sculp


TAB CCLXXXVI
Fig: 5
Fig: 1
Fig: 4
Fig: 3
Fig: 2
M. Vander Gucht sculp.


TAB. CCLXXXVII.
Fig: 4
Fig: 3
Fig: 1
Fig: 2
Fig: 5
M. Vander Gucht sculp.

TAB. CCLXXXVIII




TAB CCLXXXIX
Fig: 1
Fig: 3
Fig: 2
Fig: 4
M. Vander Gucht sculp:

TAB. CCXC




TAB. CCXCI
Fig: 1
Fig: 2
Fig: 3
Fig: 4
M. Vander Gucht sculp.



Fig. 1.

Fol 151. pl. 4. Almag.



Fig. 1.

Fol. 156. pl. 2.
Almag.


Fol. 1.
Fol. 153 pl. 14
Almag.



Fig. 1.

Fol. 155. pl. 16.
Almag.

P. Van Somer sculp.



P Van Somer sculp


CCXCVII.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.
Fig. 6.
Fig. 7.


TAB.CCXCVIII.
Fig.6.
Fig.1.
Fig.4.
Fig.3.
Fig.8.
Fig.5.
Fig.7.
Fig.9.
Fig.2.

TAB. CCXCIX.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.

TAB. CCC.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.
Fig. 6.
Fig. 7.
Fig. 8.
I. Savage sculp.

TAB.CCCI.

TAB. CCCII.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.
Fig. 6
Fig. 7.
I. Savage sculp.

TAB CCCIII.



TAB. CCCIV.



M. Vander Gucht. sculp.


TAB CCCV.
Fig: 1.
Fig: 2.
Fig: 3.
Fig: 4.
Fig: 5.
M. Vander Gucht. Sculp.


TAB. CCCVI.
Fig. 6.
Fig. 2.
Fig. 3.
Fig. 5.
Fig. 1.
Fig. 4.

TAB. CCCVII.




TAB. CCCVIII.
Fig. 3.
Fig. 4.
Fig. 5.
Fig. 1.
Fig. 2.
G.V. Caseel. Sculp.


TAB. CCCIX.
Fig: 2.
a
b
c
d
Fig: 3.
Fig: 5.
Fig: 1.
Fig: 4.
M. Vander Gucht sculp:


TAB. CCCX
Fig: 1
Fig: 2
Fig: 3
Fig: 4
Fig: 5
Fig: 6
Fig: 7
M. Vander Gucht Sculp.

TAB. CCCXI
Fig: 1
Fig: 2
Fig: 3
Fig: 4
Fig: 5
Fig: 6
M. Vander Gucht scul.

TAB. CCCXII.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.
Fig. 6.
G.V. Casel Sculp


Fig. 1.
Fig. 3.
Fig. 2.
Fig. 4.
Fig. 5.
Fig. 6.

TAB. CCCXIV.




Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.
Fig. 6.
Fig. 7.


Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.
G.V. Casteel. Sculp.

TAB. CCCXVII

TAB. CCCXVIII
Fig. 1.
Fig. 4.
Fig. 2.
Fig. 3.
Fig. 6.
Fig. 7.
Fig. 6.

TAB. CCCXIX.



TAB. CCCXX.
Fig. 1.
Fig. 2.
Fig 3
Fig. 4.
Fig. 5.
Fig. 6.


TAB. CCCXXI
Fig. 1
Fig. 2.
Fig. 3.
Fig. 4
Fig. 5


TAB. CCCXXII
Fig: 1
Fig: 2
Fig: 3
Fig: 4
M. Vander Gucht sculp.


TAB. CCCXXIII
Fig: 1
Fig: 2
Fig: 3
Fig: 4
Fig: 5
Fig: 6
Fig: 7
M. Vander Gucht sculp.


TAB. CCCXXIV
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.
Fig. 6.

TAB. CCCXXV.
Fig. 1.
Fig. 2.
Fig. 3.
Fig. 4.
Fig. 5.


TAB. CCCXXVI
Fig: 1
Fig: 2
Fig: 3
Fig: 4
Fig: 5
M. Vander Gucht sculp.


TAB. CCCXXVII.
Fig: 1.
Fig: 3
Fig: 6.
Fig: 7.
Fig: 5
Fig: 4.
Fig: 2
M. Vander Gucht sculp:


TAB. CCCXXVIII.
Fig: 6.
Fig: 5.
Fig: 4.
Fig: 3.
Fig: 1.
Fig: 2.
M. Vander Gucht sculp.


TAB.CCCXXIX
Fig:1. fol:1. pl:1.
Fig:3.
fol:1. pl:6
Fig:4. fol:70 pl:4.
Fig:2. fol:1. pl:5.
fol:77. pl:4.
M: Vander Gucht Scul:


TAB.CCCXXX.
Fig: 1
fol.1. pl.3.
Fig: 5
fol:11: pl.1.
Fig: 3.
fol: 2. pl.2.
Fig: 4.
fol:10 pl.1.
Fig: 2.
fol.1. pl. 4.
M: Vander Gucht Sculp:

TAB. CCCXXVI
Fig: 1
fol. 2. pl. 3.
Fig: 3.
fol. 9. pl. 9.
Fig: 4.
fol: 163. pl. 4.
Fig: 2.
fol. 3. pl. 3.
M. Vander Gucht Sculp.

TAB. CCCXXXII



TAB. CCCXXXIII


TAB. CCCXXXIV
fol: 10. pl: 2.
fol: 11. pl: 5.
fol: 8. pl: 4.
fol: 11. pl: 4.
fol: 6. pl: 1.
fol: 11. pl: 3.
M. Vander Gucht Scul.


TAB.CCCXXXV.
fol:16.pl:6.
fol:17 pl:5.
fol:13.pl:4.
fol:26 pl:3.
fol: pl:
M. vander Gucht Scul.


TAB. CCCXXXVI
fol: 23. pl: 2.
fol: 17. pl: 7
fol: 17. pl: 4.
fol: 23. pl 3.
fol: 26. pl: 2.
M. Vander Gucht Scul:


TAB. CCCXXXVII.
fol: 25 pl: 7.
fol: 22 pl: 4.
fol: 22 pl: 8
fol: 27 pl: 2.
M. Vander Gucht Scul.


TAB·CCCXXXVIII·
fol: 27 pl: 3.
fol: 23 pl: 1
fol: 26 pl: 6·
fol: 27 pl: 4·
M·vander Gucht Scul·

TAB. CCCXXXIX.
fol. 22 pl. 1.
fol. 22 pl. 3.
fol. 21 pl. 1.
fol. 21 pl. 3.
fol. 43 pl. 5.
fol. 22 pl. 9.
fol. 26 pl. 5.
fol. 23 pl. 4.
fol. 24 pl. 1.
fol. 22 pl. 2.
M. Vander Gucht Scul.


TAB. CCCXXXX
fol: 30 · pl: 5 ·
fol: 29 · pl: 5 ·
fol: 29 · pl: 14 ·
fol: 29 · pl: 19 ·
fol: 65 · pl: 9 ·
fol: 29 · pl: 11
fol: 29 · pl: 13 ·
M · Vander Gucht Sculp:

TAB. CCCXXXXI.



TAB.CCCXLII
fol.43.pl.4.
fol.29.pl.3.
fol.43.pl.1.
fol.45.pl.3.
fol.47.pl.3.
fol.46.pl.3.
fol.49.pl.5.
M.Vander Gucht Scul.


TAB. CCCXLIII
fol. 43 pl. 2.
fol. 89 pl. 7.
fol. 43 pl. 3.
fol. 47 pl. 8.
fol. 37 pl. 4.
fol. 47 pl. 9.
fol. 47 pl. 10.
M. Vander Gucht Sculp.



TAB.CCCXLIV
fol:51.pl:7.
fol:45.pl:6.
fol:48.pl:4.
fol:50.pl:3.
fol:35.pl:1.
fol:31.pl:2.
fol:51.pl:5.
M.Vander Gucht: Sculp:

TAB.CCCXLV.



fol:63 pl:4.
fol:61.pl:1.
fol:31.pl:3.
fol:61.pl:6
fol:56 pl:2.
fol:56.pl:6.
fol:52.pl:2
fol:56.pl:7.
M·Vander Gucht Scul:


TAB. CCCXLVI.
fol. 68. pl. 13.
fol. 68. pl. 11.
fol. 68. pl. 9.
fol. 68. pl. 5.
fol. 69. pl. 4.
fol. 69. pl. 7.
fol. 68. pl. 12.
M. Vander Gucht Sculp.



TAB.CCCXLVII.
fol.69.pl.10.
fol.69.pl.8.
fol.69.pl.9.
fol.68.pl.14.
fol.69.pl.3.
fol.69.pl.1.
fol.68.pl.4.
S. Gribelin sculp.


TAB. CCCXLVIII.
fol:64 pl:3.
fol:101 pl:1.
fol.89.pl.3.
fol:100.pl:6.
fol.166.pl.2.
fol:100 pl:5.
fol:172 pl:2. Alm. Bot.
fol:122 pl:4.
fol:73.pl:2.
M: Vander Gucht Scul:


TAB CCCXLIX.
fol: 81. pl: 1.
fol: 190. pl: 12. Alm. Bot.
fol: 81. pl: 1.
fol: 9. pl: 7.
fol: 157 pl: 7.
fol: 137 pl: 3.
Potamogeiton. Ind.
fol. sericeis spicâ
aureâ.
fol: 155. pl: 10.
M. Vander Gucht Sculp.
fol: 152 pl: 11

fol. 103. pl. 4.
fol. 83. pl. 4.
fol. 77. pl. 10.
fol. 98. pl. 6.
fol. 121. pl. 1.
fol. 92. pl. 6.
Almag. fol. 272. pl. 12.
fol. 94. pl. 2.
S. Gribelin sculp.

00055213

Digitized with financial assistance from the
Government of Maharashtra
on 25 June, 2016